



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 13, 2017 – 06:55 PM EDT

PDB ID : 5LGU
Title : Thieno[3,2-b]pyrrole-5-carboxamides as Novel Reversible Inhibitors of Histone Lysine Demethylase KDM1A/LSD1: Compound 34
Authors : Mattevi, A.; Ciossani, G.
Deposited on : 2016-07-08
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20029077
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20029077


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1015 (3.22-3.18)
Clashscore	112137	1009 (3.20-3.20)
Ramachandran outliers	110173	1118 (3.22-3.18)
Sidechain outliers	110143	1117 (3.22-3.18)
RSRZ outliers	101464	1020 (3.22-3.18)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	730	
2	B	178	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 6379 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Lysine-specific histone demethylase 1A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	666	Total	C	N	O	S	0	0	0
			5217	3324	906	967	20			

- Molecule 2 is a protein called REST corepressor 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	133	Total	C	N	O	S	0	0	0
			1076	676	194	203	3			


- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 4 is 4-methyl- {N}-[2-[[4-[[{(3 {R})-pyrrolidin-3-yl]methoxy]phenoxy]methyl]phenyl

[thieno[3,2-b]pyrrole-5-carboxamide (three-letter code: 6W1) (formula: C₂₆H₂₇N₃O₃S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			33	26	3	3	1		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Lysine-specific histone demethylase 1A



- Molecule 2: REST corepressor 1



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	121.41Å 181.16Å 237.46Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 3.20 48.01 – 3.20	Depositor EDS
% Data completeness (in resolution range)	99.2 (50.00-3.20) 99.3 (48.01-3.20)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.54 (at 3.19Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.184 , 0.206 0.191 , 0.209	Depositor DCC
R_{free} test set	835 reflections (1.97%)	DCC
Wilson B-factor (Å ²)	102.7	Xtriage
Anisotropy	0.032	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 75.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6379	wwPDB-VP
Average B, all atoms (Å ²)	101.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 6W1, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.43	0/5331	0.64	1/7232 (0.0%)
2	B	0.39	0/1091	0.60	0/1471
All	All	0.42	0/6422	0.64	1/8703 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	820	ARG	NE-CZ-NH1	5.08	122.84	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	792	PRO	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5217	0	5252	112	0
2	B	1076	0	1091	24	0
3	A	53	0	31	3	0
4	A	33	0	0	0	0
All	All	6379	0	6374	130	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:731:LEU:HA	1:A:734:ILE:HD11	1.55	0.87
1:A:238:LEU:HD21	1:A:243:ASN:HA	1.58	0.85
1:A:209:VAL:HG12	1:A:213:ILE:HD11	1.58	0.84
1:A:238:LEU:CD2	1:A:243:ASN:HA	2.15	0.76
1:A:700:ALA:HB1	1:A:701:PRO:HD2	1.67	0.75
1:A:217:THR:HG23	1:A:234:THR:HG21	1.68	0.75
1:A:700:ALA:HB1	1:A:701:PRO:CD	2.17	0.75
1:A:731:LEU:CA	1:A:734:ILE:HD11	2.18	0.73
1:A:726:ARG:O	1:A:730:ILE:HG12	1.93	0.69
1:A:651:VAL:HG22	1:A:776:MET:HE1	1.73	0.69
1:A:343:ALA:O	1:A:346:SER:OG	2.12	0.68
1:A:199:ILE:HD11	1:A:248:LEU:HD11	1.76	0.68
1:A:760:SER:HB2	3:A:901:FAD:HM83	1.77	0.67
1:A:801:GLU:CG	1:A:809:ALA:HA	2.25	0.67
1:A:734:ILE:HD12	1:A:734:ILE:N	2.09	0.66
1:A:363:TYR:CD2	1:A:734:ILE:HG22	2.32	0.65
1:A:698:TYR:HB2	1:A:702:ILE:CG2	2.27	0.64
1:A:331:ALA:HA	3:A:901:FAD:N5	2.13	0.64
2:B:411:ASN:O	2:B:412:LYS:HD2	1.97	0.63
1:A:207:GLN:O	1:A:211:LEU:HD12	1.99	0.63
1:A:209:VAL:HG12	1:A:213:ILE:CD1	2.29	0.63
1:A:238:LEU:CG	1:A:243:ASN:HA	2.28	0.63
1:A:821:GLU:OE2	1:A:821:GLU:HA	1.99	0.62
1:A:435:VAL:HG13	2:B:349:ILE:HD12	1.82	0.62
1:A:363:TYR:CD2	1:A:734:ILE:CG2	2.84	0.61
1:A:240:ALA:N	1:A:243:ASN:OD1	2.34	0.60
1:A:468:VAL:O	1:A:472:ARG:NH1	2.35	0.59
1:A:651:VAL:HG22	1:A:776:MET:CE	2.32	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:229:LEU:HD11	1:A:234:THR:HG23	1.84	0.59
2:B:344:SER:HA	2:B:347:ARG:CZ	2.32	0.59
1:A:691:LEU:HD22	1:A:727:CYS:SG	2.43	0.59
2:B:315:PHE:O	2:B:316:LEU:HD23	2.03	0.59
1:A:665:CYS:HA	1:A:702:ILE:HD12	1.84	0.58
1:A:263:ASN:C	1:A:267:TYR:HE2	2.06	0.58
1:A:217:THR:HG23	1:A:234:THR:CG2	2.33	0.57
1:A:340:ASN:OD1	1:A:342:MET:N	2.34	0.57
1:A:230:THR:HG23	1:A:270:ILE:HD12	1.86	0.57
2:B:411:ASN:C	2:B:412:LYS:HD2	2.24	0.56
2:B:327:ASN:ND2	2:B:330:ALA:HB2	2.21	0.56
1:A:235:LEU:O	1:A:238:LEU:HB2	2.06	0.56
1:A:718:ILE:HG22	1:A:723:ILE:HG13	1.88	0.56
1:A:235:LEU:CD1	1:A:238:LEU:HD22	2.35	0.56
1:A:214:ARG:O	1:A:218:LEU:HD12	2.06	0.55
1:A:801:GLU:HG2	1:A:809:ALA:HA	1.86	0.55
1:A:239:GLU:C	1:A:243:ASN:OD1	2.43	0.55
1:A:801:GLU:HG3	1:A:809:ALA:HA	1.88	0.55
1:A:731:LEU:C	1:A:734:ILE:HD11	2.27	0.55
2:B:327:ASN:HD22	2:B:327:ASN:H	1.55	0.54
1:A:731:LEU:C	1:A:734:ILE:CD1	2.76	0.54
1:A:595:TYR:HA	1:A:600:CYS:HB3	1.90	0.53
2:B:337:GLN:HE21	2:B:337:GLN:CA	2.21	0.53
1:A:807:TYR:N	1:A:808:PRO:CD	2.72	0.53
1:A:238:LEU:HG	1:A:243:ASN:HA	1.91	0.52
1:A:235:LEU:HD12	1:A:238:LEU:HD22	1.90	0.52
1:A:205:GLN:O	1:A:209:VAL:HG23	2.10	0.52
1:A:435:VAL:CG1	2:B:349:ILE:HD12	2.39	0.51
1:A:448:MET:HB3	2:B:363:LEU:HD11	1.93	0.51
1:A:384:ARG:NH2	2:B:312:LYS:O	2.44	0.51
1:A:331:ALA:HA	3:A:901:FAD:C4X	2.40	0.50
1:A:237:GLN:HE21	1:A:237:GLN:N	2.10	0.50
2:B:400:ARG:O	2:B:402:PHE:CD1	2.65	0.50
1:A:392:LEU:HD22	1:A:398:PHE:HB3	1.94	0.49
1:A:801:GLU:HG2	1:A:809:ALA:H	1.77	0.49
1:A:438:GLN:HE21	1:A:438:GLN:HA	1.78	0.49
1:A:385:LEU:O	1:A:388:ALA:HB3	2.12	0.49
1:A:455:ILE:O	1:A:456:LYS:C	2.51	0.49
1:A:556:ASP:O	1:A:559:GLU:HG2	2.12	0.49
1:A:755:PRO:HA	1:A:758:ARG:NH1	2.28	0.49
1:A:463:LYS:O	1:A:467:GLU:HG2	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:761:TYR:CD1	1:A:809:ALA:HB1	2.49	0.48
1:A:520:TYR:O	1:A:521:LEU:HD23	2.13	0.48
1:A:238:LEU:HD11	1:A:242:TYR:O	2.14	0.48
2:B:416:GLN:HA	2:B:419:ASN:HD21	1.79	0.47
1:A:707:VAL:HG12	1:A:712:ALA:HA	1.95	0.47
1:A:789:ALA:HB1	1:A:790:PRO:HD2	1.96	0.47
1:A:451:LEU:HD23	1:A:494:TYR:HB2	1.96	0.47
1:A:297:LEU:HD21	1:A:822:ALA:HA	1.97	0.47
1:A:286:SER:HB2	1:A:291:LEU:HD21	1.97	0.46
1:A:629:VAL:O	1:A:632:GLN:HB2	2.16	0.46
1:A:238:LEU:HG	1:A:243:ASN:CA	2.46	0.46
1:A:377:MET:HG3	1:A:378:VAL:N	2.30	0.46
1:A:538:PHE:CE1	1:A:706:LEU:HD23	2.52	0.45
1:A:677:LEU:N	1:A:677:LEU:HD23	2.31	0.45
1:A:449:VAL:HG23	2:B:363:LEU:CD2	2.47	0.45
1:A:666:PHE:O	1:A:701:PRO:HG2	2.17	0.44
1:A:231:PHE:HE1	1:A:249:VAL:HG12	1.83	0.44
2:B:399:GLY:HA3	2:B:437:TRP:CD2	2.53	0.44
1:A:260:GLY:O	1:A:264:PHE:CD2	2.71	0.44
1:A:270:ILE:O	1:A:272:PRO:HD3	2.18	0.44
1:A:695:TRP:HB2	1:A:704:LEU:HB2	2.00	0.44
1:A:209:VAL:HG13	1:A:242:TYR:HD1	1.83	0.44
1:A:363:TYR:CE2	1:A:734:ILE:HG22	2.53	0.43
1:A:385:LEU:HA	2:B:314:MET:HE3	2.00	0.43
1:A:672:ASP:O	1:A:675:VAL:HG12	2.18	0.43
1:A:665:CYS:SG	1:A:702:ILE:CD1	3.07	0.43
1:A:695:TRP:CZ2	1:A:706:LEU:HD21	2.54	0.43
2:B:384:THR:N	2:B:387:GLU:OE1	2.52	0.43
1:A:199:ILE:CD1	1:A:248:LEU:HD11	2.48	0.42
1:A:706:LEU:N	1:A:706:LEU:HD12	2.34	0.42
1:A:257:GLU:HG3	1:A:263:ASN:HD22	1.83	0.42
1:A:337:LEU:HD11	1:A:565:LEU:HD21	2.00	0.42
1:A:374:LYS:NZ	1:A:525:ASP:OD1	2.33	0.42
1:A:792:PRO:HA	1:A:793:ILE:HD12	2.00	0.42
1:A:730:ILE:O	1:A:734:ILE:HD11	2.19	0.42
2:B:416:GLN:O	2:B:419:ASN:ND2	2.52	0.42
1:A:238:LEU:HG	1:A:243:ASN:CG	2.39	0.42
1:A:470:PRO:HA	1:A:471:PRO:C	2.40	0.42
1:A:213:ILE:HD13	1:A:248:LEU:HD23	2.01	0.42
2:B:399:GLY:HA3	2:B:437:TRP:CE3	2.54	0.42
1:A:216:ARG:CZ	1:A:220:LEU:HD21	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:821:GLU:OE2	1:A:824:ARG:CZ	2.68	0.42
1:A:372:LYS:O	1:A:376:GLU:HG3	2.20	0.41
2:B:315:PHE:C	2:B:316:LEU:HD23	2.40	0.41
1:A:399:ASN:C	1:A:406:VAL:HG23	2.41	0.41
2:B:368:GLU:N	2:B:369:PRO:CD	2.82	0.41
1:A:368:GLN:HE21	1:A:368:GLN:HA	1.86	0.41
1:A:720:ASP:O	1:A:724:VAL:HG23	2.20	0.41
1:A:563:SER:O	1:A:565:LEU:HD13	2.20	0.41
1:A:718:ILE:O	1:A:750:ARG:NH2	2.53	0.41
1:A:243:ASN:O	1:A:244:SER:C	2.59	0.41
1:A:691:LEU:CD2	1:A:727:CYS:SG	3.08	0.41
1:A:209:VAL:O	1:A:213:ILE:HD12	2.21	0.41
2:B:337:GLN:O	2:B:341:GLU:HB2	2.21	0.41
2:B:337:GLN:N	2:B:337:GLN:HE21	2.19	0.41
1:A:175:GLU:HG2	1:A:185:HIS:CD2	2.57	0.40
1:A:209:VAL:HG13	1:A:242:TYR:CD1	2.56	0.40
1:A:261:LEU:HD23	1:A:261:LEU:HA	1.88	0.40
1:A:557:ASP:OD1	1:A:557:ASP:N	2.55	0.40
2:B:368:GLU:HB2	2:B:369:PRO:HD3	2.04	0.40
1:A:437:THR:CG2	1:A:508:LEU:CD2	3.00	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	664/730 (91%)	617 (93%)	40 (6%)	7 (1%)	17	58
2	B	131/178 (74%)	116 (88%)	12 (9%)	3 (2%)	7	40
All	All	795/908 (88%)	733 (92%)	52 (6%)	10 (1%)	14	55

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	326	ALA
1	A	522	SER
2	B	331	ALA
1	A	793	ILE
1	A	757	ALA
1	A	700	ALA
1	A	733	GLY
2	B	425	ARG
1	A	516	PRO
1	A	734	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	566/623 (91%)	511 (90%)	55 (10%)	9	36
2	B	117/156 (75%)	98 (84%)	19 (16%)	3	13
All	All	683/779 (88%)	609 (89%)	74 (11%)	7	31

All (74) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	191	GLN
1	A	195	CYS
1	A	218	LEU
1	A	222	LEU
1	A	234	THR
1	A	237	GLN
1	A	255	TYR
1	A	267	TYR
1	A	271	LYS
1	A	276	LYS
1	A	328	ASP
1	A	347	LYS
1	A	359	LYS
1	A	368	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	373	GLU
1	A	377	MET
1	A	380	GLN
1	A	392	LEU
1	A	403	ASN
1	A	420	GLU
1	A	438	GLN
1	A	445	LEU
1	A	449	VAL
1	A	453	GLU
1	A	458	LEU
1	A	485	ARG
1	A	490	LEU
1	A	492	LYS
1	A	508	LEU
1	A	511	LEU
1	A	514	ASN
1	A	550	LYS
1	A	555	ASP
1	A	557	ASP
1	A	565	LEU
1	A	571	TYR
1	A	588	THR
1	A	591	ARG
1	A	594	ARG
1	A	598	SER
1	A	600	CYS
1	A	610	THR
1	A	615	ILE
1	A	632	GLN
1	A	654	MET
1	A	659	LEU
1	A	668	ARG
1	A	675	VAL
1	A	680	HIS
1	A	684	THR
1	A	734	ILE
1	A	778	GLN
1	A	786	ILE
1	A	793	ILE
1	A	801	GLU
2	B	316	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	327	ASN
2	B	332	THR
2	B	336	ARG
2	B	337	GLN
2	B	341	GLU
2	B	347	ARG
2	B	349	ILE
2	B	354	GLN
2	B	363	LEU
2	B	371	ARG
2	B	384	THR
2	B	385	THR
2	B	387	GLU
2	B	400	ARG
2	B	412	LYS
2	B	419	ASN
2	B	429	ASN
2	B	431	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	185	HIS
1	A	237	GLN
1	A	368	GLN
1	A	380	GLN
1	A	402	ASN
1	A	422	HIS
1	A	438	GLN
1	A	633	GLN
2	B	337	GLN
2	B	419	ASN
2	B	423	ASN
2	B	435	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	FAD	A	901	-	51,58,58	1.31	8 (15%)	54,89,89	1.99	10 (18%)
4	6W1	A	902	-	32,37,37	0.82	2 (6%)	36,51,51	1.28	5 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	A	901	-	-	0/28/50/50	0/6/6/6
4	6W1	A	902	-	-	0/15/25/25	0/5/5/5

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	901	FAD	C6-C5X	-2.54	1.38	1.41
4	A	902	6W1	C3-N1	-2.42	1.37	1.41
3	A	901	FAD	C9A-N10	2.07	1.41	1.38
3	A	901	FAD	C4-C4X	2.09	1.45	1.41
3	A	901	FAD	C10-N1	2.28	1.36	1.33
4	A	902	6W1	C21-C1	2.47	1.41	1.38

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	901	FAD	C8-C7	2.70	1.47	1.41
3	A	901	FAD	C5A-C4A	2.74	1.46	1.40
3	A	901	FAD	C9A-C5X	3.53	1.49	1.42
3	A	901	FAD	C4X-C10	4.10	1.48	1.41

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	901	FAD	N3A-C2A-N1A	-5.67	123.92	128.86
3	A	901	FAD	C4-C4X-C10	-3.53	117.11	119.96
3	A	901	FAD	C4X-C4-N3	-2.79	119.51	123.48
3	A	901	FAD	C4X-C10-N10	-2.74	118.61	120.52
3	A	901	FAD	C4A-C5A-N7A	-2.74	106.76	109.41
3	A	901	FAD	C4B-O4B-C1B	-2.14	107.49	109.77
4	A	902	6W1	C14-O2-C13	2.02	122.30	117.89
4	A	902	6W1	C17-C16-C15	2.05	108.62	104.08
4	A	902	6W1	C9-O1-C10	2.06	122.75	117.61
3	A	901	FAD	C5X-C9A-N10	2.44	119.47	117.66
4	A	902	6W1	O-C2-N1	2.53	129.46	123.69
3	A	901	FAD	C10-C4X-N5	2.89	123.92	120.59
4	A	902	6W1	C21-C22-C25	4.14	109.84	106.24
3	A	901	FAD	C1'-N10-C9A	5.99	123.84	118.35
3	A	901	FAD	C4-N3-C2	7.50	121.72	115.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	901	FAD	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	666/730 (91%)	-0.18	1 (0%) 94 93	59, 94, 134, 169	0
2	B	133/178 (74%)	-0.01	1 (0%) 86 77	84, 126, 154, 173	0
All	All	799/908 (87%)	-0.15	2 (0%) 93 92	59, 99, 141, 173	0

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	836	LEU	3.6
2	B	402	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	FAD	A	901	53/53	0.98	0.23	0.09	58,70,77,83	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	6W1	A	902	33/33	0.96	0.22	-0.70	68,86,100,108	0

6.5 Other polymers [i](#)

There are no such residues in this entry.