



# Full wwPDB X-ray Structure Validation Report ⓘ

Jul 25, 2017 – 04:16 AM EDT

PDB ID : 5LHV  
Title : X-ray structure of uridine phosphorylase from *Vibrio cholerae* in complex with uridine and sulfate ion at 1.29 Å resolution  
Authors : Prokofev, I.I.; Lashkov, A.A.; Gabdoulkhakov, A.G.; Balaev, V.V.; Betzel, C.; Mikhailov, A.M.  
Deposited on : unknown  
Resolution : 1.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20029824  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20029824


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	1367 (1.30-1.26)
Clashscore	112137	1447 (1.30-1.26)
Ramachandran outliers	110173	1392 (1.30-1.26)
Sidechain outliers	110143	1391 (1.30-1.26)
RSRZ outliers	101464	1370 (1.30-1.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	251	<div> <div>8%</div> <div> <div></div> <div>92%</div> <div>8%</div> </div> </div>
1	B	251	<div> <div>6%</div> <div> <div></div> <div>92%</div> <div>7%</div> </div> </div>
1	C	251	<div> <div>10%</div> <div> <div></div> <div>92%</div> <div>7%</div> </div> </div>
1	D	251	<div> <div>14%</div> <div> <div></div> <div>93%</div> <div>5% ..</div> </div> </div>
1	E	251	<div> <div>3%</div> <div> <div></div> <div>93%</div> <div>7%</div> </div> </div>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	251	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	URI	E	302[A]	-	-	-	X
3	URI	F	302[A]	-	-	-	X
4	URA	A	304[B]	-	X	-	-
4	URA	B	304[B]	-	X	-	-
4	URA	C	303[B]	-	X	-	-
4	URA	D	303[B]	-	X	-	-
4	URA	E	303[B]	-	X	-	-
4	URA	F	303[B]	-	X	-	-
7	NA	A	307	-	-	-	X
7	NA	C	306	-	-	-	X
7	NA	E	306	-	-	-	X
8	GOL	E	307	-	-	-	X
8	GOL	F	307	-	-	-	X

## 2 Entry composition [i](#)


There are 9 unique types of molecules in this entry. The entry contains 13501 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Uridine phosphorylase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	251	Total	C	N	O	S	0	11	0
			1942	1220	339	368	15			
1	B	251	Total	C	N	O	S	0	14	0
			1955	1230	340	371	14			
1	C	251	Total	C	N	O	S	0	17	0
			1964	1239	338	371	16			
1	D	248	Total	C	N	O	S	0	10	0
			1889	1188	322	364	15			
1	E	251	Total	C	N	O	S	0	12	0
			1942	1221	335	370	16			
1	F	251	Total	C	N	O	S	0	18	0
			1974	1247	338	373	16			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O S 5 4 1	0	0
2	A	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	B	1	Total O S 5 4 1	0	0
2	C	1	Total O S 5 4 1	0	0
2	D	1	Total O S 5 4 1	0	0
2	E	1	Total O S 5 4 1	0	0
2	F	1	Total O S 5 4 1	0	0

- Molecule 3 is URIDINE (three-letter code: URI) (formula:  $C_9H_{12}N_2O_6$ ).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 17 9 2 6	0	1
3	B	1	Total C N O 17 9 2 6	0	1
3	C	1	Total C N O 17 9 2 6	0	1
3	D	1	Total C N O 17 9 2 6	0	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	E	1	Total	C	N	O	0	1
			17	9	2	6		
3	F	1	Total	C	N	O	0	1
			17	9	2	6		

- Molecule 4 is URACIL (three-letter code: URA) (formula:  $C_4H_4N_2O_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	1
			8	4	2	2		
4	B	1	Total	C	N	O	0	1
			8	4	2	2		
4	C	1	Total	C	N	O	0	1
			8	4	2	2		
4	D	1	Total	C	N	O	0	1
			8	4	2	2		
4	E	1	Total	C	N	O	0	1
			8	4	2	2		
4	F	1	Total	C	N	O	0	1
			8	4	2	2		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	D	1	Total	Mg	0	0
			1	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	E	2	Total 2	Mg 2	0	0
5	B	1	Total 1	Mg 1	0	0
5	C	1	Total 1	Mg 1	0	0
5	A	1	Total 1	Mg 1	0	0
5	F	1	Total 1	Mg 1	0	0

- Molecule 6 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	1	Total 1	Cl 1	0	0
6	E	1	Total 1	Cl 1	0	0
6	B	1	Total 1	Cl 1	0	0
6	C	1	Total 1	Cl 1	0	0
6	A	1	Total 1	Cl 1	0	0
6	F	1	Total 1	Cl 1	0	0

- Molecule 7 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total 1	Na 1	0	0
7	C	1	Total 1	Na 1	0	0
7	E	1	Total 1	Na 1	0	0

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	3	3		
8	B	1	Total	C	O	0	0
			6	3	3		
8	C	1	Total	C	O	0	0
			6	3	3		
8	D	1	Total	C	O	0	0
			6	3	3		
8	E	1	Total	C	O	0	0
			6	3	3		
8	F	1	Total	C	O	0	0
			6	3	3		
8	F	1	Total	C	O	0	0
			6	3	3		

- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	253	Total	O	0	0
			253	253		
9	B	270	Total	O	0	0
			270	270		
9	C	264	Total	O	0	0
			264	264		
9	D	224	Total	O	0	1
			225	225		
9	E	293	Total	O	0	0
			293	293		

*Continued on next page...*




*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	F	282	Total 282	O 282	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Uridine phosphorylase




#### • Molecule 1: Uridine phosphorylase




#### • Molecule 1: Uridine phosphorylase




#### • Molecule 1: Uridine phosphorylase



## ● Molecule 1: Uridine phosphorylase



## ● Molecule 1: Uridine phosphorylase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	64.22Å 71.65Å 88.88Å 69.70° 72.70° 86.24°	Depositor
Resolution (Å)	33.57 – 1.29 33.57 – 1.29	Depositor EDS
% Data completeness (in resolution range)	94.0 (33.57-1.29) 83.3 (33.57-1.29)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.18 (at 1.29Å)	Xtriage
Refinement program	PHENIX 1.8.1_1168	Depositor
R, $R_{free}$	0.145 , 0.178 0.146 , 0.181	Depositor DCC
$R_{free}$ test set	3534 reflections (1.05%)	DCC
Wilson B-factor (Å <sup>2</sup> )	10.8	Xtriage
Anisotropy	0.427	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 60.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.98	EDS
Total number of atoms	13501	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.00% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, URA, CL, NA, URI, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.61	0/2006	0.74	0/2714
1	B	0.60	0/2029	0.74	0/2748
1	C	0.64	0/2045	0.78	0/2766
1	D	0.60	0/1948	0.74	0/2640
1	E	0.60	0/2006	0.79	0/2717
1	F	0.63	0/2059	0.78	0/2788
All	All	0.61	0/12093	0.76	0/16373

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1942	0	1982	15	0
1	B	1955	0	1997	15	0
1	C	1964	0	2023	11	0
1	D	1889	0	1910	8	0
1	E	1942	0	1978	11	0
1	F	1974	0	2036	16	0
2	A	10	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	10	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
2	E	5	0	0	0	0
2	F	5	0	0	0	0
3	A	17	0	12	3	0
3	B	17	0	12	1	0
3	C	17	0	12	2	0
3	D	17	0	12	3	0
3	E	17	0	12	1	0
3	F	17	0	12	3	0
4	A	8	0	3	0	0
4	B	8	0	3	0	0
4	C	8	0	3	0	0
4	D	8	0	3	0	0
4	E	8	0	3	0	0
4	F	8	0	3	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	E	2	0	0	0	0
5	F	1	0	0	0	0
6	A	1	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	E	1	0	0	0	0
6	F	1	0	0	0	0
7	A	1	0	0	0	0
7	C	1	0	0	0	0
7	E	1	0	0	0	0
8	A	6	0	8	0	0
8	B	6	0	8	0	0
8	C	6	0	8	0	0
8	D	6	0	8	0	0
8	E	6	0	8	0	0
8	F	12	0	16	1	0
9	A	253	0	0	3	0
9	B	270	0	0	3	0
9	C	264	0	0	3	0
9	D	225	0	0	1	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	E	293	0	0	0	0
9	F	282	0	0	4	0
All	All	13501	0	12072	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:239[B]:ARG:HG2	1:A:239[B]:ARG:HH11	1.37	0.88
1:F:104:GLY:HA2	1:F:236[A]:THR:HG22	1.57	0.87
1:B:15:LEU:HD22	1:B:62[B]:VAL:HG11	1.66	0.76
1:E:59:GLN:HE22	1:E:253:LYS:HD2	1.53	0.74
1:A:39:ASN:ND2	9:A:405:HOH:O	2.21	0.72
1:F:232:THR:O	1:F:236[A]:THR:HG23	1.92	0.70
1:E:246:GLU:OE2	1:E:249[B]:ARG:NE	2.26	0.68
1:F:53[B]:ARG:NH1	9:F:404:HOH:O	2.20	0.68
1:F:220[A]:ILE:HD11	1:F:222:ARG:HD2	1.75	0.67
1:C:15:LEU:HD22	1:C:62[B]:VAL:HG11	1.77	0.66
1:C:242[A]:LYS:HE3	9:C:539:HOH:O	2.01	0.60
1:B:252:LEU:O	1:B:253:LYS:HB3	2.03	0.58
1:F:16[A]:ASN:HB2	1:F:53[A]:ARG:HD2	1.86	0.58
1:E:37:MET:SD	1:E:61[B]:VAL:HG21	2.45	0.56
1:B:174[A]:ARG:HD3	9:B:402:HOH:O	2.05	0.56
1:A:15:LEU:HG	1:A:62:VAL:HG21	1.88	0.55
1:C:37:MET:SD	1:C:61[B]:VAL:HG21	2.47	0.55
1:E:157:SER:HB3	1:E:199:ALA:HB2	1.89	0.54
1:B:157:SER:HB3	1:B:199:ALA:HB2	1.90	0.54
1:E:16:ASN:HB3	1:E:53:ARG:HD2	1.90	0.54
3:A:303[A]:URI:H2'	3:A:303[A]:URI:O2	2.07	0.54
3:F:302[A]:URI:O3'	9:F:402:HOH:O	0.53	0.53
3:A:303[A]:URI:O3'	9:A:403:HOH:O	0.53	0.53
1:F:219:ILE:HG13	1:F:220[A]:ILE:HG23	1.90	0.53
1:B:130[B]:VAL:HG12	1:C:130[B]:VAL:HG11	1.90	0.52
1:B:130[B]:VAL:HG12	1:C:130[B]:VAL:CG1	2.41	0.51
1:F:220[A]:ILE:HD11	1:F:222:ARG:CD	2.39	0.51
3:B:303[A]:URI:O2	3:B:303[A]:URI:H2'	2.10	0.50
1:C:157:SER:HB3	1:C:199:ALA:HB2	1.93	0.50
3:C:302[A]:URI:O2	3:C:302[A]:URI:H2'	2.11	0.50
1:D:252:LEU:O	1:D:253:LYS:HE3	2.11	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:146:SER:HB3	9:F:459:HOH:O	2.10	0.50
1:A:239[B]:ARG:HG2	1:A:239[B]:ARG:NH1	2.14	0.50
1:A:15:LEU:HG	1:A:62:VAL:CG2	2.42	0.50
3:C:302[A]:URI:O3'	9:C:401:HOH:O	0.50	0.50
1:A:103:VAL:HG11	1:A:228:PRO:HB3	1.94	0.50
3:D:302[A]:URI:O2	3:D:302[A]:URI:H2'	2.11	0.49
1:C:242[B]:LYS:HD2	9:C:578:HOH:O	2.12	0.49
1:A:148:ALA:HB2	1:A:239[A]:ARG:HD3	1.94	0.49
1:B:57:ASP:OD2	1:B:249[B]:ARG:HG3	2.12	0.49
1:A:36:LEU:HD11	1:A:241:ILE:HG13	1.95	0.49
1:A:249[B]:ARG:HA	1:A:252[B]:LEU:CD2	2.43	0.48
1:D:246:GLU:OE1	1:D:249:ARG:NH2	2.46	0.48
1:B:225:LYS:NZ	1:B:229[B]:ASP:OD2	2.46	0.48
1:D:157:SER:HB3	1:D:199:ALA:HB2	1.94	0.48
1:B:130[B]:VAL:CG1	1:C:130[B]:VAL:CG1	2.92	0.48
1:F:232:THR:O	1:F:235:GLU:HG2	2.14	0.48
3:E:302[A]:URI:O2	3:E:302[A]:URI:H2'	2.13	0.47
1:C:106[B]:MET:SD	1:C:243:VAL:HG21	2.54	0.47
1:F:234[A]:LYS:HB3	1:F:234[A]:LYS:HE3	1.73	0.47
1:F:157:SER:HB3	1:F:199:ALA:HB2	1.96	0.47
3:F:302[A]:URI:O2'	9:F:401:HOH:O	0.50	0.47
1:F:106[B]:MET:HG3	1:F:148:ALA:HB1	1.97	0.47
1:E:204[B]:MET:HE3	1:E:204[B]:MET:HB3	1.78	0.46
1:C:226:GLU:CD	1:C:226:GLU:H	2.20	0.46
3:D:302[A]:URI:O3'	9:D:415:HOH:O	0.46	0.45
3:A:303[A]:URI:O2'	9:A:402:HOH:O	0.52	0.45
1:D:16[B]:ASN:HB2	1:D:53:ARG:HD2	1.98	0.45
1:D:3:LYS:HD3	1:D:3:LYS:HA	1.51	0.45
1:A:239[B]:ARG:HH11	1:A:239[B]:ARG:CG	2.18	0.45
1:F:106[B]:MET:SD	1:F:243:VAL:HG21	2.57	0.45
1:C:74:SER:HA	1:C:204[A]:MET:HE1	1.98	0.44
1:B:174[B]:ARG:NH2	9:B:412:HOH:O	2.50	0.44
1:B:223:THR:OG1	9:B:403:HOH:O	2.21	0.44
1:E:16:ASN:CB	1:E:53:ARG:HD2	2.47	0.44
1:B:253:LYS:HB3	1:B:253:LYS:HE3	1.65	0.44
1:B:252:LEU:O	1:B:253:LYS:HE3	2.18	0.43
1:D:95:GLY:HA2	1:D:220:ILE:HG23	2.00	0.43
3:F:302[A]:URI:O2	3:F:302[A]:URI:H2'	2.19	0.43
1:E:59:GLN:NE2	1:E:253:LYS:HD2	2.28	0.43
1:E:37:MET:HG2	1:E:56:LEU:HD13	1.99	0.43
1:A:238:ALA:O	1:A:242:LYS:HG3	2.19	0.42

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:196:MET:HG3	3:D:302[A]:URI:H2'	2.01	0.42
1:F:252:LEU:HA	1:F:252:LEU:HD23	1.92	0.42
1:A:48:GLU:HB3	1:B:48:GLU:HB3	2.01	0.42
1:D:16[A]:ASN:HB2	1:D:53:ARG:HD2	2.02	0.42
1:E:97:ILE:HD13	1:E:97:ILE:HG21	1.79	0.42
1:A:157:SER:HB3	1:A:199:ALA:HB2	2.02	0.41
1:A:37:MET:HG2	1:A:56:LEU:HD13	2.00	0.41
1:F:211:LYS:CG	8:F:307:GOL:H12	2.50	0.41
1:E:106[A]:MET:CE	1:E:240[A]:SER:HA	2.50	0.41
1:F:104:GLY:HA2	1:F:236[A]:THR:CG2	2.38	0.41
1:B:6:PHE:HD2	1:B:7:HIS:CE1	2.39	0.40
1:A:248:ALA:O	1:A:252[B]:LEU:HD22	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	260/251 (104%)	257 (99%)	2 (1%)	1 (0%)	38	10
1	B	263/251 (105%)	260 (99%)	2 (1%)	1 (0%)	38	10
1	C	266/251 (106%)	264 (99%)	1 (0%)	1 (0%)	38	10
1	D	254/251 (101%)	251 (99%)	2 (1%)	1 (0%)	38	10
1	E	261/251 (104%)	259 (99%)	1 (0%)	1 (0%)	38	10
1	F	267/251 (106%)	264 (99%)	2 (1%)	1 (0%)	38	10
All	All	1571/1506 (104%)	1555 (99%)	10 (1%)	6 (0%)	38	10

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	162	TYR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	162	TYR
1	B	162	TYR
1	C	162	TYR
1	F	162	TYR
1	E	162	TYR

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	212/201 (106%)	209 (99%)	3 (1%)	71	34
1	B	215/201 (107%)	212 (99%)	3 (1%)	71	34
1	C	216/201 (108%)	208 (96%)	8 (4%)	39	4
1	D	206/201 (102%)	200 (97%)	6 (3%)	48	8
1	E	213/201 (106%)	210 (99%)	3 (1%)	71	34
1	F	219/201 (109%)	210 (96%)	9 (4%)	35	3
All	All	1281/1206 (106%)	1249 (98%)	32 (2%)	57	11

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	195	GLU
1	A	252[A]	LEU
1	A	252[B]	LEU
1	B	195	GLU
1	B	232	THR
1	B	253	LYS
1	C	3	LYS
1	C	184	LYS
1	C	195	GLU
1	C	204[A]	MET
1	C	204[B]	MET
1	C	225	LYS
1	C	237[A]	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	237[B]	GLU
1	D	16[A]	ASN
1	D	16[B]	ASN
1	D	195	GLU
1	D	237[A]	GLU
1	D	237[B]	GLU
1	D	253	LYS
1	E	3	LYS
1	E	195	GLU
1	E	253	LYS
1	F	3	LYS
1	F	4	THR
1	F	195	GLU
1	F	220[A]	ILE
1	F	220[B]	ILE
1	F	225	LYS
1	F	226	GLU
1	F	229	ASP
1	F	253	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 43 ligands modelled in this entry, 16 are monoatomic - leaving 27 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	A	301	-	4,4,4	0.38	0	6,6,6	0.31	0
2	SO4	A	302	-	4,4,4	0.38	0	6,6,6	0.50	0
3	URI	A	303[A]	-	14,18,18	1.11	2 (14%)	15,26,26	4.88	5 (33%)
4	URA	A	304[B]	-	6,8,8	4.69	6 (100%)	5,10,10	8.13	4 (80%)
8	GOL	A	308	-	5,5,5	0.38	0	5,5,5	0.69	0
2	SO4	B	301	-	4,4,4	0.44	0	6,6,6	0.14	0
2	SO4	B	302	-	4,4,4	0.16	0	6,6,6	0.37	0
3	URI	B	303[A]	-	14,18,18	1.17	2 (14%)	15,26,26	4.82	4 (26%)
4	URA	B	304[B]	-	6,8,8	4.53	5 (83%)	5,10,10	9.41	4 (80%)
8	GOL	B	307	-	5,5,5	0.31	0	5,5,5	0.51	0
2	SO4	C	301	-	4,4,4	0.35	0	6,6,6	0.48	0
3	URI	C	302[A]	-	14,18,18	1.10	1 (7%)	15,26,26	4.91	4 (26%)
4	URA	C	303[B]	-	6,8,8	4.26	6 (100%)	5,10,10	8.33	5 (100%)
8	GOL	C	307	-	5,5,5	0.41	0	5,5,5	0.53	0
2	SO4	D	301	-	4,4,4	0.34	0	6,6,6	0.57	0
3	URI	D	302[A]	-	14,18,18	1.21	2 (14%)	15,26,26	5.01	5 (33%)
4	URA	D	303[B]	-	6,8,8	4.59	6 (100%)	5,10,10	7.59	4 (80%)
8	GOL	D	306	-	5,5,5	0.33	0	5,5,5	0.59	0
2	SO4	E	301	-	4,4,4	0.40	0	6,6,6	0.10	0
3	URI	E	302[A]	-	14,18,18	1.30	2 (14%)	15,26,26	5.18	4 (26%)
4	URA	E	303[B]	-	6,8,8	4.30	6 (100%)	5,10,10	9.29	4 (80%)
8	GOL	E	307	-	5,5,5	0.34	0	5,5,5	0.69	0
2	SO4	F	301	-	4,4,4	0.15	0	6,6,6	0.31	0
3	URI	F	302[A]	-	14,18,18	1.37	3 (21%)	15,26,26	5.38	5 (33%)
4	URA	F	303[B]	-	6,8,8	4.38	6 (100%)	5,10,10	6.35	4 (80%)
8	GOL	F	306	-	5,5,5	0.29	0	5,5,5	0.33	0
8	GOL	F	307	-	5,5,5	0.32	0	5,5,5	0.77	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	301	-	-	0/0/0/0	0/0/0/0
2	SO4	A	302	-	-	0/0/0/0	0/0/0/0
3	URI	A	303[A]	-	-	0/2/22/22	0/2/2/2
4	URA	A	304[B]	-	-	0/0/0/0	0/1/1/1
8	GOL	A	308	-	-	0/4/4/4	0/0/0/0
2	SO4	B	301	-	-	0/0/0/0	0/0/0/0
2	SO4	B	302	-	-	0/0/0/0	0/0/0/0
3	URI	B	303[A]	-	-	0/2/22/22	0/2/2/2
4	URA	B	304[B]	-	-	0/0/0/0	0/1/1/1
8	GOL	B	307	-	-	0/4/4/4	0/0/0/0
2	SO4	C	301	-	-	0/0/0/0	0/0/0/0
3	URI	C	302[A]	-	-	0/2/22/22	0/2/2/2
4	URA	C	303[B]	-	-	0/0/0/0	0/1/1/1
8	GOL	C	307	-	-	0/4/4/4	0/0/0/0
2	SO4	D	301	-	-	0/0/0/0	0/0/0/0
3	URI	D	302[A]	-	-	0/2/22/22	0/2/2/2
4	URA	D	303[B]	-	-	0/0/0/0	0/1/1/1
8	GOL	D	306	-	-	0/4/4/4	0/0/0/0
2	SO4	E	301	-	-	0/0/0/0	0/0/0/0
3	URI	E	302[A]	-	-	0/2/22/22	0/2/2/2
4	URA	E	303[B]	-	-	0/0/0/0	0/1/1/1
8	GOL	E	307	-	-	0/4/4/4	0/0/0/0
2	SO4	F	301	-	-	0/0/0/0	0/0/0/0
3	URI	F	302[A]	-	-	0/2/22/22	0/2/2/2
4	URA	F	303[B]	-	-	0/0/0/0	0/1/1/1
8	GOL	F	306	-	-	0/4/4/4	0/0/0/0
8	GOL	F	307	-	-	0/4/4/4	0/0/0/0

All (47) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	304[B]	URA	O4-C4	-2.61	1.18	1.24
4	D	303[B]	URA	O4-C4	-2.60	1.18	1.24
4	F	303[B]	URA	O4-C4	-2.50	1.18	1.24
4	E	303[B]	URA	O4-C4	-2.45	1.18	1.24
4	C	303[B]	URA	O4-C4	-2.39	1.18	1.24
4	A	304[B]	URA	O4-C4	-2.34	1.18	1.24
4	A	304[B]	URA	C5-C6	2.13	1.43	1.38
3	F	302[A]	URI	C2'-C1'	2.13	1.57	1.53
3	D	302[A]	URI	C4-N3	2.18	1.37	1.33
3	F	302[A]	URI	C4-N3	2.32	1.37	1.33
4	C	303[B]	URA	C5-C6	2.33	1.43	1.38
3	A	303[A]	URI	C4-N3	2.33	1.37	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	303[B]	URA	C5-C6	2.35	1.43	1.38
4	F	303[B]	URA	C5-C6	2.36	1.43	1.38
4	D	303[B]	URA	C5-C6	2.61	1.44	1.38
3	B	303[A]	URI	C4-N3	2.62	1.37	1.33
3	A	303[A]	URI	C6-N1	2.67	1.39	1.35
3	B	303[A]	URI	C6-N1	2.71	1.39	1.35
3	E	302[A]	URI	C4-N3	2.76	1.38	1.33
3	D	302[A]	URI	C6-N1	2.83	1.39	1.35
3	C	302[A]	URI	C6-N1	3.03	1.39	1.35
3	E	302[A]	URI	C6-N1	3.23	1.40	1.35
3	F	302[A]	URI	C6-N1	3.28	1.40	1.35
4	E	303[B]	URA	C2-N3	4.11	1.46	1.38
4	F	303[B]	URA	C2-N1	4.19	1.46	1.38
4	C	303[B]	URA	C2-N1	4.19	1.46	1.38
4	C	303[B]	URA	C2-N3	4.27	1.46	1.38
4	B	304[B]	URA	C2-N3	4.36	1.46	1.38
4	B	304[B]	URA	C2-N1	4.47	1.47	1.38
4	F	303[B]	URA	C2-N3	4.57	1.47	1.38
4	D	303[B]	URA	C2-N1	4.57	1.47	1.38
4	F	303[B]	URA	C6-N1	4.58	1.44	1.34
4	C	303[B]	URA	C6-N1	4.60	1.44	1.34
4	E	303[B]	URA	C6-N1	4.63	1.44	1.34
4	E	303[B]	URA	C2-N1	4.65	1.47	1.38
4	A	304[B]	URA	C6-N1	4.82	1.45	1.34
4	D	303[B]	URA	C2-N3	4.94	1.48	1.38
4	A	304[B]	URA	C2-N3	4.96	1.48	1.38
4	D	303[B]	URA	C6-N1	5.17	1.45	1.34
4	A	304[B]	URA	C2-N1	5.19	1.48	1.38
4	B	304[B]	URA	C6-N1	5.27	1.46	1.34
4	E	303[B]	URA	C4-N3	6.28	1.44	1.33
4	C	303[B]	URA	C4-N3	6.38	1.44	1.33
4	D	303[B]	URA	C4-N3	6.38	1.44	1.33
4	F	303[B]	URA	C4-N3	6.63	1.45	1.33
4	B	304[B]	URA	C4-N3	6.76	1.45	1.33
4	A	304[B]	URA	C4-N3	6.89	1.45	1.33

All (52) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	304[B]	URA	N1-C2-N3	-15.18	117.48	128.40
4	E	303[B]	URA	N1-C2-N3	-13.29	118.84	128.40
4	A	304[B]	URA	N1-C2-N3	-12.52	119.39	128.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	303[B]	URA	N1-C2-N3	-11.65	120.02	128.40
4	D	303[B]	URA	N1-C2-N3	-11.64	120.02	128.40
4	F	303[B]	URA	N1-C2-N3	-10.19	121.07	128.40
3	F	302[A]	URI	C6-N1-C2	-6.74	110.36	121.28
3	F	302[A]	URI	C5-C4-N3	-5.77	109.34	123.12
3	E	302[A]	URI	C6-N1-C2	-5.10	113.01	121.28
3	C	302[A]	URI	C5-C4-N3	-5.09	110.96	123.12
3	C	302[A]	URI	C6-N1-C2	-5.07	113.06	121.28
3	D	302[A]	URI	C5-C4-N3	-5.01	111.15	123.12
3	E	302[A]	URI	C5-C4-N3	-5.01	111.15	123.12
3	A	303[A]	URI	C5-C4-N3	-4.84	111.56	123.12
3	B	303[A]	URI	C5-C4-N3	-4.83	111.57	123.12
3	D	302[A]	URI	C6-N1-C2	-4.80	113.50	121.28
3	B	303[A]	URI	C6-N1-C2	-4.76	113.57	121.28
3	A	303[A]	URI	C6-N1-C2	-4.39	114.17	121.28
4	C	303[B]	URA	C5-C6-N1	-3.54	119.83	123.92
4	E	303[B]	URA	C5-C6-N1	-3.24	120.19	123.92
4	D	303[B]	URA	C5-C4-N3	-2.68	116.71	123.12
4	C	303[B]	URA	C5-C4-N3	-2.67	116.76	123.12
4	A	304[B]	URA	C5-C6-N1	-2.30	121.27	123.92
4	F	303[B]	URA	C5-C4-N3	-2.20	117.88	123.12
4	B	304[B]	URA	C5-C4-N3	-2.11	118.08	123.12
3	D	302[A]	URI	C4'-O4'-C1'	2.04	111.94	109.77
3	A	303[A]	URI	C4'-O4'-C1'	2.11	112.01	109.77
3	C	302[A]	URI	C5-C6-N1	2.12	125.52	120.67
3	F	302[A]	URI	C4'-O4'-C1'	2.28	112.20	109.77
3	A	303[A]	URI	C5-C6-N1	2.38	126.13	120.67
3	D	302[A]	URI	C5-C6-N1	2.47	126.33	120.67
3	B	303[A]	URI	C5-C6-N1	2.57	126.56	120.67
3	E	302[A]	URI	C5-C6-N1	3.17	127.94	120.67
3	F	302[A]	URI	C5-C6-N1	3.43	128.54	120.67
4	F	303[B]	URA	C6-N1-C2	5.72	117.17	114.41
4	E	303[B]	URA	C4-N3-C2	6.21	119.46	114.13
4	D	303[B]	URA	C6-N1-C2	7.42	117.99	114.41
4	A	304[B]	URA	C4-N3-C2	7.47	120.55	114.13
4	F	303[B]	URA	C4-N3-C2	7.76	120.80	114.13
4	C	303[B]	URA	C4-N3-C2	8.46	121.40	114.13
4	D	303[B]	URA	C4-N3-C2	9.31	122.13	114.13
4	B	304[B]	URA	C6-N1-C2	9.71	119.10	114.41
4	A	304[B]	URA	C6-N1-C2	10.45	119.46	114.41
4	B	304[B]	URA	C4-N3-C2	10.65	123.28	114.13
4	C	303[B]	URA	C6-N1-C2	10.94	119.70	114.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed( <sup>o</sup> )	Ideal( <sup>o</sup> )
4	E	303[B]	URA	C6-N1-C2	14.32	121.33	114.41
3	B	303[A]	URI	C4-N3-C2	16.88	128.63	114.13
3	C	302[A]	URI	C4-N3-C2	17.22	128.92	114.13
3	A	303[A]	URI	C4-N3-C2	17.23	128.93	114.13
3	D	302[A]	URI	C4-N3-C2	17.61	129.25	114.13
3	F	302[A]	URI	C4-N3-C2	18.17	129.74	114.13
3	E	302[A]	URI	C4-N3-C2	18.25	129.81	114.13

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

7 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	303[A]	URI	3	0
3	B	303[A]	URI	1	0
3	C	302[A]	URI	2	0
3	D	302[A]	URI	3	0
3	E	302[A]	URI	1	0
3	F	302[A]	URI	3	0
8	F	307	GOL	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	251/251 (100%)	0.57	20 (7%)	13 11	9, 20, 37, 62	0
1	B	251/251 (100%)	0.39	14 (5%)	25 23	10, 19, 33, 46	0
1	C	251/251 (100%)	0.59	25 (9%)	8 6	9, 16, 43, 63	0
1	D	248/251 (98%)	0.86	34 (13%)	3 4	10, 21, 40, 66	0
1	E	251/251 (100%)	0.27	7 (2%)	53 48	9, 17, 29, 49	0
1	F	251/251 (100%)	0.46	19 (7%)	15 12	9, 15, 34, 67	0
All	All	1503/1506 (99%)	0.52	119 (7%)	13 11	9, 18, 36, 67	0

All (119) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	227	ILE	14.3
1	F	227	ILE	11.8
1	D	232	THR	8.7
1	D	229	ASP	7.9
1	D	231	ALA	7.8
1	A	231	ALA	7.5
1	C	231	ALA	7.4
1	F	229	ASP	7.1
1	C	230	HIS	7.1
1	F	232	THR	7.0
1	F	230	HIS	6.7
1	A	253	LYS	6.7
1	D	233	LEU	6.4
1	A	232	THR	6.2
1	A	230	HIS	6.2
1	D	4	THR	6.1
1	D	230	HIS	6.0
1	C	229	ASP	5.9
1	C	253	LYS	5.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	233	LEU	5.8
1	F	231	ALA	5.7
1	C	232	THR	5.6
1	A	229	ASP	5.4
1	F	226	GLU	5.4
1	D	253	LYS	5.2
1	C	226	GLU	4.9
1	D	228	PRO	4.8
1	C	4	THR	4.7
1	C	225	LYS	4.6
1	D	148	ALA	4.6
1	F	225	LYS	4.5
1	E	253	LYS	4.5
1	D	6	PHE	4.4
1	A	227	ILE	4.2
1	D	3	LYS	4.1
1	F	228	PRO	4.1
1	D	146[A]	SER	3.9
1	B	3	LYS	3.7
1	D	235	GLU	3.7
1	D	99	PRO	3.7
1	D	144	GLN	3.7
1	A	16	ASN	3.7
1	E	4	THR	3.6
1	D	234	LYS	3.6
1	E	3	LYS	3.6
1	D	100	HIS	3.5
1	F	233	LEU	3.5
1	C	13	ALA	3.4
1	C	6	PHE	3.4
1	A	233	LEU	3.4
1	D	149	THR	3.4
1	C	3	LYS	3.4
1	B	232	THR	3.4
1	A	234	LYS	3.2
1	A	99	PRO	3.2
1	A	13	ALA	3.2
1	B	253	LYS	3.1
1	F	3	LYS	3.1
1	F	234[A]	LYS	3.0
1	F	100	HIS	3.0
1	A	235	GLU	3.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	236	THR	2.9
1	D	252	LEU	2.9
1	D	103	VAL	2.9
1	A	3	LYS	2.9
1	D	68	ILE	2.9
1	B	231	ALA	2.8
1	D	223	THR	2.8
1	C	16	ASN	2.8
1	E	234	LYS	2.8
1	F	253	LYS	2.8
1	C	68	ILE	2.7
1	F	99	PRO	2.7
1	D	147	GLY	2.7
1	C	234	LYS	2.7
1	D	58	GLY	2.7
1	C	228	PRO	2.7
1	F	235	GLU	2.6
1	A	100	HIS	2.6
1	C	100	HIS	2.6
1	D	224	GLN	2.6
1	D	57	ASP	2.5
1	C	169[A]	ASP	2.5
1	B	4	THR	2.5
1	C	219	ILE	2.5
1	A	237[A]	GLU	2.4
1	D	201	LEU	2.4
1	A	75	ILE	2.4
1	E	16	ASN	2.4
1	B	100	HIS	2.3
1	B	252	LEU	2.3
1	B	147	GLY	2.3
1	D	130[A]	VAL	2.3
1	D	16[A]	ASN	2.3
1	D	59	GLN	2.3
1	B	233	LEU	2.3
1	A	225	LYS	2.2
1	C	58	GLY	2.2
1	F	223	THR	2.2
1	E	231	ALA	2.2
1	B	149	THR	2.2
1	C	220	ILE	2.2
1	F	220[A]	ILE	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	238	ALA	2.2
1	A	4	THR	2.1
1	A	223	THR	2.1
1	E	6	PHE	2.1
1	D	220	ILE	2.1
1	C	235	GLU	2.1
1	C	11	THR	2.1
1	A	68	ILE	2.1
1	B	230[A]	HIS	2.1
1	C	103	VAL	2.1
1	F	68	ILE	2.1
1	B	235	GLU	2.0
1	F	236[A]	THR	2.0
1	B	59	GLN	2.0
1	B	229[A]	ASP	2.0
1	D	249	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
8	GOL	F	307	6/6	0.78	0.18	12.82	36,36,37,38	6
7	NA	E	306	1/1	0.99	0.19	6.06	13,13,13,13	1
7	NA	C	306	1/1	1.00	0.20	3.48	16,16,16,16	1
3	URI	F	302[A]	17/17	0.93	0.17	2.68	10,12,14,15	17
3	URI	E	302[A]	17/17	0.96	0.12	2.54	13,15,19,20	17

*Continued on next page...*

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
8	GOL	E	307	6/6	0.91	0.11	2.14	14,16,17,19	6
7	NA	A	307	1/1	0.98	0.14	2.09	20,20,20,20	1
3	URI	A	303[A]	17/17	0.93	0.13	1.89	14,16,21,21	17
3	URI	B	303[A]	17/17	0.96	0.13	1.80	17,19,24,24	17
8	GOL	A	308	6/6	0.92	0.09	1.69	19,20,21,22	0
6	CL	E	305	1/1	0.98	0.09	1.39	47,47,47,47	0
3	URI	C	302[A]	17/17	0.92	0.15	1.21	17,20,23,24	17
3	URI	D	302[A]	17/17	0.91	0.13	0.96	21,22,24,24	17
8	GOL	B	307	6/6	0.94	0.08	0.66	18,18,19,20	0
4	URA	B	304[B]	8/8	0.98	0.09	0.64	12,13,13,14	8
8	GOL	C	307	6/6	0.93	0.09	0.38	17,18,19,20	0
8	GOL	D	306	6/6	0.94	0.07	-0.01	18,19,19,20	0
4	URA	C	303[B]	8/8	0.97	0.08	-0.51	10,10,11,11	8
6	CL	F	305	1/1	0.99	0.08	-0.54	24,24,24,24	1
4	URA	A	304[B]	8/8	0.98	0.07	-0.72	14,15,15,15	8
4	URA	F	303[B]	8/8	0.99	0.06	-1.11	11,12,15,15	8
4	URA	D	303[B]	8/8	0.98	0.06	-1.19	13,13,14,15	8
4	URA	E	303[B]	8/8	0.98	0.07	-1.21	9,9,9,10	8
2	SO4	C	301	5/5	0.99	0.07	-1.28	14,14,15,16	5
8	GOL	F	306	6/6	0.96	0.06	-1.29	17,19,20,21	0
2	SO4	D	301	5/5	0.99	0.06	-1.62	19,20,20,21	0
2	SO4	B	301	5/5	0.98	0.06	-2.06	17,18,19,19	0
2	SO4	F	301	5/5	0.99	0.04	-2.17	13,14,14,15	0
2	SO4	A	301	5/5	0.99	0.05	-2.20	20,20,21,21	0
6	CL	A	306	1/1	0.99	0.04	-2.36	38,38,38,38	0
2	SO4	E	301	5/5	0.99	0.05	-2.71	13,14,14,15	0
6	CL	B	306	1/1	0.99	0.04	-3.62	31,31,31,31	0
6	CL	C	305	1/1	1.00	0.03	-4.81	31,31,31,31	0
6	CL	D	305	1/1	0.98	0.05	-7.08	39,39,39,39	0
5	MG	E	308	1/1	0.94	0.13	-	37,37,37,37	1
5	MG	B	305	1/1	0.95	0.23	-	37,37,37,37	1
5	MG	F	304	1/1	0.97	0.20	-	43,43,43,43	0
2	SO4	A	302	5/5	0.99	0.06	-	15,15,17,19	5
5	MG	D	304	1/1	0.95	0.21	-	38,38,38,38	1
2	SO4	B	302	5/5	0.99	0.07	-	16,17,18,20	5
5	MG	E	304	1/1	0.96	0.29	-	38,38,38,38	1
5	MG	A	305	1/1	0.97	0.21	-	36,36,36,36	1
5	MG	C	304	1/1	0.96	0.09	-	28,28,28,28	1

## 6.5 Other polymers ⓘ

There are no such residues in this entry.