



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 18, 2017 – 07:43 PM EST

PDB ID : 5LLP
Title : Crystal structure of human carbonic anhydrase isozyme XII with 3-[(1S)-1,2,3,4-Tetrahydronaphthalen-1-ylamino)-2,5,6-trifluoro-4-[(2-hydroxyethyl)sulfonyl]benzenesulfonamide
Authors : Smirnov, A.; Manakova, E.; Grazulis, S.
Deposited on : unknown
Resolution : 1.48 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.48 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	3517 (1.50-1.46)
Clashscore	112137	3795 (1.50-1.46)
Ramachandran outliers	110173	3721 (1.50-1.46)
Sidechain outliers	110143	3719 (1.50-1.46)
RSRZ outliers	101464	3549 (1.50-1.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	263	 .%
1	B	263	 2%
1	C	263	 2%
1	D	263	 .%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	6Z9	A	302[A]	-	-	-	X
3	6Z9	A	302[B]	-	-	-	X
3	6Z9	B	302	-	-	-	X
3	6Z9	C	302	-	-	-	X
3	6Z9	D	302	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 9954 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Carbonic anhydrase 12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	260	Total	C	N	O	S	0	11	0
			2169	1372	370	419	8			
1	B	261	Total	C	N	O	S	0	6	0
			2146	1360	369	410	7			
1	C	260	Total	C	N	O	S	0	5	0
			2129	1352	365	404	8			
1	D	260	Total	C	N	O	S	0	10	0
			2172	1377	370	418	7			


There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP O43570
B	1	MET	-	initiating methionine	UNP O43570
C	1	MET	-	initiating methionine	UNP O43570
D	1	MET	-	initiating methionine	UNP O43570

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Zn	0	0
			1	1		
2	A	1	Total	Zn	0	0
			1	1		
2	D	1	Total	Zn	0	0
			1	1		
2	C	1	Total	Zn	0	0
			1	1		

- Molecule 3 is 3-[(1S)-1,2,3,4-Tetrahydronaphthalen-1-ylamino)-2,5,6-trifluoro-4-[(2-hydroxyethyl)sulfonyl]benzenesulfonamide (three-letter code: 6Z9) (formula: C₁₈H₁₉F₃N₂O₅S₂).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total 60	C 36	F 6	N 4	O 10	S 4	0	1
3	B	1	Total 30	C 18	F 3	N 2	O 5	S 2	0	0
3	C	1	Total 30	C 18	F 3	N 2	O 5	S 2	0	0
3	D	1	Total 30	C 18	F 3	N 2	O 5	S 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	292	Total	O	0	0
			292	292		
4	B	307	Total	O	0	0
			307	307		
4	C	269	Total	O	0	0
			269	269		
4	D	316	Total	O	0	0
			316	316		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Carbonic anhydrase 12




- Molecule 1: Carbonic anhydrase 12



- Molecule 1: Carbonic anhydrase 12



- Molecule 1: Carbonic anhydrase 12



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	77.49Å 74.29Å 91.66Å 90.00° 108.97° 90.00°	Depositor
Resolution (Å)	73.28 – 1.48 73.28 – 1.48	Depositor EDS
% Data completeness (in resolution range)	97.9 (73.28-1.48) 97.9 (73.28-1.48)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.06	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.21 (at 1.48Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.164 , 0.199 0.162 , 0.197	Depositor DCC
R_{free} test set	15901 reflections (11.02%)	DCC
Wilson B-factor (Å ²)	10.7	Xtriage
Anisotropy	0.163	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 37.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	9954	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 43.90 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.6496e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, 6Z9

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.18	0/2232	1.16	0/3038
1	B	1.22	0/2210	1.22	0/3007
1	C	1.14	0/2192	1.14	0/2982
1	D	1.19	0/2236	1.18	0/3042
All	All	1.18	0/8870	1.17	0/12069

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	252[B]	PHE	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2169	0	2041	30	0
1	B	2146	0	2030	36	0
1	C	2129	0	2024	22	0
1	D	2172	0	2045	42	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	60	0	0	3	0
3	B	30	0	0	0	0
3	C	30	0	0	2	0
3	D	30	0	0	0	0
4	A	292	0	0	11	1
4	B	307	0	0	5	1
4	C	269	0	0	0	0
4	D	316	0	0	13	0
All	All	9954	0	8140	125	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:64:ASN:HD21	3:A:302[A]:6Z9:C11	1.70	1.02
1:D:255:ARG:CD	4:D:537:HOH:O	2.08	1.01
1:B:252:PHE:CZ	1:B:255[B]:ARG:HB3	1.98	0.98
1:C:168:LYS:HB2	1:C:231[A]:CYS:O	1.68	0.93
1:C:64:ASN:HD21	3:C:302:6Z9:C11	1.85	0.88
1:D:253[B]:ASP:O	1:D:254[B]:GLU:HB2	1.74	0.86
1:A:64:ASN:ND2	3:A:302[A]:6Z9:C11	2.37	0.86
1:A:216:GLN:HG3	4:A:622:HOH:O	1.78	0.83
1:D:255:ARG:HD2	4:D:537:HOH:O	1.76	0.82
1:D:75:ASP:OD1	4:D:401:HOH:O	1.98	0.81
1:A:82:GLN:NE2	1:A:82:GLN:H	1.79	0.80
1:B:252:PHE:CE1	1:B:255[B]:ARG:HD2	2.18	0.79
1:C:167:TYR:CD1	1:C:234:MET:HA	2.18	0.78
1:D:253[B]:ASP:O	1:D:254[B]:GLU:CB	2.34	0.72
1:A:163:GLN:HG3	4:A:592:HOH:O	1.89	0.72
1:D:252[A]:PHE:CZ	1:D:255:ARG:HB3	2.25	0.71
1:B:252:PHE:CE1	1:B:255[B]:ARG:HB3	2.27	0.69
1:D:252[A]:PHE:CZ	1:D:255:ARG:CB	2.76	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:64:ASN:ND2	3:C:302:6Z9:C11	2.55	0.69
1:B:252:PHE:CZ	1:B:255[B]:ARG:CB	2.75	0.69
1:B:252:PHE:HE1	1:B:255[B]:ARG:HD2	1.56	0.69
1:D:163:GLN:HB2	4:D:589:HOH:O	1.93	0.68
1:B:77[B]:HIS:CD2	1:B:84:ARG:HD2	2.30	0.67
1:D:252[A]:PHE:CE2	1:D:255:ARG:HB2	2.30	0.67
1:A:148:MET:HE3	4:A:671:HOH:O	1.96	0.66
1:C:167:TYR:CG	1:C:234:MET:HA	2.32	0.64
1:D:253[A]:ASP:CB	4:D:403:HOH:O	2.45	0.64
1:B:252:PHE:CZ	1:B:255[A]:ARG:HB3	2.33	0.64
1:B:252:PHE:CE1	1:B:255[B]:ARG:CB	2.82	0.63
1:C:110:GLN:NE2	1:D:110[A]:GLN:NE2	2.47	0.63
1:D:252[A]:PHE:CD2	1:D:255:ARG:NE	2.67	0.62
1:B:255[B]:ARG:CD	4:B:505:HOH:O	2.46	0.62
1:C:163:GLN:OE1	1:C:166:LYS:HD2	2.00	0.62
1:B:252:PHE:CE1	1:B:255[B]:ARG:CD	2.83	0.61
1:D:252[A]:PHE:CE2	1:D:255:ARG:NE	2.68	0.61
1:A:68:VAL:HG12	4:A:402:HOH:O	2.01	0.61
1:A:219[B]:GLN:OE1	1:A:220:GLU:OE2	2.20	0.59
1:D:26:LEU:HD22	1:D:255:ARG:HD3	1.83	0.59
1:A:231[B]:CYS:SG	1:A:240:ARG:HG3	2.43	0.58
1:B:252:PHE:CZ	1:B:255[A]:ARG:CB	2.86	0.58
1:D:255:ARG:CG	4:D:537:HOH:O	2.47	0.58
1:B:252:PHE:HD1	1:B:255[B]:ARG:CZ	2.17	0.58
1:D:252[A]:PHE:CZ	1:D:255:ARG:HB2	2.39	0.57
1:C:235:ASP:OD2	1:C:235:ASP:N	2.37	0.57
1:D:252[A]:PHE:CE2	1:D:255:ARG:HD2	2.40	0.57
1:A:82:GLN:CD	1:A:82:GLN:H	2.07	0.57
1:B:47:GLU:OE1	1:B:79:GLN:NE2	2.38	0.56
1:C:18[B]:LYS:CG	1:C:18[B]:LYS:O	2.53	0.56
1:D:253[A]:ASP:HB2	4:D:403:HOH:O	2.06	0.56
1:D:252[A]:PHE:CE2	1:D:255:ARG:CB	2.88	0.56
1:D:252[A]:PHE:CE2	1:D:255:ARG:CD	2.89	0.56
1:B:255[B]:ARG:HD2	4:B:505:HOH:O	2.04	0.56
1:C:192:ARG:HD2	1:C:207:LEU:HD11	1.89	0.55
1:C:167:TYR:CE2	1:C:234:MET:HG3	2.42	0.54
1:A:148:MET:CE	4:A:671:HOH:O	2.52	0.54
1:A:192:ARG:HD2	1:A:207:LEU:HD11	1.88	0.54
1:A:68:VAL:CG1	4:A:402:HOH:O	2.54	0.53
1:B:253:ASP:OD2	4:B:402:HOH:O	2.19	0.53
1:B:77[B]:HIS:CG	1:B:84:ARG:HD2	2.44	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:252:PHE:CD1	1:B:255[B]:ARG:NE	2.77	0.52
1:B:252:PHE:CE1	1:B:255[A]:ARG:CB	2.93	0.52
1:D:166[B]:LYS:HD2	1:D:167:TYR:CE2	2.45	0.52
1:A:232:THR:HG23	1:A:240:ARG:HG2	1.91	0.52
1:B:252:PHE:CD1	1:B:255[B]:ARG:CZ	2.93	0.52
1:C:18[B]:LYS:HG2	1:C:18[B]:LYS:O	2.10	0.52
1:D:3:LYS:NZ	1:D:10:ASP:OD2	2.37	0.52
1:A:47:GLU:HB2	1:A:79[B]:GLN:HB3	1.92	0.51
1:D:252[A]:PHE:O	1:D:254[A]:GLU:N	2.43	0.51
1:D:56:ASN:ND2	4:D:409:HOH:O	2.44	0.51
1:B:128:ASP:OD2	1:B:130[A]:SER:HB2	2.11	0.50
1:C:110:GLN:HE21	1:D:110[A]:GLN:NE2	2.10	0.50
1:A:180:GLU:HG3	1:A:183:LEU:HD12	1.94	0.50
1:B:252:PHE:CE1	1:B:255[A]:ARG:HB3	2.46	0.50
1:A:122:ASN:OD1	1:A:125:LEU:HD13	2.13	0.49
1:D:252[A]:PHE:CE1	1:D:255:ARG:C	2.86	0.49
1:B:166[A]:LYS:HD2	4:B:401:HOH:O	2.09	0.49
1:C:219:GLN:HG3	1:C:220:GLU:N	2.28	0.49
1:D:25:LEU:HB3	4:D:403:HOH:O	2.12	0.49
1:D:252[A]:PHE:CD2	1:D:255:ARG:CZ	2.96	0.49
1:B:180:GLU:HG3	1:B:183:LEU:HD12	1.96	0.48
1:A:134[B]:ASN:OD1	4:A:401:HOH:O	2.19	0.47
1:C:110:GLN:NE2	1:D:110[A]:GLN:HE21	2.12	0.47
1:D:252[A]:PHE:CE1	1:D:255:ARG:O	2.68	0.47
1:A:33:HIS:HD2	4:A:624:HOH:O	1.97	0.47
1:B:163:GLN:O	1:B:166[A]:LYS:HG3	2.15	0.47
1:B:58:GLN:HG3	1:B:173:PHE:CD1	2.51	0.46
1:A:103:SER:O	1:A:111:HIS:HD2	1.99	0.46
1:C:7:PHE:CD1	1:C:8:GLY:N	2.84	0.46
1:A:52:ASN:HA	1:A:178:ASN:HA	1.98	0.46
1:D:253[B]:ASP:N	1:D:253[B]:ASP:OD2	2.43	0.45
1:C:110:GLN:HE21	1:D:110[A]:GLN:HE22	1.65	0.44
1:C:110:GLN:HE22	1:D:110[A]:GLN:HE21	1.65	0.44
1:A:3:LYS:HD3	1:A:3:LYS:N	2.33	0.44
1:A:82:GLN:HG2	4:A:469:HOH:O	2.18	0.44
1:D:26:LEU:HD23	4:D:403:HOH:O	2.17	0.44
1:B:252:PHE:CE1	1:B:255[A]:ARG:HB2	2.53	0.43
1:B:99:ASP:OD1	1:B:101:HIS:HD2	2.01	0.43
1:A:148:MET:HE2	1:A:219[A]:GLN:HA	2.01	0.43
1:C:149:GLY:HA3	1:C:216:GLN:OE1	2.18	0.43
1:B:137:GLU:HG2	1:B:194:ARG:NH1	2.33	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:252[A]:PHE:CD2	1:D:255:ARG:HB2	2.54	0.43
1:D:68:VAL:CG1	4:D:408:HOH:O	2.66	0.43
1:D:36:ILE:HD12	1:D:36:ILE:C	2.39	0.43
1:B:252:PHE:CD1	1:B:255[A]:ARG:CZ	3.02	0.42
1:D:163:GLN:NE2	4:D:417:HOH:O	2.51	0.42
1:B:77[A]:HIS:CG	1:B:84:ARG:HD2	2.53	0.42
1:C:54:SER:O	1:C:176:GLY:HA3	2.18	0.42
1:D:252[A]:PHE:HE2	1:D:255:ARG:HD2	1.83	0.42
1:B:166[A]:LYS:NZ	4:B:401:HOH:O	1.77	0.42
1:B:252:PHE:HD1	1:B:255[A]:ARG:NH1	2.18	0.42
1:A:216:GLN:HG3	4:A:595:HOH:O	2.20	0.42
1:D:255:ARG:HD3	4:D:537:HOH:O	1.96	0.42
1:A:33:HIS:HE1	4:A:556:HOH:O	2.02	0.42
1:A:64:ASN:HD21	3:A:302[A]:6Z9:C12	2.27	0.41
1:B:252:PHE:CZ	1:B:255[A]:ARG:HB2	2.55	0.41
1:C:58:GLN:HG3	1:C:173:PHE:CD1	2.55	0.41
1:B:192:ARG:HD2	1:B:207:LEU:HD11	2.02	0.41
1:D:31:ASP:O	1:D:252[B]:PHE:HZ	2.03	0.41
1:B:78:ILE:HD13	1:B:78:ILE:HG21	1.71	0.41
1:C:166:LYS:HB3	1:C:166:LYS:HE3	1.86	0.41
1:D:252[A]:PHE:HD2	1:D:255:ARG:CZ	2.34	0.41
1:A:148:MET:SD	1:A:219[A]:GLN:HB3	2.60	0.40
1:A:219[B]:GLN:OE1	1:A:220:GLU:CD	2.60	0.40
1:A:148:MET:HE3	1:A:222:LEU:HD23	2.04	0.40
1:B:126:TYR:HA	1:B:127:PRO:HD3	1.83	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:642:HOH:O	4:B:641:HOH:O[1_655]	2.00	0.20

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	269/263 (102%)	266 (99%)	3 (1%)	0	100	100
1	B	265/263 (101%)	259 (98%)	6 (2%)	0	100	100
1	C	263/263 (100%)	255 (97%)	8 (3%)	0	100	100
1	D	268/263 (102%)	259 (97%)	9 (3%)	0	100	100
All	All	1065/1052 (101%)	1039 (98%)	26 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	243/235 (103%)	230 (95%)	13 (5%)	26	3
1	B	239/235 (102%)	236 (99%)	3 (1%)	73	45
1	C	237/235 (101%)	231 (98%)	6 (2%)	53	18
1	D	242/235 (103%)	236 (98%)	6 (2%)	53	18
All	All	961/940 (102%)	933 (97%)	28 (3%)	49	14

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	LYS
1	A	42	SER
1	A	79[A]	GLN
1	A	79[B]	GLN
1	A	82	GLN
1	A	89	GLN
1	A	125	LEU
1	A	156	ASP
1	A	163	GLN
1	A	166	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	171[A]	GLU
1	A	171[B]	GLU
1	A	262	SER
1	B	89	GLN
1	B	156	ASP
1	B	219	GLN
1	C	3	LYS
1	C	89	GLN
1	C	156	ASP
1	C	219	GLN
1	C	235	ASP
1	C	262	SER
1	D	3	LYS
1	D	49	GLN
1	D	67	SER
1	D	89	GLN
1	D	156	ASP
1	D	219	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	33	HIS
1	A	58	GLN
1	A	82	GLN
1	A	164	HIS
1	B	79	GLN
1	B	82	GLN
1	B	101	HIS
1	B	213	ASN
1	C	49	GLN
1	C	110	GLN
1	C	111	HIS
1	D	49	GLN
1	D	56	ASN
1	D	164	HIS
1	D	219	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 4 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	6Z9	A	302[A]	2	31,32,32	2.23	5 (16%)	40,49,49	3.50	10 (25%)
3	6Z9	A	302[B]	2	31,32,32	2.22	7 (22%)	40,49,49	2.40	12 (30%)
3	6Z9	B	302	2	31,32,32	2.24	8 (25%)	40,49,49	2.70	16 (40%)
3	6Z9	C	302	2	31,32,32	2.89	8 (25%)	40,49,49	3.30	15 (37%)
3	6Z9	D	302	2	31,32,32	2.45	6 (19%)	40,49,49	3.20	17 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	6Z9	A	302[A]	2	-	0/20/30/30	0/3/3/3
3	6Z9	A	302[B]	2	-	0/20/30/30	0/3/3/3
3	6Z9	B	302	2	-	0/20/30/30	0/3/3/3
3	6Z9	C	302	2	-	0/20/30/30	0/3/3/3
3	6Z9	D	302	2	-	0/20/30/30	0/3/3/3

All (34) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	302	6Z9	C22-C17	-4.34	1.48	1.52
3	A	302[B]	6Z9	C22-C17	-3.38	1.49	1.52
3	D	302	6Z9	C22-C17	-3.02	1.49	1.52
3	A	302[A]	6Z9	C22-C17	-2.39	1.49	1.52
3	C	302	6Z9	C4-C3	2.00	1.41	1.39
3	A	302[A]	6Z9	C6-C8	2.10	1.41	1.39
3	C	302	6Z9	O1-S2	2.13	1.48	1.43
3	C	302	6Z9	C15-C27	2.14	1.42	1.39
3	A	302[B]	6Z9	S2-N29	2.21	1.65	1.60
3	B	302	6Z9	C23-C22	2.30	1.42	1.39
3	B	302	6Z9	O1-S2	2.43	1.48	1.43
3	B	302	6Z9	C17-N16	2.58	1.49	1.45
3	A	302[A]	6Z9	O1-S2	2.62	1.49	1.43
3	A	302[B]	6Z9	O1-S2	2.64	1.49	1.43
3	D	302	6Z9	F28-C27	2.82	1.39	1.35
3	A	302[B]	6Z9	C11-S9	2.88	1.84	1.78
3	B	302	6Z9	F7-C6	2.99	1.39	1.35
3	A	302[B]	6Z9	C17-N16	3.30	1.50	1.45
3	B	302	6Z9	C3-S2	3.51	1.85	1.79
3	D	302	6Z9	C11-S9	3.66	1.86	1.78
3	B	302	6Z9	C11-S9	3.88	1.86	1.78
3	D	302	6Z9	O14-S9	4.15	1.50	1.44
3	C	302	6Z9	F5-C4	5.03	1.43	1.35
3	D	302	6Z9	C3-S2	5.06	1.88	1.79
3	A	302[B]	6Z9	O14-S9	5.24	1.52	1.44
3	C	302	6Z9	C3-S2	5.42	1.88	1.79
3	B	302	6Z9	O14-S9	6.04	1.53	1.44
3	B	302	6Z9	O10-S9	6.46	1.54	1.44
3	A	302[A]	6Z9	O14-S9	7.45	1.56	1.44
3	A	302[A]	6Z9	O10-S9	7.89	1.56	1.44
3	A	302[B]	6Z9	O10-S9	8.17	1.57	1.44
3	C	302	6Z9	O14-S9	8.37	1.57	1.44
3	D	302	6Z9	O10-S9	8.82	1.58	1.44
3	C	302	6Z9	O10-S9	9.06	1.58	1.44

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302[A]	6Z9	O10-S9-O14	-19.62	93.69	118.42
3	C	302	6Z9	O10-S9-O14	-15.56	98.81	118.42
3	D	302	6Z9	O10-S9-O14	-12.31	102.90	118.42
3	A	302[B]	6Z9	O10-S9-O14	-10.25	105.51	118.42
3	B	302	6Z9	O10-S9-O14	-7.17	109.38	118.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	302	6Z9	C4-C3-C27	-6.63	111.96	116.58
3	B	302	6Z9	C4-C3-C27	-5.64	112.65	116.58
3	D	302	6Z9	C6-C8-S9	-4.66	109.23	120.53
3	A	302[B]	6Z9	O14-S9-C8	-4.48	95.04	106.54
3	D	302	6Z9	C3-S2-N29	-4.13	100.30	108.24
3	A	302[B]	6Z9	O30-S2-O1	-4.00	111.36	118.70
3	B	302	6Z9	F5-C4-C6	-3.94	111.22	119.29
3	A	302[A]	6Z9	O30-S2-O1	-3.78	111.77	118.70
3	C	302	6Z9	C6-C8-S9	-3.70	111.57	120.53
3	B	302	6Z9	C3-S2-N29	-3.51	101.50	108.24
3	B	302	6Z9	O10-S9-C11	-3.49	102.45	108.18
3	D	302	6Z9	O10-S9-C11	-3.38	102.63	108.18
3	B	302	6Z9	C21-C22-C17	-3.11	118.62	121.70
3	A	302[B]	6Z9	C6-C8-S9	-3.10	113.02	120.53
3	C	302	6Z9	C25-C26-C21	-3.05	116.31	120.88
3	C	302	6Z9	C24-C23-C22	-3.03	117.12	121.01
3	C	302	6Z9	C4-C6-C8	-2.87	118.58	121.68
3	D	302	6Z9	C21-C22-C17	-2.77	118.96	121.70
3	C	302	6Z9	O30-S2-O1	-2.74	113.67	118.70
3	D	302	6Z9	F28-C27-C15	-2.65	115.68	119.49
3	B	302	6Z9	C4-C6-C8	-2.64	118.83	121.68
3	C	302	6Z9	C21-C22-C17	-2.59	119.13	121.70
3	B	302	6Z9	C6-C8-S9	-2.58	114.28	120.53
3	C	302	6Z9	C3-S2-N29	-2.36	103.70	108.24
3	B	302	6Z9	O14-S9-C11	-2.26	104.46	108.18
3	A	302[B]	6Z9	C23-C22-C17	-2.25	117.21	120.18
3	D	302	6Z9	C24-C23-C22	-2.21	118.17	121.01
3	A	302[A]	6Z9	F28-C27-C3	-2.14	116.65	120.54
3	A	302[B]	6Z9	F5-C4-C6	-2.13	114.92	119.29
3	A	302[A]	6Z9	C4-C3-C27	-2.12	115.11	116.58
3	A	302[B]	6Z9	O13-C12-C11	-2.08	106.19	110.38
3	C	302	6Z9	O30-S2-N29	2.05	110.56	107.34
3	A	302[A]	6Z9	C23-C22-C21	2.09	121.30	118.74
3	A	302[A]	6Z9	O30-S2-N29	2.10	110.63	107.34
3	D	302	6Z9	C19-C18-C17	2.17	119.00	112.06
3	A	302[A]	6Z9	O10-S9-C11	2.22	111.84	108.18
3	A	302[B]	6Z9	O1-S2-C3	2.28	110.75	107.36
3	A	302[A]	6Z9	C27-C15-C8	2.32	120.08	116.06
3	B	302	6Z9	C23-C22-C21	2.33	121.60	118.74
3	A	302[B]	6Z9	O10-S9-C8	2.37	112.64	106.54
3	A	302[B]	6Z9	C23-C22-C21	2.55	121.87	118.74
3	C	302	6Z9	C24-C25-C26	2.57	123.74	120.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	302	6Z9	O13-C12-C11	2.58	115.57	110.38
3	B	302	6Z9	C27-C15-C8	2.59	120.53	116.06
3	B	302	6Z9	O1-S2-C3	2.68	111.34	107.36
3	C	302	6Z9	C23-C22-C21	2.91	122.31	118.74
3	A	302[B]	6Z9	C18-C17-C22	3.04	115.00	111.18
3	D	302	6Z9	C15-C27-C3	3.07	127.33	121.88
3	D	302	6Z9	O14-S9-C11	3.12	113.31	108.18
3	D	302	6Z9	C23-C22-C21	3.19	122.65	118.74
3	D	302	6Z9	C11-S9-C8	3.30	122.69	109.39
3	D	302	6Z9	O1-S2-C3	3.50	112.57	107.36
3	C	302	6Z9	O1-S2-C3	3.54	112.63	107.36
3	B	302	6Z9	O13-C12-C11	3.79	118.02	110.38
3	A	302[B]	6Z9	C11-S9-C8	3.82	124.78	109.39
3	D	302	6Z9	O30-S2-N29	3.87	113.43	107.34
3	C	302	6Z9	O10-S9-C11	3.89	114.59	108.18
3	A	302[A]	6Z9	O14-S9-C8	3.93	116.64	106.54
3	B	302	6Z9	C11-S9-C8	3.94	125.24	109.39
3	A	302[A]	6Z9	C18-C17-C22	4.21	116.47	111.18
3	B	302	6Z9	C6-C4-C3	4.65	126.71	121.68
3	D	302	6Z9	C18-C17-C22	4.72	117.11	111.18
3	D	302	6Z9	O13-C12-C11	5.52	121.48	110.38
3	C	302	6Z9	C18-C17-C22	6.72	119.62	111.18
3	B	302	6Z9	C18-C17-C22	6.75	119.67	111.18

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	302[A]	6Z9	3	0
3	C	302	6Z9	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	260/263 (98%)	-0.26	2 (0%) 86 88	6, 14, 29, 41	0
1	B	261/263 (99%)	-0.28	4 (1%) 74 77	4, 11, 26, 45	0
1	C	260/263 (98%)	-0.17	4 (1%) 74 77	5, 15, 33, 61	0
1	D	260/263 (98%)	-0.37	3 (1%) 79 81	4, 10, 22, 33	0
All	All	1041/1052 (98%)	-0.27	13 (1%) 79 81	4, 12, 29, 61	0

All (13) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	3	LYS	3.1
1	C	7	PHE	3.1
1	B	137	GLU	3.0
1	C	235	ASP	2.9
1	C	55	ALA	2.8
1	D	252[A]	PHE	2.7
1	B	263	GLN	2.7
1	A	7	PHE	2.5
1	B	254	GLU	2.4
1	B	253	ASP	2.2
1	A	82	GLN	2.2
1	D	253[A]	ASP	2.1
1	D	237	PRO	2.1

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	6Z9	C	302	30/30	0.96	0.13	5.09	10,25,34,43	0
3	6Z9	D	302	30/30	0.96	0.12	2.36	7,22,30,38	0
3	6Z9	B	302	30/30	0.95	0.13	2.33	8,24,38,44	0
3	6Z9	A	302[A]	30/30	0.96	0.13	2.10	9,19,35,35	30
3	6Z9	A	302[B]	30/30	0.96	0.13	2.10	10,20,26,27	30
2	ZN	D	301	1/1	1.00	0.05	-1.16	4,4,4,4	0
2	ZN	B	301	1/1	1.00	0.05	-2.69	4,4,4,4	0
2	ZN	A	301	1/1	1.00	0.05	-3.87	6,6,6,6	0
2	ZN	C	301	1/1	1.00	0.05	-	7,7,7,7	0

6.5 Other polymers [i](#)

There are no such residues in this entry.