



wwPDB/EMDatabank EM Map/Model Validation Summary Report ⓘ

Jul 24, 2017 – 07:36 AM EDT

PDB ID : 5LMS
EMDB ID: : EMD-4078
Title : Structure of bacterial 30S-IF1-IF3-mRNA-tRNA translation pre-initiation complex(state-2C)
Authors : Hussain, T.; Llacer, J.L.; Wimberly, B.T.; Ramakrishnan, V.
Deposited on : unknown
Resolution : 5.10 Å(reported)

This is a wwPDB/EMDatabank EM Map/Model Validation Summary Report for a publicly released PDB/EMDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.


MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20029824

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 5.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




















Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	125131	1336
Ramachandran outliers	121729	1120
Sidechain outliers	121581	1026
RNA backbone	3398	335

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	1522	23% 58% 18% ..
2	B	256	49% 35% 7% 9%
3	C	239	54% 29% • 14%
4	D	209	53% 38% 9%
5	E	162	54% 32% 6% • 7%
6	F	101	58% 38% •
7	G	156	66% 29% • •
8	H	138	51% 41% 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	I	128	
10	J	105	
11	K	129	
12	L	132	
13	M	126	
14	N	61	
15	O	89	
16	P	88	
17	Q	105	
18	R	88	
19	S	93	
20	T	106	
21	V	27	
22	W	72	
23	X	171	
24	Y	42	
25	Z	77	

2 Entry composition

There are 27 unique types of molecules in this entry. The entry contains 55648 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1514	Total	C	N	O	P	0	0
			32522	14481	6019	10512	1510		

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	234	Total	C	N	O	S	0	0
			1900	1213	341	341	5		

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	206	Total	C	N	O	S	0	0
			1612	1016	314	281	1		

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	208	Total	C	N	O	S	0	0
			1703	1066	339	291	7		

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	150	Total	C	N	O	S	0	0
			1146	724	217	201	4		

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	101	Total	C	N	O	S	0	0
			843	531	155	154	3		

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	155	Total	C	N	O	S	0	0
			1257	781	252	218	6		

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	138	Total	C	N	O	S	0	0
			1116	705	215	193	3		

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				AltConf	Trace
9	I	127	Total	C	N	O	0	0
			1010	639	197	174		

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	98	Total	C	N	O	S	0	0
			792	498	156	137	1		

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	119	Total	C	N	O	S	0	0
			885	549	168	165	3		

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	124	Total	C	N	O	S	0	0
			970	611	195	163	1		

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	118	Total	C	N	O	S	0	0
			937	579	193	163	2		

- Molecule 14 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	60	Total	C	N	O	S	0	0
			492	312	104	72	4		

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	O	88	Total	C	N	O	S	0	0
			734	459	147	126	2		

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	P	83	Total	C	N	O	S	0	0
			700	443	139	117	1		

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Q	99	Total	C	N	O	S	0	0
			823	528	151	142	2		

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	R	73	Total	C	N	O	0	0
			598	381	118	99		

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	80	Total	C	N	O	S	0	0
			647	414	119	112	2		

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	T	99	Total	C	N	O	S	0	0
			763	470	162	129	2		

- Molecule 21 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	V	24	Total	C	N	O	0	0
			208	128	50	30		

- Molecule 22 is a protein called Translation initiation factor IF-1.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	W	71	Total	C	N	O	S	0	0
			565	359	102	102	2		

- Molecule 23 is a protein called Translation initiation factor IF-3.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	X	164	Total	C	N	O	S	0	0
			1336	841	245	241	9		

- Molecule 24 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	Y	20	Total	C	N	O	P	0	0
			439	196	89	134	20		

- Molecule 25 is a RNA chain called tRNAi.

Mol	Chain	Residues	Atoms						AltConf	Trace
25	Z	77	Total	C	N	O	P	S	0	0
			1646	735	297	536	77	1		

- Molecule 26 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
26	D	1	Total	Zn	0
			1	1	
26	N	1	Total	Zn	0
			1	1	


- Molecule 27 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
27	W	1	Total	Mg	0
			1	1	
27	Z	1	Total	Mg	0
			1	1	

3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 16S rRNA



U15-42 C U	U1481 U1482 A1483 C1484 U1485 C1486 U1487 A1488 U1489 C1490 U1491 A1492 U1493 A1494 U1495 A1496 U1497 A1498 U1499 A1500 C1501 U1502 A1503 U1504 A1505 U1506 A1507 C1508 U1509 U1510 A1511 U1512 A1513 C1514	A1398 C1399 C1400 G1401 A1402 C1403	C1336 G1337 G1338 G1339 A1339 U1340 U1341 C1342 C1343 C1344 U1345 A1346 G1347 U1348	A1275 G1276 G1277 A1278 U1279 A1280 U1281 C1282 G1283 C1284 U1285 A1286 C1287	U1212 A1213 C1214 G1215 U1216 C1217 C1218 U1219 G1220 C1221 A1222 C1223 C1224 A1225 C1226 G1227 C1228	A1146 C1147 U1148 A1149 U1150 A1151 C1152 C1153 G1154 U1155 A1156 A1157 C1158 U1159 G1160 C1161 A1162 C1163 C1164 U1165 A1166 A1167 C1168 U1169 A1170 G1171	G1081 G1082 U1083 G1084 U1085 U1086 C1087 G1088 G1089 C1090 U1091 A1092 C1093 G1094 U1095 A1096 C1097 G1098 C1099 U1100 A1101 C1102 C1103 U1104 A1105 C1106 G1107 C1108 A1109 C1110 U1111 C1112 G1113 C1114 U1115 C1116 U1117 C1118 C1119 U1120 C1121	U1020 G954 U955 U956 U960 U961 G962 G963 A964 A965 G966 G967 U968 C1029 G1030 U1030C A1030D G1031 G1032 C1033 U1037 C1038 A1039 U1040 A1041 A977 U978 C979 C980 U981 U982 A983 C984 C985 A986 G987 G988 C989 C990 U991 U992 A994	U884 G885 G886 G887 G888 A889 G890 U891 C892 C893 G894 G895 A900 U901 G902 C903 C904 A909 C910 U911 G912 C913 A914 U915 G916 A917 C918 A919 U920 U921 G922 C923 A924 G925 A926 G927 A928 C929 A930 U931 G932 A933 U934 A935 A938 G939 G940 U941 G942 A943 U944 G945 C946 A947 C948 U949 A950 C951 G952 C953 U954 C955 U956	A816 C817 U820 G821 C822 G823 C824 C825 C826 U827 A828 G829 G830 U831 A901 G902 C903 C904 A909 C910 U911 G912 C913 A914 U915 G916 A917 C918 A919 U920 U921 G922 C923 A924 G925 A926 G927 A928 C929 A930 U931 G932 A933 U934 A935 A938 G939 G940 U941 G942 A943 U944 G945 C946 A947 C948 U949 A950 C951 G952 C953 U954 C955 U956
------------------	--	--	--	---	---	--	---	---	--	--


- Molecule 2: 30S ribosomal protein S2

Chain B: 49% 35% 7% 9%


L187	R87	PRO	MET
T190	A88	VAL	
S192	G89	GLU	
D193	M90	I1E	
P194	P91	THR	
D195	Y92	V7	
L196	V93	K8	
V197	R96	E9	
L198	W97	L10	
L199	L98	V15	
I200	L102	H16	
I201	L102	F17	
N204	I108	G18	
D205	V112	H19	
D206	H112	E20	
A207	R113	R21	
I208	R114	R22	
R209	R210	K23	
S210	F122	N24	
I211	A123	N25	
Q212	S124	P26	
L213	I225	V27	
I214	I214	P28	
L215	I216	A29	
S216	I227	L32	
A218	R130	L44	
V219	P131	L44	
D220	K132	T47	
L221	H140	L51	
L222	E141	P52	
Q223	L142	R53	
Q224	E143	T54	
A225	R144	F55	
R226	L149	P59	
G227	G227	D60	
G228	R153	L61	
V229	L154	A62	
V230	L155	R63	
S233	K156	R64	
L238	R157	T67	
V239	L158	T68	
Q240	P160	G72	
GLU	A161	G72	
GLU	P167	K75	
ALA	P167	O76	
ALA	R178	A77	
THR	K179	Q78	
GLU	L180	D79	
PRO	P183	I80	
GLU	V184	V81	
GLY	A185	T84	
GLY	I186		

GLU
VAL
GLU
ALA


- Molecule 3: 30S ribosomal protein S3




- Molecule 4: 30S ribosomal protein S4



- Molecule 5: 30S ribosomal protein S5




- Molecule 6: 30S ribosomal protein S6




- Molecule 7: 30S ribosomal protein S7






- Molecule 8: 30S ribosomal protein S8

Chain H: 51% 41% 9%




- Molecule 9: 30S ribosomal protein S9

Chain I: 55% 38% 5%




- Molecule 10: 30S ribosomal protein S10

Chain J: 45% 38% 9% 7%




- Molecule 11: 30S ribosomal protein S11

Chain K: 60% 29% 8%




- Molecule 12: 30S ribosomal protein S12

Chain L: 57% 29% 8% 6%



- Molecule 13: 30S ribosomal protein S13

Chain M: 66% 25% 6%




- Molecule 14: 30S ribosomal protein S14 type Z

Chain N: 51% 41% 5%



- Molecule 15: 30S ribosomal protein S15

Chain O: 61% 30% 8%




- Molecule 16: 30S ribosomal protein S16

Chain P: 66% 23% 6%




- Molecule 17: 30S ribosomal protein S17

Chain Q: 61% 29% 5%




- Molecule 18: 30S ribosomal protein S18

Chain R: 40% 36% 7%




- Molecule 19: 30S ribosomal protein S19

Chain S:



- Molecule 20: 30S ribosomal protein S20

Chain T:



- Molecule 21: 30S ribosomal protein Thx

Chain V:




- Molecule 22: Translation initiation factor IF-1

Chain W:




- Molecule 23: Translation initiation factor IF-3


Chain X:



- Molecule 24: mRNA



● Molecule 25: tRNAi



4 Experimental information

Property	Value	Source
Reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	Depositor
Number of particles used	7898	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI POLARA 300	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	30	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	104478	Depositor
Image detector	OTHER	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 5MU, OMC, ZN, G7M, MG, 4SU, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >2	RMSZ	# Z >2
1	A	0.34	1/36394 (0.0%)	0.77	25/56779 (0.0%)
10	J	0.55	0/805	1.35	14/1082 (1.3%)
11	K	0.54	0/900	0.82	0/1213
12	L	0.41	0/986	0.77	0/1320
13	M	0.52	0/947	0.78	0/1270
14	N	0.45	0/501	0.79	0/664
15	O	0.47	0/745	0.88	0/992
16	P	0.46	0/716	0.79	0/963
17	Q	0.41	0/836	0.78	0/1117
18	R	0.52	0/604	0.85	0/801
19	S	0.60	0/661	1.15	3/890 (0.3%)
2	B	0.57	0/1935	0.82	1/2609 (0.0%)
20	T	0.47	0/765	0.93	1/1007 (0.1%)
21	V	0.61	0/212	0.74	0/277
22	W	0.63	0/575	1.05	5/778 (0.6%)
23	X	0.68	0/1354	0.88	3/1813 (0.2%)
24	Y	0.55	0/493	0.82	0/766
25	Z	0.64	1/1719 (0.1%)	0.92	2/2674 (0.1%)
3	C	0.48	0/1636	0.88	5/2205 (0.2%)
4	D	0.49	0/1733	0.90	2/2318 (0.1%)
5	E	0.47	0/1162	0.96	2/1564 (0.1%)
6	F	0.48	0/856	0.82	0/1154
7	G	0.53	0/1276	0.83	0/1709
8	H	0.46	0/1136	0.83	1/1527 (0.1%)
9	I	0.50	0/1029	0.86	1/1379 (0.1%)
All	All	0.43	2/59976 (0.0%)	0.82	65/88871 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
14	N	0	1
19	S	1	0
23	X	0	1
3	C	1	0
All	All	2	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	Z	42	G	O3'-P	13.26	1.77	1.61
1	A	71	C	O3'-P	-5.43	1.54	1.61

The worst 5 of 65 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	S	70	LYS	CB-CA-C	23.09	156.58	110.40
10	J	60	ARG	CB-CA-C	-17.82	74.76	110.40
5	E	15	ARG	N-CA-C	-14.56	71.68	111.00
9	I	7	THR	CB-CA-C	-13.77	74.42	111.60
5	E	16	THR	N-CA-CB	-12.45	86.64	110.30

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	C	14	ILE	CA
19	S	70	LYS	CA

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
14	N	13	THR	Peptide
23	X	53	ASP	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	32522	0	16436	1207	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	1900	0	1951	44	0
3	C	1612	0	1677	68	0
4	D	1703	0	1766	59	0
5	E	1146	0	1207	36	0
6	F	843	0	857	25	0
7	G	1257	0	1296	28	0
8	H	1116	0	1177	44	0
9	I	1010	0	1037	34	0
10	J	792	0	835	34	0
11	K	885	0	904	17	0
12	L	970	0	1057	33	0
13	M	937	0	995	17	0
14	N	492	0	530	31	0
15	O	734	0	771	18	0
16	P	700	0	720	15	0
17	Q	823	0	891	20	0
18	R	598	0	670	28	0
19	S	647	0	673	28	0
20	T	763	0	861	31	0
21	V	208	0	221	1	0
22	W	565	0	588	9	0
23	X	1336	0	1389	51	0
24	Y	439	0	219	38	0
25	Z	1646	0	845	117	0
26	D	1	0	0	1	0
26	N	1	0	0	0	0
27	W	1	0	0	0	0
27	Z	1	0	0	0	0
All	All	55648	0	39573	1838	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

The worst 5 of 1838 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:199:ASN:ND2	4:D:202:LEU:HG	1.25	1.43
3:C:29:TYR:CE1	3:C:33:LEU:HD12	1.67	1.30
1:A:1345:U:N3	1:A:1375:A:N6	1.80	1.28
1:A:72:C:C2'	1:A:73:G:H5'	1.65	1.23
23:X:5:TYR:OH	25:Z:20:U:C6	1.92	1.21

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	232/256 (91%)	178 (77%)	41 (18%)	13 (6%)	2	25
3	C	204/239 (85%)	173 (85%)	25 (12%)	6 (3%)	5	39
4	D	206/209 (99%)	174 (84%)	25 (12%)	7 (3%)	4	36
5	E	148/162 (91%)	130 (88%)	16 (11%)	2 (1%)	13	53
6	F	99/101 (98%)	91 (92%)	6 (6%)	2 (2%)	9	47
7	G	153/156 (98%)	133 (87%)	17 (11%)	3 (2%)	9	47
8	H	136/138 (99%)	117 (86%)	17 (12%)	2 (2%)	12	53
9	I	125/128 (98%)	101 (81%)	18 (14%)	6 (5%)	2	28
10	J	96/105 (91%)	77 (80%)	11 (12%)	8 (8%)	1	16
11	K	117/129 (91%)	97 (83%)	16 (14%)	4 (3%)	4	36
12	L	122/132 (92%)	95 (78%)	24 (20%)	3 (2%)	6	42
13	M	116/126 (92%)	94 (81%)	19 (16%)	3 (3%)	6	41
14	N	58/61 (95%)	44 (76%)	14 (24%)	0	100	100
15	O	86/89 (97%)	79 (92%)	6 (7%)	1 (1%)	15	58
16	P	81/88 (92%)	76 (94%)	5 (6%)	0	100	100
17	Q	97/105 (92%)	85 (88%)	11 (11%)	1 (1%)	18	61
18	R	71/88 (81%)	59 (83%)	9 (13%)	3 (4%)	3	30
19	S	78/93 (84%)	62 (80%)	15 (19%)	1 (1%)	14	56
20	T	97/106 (92%)	81 (84%)	10 (10%)	6 (6%)	2	23
21	V	22/27 (82%)	19 (86%)	3 (14%)	0	100	100
22	W	69/72 (96%)	58 (84%)	9 (13%)	2 (3%)	5	39
23	X	160/171 (94%)	135 (84%)	21 (13%)	4 (2%)	6	42
All	All	2573/2781 (92%)	2158 (84%)	338 (13%)	77 (3%)	9	38

5 of 77 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	21	ARG
2	B	24	TRP
8	H	105	ARG
10	J	39	PRO
10	J	40	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	202/220 (92%)	150 (74%)	52 (26%)	0	5
3	C	160/188 (85%)	138 (86%)	22 (14%)	4	24
4	D	180/181 (99%)	136 (76%)	44 (24%)	1	5
5	E	115/123 (94%)	90 (78%)	25 (22%)	1	7
6	F	90/90 (100%)	76 (84%)	14 (16%)	3	19
7	G	126/127 (99%)	107 (85%)	19 (15%)	3	20
8	H	119/119 (100%)	94 (79%)	25 (21%)	1	8
9	I	98/99 (99%)	83 (85%)	15 (15%)	3	19
10	J	87/92 (95%)	75 (86%)	12 (14%)	4	24
11	K	90/99 (91%)	76 (84%)	14 (16%)	3	19
12	L	104/109 (95%)	83 (80%)	21 (20%)	1	9
13	M	94/101 (93%)	81 (86%)	13 (14%)	4	24
14	N	49/50 (98%)	38 (78%)	11 (22%)	1	7
15	O	79/80 (99%)	62 (78%)	17 (22%)	1	8
16	P	72/74 (97%)	59 (82%)	13 (18%)	2	13
17	Q	94/97 (97%)	81 (86%)	13 (14%)	4	24
18	R	64/77 (83%)	47 (73%)	17 (27%)	0	4
19	S	71/80 (89%)	58 (82%)	13 (18%)	2	13
20	T	76/82 (93%)	59 (78%)	17 (22%)	1	7

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
21	V	19/22 (86%)	15 (79%)	4 (21%)	1	8
22	W	61/63 (97%)	56 (92%)	5 (8%)	13	45
23	X	145/150 (97%)	118 (81%)	27 (19%)	2	12
All	All	2195/2323 (94%)	1782 (81%)	413 (19%)	5	12

5 of 413 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
8	H	59	LEU
11	K	40	ILE
22	W	8	ARG
8	H	93	VAL
9	I	85	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 37 such sidechains are listed below:

Mol	Chain	Res	Type
4	D	201	GLN
6	F	13	ASN
20	T	18	GLN
5	E	73	ASN
5	E	130	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	1506/1522 (98%)	437 (29%)	113 (7%)
24	Y	18/42 (42%)	14 (77%)	3 (16%)
25	Z	74/77 (96%)	32 (43%)	9 (12%)
All	All	1598/1641 (97%)	483 (30%)	125 (7%)

5 of 483 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	6	G
1	A	7	G
1	A	8	A
1	A	9	G
1	A	13	U

5 of 125 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	809	G
1	A	992	U
24	Y	38	G
1	A	865	A
1	A	960	U

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

5 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
25	OMC	Z	32	25	15,22,23	0.86	1 (6%)	19,31,34	1.36	4 (21%)
25	G7M	Z	46	25	19,26,27	2.89	3 (15%)	19,39,42	2.34	5 (26%)
25	5MU	Z	54	25	14,22,23	0.82	0	16,32,35	3.33	3 (18%)
25	PSU	Z	55	25	16,21,22	0.82	0	20,30,33	3.89	10 (50%)
25	4SU	Z	8	25	14,21,22	1.47	2 (14%)	15,30,33	2.09	7 (46%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
25	OMC	Z	32	25	-	0/5/27/28	0/2/2/2
25	G7M	Z	46	25	-	0/3/25/26	0/3/3/3
25	5MU	Z	54	25	-	0/3/25/26	0/2/2/2
25	PSU	Z	55	25	-	0/7/25/26	0/2/2/2
25	4SU	Z	8	25	-	0/3/25/26	0/2/2/2

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	Z	8	4SU	C4-S4	-3.90	1.60	1.67
25	Z	32	OMC	O4'-C1'	2.69	1.45	1.41
25	Z	8	4SU	O4'-C1'	3.15	1.45	1.41
25	Z	46	G7M	C6-C5	4.49	1.49	1.41
25	Z	46	G7M	C8-N7	7.93	1.47	1.33

The worst 5 of 29 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	Z	55	PSU	N1-C2-N3	-9.94	121.25	128.40
25	Z	54	5MU	C5-C4-N3	-8.04	116.37	125.24
25	Z	55	PSU	C5-C4-N3	-7.17	119.55	125.43
25	Z	46	G7M	C5-C6-N1	-5.76	115.28	123.48
25	Z	55	PSU	C4'-O4'-C1'	-4.06	104.77	109.48

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
25	Z	32	OMC	2	0
25	Z	46	G7M	4	0
25	Z	54	5MU	2	0
25	Z	55	PSU	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	6
25	Z	3
24	Y	1

The worst 5 of 10 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	Z	55:PSU	O3'	56:C	P	5.82
1	A	841:U	O3'	848:C	P	5.50
1	A	93:G	O3'	96:U	P	4.90
1	A	84:U	O3'	88:A	P	4.32
1	A	1442(A):G	O3'	1442(B):A	P	3.51