



# wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 15, 2017 – 09:00 am GMT

PDB ID : 4LNT  
Title : Crystal Structure of tRNA Proline (CGG) Bound to Codon CCC-U on the Ribosome  
Authors : Maehigashi, T.; Dunkle, J.A.; Dunham, C.M.  
Deposited on : 2013-07-12  
Resolution : 2.94 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28972


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.94 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	2289 (2.98-2.90)
Clashscore	112137	2543 (2.98-2.90)
Ramachandran outliers	110173	2475 (2.98-2.90)
Sidechain outliers	110143	2477 (2.98-2.90)
RSRZ outliers	101464	2301 (2.98-2.90)
RNA backbone	2435	1036 (3.28-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	QA	1522	<div> <div>2%</div> <div>52% 37% 9% ..</div> </div>
1	XA	1522	<div> <div>%</div> <div>50% 36% 11% ..</div> </div>
2	QB	256	<div> <div>26%</div> <div>49% 36% 7% • 7%</div> </div>
2	XB	256	<div> <div>11%</div> <div>46% 36% 9% • 7%</div> </div>


























*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	QC	239	
3	XC	239	
4	QD	209	
4	XD	209	
5	QE	162	
5	XE	162	
6	QF	101	
6	XF	101	
7	QG	156	
7	XG	156	
8	QH	138	
8	XH	138	
9	QI	128	
9	XI	128	
10	QJ	105	
10	XJ	105	
11	QK	129	
11	XK	129	
12	QL	132	
12	XL	132	
13	QM	126	
13	XM	126	
14	QN	61	
14	XN	61	
15	QO	89	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
15	XO	89	
16	QP	88	
16	XP	88	
17	QQ	105	
17	XQ	105	
18	QR	88	
18	XR	88	
19	QS	93	
19	XS	93	
20	QT	106	
20	XT	106	
21	QU	27	
21	XU	27	
22	QV	77	
22	XV	77	
23	QY	17	
23	XY	17	
24	QX	25	
24	XX	25	
25	RA	2916	
25	YA	2916	
26	RB	122	
26	YB	122	
27	RD	276	
27	YD	276	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
28	RE	206	
28	YE	206	
29	RF	210	
29	YF	210	
30	RG	182	
30	YG	182	
31	RH	180	
31	YH	180	
32	RI	148	
32	YI	148	
33	RN	140	
33	YN	140	
34	RO	122	
34	YO	122	
35	RP	150	
35	YP	150	
36	RQ	141	
36	YQ	141	
37	RR	118	
37	YR	118	
38	RS	112	
38	YS	112	
39	RT	146	
39	YT	146	
40	RU	118	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
40	YU	118	
41	RV	101	
41	YV	101	
42	RW	113	
42	YW	113	
43	RX	96	
43	YX	96	
44	RY	110	
44	YY	110	
45	RZ	206	
45	YZ	206	
46	R0	85	
46	Y0	85	
47	R1	98	
47	Y1	98	
48	R2	72	
48	Y2	72	
49	R3	60	
49	Y3	60	
50	R4	71	
50	Y4	71	
51	R5	60	
51	Y5	60	
52	R6	54	
52	Y6	54	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
53	R7	49	
53	Y7	49	
54	R8	65	
54	Y8	65	
55	R9	37	
55	Y9	37	
56	Z6	3	
56	Z8	3	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
57	MG	QA	1604	-	-	-	X
57	MG	QA	1610	-	-	-	X
57	MG	QA	1612	-	-	-	X
57	MG	QA	1613	-	-	-	X
57	MG	QA	1615	-	-	-	X
57	MG	QA	1617	-	-	-	X
57	MG	QA	1661	-	-	-	X
57	MG	QV	101	-	-	-	X
57	MG	RA	3003	-	-	-	X
57	MG	RA	3005	-	-	-	X
57	MG	RA	3006	-	-	-	X
57	MG	RA	3010	-	-	-	X
57	MG	RA	3013	-	-	-	X
57	MG	RA	3016	-	-	-	X
57	MG	RA	3022	-	-	-	X
57	MG	RA	3023	-	-	-	X
57	MG	RA	3025	-	-	-	X
57	MG	RA	3027	-	-	-	X
57	MG	RA	3032	-	-	-	X
57	MG	RA	3034	-	-	-	X
57	MG	RA	3035	-	-	-	X
57	MG	RA	3036	-	-	-	X
57	MG	RA	3037	-	-	-	X

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
57	MG	RA	3039	-	-	-	X
57	MG	RA	3050	-	-	-	X
57	MG	RA	3053	-	-	-	X
57	MG	RA	3055	-	-	-	X
57	MG	RA	3056	-	-	-	X
57	MG	RA	3060	-	-	-	X
57	MG	RA	3063	-	-	-	X
57	MG	RA	3064	-	-	-	X
57	MG	RA	3065	-	-	-	X
57	MG	RA	3066	-	-	-	X
57	MG	RA	3076	-	-	-	X
57	MG	RA	3078	-	-	-	X
57	MG	RA	3080	-	-	-	X
57	MG	RA	3086	-	-	-	X
57	MG	RA	3088	-	-	-	X
57	MG	RA	3095	-	-	-	X
57	MG	RA	3098	-	-	-	X
57	MG	RA	3099	-	-	-	X
57	MG	RA	3121	-	-	-	X
57	MG	RA	3124	-	-	-	X
57	MG	RA	3126	-	-	-	X
57	MG	RA	3132	-	-	-	X
57	MG	RA	3133	-	-	-	X
57	MG	RA	3137	-	-	-	X
57	MG	RA	3144	-	-	-	X
57	MG	RA	3157	-	-	-	X
57	MG	RA	3171	-	-	-	X
57	MG	RA	3177	-	-	-	X
57	MG	RA	3203	-	-	-	X
57	MG	RA	3205	-	-	-	X
57	MG	RA	3206	-	-	-	X
57	MG	RA	3214	-	-	-	X
57	MG	RA	3220	-	-	-	X
57	MG	RA	3224	-	-	-	X
57	MG	RA	3227	-	-	-	X
57	MG	RA	3237	-	-	-	X
57	MG	RA	3240	-	-	-	X
57	MG	RD	301	-	-	-	X
57	MG	RP	201	-	-	-	X
57	MG	RR	201	-	-	-	X
57	MG	RU	201	-	-	-	X
57	MG	XA	1603	-	-	-	X

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
57	MG	XA	1604	-	-	-	X
57	MG	XA	1607	-	-	-	X
57	MG	XA	1615	-	-	-	X
57	MG	XA	1618	-	-	-	X
57	MG	XA	1621	-	-	-	X
57	MG	XA	1629	-	-	-	X
57	MG	XA	1633	-	-	-	X
57	MG	XA	1635	-	-	-	X
57	MG	XA	1656	-	-	-	X
57	MG	YA	3002	-	-	-	X
57	MG	YA	3004	-	-	-	X
57	MG	YA	3006	-	-	-	X
57	MG	YA	3008	-	-	-	X
57	MG	YA	3009	-	-	-	X
57	MG	YA	3011	-	-	-	X
57	MG	YA	3013	-	-	-	X
57	MG	YA	3014	-	-	-	X
57	MG	YA	3015	-	-	-	X
57	MG	YA	3017	-	-	-	X
57	MG	YA	3023	-	-	-	X
57	MG	YA	3024	-	-	-	X
57	MG	YA	3026	-	-	-	X
57	MG	YA	3027	-	-	-	X
57	MG	YA	3031	-	-	-	X
57	MG	YA	3032	-	-	-	X
57	MG	YA	3033	-	-	-	X
57	MG	YA	3034	-	-	-	X
57	MG	YA	3035	-	-	-	X
57	MG	YA	3037	-	-	-	X
57	MG	YA	3041	-	-	-	X
57	MG	YA	3044	-	-	-	X
57	MG	YA	3047	-	-	-	X
57	MG	YA	3048	-	-	-	X
57	MG	YA	3049	-	-	-	X
57	MG	YA	3050	-	-	-	X
57	MG	YA	3057	-	-	-	X
57	MG	YA	3058	-	-	-	X
57	MG	YA	3061	-	-	-	X
57	MG	YA	3065	-	-	-	X
57	MG	YA	3068	-	-	-	X
57	MG	YA	3070	-	-	-	X
57	MG	YA	3072	-	-	-	X

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
57	MG	YA	3073	-	-	-	X
57	MG	YA	3080	-	-	-	X
57	MG	YA	3081	-	-	-	X
57	MG	YA	3086	-	-	-	X
57	MG	YA	3089	-	-	-	X
57	MG	YA	3090	-	-	-	X
57	MG	YA	3098	-	-	-	X
57	MG	YA	3099	-	-	-	X
57	MG	YA	3100	-	-	-	X
57	MG	YA	3103	-	-	-	X
57	MG	YA	3107	-	-	-	X
57	MG	YA	3108	-	-	-	X
57	MG	YA	3117	-	-	-	X
57	MG	YA	3119	-	-	-	X
57	MG	YA	3129	-	-	-	X
57	MG	YA	3132	-	-	-	X
57	MG	YA	3138	-	-	-	X
57	MG	YA	3146	-	-	-	X
57	MG	YA	3166	-	-	-	X
57	MG	YA	3168	-	-	-	X
57	MG	YA	3171	-	-	-	X
57	MG	YA	3180	-	-	-	X
57	MG	YA	3181	-	-	-	X
57	MG	YA	3182	-	-	-	X
57	MG	YA	3193	-	-	-	X
57	MG	YA	3197	-	-	-	X
57	MG	YA	3198	-	-	-	X
57	MG	YA	3206	-	-	-	X
57	MG	YA	3237	-	-	-	X
57	MG	YA	3239	-	-	-	X
57	MG	YA	3251	-	-	-	X
57	MG	YA	3253	-	-	-	X
57	MG	YA	3256	-	-	-	X
57	MG	YA	3259	-	-	-	X
57	MG	YA	3263	-	-	-	X
57	MG	YB	203	-	-	-	X
58	PAR	QA	1666	-	-	-	X
58	PAR	XA	1673	-	-	-	X

## 2 Entry composition

There are 59 unique types of molecules in this entry. The entry contains 291993 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	QA	1500	Total	C	N	O	P	0	0	0
			32247	14353	5981	10414	1499			
1	XA	1500	Total	C	N	O	P	0	0	0
			32249	14354	5984	10412	1499			

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	QB	237	Total	C	N	O	S	0	0	0
			1924	1228	344	347	5			
2	XB	237	Total	C	N	O	S	0	0	0
			1924	1228	344	347	5			

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	QC	205	Total	C	N	O	S	0	0	0
			1605	1011	313	280	1			
3	XC	205	Total	C	N	O	S	0	0	0
			1605	1011	313	280	1			

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	QD	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			
4	XD	208	Total	C	N	O	S	0	0	0
			1703	1066	339	291	7			

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	QE	151	Total	C	N	O	S	0	0	0
			1155	729	218	204	4			
5	XE	151	Total	C	N	O	S	0	0	0
			1155	729	218	204	4			

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	QF	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			
6	XF	101	Total	C	N	O	S	0	0	0
			843	531	155	154	3			

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	QG	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			
7	XG	155	Total	C	N	O	S	0	0	0
			1257	781	252	218	6			

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	QH	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			
8	XH	138	Total	C	N	O	S	0	0	0
			1116	705	215	193	3			

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	QI	127	Total	C	N	O		0	0	0
			1010	639	197	174				
9	XI	127	Total	C	N	O		0	0	0
			1010	639	197	174				

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	QJ	99	Total	C	N	O	S	0	0	0
			801	504	157	139	1			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	XJ	99	Total	C	N	O	S	0	0	0
			801	504	157	139	1			

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	QK	119	Total	C	N	O	S	0	0	0
			885	549	168	165	3			
11	XK	119	Total	C	N	O	S	0	0	0
			885	549	168	165	3			

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	QL	125	Total	C	N	O	S	0	0	0
			975	614	196	164	1			
12	XL	125	Total	C	N	O	S	0	0	0
			975	614	196	164	1			

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	QM	121	Total	C	N	O	S	0	0	0
			964	597	199	166	2			
13	XM	121	Total	C	N	O	S	0	0	0
			964	597	199	166	2			

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	QN	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
14	XN	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	QO	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			
15	XO	88	Total	C	N	O	S	0	0	0
			734	459	147	126	2			

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	QP	84	Total	C	N	O	S	0	0	0
			705	446	140	118	1			
16	XP	84	Total	C	N	O	S	0	0	0
			705	446	140	118	1			

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	QQ	100	Total	C	N	O	S	0	0	0
			834	534	155	143	2			
17	XQ	100	Total	C	N	O	S	0	0	0
			834	534	155	143	2			

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
18	QR	70	Total	C	N	O	0	0	0
			574	367	112	95			
18	XR	70	Total	C	N	O	0	0	0
			574	367	112	95			

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	QS	84	Total	C	N	O	S	0	0	0
			674	430	126	116	2			
19	XS	84	Total	C	N	O	S	0	0	0
			674	430	126	116	2			

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	QT	99	Total	C	N	O	S	0	0	0
			763	470	162	129	2			
20	XT	99	Total	C	N	O	S	0	0	0
			763	470	162	129	2			

- Molecule 21 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
21	QU	25	Total	C	N	O	0	0	0
			217	134	52	31			
21	XU	25	Total	C	N	O	0	0	0
			217	134	52	31			

- Molecule 22 is a RNA chain called P-site tRNA fMet.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	QV	77	Total	C	N	O	P	0	0	0
			1644	732	297	538	77			
22	XV	77	Total	C	N	O	P	0	0	0
			1644	732	297	538	77			

- Molecule 23 is a RNA chain called messenger RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	QY	15	Total	C	N	O	P	0	0	0
			323	144	58	106	15			
23	XY	15	Total	C	N	O	P	0	0	0
			323	144	58	106	15			

- Molecule 24 is a RNA chain called A-site ASL SufA6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	QX	8	Total	C	N	O	P	0	0	0
			167	75	28	56	8			
24	XX	8	Total	C	N	O	P	0	0	0
			167	75	28	56	8			

- Molecule 25 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
25	RA	2882	Total	C	N	O	P	0	0	0
			62071	27627	11611	19952	2881			
25	YA	2883	Total	C	N	O	P	0	0	0
			62091	27636	11613	19960	2882			

- Molecule 26 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	RB	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	YB	120	Total	C	N	O	P	0	0	0
			2573	1146	476	832	119			

- Molecule 27 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	RD	272	Total	C	N	O	S	0	0	0
			2115	1335	420	357	3			
27	YD	272	Total	C	N	O	S	0	0	0
			2115	1335	420	357	3			

- Molecule 28 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	RE	205	Total	C	N	O	S	0	0	0
			1568	991	300	271	6			
28	YE	205	Total	C	N	O	S	0	0	0
			1568	991	300	271	6			

- Molecule 29 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	RF	202	Total	C	N	O	S	0	0	0
			1585	1011	297	275	2			
29	YF	202	Total	C	N	O	S	0	0	0
			1585	1011	297	275	2			

- Molecule 30 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	RG	181	Total	C	N	O	S	0	0	0
			1474	942	268	260	4			
30	YG	181	Total	C	N	O	S	0	0	0
			1474	942	268	260	4			

- Molecule 31 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	RH	170	Total	C	N	O	S	0	0	0
			1307	829	245	232	1			
31	YH	170	Total	C	N	O	S	0	0	0
			1307	829	245	232	1			



- Molecule 32 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	RI	146	Total	C	N	O	S	0	0	0
			1136	726	201	208	1			
32	YI	146	Total	C	N	O	S	0	0	0
			1136	726	201	208	1			

- Molecule 33 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	RN	138	Total	C	N	O	S	0	0	0
			1104	712	206	182	4			
33	YN	138	Total	C	N	O	S	0	0	0
			1104	712	206	182	4			

- Molecule 34 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	RO	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			
34	YO	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 35 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	RP	150	Total	C	N	O	S	0	0	0
			1145	712	232	198	3			
35	YP	150	Total	C	N	O	S	0	0	0
			1145	712	232	198	3			

- Molecule 36 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	RQ	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			
36	YQ	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 37 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	RR	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			
37	YR	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			

- Molecule 38 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	RS	111	Total	C	N	O	S	0	0	0
			882	556	176	150				
38	YS	111	Total	C	N	O	S	0	0	0
			882	556	176	150				

- Molecule 39 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	RT	137	Total	C	N	O	S	0	0	0
			1141	710	234	196	1			
39	YT	137	Total	C	N	O	S	0	0	0
			1141	710	234	196	1			

- Molecule 40 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
40	RU	117	Total	C	N	O	S	0	0	0
			964	610	202	151	1			
40	YU	117	Total	C	N	O	S	0	0	0
			964	610	202	151	1			

- Molecule 41 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
41	RV	101	Total	C	N	O	S	0	0	0
			779	501	142	135	1			
41	YV	101	Total	C	N	O	S	0	0	0
			779	501	142	135	1			

- Molecule 42 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	RW	113	Total	C	N	O	S	0	0	0
			900	566	177	155	2			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	YW	113	Total	C	N	O	S	0	0	0
			900	566	177	155	2			

- Molecule 43 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	RX	92	Total	C	N	O		0	0	0
			725	471	131	123				
43	YX	92	Total	C	N	O		0	0	0
			725	471	131	123				

- Molecule 44 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	RY	102	Total	C	N	O	S	0	0	0
			785	505	150	125	5			
44	YY	102	Total	C	N	O	S	0	0	0
			785	505	150	125	5			

- Molecule 45 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	RZ	183	Total	C	N	O	S	0	0	0
			1461	933	260	265	3			
45	YZ	183	Total	C	N	O	S	0	0	0
			1461	933	260	265	3			

- Molecule 46 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	R0	82	Total	C	N	O	S	0	0	0
			648	401	138	108	1			
46	Y0	82	Total	C	N	O	S	0	0	0
			648	401	138	108	1			

- Molecule 47 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	R1	97	Total	C	N	O	S	0	0	0
			763	481	150	131	1			
47	Y1	97	Total	C	N	O	S	0	0	0
			763	481	150	131	1			

- Molecule 48 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	R2	69	Total	C	N	O	S	0	0	0
			581	358	118	104	1			
48	Y2	69	Total	C	N	O	S	0	0	0
			581	358	118	104	1			

- Molecule 49 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
49	R3	59	Total	C	N	O	0	0	0
			469	298	90	81			
49	Y3	59	Total	C	N	O	0	0	0
			469	298	90	81			

- Molecule 50 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	R4	71	Total	C	N	O	S	0	0	0
			581	364	108	104	5			
50	Y4	71	Total	C	N	O	S	0	0	0
			581	364	108	104	5			

- Molecule 51 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	R5	59	Total	C	N	O	S	0	0	0
			459	288	90	76	5			
51	Y5	59	Total	C	N	O	S	0	0	0
			459	288	90	76	5			

- Molecule 52 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
52	R6	49	Total	C	N	O	S	0	0	0
			424	264	87	69	4			
52	Y6	49	Total	C	N	O	S	0	0	0
			424	264	87	69	4			

- Molecule 53 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	R7	49	Total	C	N	O	S	0	0	0
			430	263	108	57	2			
53	Y7	49	Total	C	N	O	S	0	0	0
			430	263	108	57	2			

- Molecule 54 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	R8	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			
54	Y8	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			

- Molecule 55 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
55	R9	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
55	Y9	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			

- Molecule 56 is a RNA chain called tRNA acceptor end mimic.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
56	Z6	3	Total	C	N	O	P	0	0	0
			74	40	13	19	2			
56	Z8	3	Total	C	N	O	P	0	0	0
			74	40	13	19	2			

- Molecule 57 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	QA	65	Total	Mg	0	0
			65	65		
57	RP	2	Total	Mg	0	0
			2	2		
57	QX	1	Total	Mg	0	0
			1	1		
57	YA	268	Total	Mg	0	0
			268	268		
57	QM	1	Total	Mg	0	0
			1	1		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	XX	1	Total 1	Mg 1	0	0
57	QV	1	Total 1	Mg 1	0	0
57	XA	72	Total 72	Mg 72	0	0
57	R0	1	Total 1	Mg 1	0	0
57	RU	1	Total 1	Mg 1	0	0
57	QH	1	Total 1	Mg 1	0	0
57	YQ	1	Total 1	Mg 1	0	0
57	R8	1	Total 1	Mg 1	0	0
57	YX	1	Total 1	Mg 1	0	0
57	RR	1	Total 1	Mg 1	0	0
57	RD	1	Total 1	Mg 1	0	0
57	QF	1	Total 1	Mg 1	0	0
57	R5	1	Total 1	Mg 1	0	0
57	RA	242	Total 242	Mg 242	0	0
57	YP	2	Total 2	Mg 2	0	0
57	Y5	1	Total 1	Mg 1	0	0
57	RE	2	Total 2	Mg 2	0	0
57	YB	3	Total 3	Mg 3	0	0
57	XV	1	Total 1	Mg 1	0	0
57	RB	2	Total 2	Mg 2	0	0
57	RF	1	Total 1	Mg 1	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	XM	1	Total	Mg	0	0
			1	1		
57	YE	1	Total	Mg	0	0
			1	1		

- Molecule 58 is PAROMOMYCIN (three-letter code: PAR) (formula:  $C_{23}H_{45}N_5O_{14}$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
58	QA	1	Total	C	N	O	0	0
			42	23	5	14		
58	XA	1	Total	C	N	O	0	0
			42	23	5	14		

- Molecule 59 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
59	XD	1	Total	Zn	0	0
			1	1		
59	QD	1	Total	Zn	0	0
			1	1		
59	QN	1	Total	Zn	0	0
			1	1		
59	XN	1	Total	Zn	0	0
			1	1		









Chain XA: 







• Molecule 2: 30S ribosomal protein S2




• Molecule 2: 30S ribosomal protein S2



• Molecule 3: 30S ribosomal protein S3




• Molecule 3: 30S ribosomal protein S3




• Molecule 4: 30S ribosomal protein S4







- Molecule 4: 30S ribosomal protein S4



- Molecule 5: 30S ribosomal protein S5




- Molecule 5: 30S ribosomal protein S5




- Molecule 6: 30S ribosomal protein S6








- Molecule 6: 30S ribosomal protein S6




- Molecule 7: 30S ribosomal protein S7




- Molecule 8: 30S ribosomal protein S8




- Molecule 8: 30S ribosomal protein S8




- Molecule 8: 30S ribosomal protein S8




• Molecule 9: 30S ribosomal protein S9




• Molecule 9: 30S ribosomal protein S9




• Molecule 10: 30S ribosomal protein S10




• Molecule 10: 30S ribosomal protein S10




- Molecule 11: 30S ribosomal protein S11




- Molecule 11: 30S ribosomal protein S11




- Molecule 12: 30S ribosomal protein S12




- Molecule 12: 30S ribosomal protein S12




- Molecule 13: 30S ribosomal protein S13






- Molecule 13: 30S ribosomal protein S13




- Molecule 14: 30S ribosomal protein S14



- Molecule 14: 30S ribosomal protein S14



- Molecule 15: 30S ribosomal protein S15



- Molecule 15: 30S ribosomal protein S15




- Molecule 16: 30S ribosomal protein S16




- Molecule 16: 30S ribosomal protein S16







- Molecule 17: 30S ribosomal protein S17




- Molecule 17: 30S ribosomal protein S17




- Molecule 18: 30S ribosomal protein S18




- Molecule 18: 30S ribosomal protein S18




- Molecule 19: 30S ribosomal protein S19






- Molecule 19: 30S ribosomal protein S19




- Molecule 20: 30S ribosomal protein S20




- Molecule 20: 30S ribosomal protein S20




- Molecule 21: 30S ribosomal protein S21




- Molecule 21: 30S ribosomal protein S21




- Molecule 22: P-site tRNA fMet




- Molecule 22: P-site tRNA fMet




- Molecule 23: messenger RNA



- Molecule 23: messenger RNA




- Molecule 24: A-site ASL SufA6



- Molecule 24: A-site ASL SufA6




- Molecule 25: 23S rRNA




G1330	A1247	U165	U1082	C1007	A911	U827	A752	G	G604	U519	U427	A330	U270M	G205
A1331	G1248	C1166	U1083	G1011	C915	U828	C753	G	U607	U520	U428	G333	G270N	U206
G1332	U1249	C1250	A1085	U1012	G916	A829	C754	C	A608	U521	A428	C334	U270O	A207
G1337	G1251	G1169	A1086	U1013	A917	G830	C755	C	G609	U522	C270P	C334	C208	C208
G1338	G1252	G1170	A1087	U1014	A918	G831	G760	G654S	G609A	U523	G270Q	A340	G270R	G214
A1253	A1253	G1171	A1088	G1015	C919	U839	G761	G856	G612	U524	G270S	G341	G215	G215
G1348	G1256	G1172	U1089	G1016	C923	G845	A764	U657	U613	U525	G270T	G342	A216	A216
A1349	A1174	U1175	G1090	U1017	C924	C846	G762	G658	U614	A526	G270Z	G343	G219	G219
U1352	G1260	G1176	C1091	U1018	G924	U847	G768	C659	U615	A528	U2702	G344	G220	G220
C1261	C1261	A1177	U1092	U1019	G925	G848	G769	G662	A616	G530	G271A	A345	A221	A221
A1265	A1265	C1178	U1093	A1020	A832	A849	U773	G668	G617	G531	U271C	A346	A222	A222
U1357	C1179	C1180	U1094	A1021	G934	A849	U774	G669	G618	A532	G271	A347	A223	A223
G1358	G1184	C1181	A1095	G1022	C935	C856	U775	G670	G619	U533	G272	G348	G224	G224
A1359	G1185	U1097	U1096	U1023	G938	C857	G776	A670	G620	C537	G273	G352	A225	A225
G1364	C1270	G1187	A1098	G1025	G938	U858	G777	C671	G621	G539	C273C	U362	A227	A227
A1365	G1271	U1188	U1099	U1026	A941	G859	G778	C672	G622	G540	G273F	G363B	A228	A228
A1366	A1272	A1189	C1100	A1027	G942	U860	U779	C673	G623	G541	G274	G363C	A229	A229
G1368	A1274	U1190	U1101	A1028	G943	A861	G780	G674	G624	C544	G275	G363C	C231	C231
G1369	G1191	G1191	A1103	U1033	G944	A861	G781	A675	G625	G545	G276	A363F	G232	G232
C1370	G1192	G1192	C1104	G1043	G945	G865	U782	A676	G627	C546	G277	G364	A233	A233
G1371	G1193	G1193	U1105	G1044	G946	U868	A784	A685	G630	G550	G278	G370	A234	A234
U1372	A1194	G1195	G1110	A1045	G952	G869	G785	G686	A631	G550	G279	A371	U235	U235
G1283	G1195	G1195	A1111	A1046	G953	A870	G786	G686	A632	G554	C286	G372	U239	U239
A1284	U1198	U1198	G1112	G1047	G954	U871	U787	G695	A633	U554	C287	U373	G240	G240
G1285	U1199	U1199	G1113	A1048	G955	A872	G788	G702	G634	U556	C288	G379	A241	A241
A1286	U1199	U1199	G1114	G1049	G956	G873	U789	G703	G635	U557	G289	G379	G242	G242
A1287	G1200	C1201	C1123	A1050	G957	A878	C791	G704	A637	G558	A290	G379	U243	U243
C1288	G1201	G1202	U1125	G1051	U958	G879	G792	G705	A638	G563	C291	G383	A244	A244
C1289	C1202	G1203	A1126	C1053	A959	G880	G793	A706	U639	C564	C292	U383	G245	G245
A1291	A1203	A1204	U1130	G1054	C961	G881	G794	G707	G639	C565	G297	G386	G246	G246
U1292	U1205	U1205	G1131	G1055	G966	G882	C795	C708	A643	U566	A299	G389	G247	G247
C1293	G1206	G1206	G966	G1056	G966	G883	C796	U709	A644	U569	A300	G392	G248	G248
G1297	A1210	U1211	G974	A1057	G974	C884	C797	G710	C645	G570	A301	G392	C249	C249
U1300	U1212	G1212	C974A	G1058	G975	C885	G798	G717	A646	G573	U305	U395	G250	G250
U1301	A1213	A1213	G975	G1059	G975	C886	G799	A718	G647	G574	U306	U396	A251	A251
A1302	A1214	G1215	G979	U1060	G979	A887	A802	C719	G649	A575	G307	G396	G254	G254
G1303	G1215	G1215	G979	G1062	G979	C888	A803	A722	G650	G579	G308	G399	A255	A255
C1304	G1215	G1215	A883	G1063	A883	C890	C806	G723	G651	C580	G309	G400	G259	G259
G1309	A1220	C1221	G989	U1065	G989	C892	C807	U724	C652	C581	A310	A311	C263	C263
G1310	G1226	G1226	A990	A1067	A990	U895	U810	G725	A654	C586	A312	A313	A265	A265
U1312	G1229A	G1229A	C991	U1068	C991	C896	U811	G726	C654B	A586	G312	G406	G266	G266
U1313	G1238	G1238	C992	G1069	C992	C897	U812	G729	G	C587	G315	G407	U269	U269
C1314	G1239	G1239	C993	A1070	C993	C898	U813	C730	G	C588	C316	G408	A270	A270
C1407	U1240	U1240	C994	A1071	C994	A900	C814	C731	G	C589	G321	G409	U270F	U270F
C1408	A1241	A1241	C995	G1075	C995	A901	C815	A734	C	C590	G322	G410	C270G	C270G
A1411	A1242	A1242	G997	A1076	G997	A901	C816	A734	G	C591	G323	G411	G270E	G270E
G1416	G1244	G1244	G1003	A1077	G1003	C904	C817	G745	C	G592	G327	G412	U270F	U270F
C1417	U1245	U1245	C1004	A1078	C1004	A907	A819	A746	A	G593	U328	G413	C270G	C270G
G1418	U1246	U1246	G1006	U1079	G1006	U907	C825	U747	C	U594	G329	G414	G327	G327
				U1081		A910	U826	C749	C	A603		U421	G329	G329


C2690	U2695	C2606	C9507	U2431	G2334	C2264	G2155	U1991	G1899	G1802	A1698	C1598	C1509	A1419
C2699	U2609	C2606	C2508	A2432	A2335	C2264	G2156	G1992	C1902	A1803	A1701	C1599	A1510	U1420
C2700	C2610	C2606	U2519	A2433	A2336	A2267	G2157	U1993	C1902	U1805	G1725	C1607	A1511	G1421
U2702	U2611	C2612	U2519	A2435	C2342	C2271	G2158	C2006	G1905	C1806	G1726	A1608	U1514	G1422
C2703	U2612	A2614	C2527	U2438	C2343	U2272	G2159	G2010	G1906	G1807	U1727	A1609	U1514	A1427
C2707	U2613	C2614	U2526	A2439	G2345	U2273	G2160	G2011	C1906	G1816	G1728	A1610	C1515	C1428
C2708	C2617	A2531	C2529	C2440	A2346	A2274	G2161	U2012	C1914	G1817	U1729	A1614	G1429	G1430
C2709	C2618	C2532	U2530	C2441	C2347	C2275	C2162	G2012	U1915	U1818	U1730	U1520	U1431	C1430
C2710	C2619	C2533	C2443	C2442	C2347	G2276	C2164	A2014	U1915	G1819	G1731	G1615	U1522	U1434
A2711	C2620	C2533	C2444	C2443	C2350	A2277	G2166	A2015	U1925	U1820	G1732	A1616	G1522	A1435
U2712	U2537	C2537	A2446	C2445	C2359	U2278	U2167	C2107	U1926	G1827	G1733	C1617	G1536	G1436
A2712A	C2538	C2538	G2447	G2446	A2360	G2279	G2168	C2108	A1927	C1827	C1742	A1618	G1526	G1443
A2713	C2539	C2539	A2448	A2448	C2364	C2281	A2169	U2109	A1928	G1828	G1622	G1622	G1527	G1444
C2714	C2540	C2540	C2448	C2448	C2364	C2282	A2171	C2021	G1929	A1829	C1752	A1528	A1528	C1444A
U2715	C2541	C2541	A2451	A2451	A2369	C2283	U2172	G2023	U1931	U1833	C1753	A1632	U1534	C1445
C2716	C2542	C2542	G2455	G2455	C2374	A2286	A2173	C2026	G1934	G1835	C1754	A1633	U1535	G1448
C2717	C2543	C2543	C2456	C2456	A2376	A2287	C2174	G2027	G1935	G1836	G1756	A1634	U1536	G1449
U2720	C2544	C2544	A2459	A2459	A2377	C2291	A2176	U2028	A1937	C1837	U1757	A1636	C1537	G1449A
C2723	U2547	C2547	U2460	U2460	A2378	U2292	G2182	A2032	U1938	G1839	G1763	C1638	G1538	G1455
U2726	U2582	C2583	C2466	C2466	G2383	C2293	G2187	A2033	U1939	C1843	G1764	G1647	A1542	C1464
C2729	U2584	C2584	A2469	A2469	C2384	C2294	C2188	C2036	G1945	G1844	U1765	C1648	A1543	C1468
C2730	U2585	C2585	C2470	C2470	C2385	U2296	U2122	G2037	U1946	G1845	U1766	G1649	A1545	G1459
C2731	C2586	C2586	C2471	C2471	C2386	C2297	G2123	G2038	C1947	G1846	U1767	G1650	C1548	A1460
C2732	C2587	C2587	C2472	C2472	C2387	U2298	G2124	C2039	G1950	G1847	U1768	G1651	C1548	G1461
A2734	U2588	C2588	C2473	C2473	C2388	G2300	G2125	C2040	U1951	G1848	G1770	A1652	A1554	C1464
C2735	U2589	C2589	C2474	C2474	C2389	C2301	A2198	A2042	U1952	G1849	G1771	A1654	A1554	C1467
U2739	U2590	C2590	C2475	C2475	C2390	C2302	A2199	C2043	A1953	G1850	G1772	A1655	A1559	C1468
A2740	U2591	C2591	C2476	C2476	C2391	C2303	C2205	C2044	G1954	G1851	U1773	A1656	G1559	A1469
C2744	U2592	C2592	C2477	C2477	C2392	C2304	U2130	C2056	U1955	G1852	G1774	C1657	G1566	G1470
C2747	U2593	C2593	C2478	C2478	C2393	A2305	G2131	A2051	U1956	G1857	U1775	C1658	A1566	A1471
A2748	U2594	C2594	C2479	C2479	C2394	C2306	U2132	G2052	C1957	G1858	U1778	C1660	A1569	C1476
G2751	U2595	C2595	C2480	C2480	C2395	C2307	G2133	G2053	C1958	G1862	U1779	G1661	A1570	A1477
C2752	U2596	C2596	C2481	C2481	C2396	A2308	A2134	C2054	U1962	G1863	U1780	A1665	A1571	C1477
C2753	U2597	C2597	C2482	C2482	C2397	C2309	G2135	G2055	U1963	G1864	C1781	G1666	C1576	U1482
U2754	U2598	C2598	C2483	C2483	C2398	C2310	C2136	G2056	U1964	G1865	U1782	G1667	C1577	G1483
C2755	U2599	C2599	C2484	C2484	C2399	A2225	C2137	A2059	G1967	G1866	A1783	A1668	U1578	G1485
U2756	U2600	C2600	C2485	C2485	C2400	U2223	C2138	A2060	C1968	G1867	U1784	A1669	A1579	A1486
A2757	U2601	C2601	C2486	C2486	C2401	G2234	C2139	A2061	U1969	G1868	A1786	C1670	A1580	C1493
C2758	U2602	C2602	C2487	C2487	C2402	G2235	C2140	G2062	G1970	G1869	U1787	A1674	G1581	A1494
C2759	U2603	C2603	C2488	C2488	C2403	G2236	C2141	C2063	A1971	G1870	U1788	C1675	C1582	A1494
C2760	U2604	C2604	C2489	C2489	C2404	G2237	C2142	C2064	A1972	G1871	G1791	A1676	A1583	A1495
C2761	U2605	C2605	C2490	C2490	C2405	G2238	C2143	C2065	C1973	G1872	U1792	A1677	A1584	A1496
C2762	U2606	C2606	C2491	C2491	C2406	G2239	C2144	C2066	C1974	G1873	U1793	A1678	A1585	U1497
C2763	U2607	C2607	C2492	C2492	C2407	G2240	C2145	U2068	C1975	G1874	U1794	A1679	A1586	C1498
A2764	U2608	C2608	C2493	C2493	C2408	G2241	C2146	G2069	G1980	G1875	U1795	U1688	A1587	C1499
C2765	U2609	C2609	C2494	C2494	C2409	G2242	C2147	A2071	C1981	G1876	U1796	A1689	C1588	C1504
C2766	U2610	C2610	C2495	C2495	C2410	G2243	C2148	U2074	C1982	G1877	U1797	U1690	C1589	G1605
C2767	U2611	C2611	C2496	C2496	C2411	G2244	C2149	U2075	C1983	G1878	U1798	U1691	A1593	C1506
C2768	U2612	C2612	C2497	C2497	C2412	G2245	C2150	U2076	C1984	G1879	U1799	U1692	A1594	A1507
C2769	U2613	C2613	C2498	C2498	C2413	G2246	C2151	U2077	C1985	G1880	U1800	U1693	G1595	A1508
C2770	U2614	C2614	C2499	C2499	C2414	G2247	C2152	U2078	C1986	G1881	G1799	U1694	G1596	
C2771	U2615	C2615	C2500	C2500	C2415	G2248	C2153	U2079	C1987	G1882	G1801			
C2772	U2616	C2616	C2501	C2501	C2416	G2249	C2154		C1988	G1883				
C2773	U2617	C2617	C2502	C2502	C2417	G2250	C2155		C1989	G1884				
C2774	U2618	C2618	C2503	C2503	C2418	G2251	C2156		C1990	G1885				
C2775	U2619	C2619	C2504	C2504	C2419	G2252	C2157			G1886				
C2776	U2620	C2620	C2505	C2505	C2420	G2253	C2158			G1887				
C2777	U2621	C2621	C2506	C2506	C2421	G2254	C2159			G1888				
C2778	U2622	C2622	C2507	C2507	C2422	G2255	C2160			G1889				
C2779	U2623	C2623	C2508	C2508	C2423	G2256	C2161			G1890				
C2780	U2624	C2624	C2509	C2509	C2424	G2257	C2162			G1891				
C2781	U2625	C2625	C2510	C2510	C2425	G2258	C2163			G1892				
C2782	U2626	C2626	C2511	C2511	C2426	G2259	C2164			G1893				
C2783	U2627	C2627	C2512	C2512	C2427	G2260	C2165			G1894				
C2784	U2628	C2628	C2513	C2513	C2428	G2261	C2166			G1895				
C2785	U2629	C2629	C2514	C2514	C2429	G2262	C2167			G1896				
C2786	U2630	C2630	C2515	C2515	C2430	G2263	C2168			G1897				
C2787	U2631	C2631	C2516	C2516	C2431	G2264	C2169			G1898				
C2788	U2632	C2632	C2517	C2517	C2432	G2265	C2170			G1899				
C2789	U2633	C2633	C2518	C2518	C2433	G2266	C2171			G1900				
C2790	U2634	C2634	C2519	C2519	C2434	G2267	C2172			G1901				
C2791	U2635	C2635	C2520	C2520	C2435	G2268	C2173			G1902				
C2792	U2636	C2636	C2521	C2521	C2436	G2269	C2174			G1903				
C2793	U2637	C2637	C2522	C2522	C2437	G2270	C2175			G1904				
C2794	U2638	C2638	C2523	C2523	C2438	G2271	C2176			G1905				
C2795	U2639	C2639	C2524	C2524	C2439	G2272	C2177			G1906				
C2796	U2640	C2640	C2525	C2525	C2440	G2273	C2178			G1907				
C2797	U2641	C2641	C2526	C2526	C2441	G2274	C2179			G1908				
C2798	U2642	C2642	C2527	C2527	C2442	G2275	C2180			G1909				
C2799	U2643	C2643	C2528	C2528	C2443	G2276	C2181			G1910				
C2800	U2644	C2644	C2529	C2529	C2444	G2277	C2182			G1911				
C2801	U2645	C2645	C2530	C2530	C2445	G2278	C2183			G1912				
C2802	U2646	C2646	C2531	C2531	C2446	G2279	C2184			G1913				
C2803	U2647	C2647	C2532	C2532	C2447	G2280	C2185			G1914				
C2804	U2648	C2648	C2533	C2533	C2448	G2281	C2186			G1915				
C2805	U2649	C2649	C2534	C2534	C2449	G2282	C2187			G1916				
C2806	U2650	C2650	C2535	C2535	C2450	G2283	C2188			G1917				
C2807	U2651	C2651	C2536	C2536	C2451	G2284	C2189			G1918				
C2808	U2652	C2652	C2537	C2537	C2452	G2285	C2190			G1919				
C2809	U2653	C2653	C2538	C2538	C2453	G2286	C2191			G1920				
C2810	U2654	C2654	C2539	C2539	C2454	G2287	C2192			G1921				
C2811	U2655	C2655	C2540	C2540	C2455	G2288	C2193			G1922				
C2812	U2656	C2656	C2541	C2541	C2456	G2289	C2194			G1923				
C2813	U2657	C2657	C2542	C2542	C2457	G2290	C2195			G1924				
C2814	U2658	C2658	C2543	C2543	C2458	G2291	C2196			G1925				
C2815	U2659	C2659	C2544	C2544	C2459	G2292	C2197			G1926				
C2816	U2660	C2660	C2545	C2545										




• Molecule 25: 23S rRNA









• Molecule 26: 5S rRNA




• Molecule 26: 5S rRNA



• Molecule 27: 50S ribosomal protein L2












- Molecule 29: 50S ribosomal protein L4



- Molecule 29: 50S ribosomal protein L4








- Molecule 30: 50S ribosomal protein L5




- Molecule 30: 50S ribosomal protein L5









• Molecule 33: 50S ribosomal protein L13




• Molecule 33: 50S ribosomal protein L13




• Molecule 34: 50S ribosomal protein L14




• Molecule 34: 50S ribosomal protein L14




- Molecule 35: 50S ribosomal protein L15




- Molecule 35: 50S ribosomal protein L15



- Molecule 36: 50S ribosomal protein L16



- Molecule 36: 50S ribosomal protein L16




- Molecule 37: 50S ribosomal protein L17








• Molecule 37: 50S ribosomal protein L17




• Molecule 38: 50S ribosomal protein L18




• Molecule 38: 50S ribosomal protein L18




• Molecule 39: 50S ribosomal protein L19




- Molecule 39: 50S ribosomal protein L19




- Molecule 40: 50S ribosomal protein L20




- Molecule 40: 50S ribosomal protein L20



- Molecule 41: 50S ribosomal protein L21



- Molecule 41: 50S ribosomal protein L21






- Molecule 42: 50S ribosomal protein L22




- Molecule 42: 50S ribosomal protein L22



- Molecule 43: 50S ribosomal protein L23



- Molecule 43: 50S ribosomal protein L23




- Molecule 44: 50S ribosomal protein L24












- Molecule 47: 50S ribosomal protein L28




- Molecule 47: 50S ribosomal protein L28




- Molecule 48: 50S ribosomal protein L29




- Molecule 48: 50S ribosomal protein L29




- Molecule 49: 50S ribosomal protein L30




- Molecule 49: 50S ribosomal protein L30




- Molecule 50: 50S ribosomal protein L31




- Molecule 50: 50S ribosomal protein L31




- Molecule 51: 50S ribosomal protein L32




- Molecule 51: 50S ribosomal protein L32



- Molecule 52: 50S ribosomal protein L33




- Molecule 52: 50S ribosomal protein L33



- Molecule 53: 50S ribosomal protein L34







- Molecule 53: 50S ribosomal protein L34




- Molecule 54: 50S ribosomal protein L35




- Molecule 54: 50S ribosomal protein L35



- Molecule 55: 50S ribosomal protein L36



- Molecule 55: 50S ribosomal protein L36



- Molecule 56: tRNA acceptor end mimic



- Molecule 56: tRNA acceptor end mimic





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	209.81Å 449.41Å 620.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	155.22 – 2.94 181.78 – 2.80	Depositor EDS
% Data completeness (in resolution range)	98.6 (155.22-2.94) 97.9 (181.78-2.80)	Depositor EDS
$R_{merge}$	0.16	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.45 (at 2.82Å)	Xtriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.219 , 0.265 0.219 , 0.263	Depositor DCC
$R_{free}$ test set	57063 reflections (4.94%)	DCC
Wilson B-factor (Å <sup>2</sup> )	50.1	Xtriage
Anisotropy	0.137	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 53.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.41$ , $\langle L^2 \rangle = 0.23$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	291993	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.57% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG, PAR, 1MG, PPU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	QA	0.46	0/36098	1.01	71/56341 (0.1%)
1	XA	0.54	0/36101	1.09	114/56346 (0.2%)
2	QB	0.31	0/1959	0.52	0/2642
2	XB	0.32	0/1959	0.54	0/2642
3	QC	0.31	0/1629	0.53	0/2195
3	XC	0.36	0/1629	0.56	0/2195
4	QD	0.38	0/1733	0.58	1/2318 (0.0%)
4	XD	0.40	0/1733	0.60	0/2318
5	QE	0.35	0/1171	0.56	0/1576
5	XE	0.39	0/1171	0.59	0/1576
6	QF	0.38	0/856	0.54	0/1154
6	XF	0.38	0/856	0.58	0/1154
7	QG	0.33	0/1276	0.50	0/1709
7	XG	0.34	0/1276	0.50	0/1709
8	QH	0.33	0/1136	0.55	0/1527
8	XH	0.38	0/1136	0.58	0/1527
9	QI	0.31	0/1029	0.55	0/1379
9	XI	0.33	0/1029	0.57	0/1379
10	QJ	0.33	0/814	0.54	0/1095
10	XJ	0.35	0/814	0.59	0/1095
11	QK	0.36	0/900	0.57	0/1213
11	XK	0.38	0/900	0.58	0/1213
12	QL	0.37	0/991	0.61	0/1327
12	XL	0.45	0/991	0.74	1/1327 (0.1%)
13	QM	0.32	0/974	0.59	0/1303
13	XM	0.36	0/974	0.63	0/1303
14	QN	0.41	0/501	0.60	0/664
14	XN	0.42	0/501	0.66	0/664
15	QO	0.35	0/745	0.53	0/992
15	XO	0.39	0/745	0.54	0/992
16	QP	0.36	0/721	0.56	0/970
16	XP	0.35	0/721	0.57	0/970

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
17	QQ	0.35	0/847	0.53	0/1131
17	XQ	0.35	0/847	0.54	0/1131
18	QR	0.35	0/579	0.64	1/768 (0.1%)
18	XR	0.37	0/579	0.59	0/768
19	QS	0.33	0/689	0.60	0/926
19	XS	0.37	0/689	0.69	1/926 (0.1%)
20	QT	0.35	0/765	0.63	0/1007
20	XT	0.31	0/765	0.59	0/1007
21	QU	0.30	0/221	0.54	0/288
21	XU	0.31	0/221	0.61	0/288
22	QV	0.52	1/1836 (0.1%)	0.98	4/2859 (0.1%)
22	XV	0.59	1/1836 (0.1%)	1.06	4/2859 (0.1%)
23	QY	0.34	0/333	0.91	0/517
23	XY	0.40	0/333	0.94	0/517
24	QX	0.44	0/185	1.15	2/285 (0.7%)
24	XX	0.67	0/185	1.08	0/285
25	RA	0.63	8/69521 (0.0%)	1.16	318/108529 (0.3%)
25	YA	0.72	19/69543 (0.0%)	1.26	504/108563 (0.5%)
26	RB	0.49	0/2878	1.05	6/4490 (0.1%)
26	YB	0.56	0/2878	1.15	18/4490 (0.4%)
27	RD	0.50	0/2165	0.70	0/2919
27	YD	0.58	0/2165	0.78	1/2919 (0.0%)
28	RE	0.43	0/1601	0.73	3/2160 (0.1%)
28	YE	0.46	0/1601	0.75	2/2160 (0.1%)
29	RF	0.42	0/1620	0.62	0/2194
29	YF	0.48	0/1620	0.71	1/2194 (0.0%)
30	RG	0.31	0/1499	0.57	1/2016 (0.0%)
30	YG	0.39	0/1499	0.60	0/2016
31	RH	0.28	0/1332	0.58	0/1802
31	YH	0.45	0/1332	0.73	0/1802
32	RI	0.35	0/1151	0.67	0/1558
32	YI	0.35	0/1151	0.66	0/1558
33	RN	0.41	0/1131	0.62	0/1525
33	YN	0.43	0/1131	0.64	0/1525
34	RO	0.41	0/943	0.62	1/1269 (0.1%)
34	YO	0.49	0/943	0.65	0/1269
35	RP	0.43	0/1162	0.81	1/1544 (0.1%)
35	YP	0.49	0/1162	0.90	2/1544 (0.1%)
36	RQ	0.47	0/1143	0.73	2/1527 (0.1%)
36	YQ	0.57	0/1143	0.80	1/1527 (0.1%)
37	RR	0.42	0/982	0.69	0/1312
37	YR	0.44	0/982	0.73	0/1312
38	RS	0.36	0/892	0.64	0/1187



Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
38	YS	0.40	0/892	0.75	1/1187 (0.1%)
39	RT	0.42	0/1155	0.63	0/1542
39	YT	0.44	0/1155	0.67	0/1542
40	RU	0.39	0/982	0.65	0/1306
40	YU	0.50	0/982	0.68	0/1306
41	RV	0.38	0/790	0.61	1/1057 (0.1%)
41	YV	0.45	0/790	0.73	1/1057 (0.1%)
42	RW	0.49	0/911	0.67	0/1220
42	YW	0.45	0/911	0.68	0/1220
43	RX	0.47	0/739	0.62	0/993
43	YX	0.50	0/739	0.66	0/993
44	RY	0.44	0/798	0.68	0/1064
44	YY	0.46	0/798	0.69	0/1064
45	RZ	0.34	0/1493	0.59	0/2026
45	YZ	0.37	0/1493	0.64	2/2026 (0.1%)
46	R0	0.45	0/657	0.65	0/874
46	Y0	0.48	0/657	0.69	0/874
47	R1	0.44	0/770	0.66	0/1022
47	Y1	0.46	0/770	0.69	0/1022
48	R2	0.39	0/583	0.65	0/771
48	Y2	0.52	0/583	0.73	0/771
49	R3	0.35	0/474	0.57	0/635
49	Y3	0.41	0/474	0.59	0/635
50	R4	0.33	0/594	0.68	0/795
50	Y4	0.37	0/594	0.68	0/795
51	R5	0.43	0/473	0.73	0/639
51	Y5	0.43	0/473	0.77	1/639 (0.2%)
52	R6	0.35	0/431	0.69	0/575
52	Y6	0.37	0/431	0.67	0/575
53	R7	0.49	0/438	0.68	0/575
53	Y7	0.57	0/438	0.71	0/575
54	R8	0.55	0/525	0.79	0/691
54	Y8	0.58	0/525	0.82	0/691
55	R9	0.26	0/310	0.45	0/407
55	Y9	0.32	0/310	0.48	0/407
56	Z6	0.80	0/40	1.80	1/60 (1.7%)
56	Z8	0.78	0/40	1.81	1/60 (1.7%)
All	All	0.56	29/316367 (0.0%)	1.04	1068/472979 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
12	QL	0	1
12	XL	0	1
28	RE	0	1
28	YE	0	1
29	YF	0	1
31	RH	0	2
31	YH	0	2
38	YS	0	1
45	YZ	0	1
48	Y2	0	1
54	R8	0	2
54	Y8	0	2
All	All	0	16

The worst 5 of 29 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
22	QV	0	C	OP3-P	-10.50	1.48	1.61
22	XV	0	C	OP3-P	-10.49	1.48	1.61
25	YA	528	A	N9-C4	-9.10	1.32	1.37
25	YA	783	A	N9-C4	-7.66	1.33	1.37
25	YA	783	A	N3-C4	-7.55	1.30	1.34

The worst 5 of 1068 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	YA	1786	A	N7-C8-N9	13.21	120.41	113.80
25	YA	528	A	C2-N3-C4	-13.10	104.05	110.60
25	YA	783	A	C2-N3-C4	-12.39	104.41	110.60
25	YA	1786	A	C5-N7-C8	-12.26	97.77	103.90
25	YA	1786	A	C2-N3-C4	-11.73	104.73	110.60

There are no chirality outliers.

5 of 16 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
12	QL	47	LYS	Peptide
54	R8	30	ARG	Peptide
28	RE	21	VAL	Peptide
31	RH	127	GLU	Peptide
31	RH	153	LYS	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	QA	32247	0	16278	492	0
1	XA	32249	0	16279	529	1
2	QB	1924	0	1975	64	0
2	XB	1924	0	1975	80	0
3	QC	1605	0	1668	41	0
3	XC	1605	0	1668	63	0
4	QD	1703	0	1763	63	0
4	XD	1703	0	1764	47	0
5	QE	1155	0	1213	28	0
5	XE	1155	0	1213	42	0
6	QF	843	0	857	20	0
6	XF	843	0	857	23	0
7	QG	1257	0	1296	37	0
7	XG	1257	0	1296	24	0
8	QH	1116	0	1175	37	0
8	XH	1116	0	1177	25	0
9	QI	1010	0	1037	34	0
9	XI	1010	0	1037	50	0
10	QJ	801	0	849	48	0
10	XJ	801	0	849	42	0
11	QK	885	0	904	25	0
11	XK	885	0	904	28	0
12	QL	975	0	1062	35	0
12	XL	975	0	1062	46	0
13	QM	964	0	1034	40	0
13	XM	964	0	1034	39	0
14	QN	492	0	529	24	0
14	XN	492	0	529	17	0
15	QO	734	0	771	21	0
15	XO	734	0	771	19	0
16	QP	705	0	725	18	0
16	XP	705	0	725	26	0
17	QQ	834	0	904	19	0
17	XQ	834	0	904	19	0
18	QR	574	0	644	11	0
18	XR	574	0	644	21	0
19	QS	674	0	699	40	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
19	XS	674	0	699	44	0
20	QT	763	0	860	26	0
20	XT	763	0	861	36	0
21	QU	217	0	234	11	0
21	XU	217	0	234	4	0
22	QV	1644	0	836	26	0
22	XV	1644	0	836	18	0
23	QY	323	0	165	3	0
23	XY	323	0	165	4	0
24	QX	167	0	87	0	0
24	XX	167	0	87	0	0
25	RA	62071	0	31288	921	1
25	YA	62091	0	31295	872	0
26	RB	2573	0	1306	40	1
26	YB	2573	0	1306	32	0
27	RD	2115	0	2195	96	0
27	YD	2115	0	2195	97	0
28	RE	1568	0	1634	72	0
28	YE	1568	0	1634	64	0
29	RF	1585	0	1632	80	0
29	YF	1585	0	1632	64	0
30	RG	1474	0	1535	54	0
30	YG	1474	0	1535	57	0
31	RH	1307	0	1382	61	0
31	YH	1307	0	1382	66	0
32	RI	1136	0	1223	59	1
32	YI	1136	0	1223	49	0
33	RN	1104	0	1180	40	0
33	YN	1104	0	1180	50	0
34	RO	933	0	996	26	0
34	YO	933	0	996	25	0
35	RP	1145	0	1227	87	0
35	YP	1145	0	1227	94	0
36	RQ	1122	0	1179	61	0
36	YQ	1122	0	1178	48	0
37	RR	968	0	1033	48	0
37	YR	968	0	1033	36	0
38	RS	882	0	943	48	0
38	YS	882	0	943	40	0
39	RT	1141	0	1202	53	0
39	YT	1141	0	1202	50	0
40	RU	964	0	1022	30	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
40	YU	964	0	1022	58	0
41	RV	779	0	852	20	0
41	YV	779	0	852	42	0
42	RW	900	0	964	27	0
42	YW	900	0	964	28	0
43	RX	725	0	778	28	0
43	YX	725	0	778	25	0
44	RY	785	0	878	52	0
44	YY	785	0	878	39	0
45	RZ	1461	0	1493	59	0
45	YZ	1461	0	1493	56	0
46	R0	648	0	672	20	0
46	Y0	648	0	672	27	0
47	R1	763	0	848	26	0
47	Y1	763	0	848	28	0
48	R2	581	0	629	19	0
48	Y2	581	0	629	26	0
49	R3	469	0	518	7	0
49	Y3	469	0	518	17	0
50	R4	581	0	574	25	0
50	Y4	581	0	574	45	0
51	R5	459	0	480	25	0
51	Y5	459	0	480	33	0
52	R6	424	0	450	27	0
52	Y6	424	0	450	30	0
53	R7	430	0	480	14	0
53	Y7	430	0	480	17	0
54	R8	517	0	582	30	0
54	Y8	517	0	582	40	0
55	R9	307	0	338	9	0
55	Y9	307	0	338	7	0
56	Z6	74	0	51	6	0
56	Z8	74	0	51	5	0
57	QA	65	0	0	0	0
57	QF	1	0	0	0	0
57	QH	1	0	0	0	0
57	QM	1	0	0	0	0
57	QV	1	0	0	0	0
57	QX	1	0	0	0	0
57	R0	1	0	0	0	0
57	R5	1	0	0	0	0
57	R8	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
57	RA	242	0	0	0	0
57	RB	2	0	0	0	0
57	RD	1	0	0	0	0
57	RE	2	0	0	0	0
57	RF	1	0	0	0	0
57	RP	2	0	0	0	0
57	RR	1	0	0	0	0
57	RU	1	0	0	0	0
57	XA	72	0	0	0	0
57	XM	1	0	0	0	0
57	XV	1	0	0	0	0
57	XX	1	0	0	0	0
57	Y5	1	0	0	0	0
57	YA	268	0	0	0	0
57	YB	3	0	0	0	0
57	YE	1	0	0	0	0
57	YP	2	0	0	0	0
57	YQ	1	0	0	0	0
57	YX	1	0	0	0	0
58	QA	42	0	45	2	0
58	XA	42	0	45	1	0
59	QD	1	0	0	0	0
59	QN	1	0	0	0	0
59	XD	1	0	0	0	0
59	XN	1	0	0	0	0
All	All	291993	0	198359	5830	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

The worst 5 of 5830 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:QD:22:LYS:HG3	4:QD:26:CYS:SG	1.85	1.16
25:RA:2701:C:H3'	25:RA:2702:U:H5''	1.30	1.13
25:YA:2701:C:H3'	25:YA:2702:U:H5''	1.32	1.07
25:RA:1359:A:N6	25:RA:1372:U:O4	1.87	1.07
27:YD:43:ARG:NH1	27:YD:44:ASN:OD1	1.86	1.06

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
25:RA:1593:G:O2'	26:RB:54:G:OP1[1_655]	2.12	0.08
32:RI:91:SER:OG	1:XA:368:U:OP1[4_555]	2.15	0.05

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	QB	235/256 (92%)	175 (74%)	43 (18%)	17 (7%)	1	3
2	XB	235/256 (92%)	178 (76%)	42 (18%)	15 (6%)	1	4
3	QC	203/239 (85%)	163 (80%)	34 (17%)	6 (3%)	5	19
3	XC	203/239 (85%)	171 (84%)	29 (14%)	3 (2%)	12	38
4	QD	206/209 (99%)	175 (85%)	25 (12%)	6 (3%)	5	20
4	XD	206/209 (99%)	177 (86%)	24 (12%)	5 (2%)	7	25
5	QE	149/162 (92%)	136 (91%)	8 (5%)	5 (3%)	4	16
5	XE	149/162 (92%)	133 (89%)	13 (9%)	3 (2%)	9	30
6	QF	99/101 (98%)	95 (96%)	4 (4%)	0	100	100
6	XF	99/101 (98%)	94 (95%)	5 (5%)	0	100	100
7	QG	153/156 (98%)	135 (88%)	16 (10%)	2 (1%)	14	42
7	XG	153/156 (98%)	138 (90%)	13 (8%)	2 (1%)	14	42
8	QH	136/138 (99%)	121 (89%)	14 (10%)	1 (1%)	25	59
8	XH	136/138 (99%)	120 (88%)	12 (9%)	4 (3%)	5	20
9	QI	125/128 (98%)	103 (82%)	17 (14%)	5 (4%)	3	12
9	XI	125/128 (98%)	97 (78%)	24 (19%)	4 (3%)	5	17
10	QJ	97/105 (92%)	75 (77%)	19 (20%)	3 (3%)	5	18
10	XJ	97/105 (92%)	78 (80%)	14 (14%)	5 (5%)	2	7
11	QK	117/129 (91%)	100 (86%)	14 (12%)	3 (3%)	6	23
11	XK	117/129 (91%)	100 (86%)	15 (13%)	2 (2%)	11	35

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
12	QL	123/132 (93%)	98 (80%)	18 (15%)	7 (6%)	2	5
12	XL	123/132 (93%)	98 (80%)	15 (12%)	10 (8%)	1	2
13	QM	119/126 (94%)	95 (80%)	15 (13%)	9 (8%)	1	3
13	XM	119/126 (94%)	94 (79%)	16 (13%)	9 (8%)	1	3
14	QN	58/61 (95%)	48 (83%)	6 (10%)	4 (7%)	1	3
14	XN	58/61 (95%)	46 (79%)	6 (10%)	6 (10%)	0	1
15	QO	86/89 (97%)	80 (93%)	5 (6%)	1 (1%)	15	45
15	XO	86/89 (97%)	80 (93%)	4 (5%)	2 (2%)	7	26
16	QP	82/88 (93%)	73 (89%)	8 (10%)	1 (1%)	15	45
16	XP	82/88 (93%)	71 (87%)	10 (12%)	1 (1%)	15	45
17	QQ	98/105 (93%)	91 (93%)	5 (5%)	2 (2%)	9	30
17	XQ	98/105 (93%)	88 (90%)	10 (10%)	0	100	100
18	QR	68/88 (77%)	56 (82%)	9 (13%)	3 (4%)	3	10
18	XR	68/88 (77%)	61 (90%)	6 (9%)	1 (2%)	12	38
19	QS	82/93 (88%)	56 (68%)	15 (18%)	11 (13%)	0	0
19	XS	82/93 (88%)	54 (66%)	17 (21%)	11 (13%)	0	0
20	QT	97/106 (92%)	76 (78%)	15 (16%)	6 (6%)	2	4
20	XT	97/106 (92%)	75 (77%)	16 (16%)	6 (6%)	2	4
21	QU	23/27 (85%)	19 (83%)	3 (13%)	1 (4%)	3	11
21	XU	23/27 (85%)	18 (78%)	4 (17%)	1 (4%)	3	11
27	RD	270/276 (98%)	226 (84%)	32 (12%)	12 (4%)	3	10
27	YD	270/276 (98%)	227 (84%)	34 (13%)	9 (3%)	4	17
28	RE	203/206 (98%)	147 (72%)	36 (18%)	20 (10%)	1	1
28	YE	203/206 (98%)	142 (70%)	41 (20%)	20 (10%)	1	1
29	RF	200/210 (95%)	167 (84%)	20 (10%)	13 (6%)	1	4
29	YF	200/210 (95%)	167 (84%)	25 (12%)	8 (4%)	3	12
30	RG	179/182 (98%)	139 (78%)	26 (14%)	14 (8%)	1	2
30	YG	179/182 (98%)	142 (79%)	25 (14%)	12 (7%)	1	3
31	RH	168/180 (93%)	114 (68%)	33 (20%)	21 (12%)	0	1
31	YH	168/180 (93%)	121 (72%)	23 (14%)	24 (14%)	0	0
32	RI	144/148 (97%)	101 (70%)	30 (21%)	13 (9%)	1	2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
32	YI	144/148 (97%)	104 (72%)	23 (16%)	17 (12%)	0	1
33	RN	136/140 (97%)	104 (76%)	20 (15%)	12 (9%)	1	2
33	YN	136/140 (97%)	106 (78%)	16 (12%)	14 (10%)	0	1
34	RO	120/122 (98%)	109 (91%)	9 (8%)	2 (2%)	11	35
34	YO	120/122 (98%)	108 (90%)	10 (8%)	2 (2%)	11	35
35	RP	148/150 (99%)	106 (72%)	28 (19%)	14 (10%)	1	1
35	YP	148/150 (99%)	108 (73%)	23 (16%)	17 (12%)	0	1
36	RQ	139/141 (99%)	99 (71%)	22 (16%)	18 (13%)	0	1
36	YQ	139/141 (99%)	98 (70%)	22 (16%)	19 (14%)	0	0
37	RR	116/118 (98%)	106 (91%)	5 (4%)	5 (4%)	3	11
37	YR	116/118 (98%)	99 (85%)	11 (10%)	6 (5%)	2	7
38	RS	109/112 (97%)	76 (70%)	22 (20%)	11 (10%)	1	1
38	YS	109/112 (97%)	78 (72%)	18 (16%)	13 (12%)	0	1
39	RT	135/146 (92%)	106 (78%)	17 (13%)	12 (9%)	1	2
39	YT	135/146 (92%)	108 (80%)	17 (13%)	10 (7%)	1	3
40	RU	115/118 (98%)	102 (89%)	9 (8%)	4 (4%)	4	16
40	YU	115/118 (98%)	101 (88%)	10 (9%)	4 (4%)	4	16
41	RV	99/101 (98%)	82 (83%)	11 (11%)	6 (6%)	2	5
41	YV	99/101 (98%)	79 (80%)	12 (12%)	8 (8%)	1	2
42	RW	111/113 (98%)	99 (89%)	8 (7%)	4 (4%)	4	15
42	YW	111/113 (98%)	100 (90%)	9 (8%)	2 (2%)	10	33
43	RX	90/96 (94%)	77 (86%)	11 (12%)	2 (2%)	8	28
43	YX	90/96 (94%)	82 (91%)	6 (7%)	2 (2%)	8	28
44	RY	100/110 (91%)	71 (71%)	13 (13%)	16 (16%)	0	0
44	YY	100/110 (91%)	70 (70%)	18 (18%)	12 (12%)	0	1
45	RZ	181/206 (88%)	124 (68%)	32 (18%)	25 (14%)	0	0
45	YZ	181/206 (88%)	124 (68%)	40 (22%)	17 (9%)	1	1
46	R0	80/85 (94%)	65 (81%)	14 (18%)	1 (1%)	14	42
46	Y0	80/85 (94%)	73 (91%)	7 (9%)	0	100	100
47	R1	95/98 (97%)	75 (79%)	11 (12%)	9 (10%)	1	1
47	Y1	95/98 (97%)	72 (76%)	17 (18%)	6 (6%)	1	4

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
48	R2	67/72 (93%)	53 (79%)	9 (13%)	5 (8%)	1	3
48	Y2	67/72 (93%)	55 (82%)	6 (9%)	6 (9%)	1	2
49	R3	57/60 (95%)	52 (91%)	3 (5%)	2 (4%)	4	16
49	Y3	57/60 (95%)	52 (91%)	4 (7%)	1 (2%)	10	33
50	R4	69/71 (97%)	35 (51%)	18 (26%)	16 (23%)	0	0
50	Y4	69/71 (97%)	35 (51%)	15 (22%)	19 (28%)	0	0
51	R5	57/60 (95%)	44 (77%)	11 (19%)	2 (4%)	4	16
51	Y5	57/60 (95%)	46 (81%)	9 (16%)	2 (4%)	4	16
52	R6	47/54 (87%)	23 (49%)	13 (28%)	11 (23%)	0	0
52	Y6	47/54 (87%)	22 (47%)	17 (36%)	8 (17%)	0	0
53	R7	47/49 (96%)	45 (96%)	1 (2%)	1 (2%)	8	29
53	Y7	47/49 (96%)	43 (92%)	3 (6%)	1 (2%)	8	29
54	R8	62/65 (95%)	51 (82%)	6 (10%)	5 (8%)	1	2
54	Y8	62/65 (95%)	48 (77%)	10 (16%)	4 (6%)	1	4
55	R9	35/37 (95%)	35 (100%)	0	0	100	100
55	Y9	35/37 (95%)	31 (89%)	4 (11%)	0	100	100
All	All	11470/12128 (95%)	9215 (80%)	1533 (13%)	722 (6%)	1	4

5 of 722 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	QB	236	TYR
3	QC	12	LEU
3	QC	190	ARG
4	QD	28	SER
13	QM	67	GLU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	QB	205/220 (93%)	172 (84%)	33 (16%)	3	8
2	XB	205/220 (93%)	180 (88%)	25 (12%)	6	17
3	QC	159/188 (85%)	145 (91%)	14 (9%)	12	33
3	XC	159/188 (85%)	146 (92%)	13 (8%)	13	36
4	QD	180/181 (99%)	157 (87%)	23 (13%)	5	15
4	XD	180/181 (99%)	154 (86%)	26 (14%)	4	10
5	QE	116/123 (94%)	104 (90%)	12 (10%)	8	24
5	XE	116/123 (94%)	104 (90%)	12 (10%)	8	24
6	QF	90/90 (100%)	78 (87%)	12 (13%)	4	13
6	XF	90/90 (100%)	82 (91%)	8 (9%)	11	32
7	QG	126/127 (99%)	114 (90%)	12 (10%)	10	29
7	XG	126/127 (99%)	114 (90%)	12 (10%)	10	29
8	QH	119/119 (100%)	109 (92%)	10 (8%)	13	35
8	XH	119/119 (100%)	106 (89%)	13 (11%)	7	22
9	QI	98/99 (99%)	81 (83%)	17 (17%)	2	6
9	XI	98/99 (99%)	80 (82%)	18 (18%)	2	5
10	QJ	89/92 (97%)	77 (86%)	12 (14%)	4	12
10	XJ	89/92 (97%)	74 (83%)	15 (17%)	2	7
11	QK	90/99 (91%)	81 (90%)	9 (10%)	9	26
11	XK	90/99 (91%)	81 (90%)	9 (10%)	9	26
12	QL	104/109 (95%)	87 (84%)	17 (16%)	3	7
12	XL	104/109 (95%)	93 (89%)	11 (11%)	8	23
13	QM	97/101 (96%)	73 (75%)	24 (25%)	1	2
13	XM	97/101 (96%)	78 (80%)	19 (20%)	1	4
14	QN	49/50 (98%)	40 (82%)	9 (18%)	2	5
14	XN	49/50 (98%)	42 (86%)	7 (14%)	4	11
15	QO	79/80 (99%)	72 (91%)	7 (9%)	11	32
15	XO	79/80 (99%)	69 (87%)	10 (13%)	5	15
16	QP	72/74 (97%)	63 (88%)	9 (12%)	5	15
16	XP	72/74 (97%)	64 (89%)	8 (11%)	7	21
17	QQ	95/97 (98%)	87 (92%)	8 (8%)	13	35
17	XQ	95/97 (98%)	89 (94%)	6 (6%)	21	50

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
18	QR	61/77 (79%)	50 (82%)	11 (18%)	2	5
18	XR	61/77 (79%)	52 (85%)	9 (15%)	3	10
19	QS	73/80 (91%)	59 (81%)	14 (19%)	1	4
19	XS	73/80 (91%)	57 (78%)	16 (22%)	1	3
20	QT	76/82 (93%)	67 (88%)	9 (12%)	6	18
20	XT	76/82 (93%)	66 (87%)	10 (13%)	5	13
21	QU	20/22 (91%)	20 (100%)	0	100	100
21	XU	20/22 (91%)	19 (95%)	1 (5%)	28	61
27	RD	214/218 (98%)	175 (82%)	39 (18%)	2	5
27	YD	214/218 (98%)	181 (85%)	33 (15%)	3	9
28	RE	165/166 (99%)	126 (76%)	39 (24%)	1	2
28	YE	165/166 (99%)	137 (83%)	28 (17%)	2	6
29	RF	161/166 (97%)	132 (82%)	29 (18%)	2	5
29	YF	161/166 (97%)	137 (85%)	24 (15%)	3	10
30	RG	155/156 (99%)	134 (86%)	21 (14%)	4	12
30	YG	155/156 (99%)	133 (86%)	22 (14%)	4	11
31	RH	142/148 (96%)	121 (85%)	21 (15%)	3	10
31	YH	142/148 (96%)	115 (81%)	27 (19%)	2	5
32	RI	122/124 (98%)	99 (81%)	23 (19%)	2	5
32	YI	122/124 (98%)	92 (75%)	30 (25%)	1	2
33	RN	117/119 (98%)	97 (83%)	20 (17%)	2	6
33	YN	117/119 (98%)	96 (82%)	21 (18%)	2	5
34	RO	100/100 (100%)	90 (90%)	10 (10%)	9	26
34	YO	100/100 (100%)	89 (89%)	11 (11%)	7	21
35	RP	116/116 (100%)	85 (73%)	31 (27%)	0	1
35	YP	116/116 (100%)	82 (71%)	34 (29%)	0	1
36	RQ	111/111 (100%)	95 (86%)	16 (14%)	4	10
36	YQ	111/111 (100%)	92 (83%)	19 (17%)	2	6
37	RR	101/101 (100%)	83 (82%)	18 (18%)	2	6
37	YR	101/101 (100%)	80 (79%)	21 (21%)	1	3
38	RS	87/88 (99%)	69 (79%)	18 (21%)	1	3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
38	YS	87/88 (99%)	68 (78%)	19 (22%)	1	3
39	RT	120/127 (94%)	102 (85%)	18 (15%)	3	9
39	YT	120/127 (94%)	98 (82%)	22 (18%)	2	5
40	RU	93/94 (99%)	78 (84%)	15 (16%)	3	8
40	YU	93/94 (99%)	77 (83%)	16 (17%)	2	6
41	RV	82/82 (100%)	66 (80%)	16 (20%)	1	4
41	YV	82/82 (100%)	67 (82%)	15 (18%)	2	5
42	RW	92/92 (100%)	73 (79%)	19 (21%)	1	3
42	YW	92/92 (100%)	76 (83%)	16 (17%)	2	6
43	RX	74/78 (95%)	64 (86%)	10 (14%)	4	12
43	YX	74/78 (95%)	60 (81%)	14 (19%)	2	5
44	RY	85/91 (93%)	63 (74%)	22 (26%)	0	1
44	YY	85/91 (93%)	64 (75%)	21 (25%)	1	2
45	RZ	162/179 (90%)	133 (82%)	29 (18%)	2	5
45	YZ	162/179 (90%)	130 (80%)	32 (20%)	1	4
46	R0	65/67 (97%)	60 (92%)	5 (8%)	15	39
46	Y0	65/67 (97%)	59 (91%)	6 (9%)	11	31
47	R1	82/83 (99%)	73 (89%)	9 (11%)	7	21
47	Y1	82/83 (99%)	70 (85%)	12 (15%)	3	10
48	R2	64/67 (96%)	57 (89%)	7 (11%)	7	22
48	Y2	64/67 (96%)	47 (73%)	17 (27%)	0	1
49	R3	51/52 (98%)	45 (88%)	6 (12%)	6	18
49	Y3	51/52 (98%)	43 (84%)	8 (16%)	3	8
50	R4	63/63 (100%)	45 (71%)	18 (29%)	0	1
50	Y4	63/63 (100%)	43 (68%)	20 (32%)	0	0
51	R5	51/52 (98%)	37 (72%)	14 (28%)	0	1
51	Y5	51/52 (98%)	37 (72%)	14 (28%)	0	1
52	R6	48/52 (92%)	35 (73%)	13 (27%)	0	1
52	Y6	48/52 (92%)	38 (79%)	10 (21%)	1	3
53	R7	42/42 (100%)	34 (81%)	8 (19%)	2	5
53	Y7	42/42 (100%)	35 (83%)	7 (17%)	2	7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
54	R8	54/55 (98%)	44 (82%)	10 (18%)	2	5
54	Y8	54/55 (98%)	41 (76%)	13 (24%)	1	2
55	R9	34/34 (100%)	32 (94%)	2 (6%)	23	54
55	Y9	34/34 (100%)	32 (94%)	2 (6%)	23	54
All	All	9702/10066 (96%)	8152 (84%)	1550 (16%)	3	8

5 of 1550 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
49	R3	40	THR
8	XH	24	THR
45	YZ	141	VAL
51	R5	4	HIS
2	XB	187	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 22 such sidechains are listed below:

Mol	Chain	Res	Type
28	RE	55	ASN
45	RZ	73	GLN
11	XK	26	ASN
38	RS	34	HIS
45	RZ	54	HIS

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	QA	1498/1522 (98%)	304 (20%)	0
1	XA	1498/1522 (98%)	311 (20%)	0
22	QV	76/77 (98%)	21 (27%)	0
22	XV	76/77 (98%)	17 (22%)	0
23	QY	14/17 (82%)	5 (35%)	0
23	XY	14/17 (82%)	6 (42%)	0
24	QX	7/25 (28%)	3 (42%)	0
24	XX	7/25 (28%)	1 (14%)	0
25	RA	2879/2916 (98%)	659 (22%)	0
25	YA	2880/2916 (98%)	623 (21%)	0
26	RB	119/122 (97%)	29 (24%)	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
26	YB	119/122 (97%)	29 (24%)	0
56	Z6	1/3 (33%)	0	0
56	Z8	1/3 (33%)	0	0
All	All	9189/9364 (98%)	2008 (21%)	0

5 of 2008 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	QA	6	G
1	QA	29	G
1	QA	32	A
1	QA	39	G
1	QA	47	C

There are no RNA pucker outliers to report.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
23	1MG	QY	37	23	18,26,27	2.70	3 (16%)	18,39,42	1.67	2 (11%)
23	1MG	XY	37	23	18,26,27	2.67	4 (22%)	18,39,42	1.69	3 (16%)
56	PPU	Z6	76	25,56	31,40,41	2.57	6 (19%)	34,57,60	2.57	6 (17%)
56	PPU	Z8	76	25,56	31,40,41	2.56	6 (19%)	34,57,60	2.56	6 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
23	1MG	QY	37	23	-	0/3/25/26	0/3/3/3
23	1MG	XY	37	23	-	0/3/25/26	0/3/3/3
56	PPU	Z6	76	25,56	-	0/21/43/44	0/4/4/4
56	PPU	Z8	76	25,56	-	0/21/43/44	0/4/4/4

The worst 5 of 19 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
56	Z6	76	PPU	C9-N6	-5.76	1.31	1.45
56	Z8	76	PPU	C9-N6	-5.76	1.32	1.45
56	Z8	76	PPU	C10-N6	-5.40	1.32	1.45
56	Z6	76	PPU	C10-N6	-5.40	1.32	1.45
23	XY	37	1MG	O5'-C5'	-2.20	1.41	1.44

The worst 5 of 17 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
56	Z6	76	PPU	C3'-N3'-C	-8.63	110.19	123.21
56	Z8	76	PPU	C3'-N3'-C	-8.62	110.22	123.21
56	Z8	76	PPU	N3-C2-N1	-8.60	121.37	128.86
56	Z6	76	PPU	N3-C2-N1	-8.55	121.41	128.86
56	Z6	76	PPU	C4'-O4'-C1'	-4.17	105.33	109.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
56	Z6	76	PPU	6	0
56	Z8	76	PPU	5	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 683 ligands modelled in this entry, 681 are monoatomic - leaving 2 for Mogul analysis.



In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
58	PAR	QA	1666	-	45,45,45	1.33	7 (15%)	60,67,67	1.42	8 (13%)
58	PAR	XA	1673	-	45,45,45	1.38	7 (15%)	60,67,67	1.36	5 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
58	PAR	QA	1666	-	-	0/18/94/94	0/4/4/4
58	PAR	XA	1673	-	-	0/18/94/94	0/4/4/4

The worst 5 of 14 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
58	XA	1673	PAR	C31-C21	2.02	1.56	1.53
58	QA	1666	PAR	C14-C24	2.09	1.56	1.52
58	QA	1666	PAR	C31-C21	2.16	1.56	1.53
58	QA	1666	PAR	C11-C21	2.24	1.56	1.52
58	XA	1673	PAR	C14-C24	2.28	1.56	1.52

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
58	QA	1666	PAR	O11-C42-C32	-3.14	101.70	108.96
58	QA	1666	PAR	O54-C54-C44	-2.10	105.79	109.66
58	QA	1666	PAR	C22-C32-C42	2.02	114.70	109.54
58	XA	1673	PAR	C11-O51-C51	2.68	118.76	113.72
58	XA	1673	PAR	O54-C54-C64	2.80	111.32	106.01

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
58	QA	1666	PAR	2	0
58	XA	1673	PAR	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	QA	1500/1522 (98%)	-0.01	23 (1%) 74 74	14, 55, 134, 294	0
1	XA	1500/1522 (98%)	-0.03	15 (1%) 82 82	7, 42, 133, 270	0
2	QB	237/256 (92%)	1.50	66 (27%) 1 0	42, 98, 171, 216	0
2	XB	237/256 (92%)	0.74	29 (12%) 5 3	27, 78, 141, 206	0
3	QC	205/239 (85%)	1.87	78 (38%) 0 0	37, 91, 139, 193	0
3	XC	205/239 (85%)	0.45	10 (4%) 30 29	11, 53, 103, 148	0
4	QD	208/209 (99%)	0.51	14 (6%) 19 15	23, 54, 106, 136	0
4	XD	208/209 (99%)	0.41	5 (2%) 59 58	17, 51, 103, 175	0
5	QE	151/162 (93%)	0.39	8 (5%) 27 25	29, 65, 114, 172	0
5	XE	151/162 (93%)	0.17	1 (0%) 87 88	15, 43, 86, 138	0
6	QF	101/101 (100%)	-0.08	0 100 100	13, 48, 78, 119	0
6	XF	101/101 (100%)	0.34	6 (5%) 23 20	13, 46, 76, 153	0
7	QG	155/156 (99%)	0.92	26 (16%) 2 1	23, 73, 121, 172	0
7	XG	155/156 (99%)	0.81	14 (9%) 10 8	18, 62, 109, 143	0
8	QH	138/138 (100%)	0.08	2 (1%) 75 76	30, 67, 99, 116	0
8	XH	138/138 (100%)	-0.05	2 (1%) 75 76	13, 48, 84, 127	0
9	QI	127/128 (99%)	1.10	22 (17%) 2 1	33, 89, 129, 180	0
9	XI	127/128 (99%)	0.49	8 (6%) 21 18	19, 69, 124, 167	0
10	QJ	99/105 (94%)	2.11	50 (50%) 0 0	27, 98, 176, 200	0
10	XJ	99/105 (94%)	0.82	14 (14%) 3 2	5, 72, 131, 162	0
11	QK	119/129 (92%)	1.43	23 (19%) 1 1	22, 55, 110, 180	0
11	XK	119/129 (92%)	1.47	27 (22%) 1 1	16, 43, 106, 177	0
12	QL	125/132 (94%)	1.05	24 (19%) 1 1	14, 47, 100, 195	0
12	XL	125/132 (94%)	0.50	12 (9%) 9 7	7, 30, 103, 185	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
13	QM	121/126 (96%)	0.79	18 (14%) 3 2	27, 84, 121, 226	0
13	XM	121/126 (96%)	0.49	7 (5%) 24 21	24, 57, 113, 211	0
14	QN	60/61 (98%)	1.95	30 (50%) 0 0	38, 80, 105, 122	0
14	XN	60/61 (98%)	0.29	1 (1%) 70 70	22, 43, 76, 100	0
15	QO	88/89 (98%)	0.01	1 (1%) 80 81	15, 52, 101, 137	0
15	XO	88/89 (98%)	0.09	2 (2%) 61 60	10, 42, 80, 97	0
16	QP	84/88 (95%)	-0.24	0 100 100	26, 50, 96, 135	0
16	XP	84/88 (95%)	0.16	1 (1%) 79 79	25, 57, 102, 179	0
17	QQ	100/105 (95%)	0.18	1 (1%) 82 82	27, 56, 100, 119	0
17	XQ	100/105 (95%)	0.47	4 (4%) 39 37	23, 55, 94, 109	0
18	QR	70/88 (79%)	0.34	4 (5%) 24 21	18, 55, 97, 111	0
18	XR	70/88 (79%)	0.75	7 (10%) 8 6	16, 50, 102, 113	0
19	QS	84/93 (90%)	1.04	14 (16%) 2 1	50, 96, 144, 180	0
19	XS	84/93 (90%)	0.80	10 (11%) 5 4	20, 65, 113, 176	0
20	QT	99/106 (93%)	0.27	3 (3%) 51 47	20, 59, 117, 189	0
20	XT	99/106 (93%)	0.56	9 (9%) 10 8	30, 68, 122, 151	0
21	QU	25/27 (92%)	0.77	6 (24%) 1 0	30, 73, 126, 140	0
21	XU	25/27 (92%)	0.74	3 (12%) 5 3	31, 45, 98, 136	0
22	QV	77/77 (100%)	0.21	2 (2%) 56 55	13, 59, 116, 149	0
22	XV	77/77 (100%)	0.24	3 (3%) 40 38	3, 42, 86, 154	0
23	QY	14/17 (82%)	1.66	3 (21%) 1 1	60, 101, 150, 155	0
23	XY	14/17 (82%)	1.69	5 (35%) 0 0	24, 79, 120, 138	0
24	QX	8/25 (32%)	0.33	0 100 100	30, 49, 70, 98	0
24	XX	8/25 (32%)	0.21	0 100 100	15, 25, 40, 55	0
25	RA	2882/2916 (98%)	0.17	122 (4%) 37 34	1, 31, 175, 318	0
25	YA	2883/2916 (98%)	0.08	108 (3%) 42 40	0, 21, 170, 311	0
26	RB	120/122 (98%)	-0.22	0 100 100	29, 55, 88, 110	0
26	YB	120/122 (98%)	-0.21	0 100 100	14, 37, 58, 106	0
27	RD	272/276 (98%)	0.04	3 (1%) 80 81	0, 24, 63, 135	0
27	YD	272/276 (98%)	-0.05	4 (1%) 74 74	0, 14, 46, 168	0
28	RE	205/206 (99%)	0.40	13 (6%) 21 18	1, 36, 109, 193	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
28	YE	205/206 (99%)	0.31	14 (6%) 18 15	0, 32, 113, 183	0
29	RF	202/210 (96%)	0.05	3 (1%) 74 74	2, 41, 94, 154	0
29	YF	202/210 (96%)	-0.14	2 (0%) 82 82	0, 27, 83, 144	0
30	RG	181/182 (99%)	0.52	18 (9%) 8 6	26, 79, 130, 185	0
30	YG	181/182 (99%)	0.08	7 (3%) 40 38	14, 43, 93, 158	0
31	RH	170/180 (94%)	2.59	91 (53%) 0 0	42, 117, 172, 219	0
31	YH	170/180 (94%)	-0.01	3 (1%) 69 69	12, 50, 96, 160	0
32	RI	146/148 (98%)	1.23	32 (21%) 1 1	22, 74, 128, 179	0
32	YI	146/148 (98%)	0.77	19 (13%) 4 3	16, 74, 128, 161	0
33	RN	138/140 (98%)	0.60	10 (7%) 16 13	16, 43, 86, 151	0
33	YN	138/140 (98%)	0.24	4 (2%) 52 49	10, 35, 87, 139	0
34	RO	122/122 (100%)	0.59	8 (6%) 19 16	10, 34, 75, 103	0
34	YO	122/122 (100%)	0.11	1 (0%) 86 86	1, 25, 48, 76	0
35	RP	150/150 (100%)	1.29	25 (16%) 2 1	3, 48, 112, 222	0
35	YP	150/150 (100%)	0.50	11 (7%) 16 13	2, 32, 95, 190	0
36	RQ	141/141 (100%)	0.95	18 (12%) 4 3	4, 47, 104, 139	0
36	YQ	141/141 (100%)	0.54	14 (9%) 8 6	1, 27, 82, 153	0
37	RR	118/118 (100%)	-0.18	0 100 100	3, 30, 55, 88	0
37	YR	118/118 (100%)	0.26	1 (0%) 86 86	6, 31, 58, 113	0
38	RS	111/112 (99%)	0.34	4 (3%) 43 41	23, 58, 109, 127	0
38	YS	111/112 (99%)	0.20	4 (3%) 43 41	13, 40, 93, 150	0
39	RT	137/146 (93%)	0.68	13 (9%) 9 7	16, 42, 124, 206	0
39	YT	137/146 (93%)	0.25	8 (5%) 24 21	9, 35, 131, 196	0
40	RU	117/118 (99%)	0.51	6 (5%) 29 27	6, 34, 96, 165	0
40	YU	117/118 (99%)	0.09	3 (2%) 56 55	2, 21, 85, 144	0
41	RV	101/101 (100%)	0.90	13 (12%) 4 3	7, 53, 108, 198	0
41	YV	101/101 (100%)	0.53	11 (10%) 6 5	0, 46, 93, 208	0
42	RW	113/113 (100%)	0.11	5 (4%) 35 33	3, 25, 69, 172	0
42	YW	113/113 (100%)	0.14	4 (3%) 44 42	1, 25, 79, 174	0
43	RX	92/96 (95%)	0.06	2 (2%) 62 61	0, 33, 64, 106	0
43	YX	92/96 (95%)	-0.09	1 (1%) 80 81	0, 22, 59, 109	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
44	RY	102/110 (92%)	0.96	17 (16%) 2 1	10, 65, 132, 205	0
44	YY	102/110 (92%)	0.26	9 (8%) 11 8	8, 46, 109, 201	0
45	RZ	183/206 (88%)	1.10	35 (19%) 1 1	28, 81, 152, 203	0
45	YZ	183/206 (88%)	1.08	26 (14%) 3 2	16, 59, 135, 195	0
46	R0	82/85 (96%)	0.62	4 (4%) 30 29	13, 36, 60, 83	0
46	Y0	82/85 (96%)	0.20	0 100 100	2, 22, 41, 74	0
47	R1	97/98 (98%)	0.90	7 (7%) 16 13	5, 33, 134, 196	0
47	Y1	97/98 (98%)	0.19	6 (6%) 21 18	1, 29, 123, 178	0
48	R2	69/72 (95%)	0.36	5 (7%) 16 13	15, 51, 121, 133	0
48	Y2	69/72 (95%)	0.16	3 (4%) 36 34	8, 32, 85, 167	0
49	R3	59/60 (98%)	1.24	10 (16%) 2 1	15, 41, 78, 134	0
49	Y3	59/60 (98%)	0.34	2 (3%) 46 43	10, 30, 81, 142	0
50	R4	71/71 (100%)	1.86	23 (32%) 0 0	59, 140, 202, 292	0
50	Y4	71/71 (100%)	1.08	17 (23%) 1 0	39, 97, 174, 227	0
51	R5	59/60 (98%)	0.61	9 (15%) 2 2	2, 33, 145, 188	0
51	Y5	59/60 (98%)	1.32	14 (23%) 1 0	1, 39, 172, 198	0
52	R6	49/54 (90%)	6.01	45 (91%) 0 0	68, 125, 194, 221	0
52	Y6	49/54 (90%)	5.10	46 (93%) 0 0	70, 113, 183, 206	0
53	R7	49/49 (100%)	0.29	3 (6%) 22 19	2, 12, 67, 170	0
53	Y7	49/49 (100%)	-0.05	2 (4%) 38 36	0, 7, 50, 140	0
54	R8	64/65 (98%)	1.20	11 (17%) 2 1	8, 31, 93, 151	0
54	Y8	64/65 (98%)	0.56	6 (9%) 9 7	0, 25, 81, 172	0
55	R9	37/37 (100%)	6.29	36 (97%) 0 0	55, 105, 158, 176	0
55	Y9	37/37 (100%)	4.77	33 (89%) 0 0	47, 87, 153, 202	0
56	Z6	2/3 (66%)	0.48	0 100 100	21, 21, 21, 24	0
56	Z8	2/3 (66%)	0.42	0 100 100	5, 5, 5, 14	0
All	All	20873/21492 (97%)	0.40	1587 (7%) 15 12	0, 43, 135, 318	0

The worst 5 of 1587 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
52	R6	6	ARG	24.8
52	R6	5	VAL	22.5

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
52	Y6	42	TRP	18.6
35	RP	150	ALA	18.2
52	R6	13	CYS	17.7

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
23	1MG	XY	37	24/25	0.96	0.18	-	30,30,30,30	0
23	1MG	QY	37	24/25	0.95	0.18	-	53,53,53,53	0
56	PPU	Z6	76	37/38	0.93	0.30	-	27,27,27,27	0
56	PPU	Z8	76	37/38	0.94	0.27	-	14,14,14,14	0

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
57	MG	YA	3171	1/1	0.95	0.51	55.04	29,29,29,29	0
57	MG	YA	3009	1/1	0.99	0.38	44.09	2,2,2,2	0
57	MG	RA	3099	1/1	0.97	0.37	43.65	12,12,12,12	0
57	MG	YA	3256	1/1	0.99	0.35	41.11	3,3,3,3	0
57	MG	YA	3239	1/1	0.91	0.37	25.79	38,38,38,38	0
57	MG	RA	3132	1/1	0.94	0.35	25.53	24,24,24,24	0
57	MG	YA	3263	1/1	0.95	0.38	23.21	16,16,16,16	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	YA	3198	1/1	0.87	0.32	22.82	69,69,69,69	0
57	MG	YA	3259	1/1	0.98	0.38	21.99	13,13,13,13	0
57	MG	YA	3090	1/1	0.98	0.41	21.45	39,39,39,39	0
57	MG	RA	3177	1/1	0.89	0.35	21.09	24,24,24,24	0
57	MG	RA	3098	1/1	0.96	0.32	21.02	7,7,7,7	0
57	MG	RA	3005	1/1	0.97	0.41	20.19	9,9,9,9	0
57	MG	YA	3166	1/1	0.95	0.76	20.02	156,156,156,156	0
57	MG	XA	1603	1/1	0.97	0.41	18.34	13,13,13,13	0
57	MG	YA	3119	1/1	0.81	0.30	18.07	23,23,23,23	0
57	MG	RA	3003	1/1	0.98	0.34	17.73	4,4,4,4	0
57	MG	YA	3050	1/1	0.97	0.28	17.55	2,2,2,2	0
57	MG	YA	3068	1/1	0.93	0.27	17.04	12,12,12,12	0
57	MG	RA	3025	1/1	0.98	0.29	16.87	12,12,12,12	0
57	MG	RA	3124	1/1	0.95	0.39	15.61	24,24,24,24	0
57	MG	YA	3026	1/1	0.98	0.33	15.59	2,2,2,2	0
57	MG	RA	3237	1/1	0.92	0.42	14.86	28,28,28,28	0
57	MG	YA	3146	1/1	0.94	0.31	14.75	37,37,37,37	0
57	MG	RA	3205	1/1	0.96	0.28	14.71	5,5,5,5	0
57	MG	RA	3240	1/1	0.94	0.33	14.62	14,14,14,14	0
57	MG	XA	1629	1/1	0.90	0.27	14.55	32,32,32,32	0
57	MG	YA	3031	1/1	0.98	0.35	14.54	1,1,1,1	0
57	MG	YA	3251	1/1	0.89	0.40	13.94	38,38,38,38	0
57	MG	RA	3126	1/1	0.95	0.30	13.49	33,33,33,33	0
57	MG	YA	3034	1/1	0.96	0.28	12.99	13,13,13,13	0
57	MG	YA	3181	1/1	0.96	0.29	12.84	36,36,36,36	0
57	MG	YA	3015	1/1	0.94	0.32	12.79	15,15,15,15	0
57	MG	RA	3086	1/1	0.99	0.34	12.37	13,13,13,13	0
57	MG	XA	1621	1/1	0.94	0.32	12.36	23,23,23,23	0
57	MG	YA	3080	1/1	0.98	0.30	12.18	1,1,1,1	0
57	MG	YA	3008	1/1	0.98	0.27	12.00	2,2,2,2	0
57	MG	YA	3206	1/1	0.89	0.23	11.88	14,14,14,14	0
57	MG	YA	3004	1/1	0.98	0.23	11.83	0,0,0,0	0
57	MG	RA	3063	1/1	0.99	0.36	11.63	1,1,1,1	0
57	MG	YA	3048	1/1	0.97	0.27	11.08	11,11,11,11	0
57	MG	RA	3006	1/1	0.95	0.41	11.01	17,17,17,17	0
57	MG	YA	3117	1/1	0.97	0.34	10.93	24,24,24,24	0
57	MG	RA	3137	1/1	0.94	0.29	10.50	7,7,7,7	0
57	MG	RA	3053	1/1	0.90	0.32	10.46	12,12,12,12	0
57	MG	RA	3016	1/1	0.98	0.29	10.26	1,1,1,1	0
57	MG	YA	3180	1/1	0.93	0.26	10.21	41,41,41,41	0
57	MG	YA	3108	1/1	0.96	0.30	10.17	12,12,12,12	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	YA	3024	1/1	0.94	0.30	9.96	1,1,1,1	0
57	MG	YA	3253	1/1	0.99	0.32	9.84	2,2,2,2	0
57	MG	XA	1656	1/1	0.94	0.30	9.65	31,31,31,31	0
57	MG	RA	3010	1/1	0.85	0.30	9.58	38,38,38,38	0
57	MG	YA	3057	1/1	0.99	0.30	9.34	1,1,1,1	0
57	MG	YA	3061	1/1	0.92	0.22	9.23	17,17,17,17	0
57	MG	QA	1610	1/1	0.95	0.33	9.21	14,14,14,14	0
57	MG	RA	3032	1/1	0.96	0.33	9.00	27,27,27,27	0
57	MG	QA	1661	1/1	0.70	0.33	8.98	138,138,138,138	0
57	MG	RA	3050	1/1	0.91	0.28	8.86	30,30,30,30	0
57	MG	QA	1613	1/1	0.95	0.21	8.83	37,37,37,37	0
57	MG	YA	3049	1/1	0.97	0.29	8.78	8,8,8,8	0
57	MG	RA	3206	1/1	0.90	0.25	8.72	44,44,44,44	0
57	MG	YA	3197	1/1	0.90	0.22	8.42	42,42,42,42	0
57	MG	RA	3066	1/1	0.95	0.33	8.33	17,17,17,17	0
57	MG	RA	3056	1/1	0.99	0.27	8.31	1,1,1,1	0
57	MG	YA	3100	1/1	0.91	0.30	8.18	1,1,1,1	0
57	MG	YA	3011	1/1	0.97	0.27	8.11	14,14,14,14	0
57	MG	RA	3060	1/1	0.98	0.28	8.04	0,0,0,0	0
57	MG	RP	201	1/1	0.98	0.67	7.98	144,144,144,144	0
57	MG	YA	3103	1/1	0.95	0.25	7.88	8,8,8,8	0
57	MG	YA	3047	1/1	0.96	0.26	7.82	4,4,4,4	0
57	MG	RA	3064	1/1	0.92	0.30	7.79	13,13,13,13	0
57	MG	RA	3121	1/1	0.98	0.27	7.78	36,36,36,36	0
57	MG	RA	3214	1/1	0.98	0.23	7.75	13,13,13,13	0
57	MG	YA	3002	1/1	0.99	0.29	7.47	1,1,1,1	0
57	MG	YA	3099	1/1	0.95	0.25	7.44	9,9,9,9	0
57	MG	YA	3098	1/1	0.98	0.30	7.21	2,2,2,2	0
57	MG	QA	1604	1/1	0.94	0.23	7.21	4,4,4,4	0
57	MG	YA	3037	1/1	0.97	0.24	7.21	0,0,0,0	0
57	MG	RA	3065	1/1	0.96	0.27	7.19	9,9,9,9	0
57	MG	RA	3035	1/1	0.99	0.27	7.15	0,0,0,0	0
57	MG	YA	3023	1/1	0.99	0.28	7.07	6,6,6,6	0
58	PAR	QA	1666	42/42	0.90	0.29	7.04	43,43,43,43	0
57	MG	YA	3107	1/1	0.98	0.28	6.85	2,2,2,2	0
57	MG	RA	3220	1/1	0.77	0.24	6.78	31,31,31,31	0
57	MG	RA	3203	1/1	0.78	0.25	6.66	47,47,47,47	0
57	MG	RA	3227	1/1	0.70	0.25	6.65	32,32,32,32	0
57	MG	YA	3032	1/1	0.92	0.32	6.59	4,4,4,4	0
57	MG	YA	3013	1/1	0.96	0.26	6.45	7,7,7,7	0
57	MG	RA	3013	1/1	0.95	0.23	6.31	11,11,11,11	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	RA	3080	1/1	0.96	0.22	6.21	17,17,17,17	0
57	MG	YA	3132	1/1	0.96	0.19	6.12	5,5,5,5	0
57	MG	YA	3041	1/1	0.94	0.26	6.02	2,2,2,2	0
57	MG	QA	1617	1/1	0.88	0.27	5.97	31,31,31,31	0
57	MG	XA	1615	1/1	0.97	0.24	5.92	2,2,2,2	0
57	MG	RA	3088	1/1	0.93	0.35	5.78	25,25,25,25	0
57	MG	RA	3037	1/1	0.98	0.24	5.69	11,11,11,11	0
57	MG	YA	3033	1/1	0.96	0.31	5.63	9,9,9,9	0
57	MG	YA	3006	1/1	0.97	0.34	5.61	0,0,0,0	0
57	MG	YA	3070	1/1	0.95	0.22	5.58	18,18,18,18	0
57	MG	RA	3157	1/1	0.89	0.20	5.52	25,25,25,25	0
57	MG	YA	3014	1/1	0.96	0.27	5.39	4,4,4,4	0
57	MG	YA	3193	1/1	0.90	0.28	5.37	18,18,18,18	0
57	MG	YA	3089	1/1	0.97	0.25	5.36	16,16,16,16	0
57	MG	YA	3168	1/1	0.98	0.19	5.32	0,0,0,0	0
57	MG	RA	3171	1/1	0.93	0.28	5.19	33,33,33,33	0
57	MG	YA	3073	1/1	0.97	0.31	5.19	8,8,8,8	0
57	MG	RA	3022	1/1	0.98	0.24	5.17	3,3,3,3	0
57	MG	RA	3027	1/1	0.96	0.31	5.16	1,1,1,1	0
57	MG	YA	3086	1/1	0.99	0.25	4.88	10,10,10,10	0
57	MG	YA	3237	1/1	0.94	0.24	4.86	25,25,25,25	0
57	MG	XA	1604	1/1	0.97	0.31	4.82	19,19,19,19	0
57	MG	RA	3076	1/1	0.99	0.23	4.75	0,0,0,0	0
57	MG	YA	3065	1/1	0.97	0.20	4.72	0,0,0,0	0
57	MG	RA	3023	1/1	0.94	0.23	4.72	5,5,5,5	0
57	MG	RA	3036	1/1	0.98	0.24	4.71	2,2,2,2	0
57	MG	RA	3133	1/1	0.91	0.22	4.69	6,6,6,6	0
57	MG	YA	3129	1/1	0.91	0.23	4.59	28,28,28,28	0
57	MG	QA	1612	1/1	0.97	0.24	4.39	9,9,9,9	0
57	MG	RA	3078	1/1	0.97	0.26	4.38	23,23,23,23	0
57	MG	RA	3055	1/1	0.96	0.20	4.16	8,8,8,8	0
57	MG	YA	3044	1/1	0.95	0.21	4.14	4,4,4,4	0
57	MG	YA	3138	1/1	0.99	0.20	3.96	0,0,0,0	0
57	MG	YB	203	1/1	0.96	0.18	3.92	18,18,18,18	0
58	PAR	XA	1673	42/42	0.93	0.27	3.91	31,31,31,31	0
57	MG	QV	101	1/1	0.98	0.24	3.85	9,9,9,9	0
57	MG	YA	3081	1/1	0.96	0.22	3.51	10,10,10,10	0
57	MG	RA	3144	1/1	0.98	0.24	3.50	8,8,8,8	0
57	MG	QA	1615	1/1	0.95	0.15	3.50	28,28,28,28	0
57	MG	YA	3058	1/1	0.98	0.25	3.36	0,0,0,0	0
57	MG	RA	3224	1/1	0.93	0.20	3.25	18,18,18,18	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	XA	1618	1/1	0.91	0.24	3.24	11,11,11,11	0
57	MG	RD	301	1/1	0.86	0.24	3.13	35,35,35,35	0
57	MG	YA	3035	1/1	0.98	0.20	2.93	1,1,1,1	0
57	MG	RA	3039	1/1	0.95	0.22	2.92	10,10,10,10	0
57	MG	RA	3034	1/1	0.95	0.30	2.89	17,17,17,17	0
57	MG	YA	3182	1/1	0.87	0.21	2.67	18,18,18,18	0
57	MG	XA	1607	1/1	0.93	0.22	2.59	22,22,22,22	0
57	MG	YA	3017	1/1	0.96	0.22	2.58	18,18,18,18	0
57	MG	YA	3072	1/1	0.98	0.20	2.46	9,9,9,9	0
57	MG	XA	1633	1/1	0.92	0.22	2.43	16,16,16,16	0
57	MG	RA	3095	1/1	0.96	0.27	2.42	6,6,6,6	0
57	MG	RR	201	1/1	0.97	0.25	2.37	20,20,20,20	0
57	MG	RU	201	1/1	0.98	0.29	2.22	117,117,117,117	0
57	MG	XA	1635	1/1	0.98	0.27	2.14	12,12,12,12	0
57	MG	YA	3027	1/1	0.95	0.24	2.13	9,9,9,9	0
57	MG	RA	3058	1/1	0.92	0.18	1.95	34,34,34,34	0
57	MG	YA	3005	1/1	0.98	0.19	1.94	6,6,6,6	0
57	MG	RA	3041	1/1	0.97	0.22	1.92	22,22,22,22	0
57	MG	RA	3221	1/1	0.89	0.19	1.91	39,39,39,39	0
57	MG	YA	3104	1/1	0.60	0.18	1.91	3,3,3,3	0
57	MG	RA	3020	1/1	0.98	0.23	1.88	8,8,8,8	0
57	MG	YA	3124	1/1	0.98	0.21	1.87	9,9,9,9	0
57	MG	QA	1629	1/1	0.82	0.20	1.87	30,30,30,30	0
57	MG	QX	101	1/1	0.94	0.23	1.86	26,26,26,26	0
57	MG	RE	302	1/1	0.94	0.23	1.84	5,5,5,5	0
57	MG	RA	3089	1/1	0.99	0.18	1.74	2,2,2,2	0
57	MG	YA	3056	1/1	0.96	0.22	1.72	1,1,1,1	0
57	MG	RA	3043	1/1	0.95	0.20	1.64	7,7,7,7	0
57	MG	YA	3234	1/1	0.95	0.17	1.49	25,25,25,25	0
57	MG	RA	3188	1/1	0.92	0.22	1.46	29,29,29,29	0
57	MG	YA	3242	1/1	0.86	0.18	1.45	33,33,33,33	0
57	MG	YA	3264	1/1	0.94	0.18	1.39	7,7,7,7	0
57	MG	YA	3038	1/1	0.96	0.19	1.35	4,4,4,4	0
57	MG	YA	3112	1/1	0.92	0.18	1.30	11,11,11,11	0
57	MG	YA	3125	1/1	0.97	0.19	1.29	9,9,9,9	0
57	MG	YA	3262	1/1	0.98	0.21	1.20	4,4,4,4	0
57	MG	YA	3042	1/1	0.97	0.21	1.17	4,4,4,4	0
57	MG	YA	3091	1/1	0.96	0.18	1.04	29,29,29,29	0
57	MG	YA	3184	1/1	0.90	0.17	1.03	26,26,26,26	0
57	MG	YA	3177	1/1	0.93	0.18	0.99	12,12,12,12	0
57	MG	YA	3159	1/1	0.96	0.18	0.94	16,16,16,16	0
57	MG	YA	3190	1/1	0.97	0.17	0.91	0,0,0,0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	QA	1639	1/1	0.96	0.16	0.85	25,25,25,25	0
57	MG	RA	3241	1/1	0.97	0.24	0.82	13,13,13,13	0
57	MG	XA	1650	1/1	0.85	0.16	0.76	27,27,27,27	0
57	MG	RA	3222	1/1	0.89	0.16	0.64	36,36,36,36	0
57	MG	RA	3117	1/1	0.95	0.17	0.57	2,2,2,2	0
57	MG	YA	3175	1/1	0.95	0.16	0.54	23,23,23,23	0
57	MG	RA	3021	1/1	0.96	0.24	0.50	2,2,2,2	0
57	MG	RA	3018	1/1	0.96	0.18	0.49	17,17,17,17	0
57	MG	YA	3094	1/1	0.98	0.18	0.45	4,4,4,4	0
59	ZN	XD	301	1/1	0.97	0.27	0.44	39,39,39,39	0
57	MG	RA	3082	1/1	0.98	0.20	0.37	35,35,35,35	0
57	MG	RA	3238	1/1	0.87	0.24	0.33	14,14,14,14	0
57	MG	RA	3087	1/1	0.98	0.17	0.30	25,25,25,25	0
57	MG	YX	101	1/1	0.89	0.18	0.23	46,46,46,46	0
57	MG	XA	1626	1/1	0.99	0.17	0.21	9,9,9,9	0
57	MG	XA	1622	1/1	0.97	0.17	0.18	33,33,33,33	0
57	MG	YA	3113	1/1	0.99	0.18	0.17	11,11,11,11	0
57	MG	XA	1636	1/1	0.94	0.16	0.12	24,24,24,24	0
57	MG	YA	3028	1/1	0.98	0.18	-0.00	2,2,2,2	0
57	MG	RA	3090	1/1	0.99	0.17	-0.01	8,8,8,8	0
57	MG	QA	1638	1/1	0.98	0.14	-0.03	27,27,27,27	0
57	MG	YA	3059	1/1	0.87	0.15	-0.04	19,19,19,19	0
57	MG	XV	101	1/1	0.99	0.18	-0.15	0,0,0,0	0
57	MG	RA	3210	1/1	0.94	0.16	-0.17	18,18,18,18	0
57	MG	RA	3208	1/1	0.97	0.15	-0.18	7,7,7,7	0
57	MG	RA	3015	1/1	0.98	0.18	-0.19	5,5,5,5	0
57	MG	QA	1606	1/1	0.97	0.16	-0.19	11,11,11,11	0
57	MG	YA	3185	1/1	0.92	0.14	-0.31	8,8,8,8	0
57	MG	RB	201	1/1	0.93	0.16	-0.33	41,41,41,41	0
57	MG	XA	1655	1/1	0.71	0.18	-0.40	39,39,39,39	0
59	ZN	QD	301	1/1	0.99	0.22	-0.49	58,58,58,58	0
57	MG	QA	1616	1/1	0.94	0.13	-0.66	28,28,28,28	0
57	MG	RP	202	1/1	0.76	0.18	-0.73	85,85,85,85	0
57	MG	RF	301	1/1	0.93	0.18	-0.84	24,24,24,24	0
57	MG	QA	1665	1/1	0.85	0.14	-0.89	31,31,31,31	0
57	MG	R8	101	1/1	0.90	0.16	-0.92	25,25,25,25	0
57	MG	QM	201	1/1	0.85	0.14	-0.92	58,58,58,58	0
57	MG	RA	3108	1/1	0.98	0.16	-0.94	8,8,8,8	0
57	MG	YA	3025	1/1	0.94	0.16	-0.96	6,6,6,6	0
57	MG	YA	3142	1/1	0.89	0.15	-0.98	8,8,8,8	0
57	MG	RA	3123	1/1	0.96	0.16	-1.00	28,28,28,28	0
57	MG	RA	3142	1/1	0.89	0.16	-1.00	32,32,32,32	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	YA	3016	1/1	0.85	0.16	-1.01	0,0,0,0	0
57	MG	YA	3205	1/1	0.95	0.16	-1.06	27,27,27,27	0
57	MG	XA	1643	1/1	0.98	0.14	-1.10	12,12,12,12	0
57	MG	QA	1646	1/1	0.95	0.12	-1.14	38,38,38,38	0
57	MG	YA	3238	1/1	0.87	0.16	-1.16	26,26,26,26	0
57	MG	XA	1661	1/1	0.85	0.11	-1.18	23,23,23,23	0
57	MG	XA	1637	1/1	0.97	0.14	-1.25	20,20,20,20	0
57	MG	QA	1620	1/1	0.98	0.12	-1.26	16,16,16,16	0
57	MG	RA	3136	1/1	0.98	0.16	-1.33	14,14,14,14	0
57	MG	YA	3153	1/1	0.98	0.13	-1.37	13,13,13,13	0
57	MG	YA	3167	1/1	0.95	0.15	-1.39	1,1,1,1	0
57	MG	RA	3159	1/1	0.92	0.14	-1.42	24,24,24,24	0
57	MG	YA	3228	1/1	0.90	0.14	-1.44	11,11,11,11	0
57	MG	YA	3135	1/1	0.94	0.13	-1.47	3,3,3,3	0
59	ZN	XN	101	1/1	0.99	0.11	-1.47	42,42,42,42	0
57	MG	YA	3162	1/1	0.93	0.13	-1.51	16,16,16,16	0
59	ZN	QN	101	1/1	0.98	0.07	-1.55	95,95,95,95	0
57	MG	QA	1619	1/1	0.97	0.14	-1.56	1,1,1,1	0
57	MG	YA	3074	1/1	0.97	0.12	-1.56	2,2,2,2	0
57	MG	XA	1666	1/1	0.96	0.06	-1.56	13,13,13,13	0
57	MG	RA	3059	1/1	0.98	0.15	-1.62	4,4,4,4	0
57	MG	XA	1614	1/1	0.92	0.11	-1.62	7,7,7,7	0
57	MG	YA	3137	1/1	0.95	0.14	-1.78	1,1,1,1	0
57	MG	XA	1620	1/1	0.98	0.13	-1.78	10,10,10,10	0
57	MG	XA	1645	1/1	0.98	0.14	-1.80	15,15,15,15	0
57	MG	XA	1610	1/1	0.97	0.16	-1.84	7,7,7,7	0
57	MG	YA	3195	1/1	0.89	0.13	-1.93	26,26,26,26	0
57	MG	RA	3073	1/1	0.98	0.12	-1.95	10,10,10,10	0
57	MG	QA	1649	1/1	0.95	0.12	-1.99	31,31,31,31	0
57	MG	YP	201	1/1	0.96	0.09	-1.99	96,96,96,96	0
57	MG	YP	202	1/1	0.84	0.15	-2.01	5,5,5,5	0
57	MG	RA	3081	1/1	0.96	0.12	-2.03	10,10,10,10	0
57	MG	QA	1657	1/1	0.85	0.13	-2.06	37,37,37,37	0
57	MG	QA	1630	1/1	0.77	0.12	-2.07	48,48,48,48	0
57	MG	RA	3170	1/1	0.92	0.11	-2.07	33,33,33,33	0
57	MG	RA	3119	1/1	0.95	0.10	-2.16	30,30,30,30	0
57	MG	QA	1608	1/1	0.80	0.08	-2.16	22,22,22,22	0
57	MG	RA	3103	1/1	0.96	0.13	-2.26	2,2,2,2	0
57	MG	RA	3185	1/1	0.98	0.14	-2.26	16,16,16,16	0
57	MG	QA	1653	1/1	0.98	0.07	-2.30	88,88,88,88	0
57	MG	RA	3184	1/1	0.92	0.14	-2.35	26,26,26,26	0
57	MG	XA	1612	1/1	0.99	0.13	-2.36	3,3,3,3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	YA	3071	1/1	0.93	0.14	-2.36	0,0,0,0	0
57	MG	RA	3106	1/1	0.94	0.15	-2.46	4,4,4,4	0
57	MG	YA	3036	1/1	0.98	0.14	-2.50	4,4,4,4	0
57	MG	RA	3162	1/1	0.93	0.12	-2.57	2,2,2,2	0
57	MG	QA	1645	1/1	0.93	0.08	-2.83	20,20,20,20	0
57	MG	XA	1659	1/1	0.96	0.12	-2.87	43,43,43,43	0
57	MG	YA	3178	1/1	0.88	0.14	-2.88	29,29,29,29	0
57	MG	YA	3170	1/1	0.96	0.07	-3.09	15,15,15,15	0
57	MG	XA	1608	1/1	0.90	0.09	-3.10	34,34,34,34	0
57	MG	QA	1654	1/1	0.97	0.08	-3.22	36,36,36,36	0
57	MG	YA	3082	1/1	0.97	0.14	-3.28	0,0,0,0	0
57	MG	XA	1634	1/1	0.96	0.12	-3.30	6,6,6,6	0
57	MG	RA	3179	1/1	0.93	0.12	-3.47	2,2,2,2	0
57	MG	RA	3100	1/1	0.98	0.12	-3.58	6,6,6,6	0
57	MG	RA	3125	1/1	0.98	0.09	-3.63	13,13,13,13	0
57	MG	QA	1643	1/1	0.92	0.07	-3.64	21,21,21,21	0
57	MG	XA	1638	1/1	0.92	0.10	-3.64	20,20,20,20	0
57	MG	RA	3147	1/1	0.94	0.13	-3.67	14,14,14,14	0
57	MG	RA	3175	1/1	0.84	0.10	-3.71	19,19,19,19	0
57	MG	RA	3131	1/1	0.97	0.12	-3.75	13,13,13,13	0
57	MG	XA	1625	1/1	0.99	0.10	-3.83	6,6,6,6	0
57	MG	RA	3150	1/1	0.92	0.10	-3.85	25,25,25,25	0
57	MG	YA	3218	1/1	0.98	0.12	-3.91	1,1,1,1	0
57	MG	YA	3224	1/1	0.94	0.08	-3.94	14,14,14,14	0
57	MG	RA	3160	1/1	0.94	0.14	-4.00	12,12,12,12	0
57	MG	XA	1671	1/1	0.94	0.12	-4.22	18,18,18,18	0
57	MG	RA	3161	1/1	0.95	0.13	-4.36	17,17,17,17	0
57	MG	RA	3155	1/1	0.87	0.13	-4.38	10,10,10,10	0
57	MG	XA	1619	1/1	0.97	0.12	-4.51	7,7,7,7	0
57	MG	QA	1631	1/1	0.85	0.08	-4.53	39,39,39,39	0
57	MG	XA	1648	1/1	0.98	0.10	-4.62	14,14,14,14	0
57	MG	RA	3186	1/1	0.93	0.08	-4.71	14,14,14,14	0
57	MG	QA	1635	1/1	0.97	0.12	-4.76	18,18,18,18	0
57	MG	RA	3215	1/1	0.93	0.07	-4.81	24,24,24,24	0
57	MG	XA	1660	1/1	0.96	0.08	-4.82	6,6,6,6	0
57	MG	RA	3101	1/1	0.88	0.11	-4.84	2,2,2,2	0
57	MG	RA	3151	1/1	0.99	0.06	-5.13	0,0,0,0	0
57	MG	QA	1609	1/1	0.97	0.14	-5.31	13,13,13,13	0
57	MG	YA	3201	1/1	0.98	0.13	-5.58	2,2,2,2	0
57	MG	YA	3217	1/1	0.94	0.11	-5.82	9,9,9,9	0
57	MG	XA	1628	1/1	0.95	0.08	-6.01	1,1,1,1	0
57	MG	RA	3199	1/1	0.94	0.09	-6.07	10,10,10,10	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	RA	3191	1/1	0.95	0.07	-6.18	16,16,16,16	0
57	MG	RA	3075	1/1	0.96	0.08	-6.37	6,6,6,6	0
57	MG	RA	3165	1/1	0.92	0.07	-6.45	14,14,14,14	0
57	MG	QA	1621	1/1	0.97	0.07	-6.60	30,30,30,30	0
57	MG	YA	3211	1/1	0.99	0.07	-6.66	0,0,0,0	0
57	MG	YA	3154	1/1	0.95	0.11	-8.69	3,3,3,3	0
57	MG	RA	3212	1/1	0.96	0.08	-9.22	13,13,13,13	0
57	MG	YA	3144	1/1	0.97	0.09	-9.78	11,11,11,11	0
57	MG	YA	3233	1/1	0.96	0.10	-10.54	6,6,6,6	0
57	MG	YA	3111	1/1	0.98	0.08	-16.49	8,8,8,8	0
57	MG	YA	3079	1/1	0.98	0.11	-17.97	2,2,2,2	0
57	MG	RA	3235	1/1	0.94	0.31	-	28,28,28,28	0
57	MG	YA	3118	1/1	0.99	0.31	-	22,22,22,22	0
57	MG	XA	1602	1/1	0.98	0.14	-	18,18,18,18	0
57	MG	YA	3169	1/1	0.99	0.32	-	12,12,12,12	0
57	MG	YA	3187	1/1	0.94	0.17	-	25,25,25,25	0
57	MG	YB	202	1/1	0.95	0.26	-	16,16,16,16	0
57	MG	RA	3128	1/1	0.98	0.24	-	4,4,4,4	0
57	MG	YA	3084	1/1	0.80	0.24	-	2,2,2,2	0
57	MG	RA	3127	1/1	0.91	0.23	-	12,12,12,12	0
57	MG	RA	3111	1/1	0.93	0.28	-	14,14,14,14	0
57	MG	QA	1626	1/1	0.98	0.10	-	21,21,21,21	0
57	MG	QA	1632	1/1	0.96	0.11	-	88,88,88,88	0
57	MG	RA	3232	1/1	0.95	0.28	-	10,10,10,10	0
57	MG	YA	3165	1/1	0.73	0.23	-	40,40,40,40	0
57	MG	YA	3258	1/1	0.95	0.14	-	2,2,2,2	0
57	MG	RA	3231	1/1	0.94	0.32	-	1,1,1,1	0
57	MG	QA	1651	1/1	0.96	0.16	-	18,18,18,18	0
57	MG	YA	3022	1/1	0.94	0.26	-	1,1,1,1	0
57	MG	YA	3076	1/1	0.98	0.40	-	15,15,15,15	0
57	MG	YA	3051	1/1	0.86	0.31	-	15,15,15,15	0
57	MG	YA	3141	1/1	0.94	0.10	-	17,17,17,17	0
57	MG	YA	3122	1/1	0.94	0.16	-	3,3,3,3	0
57	MG	R0	101	1/1	0.78	0.19	-	15,15,15,15	0
57	MG	RA	3118	1/1	0.94	0.09	-	22,22,22,22	0
57	MG	RA	3225	1/1	0.93	0.15	-	40,40,40,40	0
57	MG	YA	3020	1/1	0.98	0.30	-	10,10,10,10	0
57	MG	YA	3007	1/1	0.98	0.18	-	9,9,9,9	0
57	MG	YA	3139	1/1	0.03	0.36	-	55,55,55,55	0
57	MG	YA	3110	1/1	0.95	0.23	-	14,14,14,14	0
57	MG	YA	3222	1/1	0.95	0.16	-	27,27,27,27	0
57	MG	YA	3230	1/1	0.93	0.21	-	18,18,18,18	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	QA	1624	1/1	0.95	0.15	-	30,30,30,30	0
57	MG	RA	3069	1/1	0.95	0.11	-	1,1,1,1	0
57	MG	XA	1617	1/1	0.97	0.17	-	8,8,8,8	0
57	MG	YA	3255	1/1	0.91	0.38	-	20,20,20,20	0
57	MG	YA	3149	1/1	0.96	0.18	-	9,9,9,9	0
57	MG	YA	3186	1/1	0.96	0.18	-	15,15,15,15	0
57	MG	QA	1659	1/1	0.97	0.18	-	21,21,21,21	0
57	MG	YA	3053	1/1	0.96	0.31	-	0,0,0,0	0
57	MG	RA	3173	1/1	0.98	0.13	-	1,1,1,1	0
57	MG	QA	1662	1/1	0.89	0.07	-	58,58,58,58	0
57	MG	YA	3196	1/1	0.88	0.24	-	54,54,54,54	0
57	MG	YA	3101	1/1	0.99	0.23	-	3,3,3,3	0
57	MG	XA	1667	1/1	0.95	0.27	-	29,29,29,29	0
57	MG	YA	3130	1/1	0.71	0.23	-	20,20,20,20	0
57	MG	QA	1655	1/1	0.93	0.17	-	38,38,38,38	0
57	MG	RA	3007	1/1	0.95	0.32	-	5,5,5,5	0
57	MG	YA	3114	1/1	0.96	0.26	-	13,13,13,13	0
57	MG	YA	3147	1/1	0.95	0.15	-	2,2,2,2	0
57	MG	RA	3083	1/1	0.97	0.17	-	17,17,17,17	0
57	MG	RA	3194	1/1	0.73	0.20	-	13,13,13,13	0
57	MG	RA	3026	1/1	0.79	0.17	-	3,3,3,3	0
57	MG	RA	3047	1/1	0.93	0.32	-	12,12,12,12	0
57	MG	YA	3231	1/1	0.90	0.25	-	20,20,20,20	0
57	MG	RA	3092	1/1	0.95	0.30	-	17,17,17,17	0
57	MG	XM	201	1/1	0.79	0.08	-	58,58,58,58	0
57	MG	YA	3029	1/1	0.94	0.25	-	1,1,1,1	0
57	MG	YA	3040	1/1	0.96	0.30	-	0,0,0,0	0
57	MG	QA	1634	1/1	0.99	0.07	-	35,35,35,35	0
57	MG	YA	3240	1/1	0.90	0.20	-	32,32,32,32	0
57	MG	YA	3161	1/1	0.96	0.17	-	34,34,34,34	0
57	MG	QA	1601	1/1	0.94	0.26	-	34,34,34,34	0
57	MG	RA	3180	1/1	0.97	0.14	-	18,18,18,18	0
57	MG	RA	3198	1/1	0.98	0.07	-	27,27,27,27	0
57	MG	RA	3017	1/1	0.99	0.21	-	0,0,0,0	0
57	MG	RA	3061	1/1	0.94	0.26	-	2,2,2,2	0
57	MG	RA	3200	1/1	0.92	0.46	-	23,23,23,23	0
57	MG	XA	1609	1/1	0.98	0.22	-	14,14,14,14	0
57	MG	YA	3157	1/1	0.97	0.20	-	23,23,23,23	0
57	MG	YA	3209	1/1	0.94	0.15	-	11,11,11,11	0
57	MG	RA	3153	1/1	0.97	0.28	-	29,29,29,29	0
57	MG	RA	3135	1/1	0.59	0.25	-	31,31,31,31	0
57	MG	RA	3189	1/1	0.94	0.25	-	46,46,46,46	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	XA	1631	1/1	0.93	0.17	-	33,33,33,33	0
57	MG	RA	3042	1/1	0.99	0.32	-	10,10,10,10	0
57	MG	QA	1618	1/1	0.95	0.13	-	13,13,13,13	0
57	MG	YA	3225	1/1	0.96	0.19	-	3,3,3,3	0
57	MG	RA	3143	1/1	0.85	0.15	-	35,35,35,35	0
57	MG	YA	3249	1/1	0.88	0.36	-	42,42,42,42	0
57	MG	RA	3030	1/1	0.97	0.31	-	0,0,0,0	0
57	MG	XA	1624	1/1	0.97	0.14	-	16,16,16,16	0
57	MG	RA	3071	1/1	0.98	0.23	-	22,22,22,22	0
57	MG	XA	1670	1/1	0.75	0.14	-	35,35,35,35	0
57	MG	YA	3039	1/1	0.89	0.17	-	10,10,10,10	0
57	MG	RA	3219	1/1	0.96	0.60	-	159,159,159,159	0
57	MG	YA	3212	1/1	0.91	0.11	-	20,20,20,20	0
57	MG	RA	3028	1/1	0.98	0.35	-	2,2,2,2	0
57	MG	YA	3210	1/1	0.92	0.29	-	26,26,26,26	0
57	MG	XA	1669	1/1	0.91	0.12	-	49,49,49,49	0
57	MG	RA	3204	1/1	0.92	0.28	-	33,33,33,33	0
57	MG	RA	3169	1/1	0.97	0.28	-	30,30,30,30	0
57	MG	YA	3152	1/1	0.92	0.22	-	31,31,31,31	0
57	MG	RA	3140	1/1	0.93	0.31	-	17,17,17,17	0
57	MG	QA	1622	1/1	0.95	0.13	-	40,40,40,40	0
57	MG	RA	3014	1/1	0.98	0.27	-	3,3,3,3	0
57	MG	R5	101	1/1	0.94	0.14	-	21,21,21,21	0
57	MG	RA	3239	1/1	0.94	0.44	-	28,28,28,28	0
57	MG	YA	3200	1/1	0.95	0.29	-	12,12,12,12	0
57	MG	XA	1665	1/1	0.41	0.18	-	56,56,56,56	0
57	MG	QA	1656	1/1	0.94	0.09	-	89,89,89,89	0
57	MG	YA	3150	1/1	0.91	0.16	-	62,62,62,62	0
57	MG	RA	3172	1/1	0.79	0.13	-	15,15,15,15	0
57	MG	YA	3250	1/1	0.93	0.35	-	22,22,22,22	0
57	MG	RA	3115	1/1	0.93	0.21	-	5,5,5,5	0
57	MG	RA	3217	1/1	0.96	0.12	-	14,14,14,14	0
57	MG	XA	1613	1/1	0.96	0.07	-	6,6,6,6	0
57	MG	RA	3062	1/1	0.96	0.25	-	29,29,29,29	0
57	MG	RA	3148	1/1	0.99	0.20	-	15,15,15,15	0
57	MG	RA	3174	1/1	0.94	0.14	-	25,25,25,25	0
57	MG	QA	1603	1/1	0.94	0.25	-	22,22,22,22	0
57	MG	YA	3043	1/1	0.97	0.29	-	1,1,1,1	0
57	MG	RA	3038	1/1	0.98	0.22	-	1,1,1,1	0
57	MG	RA	3168	1/1	0.83	0.21	-	19,19,19,19	0
57	MG	RA	3236	1/1	0.93	0.23	-	28,28,28,28	0
57	MG	RA	3213	1/1	0.93	0.35	-	17,17,17,17	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	RA	3146	1/1	0.91	0.10	-	27,27,27,27	0
57	MG	YA	3203	1/1	0.98	0.13	-	25,25,25,25	0
57	MG	QA	1607	1/1	0.97	0.10	-	10,10,10,10	0
57	MG	RA	3109	1/1	0.93	0.10	-	3,3,3,3	0
57	MG	YA	3134	1/1	0.97	0.21	-	19,19,19,19	0
57	MG	YA	3243	1/1	0.94	0.16	-	21,21,21,21	0
57	MG	YA	3018	1/1	0.96	0.32	-	16,16,16,16	0
57	MG	YA	3126	1/1	0.96	0.14	-	1,1,1,1	0
57	MG	QA	1602	1/1	0.98	0.28	-	22,22,22,22	0
57	MG	RA	3230	1/1	0.98	0.35	-	7,7,7,7	0
57	MG	QA	1623	1/1	0.99	0.29	-	19,19,19,19	0
57	MG	YA	3204	1/1	0.79	0.14	-	17,17,17,17	0
57	MG	YA	3268	1/1	0.98	0.16	-	17,17,17,17	0
57	MG	RA	3084	1/1	0.82	0.13	-	7,7,7,7	0
57	MG	RA	3233	1/1	0.96	0.15	-	13,13,13,13	0
57	MG	RA	3209	1/1	0.83	0.27	-	47,47,47,47	0
57	MG	YA	3116	1/1	0.89	0.22	-	39,39,39,39	0
57	MG	YA	3229	1/1	0.98	0.12	-	19,19,19,19	0
57	MG	YE	301	1/1	0.97	0.25	-	0,0,0,0	0
57	MG	RA	3154	1/1	0.98	0.26	-	26,26,26,26	0
57	MG	YA	3077	1/1	0.99	0.29	-	6,6,6,6	0
57	MG	RA	3193	1/1	0.69	0.23	-	63,63,63,63	0
57	MG	RA	3049	1/1	0.98	0.09	-	1,1,1,1	0
57	MG	YA	3136	1/1	0.98	0.30	-	14,14,14,14	0
57	MG	QA	1644	1/1	0.95	0.11	-	21,21,21,21	0
57	MG	XA	1644	1/1	0.94	0.17	-	23,23,23,23	0
57	MG	YA	3223	1/1	0.98	0.18	-	20,20,20,20	0
57	MG	XA	1652	1/1	0.90	0.10	-	47,47,47,47	0
57	MG	RA	3158	1/1	0.91	0.44	-	40,40,40,40	0
57	MG	RA	3218	1/1	0.98	0.26	-	17,17,17,17	0
57	MG	RA	3012	1/1	0.96	0.25	-	7,7,7,7	0
57	MG	YA	3247	1/1	0.97	0.32	-	16,16,16,16	0
57	MG	RA	3048	1/1	0.99	0.23	-	1,1,1,1	0
57	MG	XA	1639	1/1	0.94	0.29	-	58,58,58,58	0
57	MG	RA	3114	1/1	0.92	0.24	-	19,19,19,19	0
57	MG	RA	3167	1/1	0.86	0.17	-	22,22,22,22	0
57	MG	XA	1663	1/1	0.95	0.08	-	38,38,38,38	0
57	MG	XA	1616	1/1	0.99	0.23	-	6,6,6,6	0
57	MG	YA	3123	1/1	0.98	0.29	-	4,4,4,4	0
57	MG	RA	3077	1/1	0.97	0.27	-	13,13,13,13	0
57	MG	YA	3246	1/1	0.94	0.16	-	26,26,26,26	0
57	MG	RA	3130	1/1	0.74	0.32	-	43,43,43,43	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	YA	3227	1/1	0.94	0.14	-	8,8,8,8	0
57	MG	YA	3069	1/1	0.97	0.15	-	6,6,6,6	0
57	MG	YA	3088	1/1	0.99	0.32	-	5,5,5,5	0
57	MG	YA	3148	1/1	0.91	0.16	-	21,21,21,21	0
57	MG	XA	1651	1/1	0.96	0.11	-	95,95,95,95	0
57	MG	YA	3172	1/1	0.94	0.17	-	25,25,25,25	0
57	MG	YA	3097	1/1	0.95	0.20	-	14,14,14,14	0
57	MG	YA	3160	1/1	0.84	0.07	-	18,18,18,18	0
57	MG	RA	3029	1/1	0.98	0.37	-	3,3,3,3	0
57	MG	YA	3121	1/1	0.93	0.20	-	27,27,27,27	0
57	MG	YA	3208	1/1	0.93	0.10	-	29,29,29,29	0
57	MG	YA	3191	1/1	0.95	0.21	-	14,14,14,14	0
57	MG	YA	3012	1/1	0.99	0.32	-	2,2,2,2	0
57	MG	YA	3055	1/1	0.98	0.24	-	11,11,11,11	0
57	MG	QA	1664	1/1	0.93	0.14	-	17,17,17,17	0
57	MG	RA	3196	1/1	0.92	0.13	-	42,42,42,42	0
57	MG	YA	3215	1/1	0.94	0.11	-	18,18,18,18	0
57	MG	YA	3189	1/1	0.93	0.08	-	1,1,1,1	0
57	MG	XA	1657	1/1	0.93	0.22	-	21,21,21,21	0
57	MG	QA	1658	1/1	0.93	0.18	-	39,39,39,39	0
57	MG	RA	3156	1/1	0.87	0.12	-	31,31,31,31	0
57	MG	RA	3166	1/1	0.94	0.30	-	28,28,28,28	0
57	MG	YA	3244	1/1	0.94	0.23	-	30,30,30,30	0
57	MG	YA	3151	1/1	0.93	0.32	-	30,30,30,30	0
57	MG	QA	1636	1/1	0.77	0.20	-	39,39,39,39	0
57	MG	RA	3079	1/1	0.98	0.24	-	11,11,11,11	0
57	MG	RA	3207	1/1	0.98	0.13	-	60,60,60,60	0
57	MG	RA	3202	1/1	0.97	0.22	-	15,15,15,15	0
57	MG	QA	1647	1/1	0.95	0.12	-	32,32,32,32	0
57	MG	XA	1649	1/1	0.98	0.19	-	8,8,8,8	0
57	MG	XA	1668	1/1	0.98	0.22	-	15,15,15,15	0
57	MG	YA	3221	1/1	0.90	0.16	-	29,29,29,29	0
57	MG	RA	3129	1/1	0.99	0.18	-	10,10,10,10	0
57	MG	RA	3192	1/1	0.40	0.19	-	68,68,68,68	0
57	MG	RA	3152	1/1	0.98	0.24	-	11,11,11,11	0
57	MG	RA	3019	1/1	0.99	0.27	-	13,13,13,13	0
57	MG	YA	3078	1/1	0.95	0.17	-	14,14,14,14	0
57	MG	RA	3149	1/1	0.95	0.30	-	22,22,22,22	0
57	MG	YA	3226	1/1	0.98	0.25	-	4,4,4,4	0
57	MG	YA	3019	1/1	0.98	0.34	-	8,8,8,8	0
57	MG	QA	1614	1/1	0.98	0.14	-	20,20,20,20	0
57	MG	QF	201	1/1	0.79	0.24	-	54,54,54,54	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	YA	3241	1/1	0.86	0.12	-	37,37,37,37	0
57	MG	QA	1627	1/1	0.94	0.24	-	22,22,22,22	0
57	MG	YA	3265	1/1	0.91	0.31	-	17,17,17,17	0
57	MG	RA	3201	1/1	0.98	0.14	-	17,17,17,17	0
57	MG	YA	3102	1/1	0.93	0.20	-	44,44,44,44	0
57	MG	RA	3183	1/1	0.96	0.14	-	1,1,1,1	0
57	MG	YA	3158	1/1	0.93	0.30	-	14,14,14,14	0
57	MG	XA	1658	1/1	0.98	0.26	-	12,12,12,12	0
57	MG	RA	3242	1/1	0.93	0.32	-	31,31,31,31	0
57	MG	YA	3120	1/1	0.41	0.28	-	21,21,21,21	0
57	MG	RA	3216	1/1	0.93	0.12	-	33,33,33,33	0
57	MG	RA	3057	1/1	0.94	0.23	-	6,6,6,6	0
57	MG	RA	3181	1/1	0.94	0.25	-	29,29,29,29	0
57	MG	RB	202	1/1	0.90	0.18	-	46,46,46,46	0
57	MG	YA	3083	1/1	0.98	0.18	-	0,0,0,0	0
57	MG	RA	3046	1/1	0.98	0.17	-	8,8,8,8	0
57	MG	YA	3106	1/1	0.95	0.22	-	12,12,12,12	0
57	MG	YA	3248	1/1	0.96	0.34	-	30,30,30,30	0
57	MG	RA	3107	1/1	0.99	0.18	-	6,6,6,6	0
57	MG	YA	3236	1/1	0.97	0.10	-	24,24,24,24	0
57	MG	RA	3097	1/1	0.93	0.26	-	4,4,4,4	0
57	MG	RA	3002	1/1	0.90	0.24	-	26,26,26,26	0
57	MG	YA	3093	1/1	0.97	0.20	-	9,9,9,9	0
57	MG	YA	3214	1/1	0.95	0.16	-	25,25,25,25	0
57	MG	RA	3164	1/1	0.96	0.24	-	20,20,20,20	0
57	MG	YA	3095	1/1	0.99	0.20	-	5,5,5,5	0
57	MG	XA	1642	1/1	0.99	0.16	-	7,7,7,7	0
57	MG	RA	3091	1/1	0.54	0.34	-	23,23,23,23	0
57	MG	YA	3219	1/1	0.97	0.20	-	31,31,31,31	0
57	MG	YQ	201	1/1	0.95	0.22	-	142,142,142,142	0
57	MG	YA	3064	1/1	0.98	0.17	-	6,6,6,6	0
57	MG	RA	3096	1/1	0.96	0.23	-	18,18,18,18	0
57	MG	YA	3001	1/1	0.99	0.30	-	1,1,1,1	0
57	MG	RA	3145	1/1	0.95	0.21	-	27,27,27,27	0
57	MG	YA	3021	1/1	0.96	0.24	-	1,1,1,1	0
57	MG	QA	1650	1/1	0.90	0.20	-	20,20,20,20	0
57	MG	RA	3094	1/1	0.98	0.14	-	8,8,8,8	0
57	MG	YA	3128	1/1	0.98	0.33	-	3,3,3,3	0
57	MG	YA	3030	1/1	0.98	0.39	-	6,6,6,6	0
57	MG	YA	3163	1/1	0.92	0.19	-	25,25,25,25	0
57	MG	YA	3105	1/1	0.95	0.10	-	24,24,24,24	0
57	MG	RA	3226	1/1	0.95	0.18	-	15,15,15,15	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	XA	1623	1/1	0.89	0.14	-	13,13,13,13	0
57	MG	YA	3235	1/1	0.95	0.30	-	30,30,30,30	0
57	MG	RA	3040	1/1	0.95	0.26	-	15,15,15,15	0
57	MG	YA	3254	1/1	0.99	0.20	-	18,18,18,18	0
57	MG	YA	3220	1/1	0.93	0.23	-	32,32,32,32	0
57	MG	YA	3207	1/1	0.75	0.23	-	46,46,46,46	0
57	MG	YA	3173	1/1	0.96	0.19	-	49,49,49,49	0
57	MG	YA	3046	1/1	0.92	0.32	-	20,20,20,20	0
57	MG	YA	3010	1/1	0.99	0.27	-	1,1,1,1	0
57	MG	YA	3245	1/1	0.85	0.47	-	28,28,28,28	0
57	MG	YA	3063	1/1	0.99	0.30	-	3,3,3,3	0
57	MG	QA	1648	1/1	0.97	0.14	-	34,34,34,34	0
57	MG	RA	3045	1/1	0.96	0.27	-	6,6,6,6	0
57	MG	XA	1647	1/1	0.91	0.29	-	23,23,23,23	0
57	MG	RA	3102	1/1	0.97	0.21	-	28,28,28,28	0
57	MG	RA	3176	1/1	0.90	0.21	-	10,10,10,10	0
57	MG	RA	3182	1/1	0.94	0.11	-	6,6,6,6	0
57	MG	RA	3139	1/1	0.10	0.28	-	59,59,59,59	0
57	MG	YA	3143	1/1	0.89	0.19	-	33,33,33,33	0
57	MG	RA	3113	1/1	0.99	0.11	-	29,29,29,29	0
57	MG	YA	3266	1/1	0.85	0.32	-	51,51,51,51	0
57	MG	RA	3122	1/1	0.95	0.21	-	32,32,32,32	0
57	MG	QA	1642	1/1	0.92	0.14	-	43,43,43,43	0
57	MG	RA	3104	1/1	0.97	0.10	-	9,9,9,9	0
57	MG	RA	3110	1/1	0.98	0.21	-	2,2,2,2	0
57	MG	RA	3067	1/1	0.96	0.20	-	3,3,3,3	0
57	MG	QA	1605	1/1	0.96	0.37	-	23,23,23,23	0
57	MG	XA	1641	1/1	0.90	0.18	-	33,33,33,33	0
57	MG	YA	3003	1/1	0.92	0.22	-	1,1,1,1	0
57	MG	RA	3004	1/1	0.98	0.37	-	14,14,14,14	0
57	MG	QA	1641	1/1	0.97	0.17	-	22,22,22,22	0
57	MG	YA	3252	1/1	0.95	0.41	-	17,17,17,17	0
57	MG	YA	3075	1/1	0.97	0.38	-	24,24,24,24	0
57	MG	RA	3051	1/1	0.97	0.22	-	4,4,4,4	0
57	MG	YA	3062	1/1	0.93	0.21	-	7,7,7,7	0
57	MG	YA	3066	1/1	0.97	0.36	-	12,12,12,12	0
57	MG	RA	3033	1/1	0.93	0.34	-	3,3,3,3	0
57	MG	RA	3008	1/1	0.92	0.18	-	30,30,30,30	0
57	MG	YA	3156	1/1	0.95	0.25	-	13,13,13,13	0
57	MG	YA	3213	1/1	0.97	0.13	-	6,6,6,6	0
57	MG	YA	3133	1/1	0.94	0.11	-	26,26,26,26	0
57	MG	RA	3085	1/1	0.92	0.24	-	6,6,6,6	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	YA	3054	1/1	0.63	0.17	-	48,48,48,48	0
57	MG	YA	3194	1/1	0.98	0.13	-	17,17,17,17	0
57	MG	RA	3031	1/1	0.99	0.20	-	3,3,3,3	0
57	MG	YA	3183	1/1	0.97	0.24	-	13,13,13,13	0
57	MG	RA	3116	1/1	0.97	0.19	-	0,0,0,0	0
57	MG	QA	1633	1/1	0.91	0.29	-	35,35,35,35	0
57	MG	QA	1660	1/1	0.97	0.17	-	38,38,38,38	0
57	MG	YA	3179	1/1	0.96	0.41	-	35,35,35,35	0
57	MG	YA	3127	1/1	0.92	0.16	-	26,26,26,26	0
57	MG	RA	3187	1/1	0.90	0.56	-	66,66,66,66	0
57	MG	RA	3068	1/1	0.83	0.18	-	16,16,16,16	0
57	MG	YA	3176	1/1	0.98	0.16	-	2,2,2,2	0
57	MG	RA	3195	1/1	0.98	0.12	-	1,1,1,1	0
57	MG	RA	3234	1/1	0.97	0.24	-	10,10,10,10	0
57	MG	RA	3141	1/1	0.97	0.11	-	15,15,15,15	0
57	MG	RA	3190	1/1	0.91	0.31	-	27,27,27,27	0
57	MG	YA	3109	1/1	0.96	0.11	-	5,5,5,5	0
57	MG	XA	1611	1/1	0.99	0.25	-	7,7,7,7	0
57	MG	RA	3024	1/1	0.97	0.28	-	7,7,7,7	0
57	MG	YA	3085	1/1	0.99	0.28	-	9,9,9,9	0
57	MG	QA	1652	1/1	0.90	0.19	-	32,32,32,32	0
57	MG	YA	3164	1/1	0.69	0.16	-	45,45,45,45	0
57	MG	RA	3228	1/1	0.92	0.13	-	43,43,43,43	0
57	MG	RE	301	1/1	0.94	0.16	-	1,1,1,1	0
57	MG	RA	3072	1/1	0.97	0.18	-	3,3,3,3	0
57	MG	XA	1601	1/1	0.96	0.24	-	7,7,7,7	0
57	MG	XA	1630	1/1	0.88	0.13	-	13,13,13,13	0
57	MG	YA	3092	1/1	0.98	0.25	-	3,3,3,3	0
57	MG	YA	3115	1/1	0.97	0.27	-	18,18,18,18	0
57	MG	YA	3257	1/1	0.98	0.38	-	3,3,3,3	0
57	MG	XA	1672	1/1	0.86	0.12	-	27,27,27,27	0
57	MG	YA	3261	1/1	0.90	0.33	-	19,19,19,19	0
57	MG	RA	3070	1/1	0.97	0.33	-	13,13,13,13	0
57	MG	RA	3011	1/1	0.93	0.41	-	36,36,36,36	0
57	MG	RA	3197	1/1	0.96	0.12	-	9,9,9,9	0
57	MG	QH	201	1/1	0.20	0.16	-	74,74,74,74	0
57	MG	YA	3188	1/1	0.89	0.26	-	33,33,33,33	0
57	MG	YA	3267	1/1	0.98	0.41	-	24,24,24,24	0
57	MG	YA	3155	1/1	0.96	0.21	-	50,50,50,50	0
57	MG	YB	201	1/1	0.82	0.17	-	39,39,39,39	0
57	MG	RA	3112	1/1	0.94	0.22	-	21,21,21,21	0
57	MG	XA	1605	1/1	0.97	0.29	-	17,17,17,17	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	QA	1628	1/1	0.44	0.28	-	37,37,37,37	0
57	MG	YA	3131	1/1	0.93	0.20	-	34,34,34,34	0
57	MG	RA	3052	1/1	0.96	0.28	-	7,7,7,7	0
57	MG	RA	3229	1/1	0.92	0.11	-	26,26,26,26	0
57	MG	XA	1640	1/1	0.96	0.19	-	15,15,15,15	0
57	MG	RA	3009	1/1	0.97	0.06	-	0,0,0,0	0
57	MG	YA	3060	1/1	0.95	0.27	-	1,1,1,1	0
57	MG	QA	1611	1/1	0.97	0.31	-	12,12,12,12	0
57	MG	YA	3052	1/1	0.96	0.27	-	1,1,1,1	0
57	MG	QA	1637	1/1	0.90	0.18	-	16,16,16,16	0
57	MG	RA	3093	1/1	0.97	0.28	-	8,8,8,8	0
57	MG	YA	3096	1/1	0.96	0.22	-	5,5,5,5	0
57	MG	YA	3145	1/1	0.92	0.20	-	18,18,18,18	0
57	MG	YA	3192	1/1	0.93	0.21	-	19,19,19,19	0
57	MG	YA	3087	1/1	0.93	0.25	-	1,1,1,1	0
57	MG	RA	3211	1/1	0.93	0.23	-	30,30,30,30	0
57	MG	YA	3174	1/1	0.94	0.09	-	7,7,7,7	0
57	MG	XA	1664	1/1	0.91	0.09	-	44,44,44,44	0
57	MG	Y5	101	1/1	0.90	0.19	-	12,12,12,12	0
57	MG	YA	3260	1/1	0.91	0.29	-	13,13,13,13	0
57	MG	QA	1663	1/1	0.95	0.10	-	67,67,67,67	0
57	MG	XA	1654	1/1	0.88	0.10	-	37,37,37,37	0
57	MG	YA	3067	1/1	0.98	0.21	-	2,2,2,2	0
57	MG	XA	1653	1/1	0.74	0.13	-	70,70,70,70	0
57	MG	QA	1640	1/1	0.95	0.27	-	24,24,24,24	0
57	MG	XX	101	1/1	0.77	0.29	-	45,45,45,45	0
57	MG	RA	3178	1/1	0.94	0.23	-	26,26,26,26	0
57	MG	YA	3199	1/1	0.94	0.27	-	11,11,11,11	0
57	MG	RA	3223	1/1	0.84	0.35	-	59,59,59,59	0
57	MG	XA	1627	1/1	0.98	0.32	-	28,28,28,28	0
57	MG	QA	1625	1/1	0.33	0.19	-	70,70,70,70	0
57	MG	RA	3001	1/1	0.97	0.14	-	4,4,4,4	0
57	MG	RA	3134	1/1	0.93	0.26	-	23,23,23,23	0
57	MG	YA	3216	1/1	0.95	0.32	-	30,30,30,30	0
57	MG	RA	3074	1/1	0.94	0.22	-	0,0,0,0	0
57	MG	XA	1606	1/1	0.96	0.29	-	12,12,12,12	0
57	MG	RA	3138	1/1	0.83	0.28	-	6,6,6,6	0
57	MG	XA	1632	1/1	0.93	0.23	-	21,21,21,21	0
57	MG	YA	3045	1/1	0.90	0.18	-	1,1,1,1	0
57	MG	YA	3140	1/1	0.92	0.23	-	2,2,2,2	0
57	MG	RA	3044	1/1	0.96	0.20	-	18,18,18,18	0
57	MG	RA	3105	1/1	0.97	0.24	-	6,6,6,6	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
57	MG	YA	3232	1/1	0.88	0.33	-	47,47,47,47	0
57	MG	XA	1662	1/1	0.83	0.26	-	40,40,40,40	0
57	MG	RA	3120	1/1	0.53	0.41	-	80,80,80,80	0
57	MG	XA	1646	1/1	0.94	0.27	-	30,30,30,30	0
57	MG	RA	3163	1/1	0.97	0.25	-	19,19,19,19	0
57	MG	YA	3202	1/1	0.95	0.09	-	13,13,13,13	0
57	MG	RA	3054	1/1	0.96	0.12	-	2,2,2,2	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.