



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 11:24 pm GMT

PDB ID : 1LOH  
Title : Streptococcus pneumoniae Hyaluronate Lyase in Complex with Hexasaccharide Hyaluronan Substrate  
Authors : Jedrzejewski, M.J.; Mello, L.V.; De Groot, B.L.; Li, S.  
Deposited on : 2002-05-06  
Resolution : 2.00 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	6609 (2.00-2.00)
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)
RSRZ outliers	101464	6696 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	721	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	2000	-	-	-	X
2	BDP	A	2001	-	-	-	X

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Type</b>	<b>Chain</b>	<b>Res</b>	<b>Chirality</b>	<b>Geometry</b>	<b>Clashes</b>	<b>Electron density</b>
2	NAG	A	2002	-	-	-	X
2	BDP	A	2003	-	-	-	X
2	NAG	A	2004	-	-	-	X
2	BDP	A	2005	X	-	X	X

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 6379 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hyaluronate Lyase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	721	5785	3638	968	1157	22	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	408	PHE	TYR	ENGINEERED	GB 437705
A	731	VAL	GLY	SEE REMARK 999	GB 437705

- Molecule 2 is a polymer of unknown type called SUGAR (NAG-GCU-NAG-GCU-NAG-GC U).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	6	79	42	3	34	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	515	Total	O	0	0
			515	515		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Hyaluronate Lyase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	83.70Å 103.57Å 101.27Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 64.52 – 2.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-2.00) 99.9 (64.52-2.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.48 (at 2.00Å)	Xtrriage
Refinement program	X-PLOR 3.851	Depositor
R, $R_{free}$	0.224 , 0.324 0.212 , 0.231	Depositor DCC
$R_{free}$ test set	568 reflections (0.95%)	DCC
Wilson B-factor (Å <sup>2</sup> )	22.8	Xtrriage
Anisotropy	0.627	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 65.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.015 for -h,l,k	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	6379	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.96% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BDP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.36	0/5904	0.61	1/7972 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	A	1	0

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	517	LEU	N-CA-C	-5.12	97.18	111.00

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	2005	BDP	C4

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5785	0	5595	150	0
2	A	79	0	51	16	0
3	A	515	0	0	19	0
All	All	6379	0	5646	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:613:ASN:H	1:A:698:GLN:HE22	1.12	0.94
1:A:222:ARG:H	1:A:222:ARG:HD2	1.38	0.87
1:A:581:LYS:HB3	1:A:768:GLU:HB2	1.59	0.84
1:A:224:TYR:HD1	1:A:230:SER:HB3	1.43	0.82
1:A:300:ARG:HH22	2:A:2004:NAG:H2	1.47	0.80
1:A:224:TYR:CE1	1:A:227:GLU:HG2	2.18	0.79
1:A:290:ASN:HD22	1:A:291:TRP:N	1.85	0.74
1:A:540:ARG:HG2	3:A:1219:HOH:O	1.87	0.73
1:A:584:LYS:NZ	1:A:768:GLU:HG2	2.04	0.73
1:A:468:ASN:HD22	1:A:468:ASN:H	1.36	0.72
1:A:171:LYS:HG3	1:A:175:THR:HG21	1.70	0.72
1:A:217:SER:HB3	1:A:222:ARG:HG2	1.73	0.70
1:A:820:ASN:HD22	1:A:825:GLN:HG2	1.54	0.69
1:A:224:TYR:CD1	1:A:230:SER:HB3	2.26	0.69
1:A:243:ARG:NH1	2:A:2003:BDP:O6A	2.24	0.68
1:A:672:MET:HG3	3:A:1368:HOH:O	1.92	0.68
1:A:354:GLY:HA3	1:A:377:ILE:HD11	1.77	0.67
1:A:243:ARG:NH2	2:A:2004:NAG:H83	2.10	0.67
1:A:190:TYR:CE2	1:A:521:LYS:HG2	2.30	0.66
1:A:299:PRO:HB3	1:A:325:ILE:HG12	1.77	0.66
1:A:650:ASN:HD21	1:A:832:GLN:HE22	1.43	0.66
1:A:300:ARG:NH2	2:A:2004:NAG:H2	2.10	0.66
1:A:557:ASN:ND2	1:A:560:LYS:H	1.95	0.65
1:A:585:ARG:HG3	1:A:766:ILE:HG22	1.79	0.64
1:A:557:ASN:HD22	1:A:557:ASN:C	2.01	0.63
1:A:720:GLU:HG2	1:A:757:ALA:CB	2.30	0.61
1:A:468:ASN:N	1:A:468:ASN:HD22	1.96	0.61
1:A:677:ILE:HG23	3:A:1368:HOH:O	2.01	0.61
1:A:329:VAL:HG12	1:A:357:LYS:HD2	1.81	0.61
1:A:581:LYS:HE3	3:A:1124:HOH:O	2.00	0.60
1:A:705:ASN:HB3	3:A:1256:HOH:O	2.01	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:171:LYS:CG	1:A:175:THR:HG21	2.32	0.60
1:A:344:LYS:HE2	3:A:1051:HOH:O	2.02	0.59
1:A:468:ASN:HB3	3:A:1144:HOH:O	2.02	0.59
1:A:290:ASN:HD22	1:A:291:TRP:H	1.50	0.58
1:A:669:SER:OG	1:A:825:GLN:NE2	2.36	0.58
1:A:222:ARG:HD2	1:A:222:ARG:N	2.14	0.58
1:A:584:LYS:HZ1	1:A:768:GLU:HG2	1.67	0.57
1:A:224:TYR:HE1	1:A:227:GLU:HG2	1.68	0.56
1:A:646:LEU:HD21	1:A:862:ARG:HB2	1.88	0.56
1:A:720:GLU:HG3	3:A:1263:HOH:O	2.04	0.56
1:A:246:GLU:CD	2:A:2005:BDP:O3	2.45	0.55
1:A:640:PHE:CD1	1:A:875:PRO:HG2	2.41	0.55
1:A:480:ARG:HH21	2:A:2004:NAG:H61	1.71	0.55
1:A:225:LEU:HG	1:A:276:MET:HE2	1.88	0.55
1:A:845:SER:HB2	1:A:853:VAL:HG23	1.87	0.55
1:A:224:TYR:CD2	1:A:224:TYR:N	2.72	0.55
1:A:213:LEU:HD11	1:A:265:VAL:HG22	1.87	0.55
1:A:754:MET:HG2	1:A:782:ILE:HG12	1.88	0.55
1:A:580:ASN:O	1:A:581:LYS:HB2	2.07	0.55
1:A:494:LYS:O	1:A:498:GLN:HG3	2.07	0.55
1:A:286:SER:O	1:A:288:VAL:HG23	2.06	0.54
1:A:282:ASN:ND2	1:A:285:LYS:HG2	2.23	0.54
1:A:623:THR:HA	1:A:691:THR:O	2.08	0.54
1:A:642:GLY:HA2	3:A:1033:HOH:O	2.07	0.54
1:A:720:GLU:HG2	1:A:757:ALA:HB2	1.91	0.53
1:A:433:ASP:O	1:A:436:GLN:HB2	2.08	0.53
1:A:581:LYS:HD2	3:A:1125:HOH:O	2.09	0.52
1:A:186:ALA:HB3	3:A:1088:HOH:O	2.10	0.52
1:A:235:SER:HB2	1:A:293:ASP:HB2	1.91	0.52
1:A:250:LYS:HZ1	2:A:2005:BDP:C4	2.22	0.52
1:A:331:ASP:OD2	1:A:334:HIS:ND1	2.41	0.52
1:A:395:SER:HB3	1:A:550:MET:HB3	1.92	0.52
1:A:224:TYR:HD1	1:A:230:SER:CB	2.21	0.51
1:A:292:TRP:CD1	1:A:296:ILE:HD12	2.45	0.51
1:A:315:ASP:N	3:A:1073:HOH:O	2.43	0.51
1:A:185:ILE:O	2:A:2005:BDP:O4	2.30	0.50
1:A:220:ALA:O	1:A:221:ASP:C	2.48	0.50
1:A:275:TRP:HZ3	1:A:276:MET:HE1	1.75	0.50
1:A:282:ASN:HD21	1:A:285:LYS:HG2	1.75	0.50
1:A:504:ILE:HG23	3:A:1221:HOH:O	2.12	0.49
1:A:754:MET:HA	1:A:781:THR:O	2.12	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:235:SER:O	1:A:238:LEU:HB2	2.12	0.49
1:A:468:ASN:ND2	1:A:468:ASN:H	2.07	0.49
1:A:664:LEU:HA	1:A:685:GLN:O	2.12	0.49
1:A:414:ASP:OD2	2:A:2004:NAG:H61	2.13	0.49
1:A:499:SER:O	1:A:503:THR:HG22	2.13	0.48
1:A:258:ARG:NH2	3:A:1573:HOH:O	2.47	0.48
1:A:239:THR:HG22	1:A:298:THR:OG1	2.12	0.48
1:A:404:TYR:CD1	1:A:407:ALA:HB3	2.48	0.48
1:A:413:ILE:HG23	1:A:414:ASP:N	2.28	0.48
1:A:215:SER:HG	1:A:226:TRP:HD1	1.59	0.48
1:A:557:ASN:HD21	1:A:559:GLU:HB3	1.78	0.48
1:A:344:LYS:HE3	3:A:1058:HOH:O	2.13	0.48
1:A:711:VAL:O	1:A:712:ASN:HB2	2.13	0.48
1:A:476:VAL:O	1:A:480:ARG:HG2	2.14	0.48
1:A:848:SER:O	1:A:850:GLN:HG2	2.14	0.47
1:A:855:LYS:HE2	1:A:855:LYS:HB3	1.67	0.47
1:A:568:LEU:HD23	1:A:592:GLY:HA2	1.96	0.47
1:A:456:MET:HG2	1:A:597:TYR:CE2	2.50	0.47
1:A:263:GLU:HG3	1:A:264:THR:N	2.29	0.47
1:A:623:THR:HB	1:A:690:ASP:HB2	1.97	0.47
1:A:261:GLN:HG2	1:A:312:TYR:OH	2.15	0.46
1:A:805:THR:HG22	1:A:809:MET:CE	2.45	0.46
1:A:701:LEU:HD12	1:A:778:GLU:HG2	1.98	0.46
1:A:584:LYS:HZ2	1:A:768:GLU:HG2	1.81	0.46
1:A:462:ARG:HD3	1:A:577:GLU:OE1	2.15	0.46
1:A:171:LYS:HA	1:A:171:LYS:HD3	1.60	0.45
1:A:568:LEU:CD2	1:A:592:GLY:HA2	2.46	0.45
1:A:202:ASN:O	1:A:206:GLU:HG2	2.17	0.45
1:A:663:THR:HB	1:A:688:SER:HB3	1.98	0.45
1:A:681:GLY:O	1:A:792:SER:HB2	2.16	0.45
1:A:196:ASP:HB2	3:A:1510:HOH:O	2.16	0.45
1:A:447:ALA:HB3	1:A:448:PRO:HD3	1.99	0.45
1:A:336:ARG:HH12	2:A:2000:NAG:H2	1.82	0.45
1:A:246:GLU:OE1	2:A:2005:BDP:O3	2.35	0.45
1:A:238:LEU:HD21	1:A:280:VAL:HG12	1.99	0.45
1:A:424:GLN:OE1	1:A:424:GLN:HA	2.17	0.45
1:A:621:THR:C	1:A:622:GLU:HG2	2.37	0.44
1:A:568:LEU:HA	1:A:590:SER:O	2.16	0.44
1:A:246:GLU:OE2	2:A:2005:BDP:O2	2.31	0.44
1:A:664:LEU:HD23	1:A:665:THR:N	2.33	0.44
1:A:764:LYS:HD2	1:A:772:ASP:HB3	2.00	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177:ARG:NE	1:A:177:ARG:HA	2.33	0.44
1:A:711:VAL:CG2	1:A:754:MET:HE1	2.48	0.44
1:A:408:PHE:CZ	2:A:2002:NAG:H82	2.53	0.44
1:A:570:SER:HA	1:A:636:LEU:HB3	2.00	0.43
1:A:191:TYR:OH	1:A:199:ALA:HA	2.19	0.43
1:A:355:ARG:NH1	2:A:2004:NAG:O6	2.41	0.43
1:A:888:LYS:NZ	3:A:1571:HOH:O	2.50	0.43
1:A:670:TRP:HB3	3:A:1368:HOH:O	2.17	0.43
1:A:263:GLU:HG3	1:A:264:THR:H	1.84	0.43
1:A:408:PHE:CE1	2:A:2002:NAG:H82	2.53	0.43
1:A:357:LYS:HB3	1:A:357:LYS:HE3	1.84	0.43
1:A:354:GLY:O	1:A:358:VAL:HB	2.18	0.43
1:A:212:SER:OG	1:A:244:LYS:HE3	2.19	0.43
1:A:293:ASP:O	1:A:298:THR:HB	2.18	0.43
1:A:420:LEU:HB2	1:A:421:PRO:HD3	2.01	0.43
1:A:316:GLU:OE2	1:A:316:GLU:N	2.52	0.43
1:A:543:TYR:HA	1:A:648:ASP:HB3	2.01	0.43
1:A:291:TRP:CG	1:A:292:TRP:N	2.87	0.42
1:A:486:ALA:HB2	1:A:497:LEU:HB3	2.00	0.42
1:A:275:TRP:HZ3	1:A:276:MET:CE	2.32	0.42
1:A:404:TYR:CE1	1:A:407:ALA:HB3	2.54	0.42
1:A:185:ILE:HB	2:A:2005:BDP:O6A	2.19	0.42
1:A:840:TYR:O	1:A:856:ARG:HD2	2.19	0.42
1:A:610:PRO:HG3	1:A:763:TRP:CE2	2.55	0.42
1:A:560:LYS:HE2	3:A:1177:HOH:O	2.20	0.41
1:A:202:ASN:ND2	1:A:251:GLN:HE22	2.19	0.41
1:A:279:HIS:N	1:A:279:HIS:CD2	2.88	0.41
1:A:435:MET:HB3	1:A:438:MET:HE2	2.03	0.41
1:A:255:PRO:HA	1:A:260:TYR:CG	2.56	0.41
1:A:717:SER:O	1:A:723:LYS:HE3	2.21	0.41
1:A:811:LYS:O	1:A:814:GLU:HB2	2.21	0.41
1:A:468:ASN:N	1:A:468:ASN:ND2	2.67	0.41
1:A:557:ASN:ND2	1:A:557:ASN:C	2.72	0.41
1:A:225:LEU:HA	1:A:225:LEU:HD23	1.89	0.40
1:A:317:GLU:O	1:A:321:TYR:CD2	2.74	0.40
1:A:720:GLU:HG2	1:A:757:ALA:HB1	2.01	0.40
1:A:718:LEU:HD12	1:A:780:LEU:HD22	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	719/721 (100%)	676 (94%)	39 (5%)	4 (1%)	28 21

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	219	GLN
1	A	221	ASP
1	A	231	ASN
1	A	220	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	638/640 (100%)	574 (90%)	64 (10%)	9 5

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	171	LYS
1	A	196	ASP
1	A	204	GLU
1	A	217	SER
1	A	218	SER
1	A	219	GLN
1	A	222	ARG

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	223	ILE
1	A	224	TYR
1	A	227	GLU
1	A	228	LYS
1	A	238	LEU
1	A	239	THR
1	A	252	VAL
1	A	254	ASN
1	A	258	ARG
1	A	263	GLU
1	A	278	LYS
1	A	282	ASN
1	A	290	ASN
1	A	319	LYS
1	A	327	LYS
1	A	337	LYS
1	A	341	ASN
1	A	368	GLN
1	A	383	LEU
1	A	392	GLN
1	A	404	TYR
1	A	413	ILE
1	A	419	LEU
1	A	427	LYS
1	A	432	LYS
1	A	433	ASP
1	A	468	ASN
1	A	483	HIS
1	A	492	GLU
1	A	521	LYS
1	A	540	ARG
1	A	557	ASN
1	A	560	LYS
1	A	577	GLU
1	A	581	LYS
1	A	585	ARG
1	A	674	LYS
1	A	689	THR
1	A	691	THR
1	A	700	LYS
1	A	708	LYS
1	A	715	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	717	SER
1	A	720	GLU
1	A	721	GLN
1	A	723	LYS
1	A	739	LYS
1	A	750	SER
1	A	780	LEU
1	A	811	LYS
1	A	812	GLU
1	A	813	LEU
1	A	853	VAL
1	A	869	LYS
1	A	874	ASN
1	A	888	LYS
1	A	889	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	202	ASN
1	A	237	ASN
1	A	254	ASN
1	A	261	GLN
1	A	279	HIS
1	A	282	ASN
1	A	290	ASN
1	A	341	ASN
1	A	349	ASN
1	A	392	GLN
1	A	436	GLN
1	A	468	ASN
1	A	557	ASN
1	A	580	ASN
1	A	667	HIS
1	A	683	ASN
1	A	698	GLN
1	A	759	GLN
1	A	820	ASN
1	A	825	GLN
1	A	832	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

6 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	NAG	A	2000	2	15,15,15	2.50	6 (40%)	21,21,21	1.02	1 (4%)
2	BDP	A	2001	2	9,12,13	4.08	6 (66%)	13,17,19	2.38	6 (46%)
2	NAG	A	2002	2	14,14,15	2.63	7 (50%)	15,19,21	1.04	1 (6%)
2	BDP	A	2003	2	9,12,13	3.34	6 (66%)	13,17,19	3.84	8 (61%)
2	NAG	A	2004	2	14,14,15	2.69	9 (64%)	15,19,21	1.29	4 (26%)
2	BDP	A	2005	2	9,12,13	6.34	3 (33%)	13,17,19	5.28	7 (53%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	2000	2	-	0/6/26/26	0/1/1/1
2	BDP	A	2001	2	-	0/0/21/24	0/1/1/1
2	NAG	A	2002	2	-	0/6/23/26	0/1/1/1
2	BDP	A	2003	2	-	0/0/21/24	0/1/1/1
2	NAG	A	2004	2	-	0/6/23/26	0/1/1/1
2	BDP	A	2005	2	1/1/5/6	0/0/21/24	0/1/1/1

All (37) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2005	BDP	O4-C4	-15.06	1.08	1.43
2	A	2005	BDP	C4-C5	-8.06	1.35	1.53
2	A	2001	BDP	C4-C3	2.18	1.57	1.52
2	A	2000	NAG	C4-C3	2.19	1.57	1.52
2	A	2002	NAG	C4-C3	2.26	1.58	1.52
2	A	2001	BDP	O4-C4	2.29	1.48	1.43
2	A	2004	NAG	O4-C4	2.29	1.48	1.43
2	A	2004	NAG	O3-C3	2.30	1.48	1.43
2	A	2003	BDP	C1-C2	2.32	1.57	1.52
2	A	2001	BDP	C1-C2	2.38	1.57	1.52
2	A	2000	NAG	O5-C5	2.44	1.50	1.44
2	A	2003	BDP	O4-C4	2.67	1.49	1.43
2	A	2004	NAG	C4-C3	2.67	1.59	1.52
2	A	2002	NAG	O5-C5	2.67	1.49	1.43
2	A	2003	BDP	C4-C3	2.68	1.59	1.52
2	A	2003	BDP	C4-C5	2.81	1.59	1.53
2	A	2004	NAG	C7-N2	2.81	1.44	1.34
2	A	2002	NAG	C4-C5	2.81	1.59	1.53
2	A	2000	NAG	C4-C5	2.89	1.59	1.53
2	A	2004	NAG	O5-C5	2.99	1.49	1.43
2	A	2004	NAG	C1-C2	3.07	1.56	1.52
2	A	2004	NAG	C4-C5	3.09	1.59	1.53
2	A	2001	BDP	C2-C3	3.19	1.56	1.52
2	A	2000	NAG	C1-C2	3.25	1.56	1.52
2	A	2002	NAG	C2-N2	3.28	1.52	1.46
2	A	2002	NAG	O3-C3	3.38	1.50	1.43
2	A	2004	NAG	O5-C1	4.14	1.50	1.43
2	A	2002	NAG	C1-C2	4.23	1.58	1.52
2	A	2000	NAG	C2-N2	4.25	1.52	1.45
2	A	2001	BDP	C4-C5	4.45	1.63	1.53
2	A	2003	BDP	C2-C3	5.07	1.59	1.52
2	A	2004	NAG	C2-N2	5.31	1.55	1.46
2	A	2000	NAG	O5-C1	5.37	1.52	1.43
2	A	2002	NAG	O5-C1	5.42	1.52	1.43
2	A	2003	BDP	O5-C5	6.75	1.50	1.43
2	A	2005	BDP	O5-C5	7.73	1.51	1.43
2	A	2001	BDP	O5-C5	9.92	1.53	1.43

All (27) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2003	BDP	O4-C4-C5	-8.32	93.83	110.06
2	A	2005	BDP	C1-C2-C3	-5.00	103.31	109.65

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2003	BDP	C1-C2-C3	-3.72	104.94	109.65
2	A	2001	BDP	O4-C4-C5	-3.36	103.50	110.06
2	A	2005	BDP	O5-C1-C2	-3.30	105.62	110.79
2	A	2001	BDP	C1-C2-C3	-3.15	105.66	109.65
2	A	2003	BDP	C2-C3-C4	-2.98	105.68	110.88
2	A	2001	BDP	O5-C5-C4	-2.70	104.40	108.93
2	A	2003	BDP	O5-C5-C4	-2.57	104.62	108.93
2	A	2004	NAG	C4-C3-C2	-2.10	107.94	111.02
2	A	2002	NAG	C8-C7-N2	-2.04	112.42	116.11
2	A	2000	NAG	C8-C7-N2	-2.02	112.45	116.11
2	A	2004	NAG	C8-C7-N2	-2.01	112.47	116.11
2	A	2004	NAG	C2-N2-C7	2.02	125.88	122.94
2	A	2004	NAG	O7-C7-N2	2.37	126.49	121.92
2	A	2003	BDP	C6-C5-C4	2.73	120.06	112.98
2	A	2001	BDP	C6-C5-C4	2.84	120.33	112.98
2	A	2003	BDP	C3-C4-C5	2.95	114.80	108.89
2	A	2001	BDP	C3-C4-C5	2.96	114.82	108.89
2	A	2005	BDP	C6-C5-C4	4.10	123.61	112.98
2	A	2005	BDP	O4-C4-C5	4.51	118.87	110.06
2	A	2001	BDP	C1-O5-C5	5.05	121.27	112.17
2	A	2003	BDP	C1-O5-C5	5.87	122.74	112.17
2	A	2003	BDP	O4-C4-C3	6.46	124.42	110.36
2	A	2005	BDP	O4-C4-C3	7.89	127.53	110.36
2	A	2005	BDP	O5-C5-C4	8.90	123.86	108.93
2	A	2005	BDP	C2-C3-C4	11.77	131.41	110.88

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	2005	BDP	C4

There are no torsion outliers.

There are no ring outliers.

5 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2000	NAG	1	0
2	A	2002	NAG	2	0
2	A	2003	BDP	1	0
2	A	2004	NAG	6	0
2	A	2005	BDP	6	0

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	721/721 (100%)	0.07	15 (2%) 64 63	11, 23, 44, 65	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	170	VAL	8.7
1	A	232	TYR	4.7
1	A	427	LYS	4.3
1	A	375	ARG	3.5
1	A	174	TYR	3.3
1	A	428	ASN	3.1
1	A	219	GLN	3.1
1	A	171	LYS	2.9
1	A	196	ASP	2.6
1	A	368	GLN	2.6
1	A	223	ILE	2.5
1	A	224	TYR	2.3
1	A	194	LYS	2.2
1	A	367	ASP	2.2
1	A	173	THR	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q < 0.9
2	NAG	A	2004	14/15	0.64	0.57	22.03	12,19,23,28	0
2	BDP	A	2003	12/13	0.56	0.45	16.62	13,17,26,29	0
2	BDP	A	2005	12/13	0.61	0.53	15.21	8,19,25,27	0
2	BDP	A	2001	12/13	0.86	0.21	6.93	15,20,25,27	0
2	NAG	A	2000	15/15	0.86	0.23	4.61	13,19,25,28	0
2	NAG	A	2002	14/15	0.86	0.17	3.21	10,18,26,28	0

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.