



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 03:37 pm GMT

PDB ID : 3LOO  
Title : Crystal structure of Anopheles gambiae adenosine kinase in complex with P1, P4-di(adenosine-5) tetraphosphate  
Authors : Ho, M.-C.; Cassera, M.B.; Almo, S.C.; Schramm, V.L.  
Deposited on : 2010-02-04  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	6609 (2.00-2.00)
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)
RSRZ outliers	101464	6696 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	365	<div> <div>5%</div> <div> <div></div> <div>80%</div> <div>10%</div> <div>8%</div> </div> </div>
1	B	365	<div> <div>12%</div> <div> <div></div> <div>77%</div> <div>14%</div> <div>7%</div> </div> </div>
1	C	365	<div> <div>5%</div> <div> <div></div> <div>72%</div> <div>14%</div> <div>12%</div> </div> </div>

## 2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 8160 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Anopheles gambiae adenosine kinase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	335	Total	C	N	O	S	0	0	0
			2601	1649	447	492	13			
1	B	341	Total	C	N	O	S	0	0	0
			2649	1678	454	503	14			
1	C	321	Total	C	N	O	S	0	1	0
			2503	1589	431	471	12			

- Molecule 2 is BIS(ADENOSINE)-5'-TETRAPHOSPHATE (three-letter code: B4P) (formula: C<sub>20</sub>H<sub>28</sub>N<sub>10</sub>O<sub>19</sub>P<sub>4</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	20	10	19	4		
2	B	1	Total	C	N	O	P	0	0
			53	20	10	19	4		
2	C	1	Total	C	N	O	P	0	0
			53	20	10	19	4		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total 1	Mg 1	0	0
3	A	1	Total 1	Mg 1	0	0
3	C	1	Total 1	Mg 1	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total 1	Cl 1	0	0
4	A	1	Total 1	Cl 1	0	0
4	C	1	Total 1	Cl 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	117	Total 117	O 117	0	0
5	B	63	Total 63	O 63	0	0
5	C	62	Total 62	O 62	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: *Anopheles gambiae* adenosine kinase




- Molecule 1: *Anopheles gambiae* adenosine kinase



- Molecule 1: *Anopheles gambiae* adenosine kinase





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	50.38Å 76.81Å 140.51Å 90.00° 92.12° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 19.45 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.6 (20.00-2.00) 99.7 (19.45-2.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.72 (at 1.99Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.198 , 0.248 0.200 , 0.246	Depositor DCC
$R_{free}$ test set	3652 reflections (5.31%)	DCC
Wilson B-factor (Å <sup>2</sup> )	32.4	Xtriage
Anisotropy	0.043	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.41 , 51.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.022 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	8160	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.60% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, B4P, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.75	0/2649	0.76	1/3583 (0.0%)
1	B	0.64	0/2699	0.67	0/3653
1	C	0.61	0/2551	0.66	0/3451
All	All	0.67	0/7899	0.70	1/10687 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	16	LEU	CA-CB-CG	5.36	127.62	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2601	0	2571	41	0
1	B	2649	0	2615	46	0
1	C	2503	0	2487	36	0
2	A	53	0	24	1	0
2	B	53	0	24	1	0
2	C	53	0	24	2	0
3	A	1	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	1	0	0	0	0
3	C	1	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
5	A	117	0	0	6	0
5	B	63	0	0	1	0
5	C	62	0	0	2	0
All	All	8160	0	7745	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:333:ARG:HB2	1:B:337:THR:HG23	1.37	1.06
1:B:192:MET:HG2	1:B:217:VAL:HG13	1.39	1.02
1:A:4:LEU:HD22	1:A:8:MET:HE1	1.46	0.97
1:B:71:ARG:HE	1:B:105:ASN:HD22	1.13	0.91
1:B:71:ARG:HE	1:B:105:ASN:ND2	1.69	0.90
1:A:71:ARG:HE	1:A:105:ASN:HD22	1.19	0.87
1:A:71:ARG:HE	1:A:105:ASN:ND2	1.74	0.85
1:A:4:LEU:HD22	1:A:8:MET:CE	2.08	0.83
1:B:8:MET:HE2	1:B:82:THR:HG23	1.59	0.83
1:B:8:MET:HE2	1:B:82:THR:CG2	2.11	0.80
1:C:71:ARG:HE	1:C:105:ASN:HD22	1.31	0.79
1:B:333:ARG:HG2	1:B:333:ARG:HH11	1.49	0.77
1:B:8:MET:CE	1:B:82:THR:CG2	2.65	0.75
1:A:8:MET:HE3	1:A:82:THR:CG2	2.16	0.75
1:A:146:GLU:HB2	5:A:440:HOH:O	1.87	0.73
1:C:24:GLU:HB2	1:C:26:ASP:OD2	1.89	0.73
1:C:74:GLN:HE21	1:C:83:ALA:H	1.37	0.72
1:B:314:ARG:NH1	5:B:377:HOH:O	2.20	0.71
1:C:71:ARG:HE	1:C:105:ASN:ND2	1.88	0.71
1:C:192:MET:HG2	1:C:217:VAL:HG13	1.69	0.71
1:A:74:GLN:NE2	1:A:83:ALA:H	1.88	0.70
1:C:4:LEU:HD22	1:C:8:MET:CE	2.22	0.70
1:B:8:MET:CE	1:B:82:THR:HG23	2.22	0.69
1:C:74:GLN:NE2	1:C:83:ALA:H	1.91	0.68
1:A:74:GLN:HE21	1:A:83:ALA:H	1.39	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:74:GLN:HE21	1:B:83:ALA:H	1.40	0.67
1:B:99:GLU:HG2	1:B:111:TYR:CE2	2.30	0.67
1:A:146:GLU:CB	5:A:440:HOH:O	2.41	0.67
1:A:81:ARG:NH1	5:A:431:HOH:O	2.15	0.64
1:A:8:MET:CE	1:A:82:THR:HG23	2.28	0.64
1:B:74:GLN:NE2	1:B:83:ALA:H	1.96	0.64
1:A:99:GLU:HG2	1:A:111:TYR:CE2	2.33	0.63
1:C:28:LEU:HD11	1:C:127:THR:HG21	1.81	0.63
1:A:8:MET:HE3	1:A:82:THR:HG23	1.81	0.62
1:B:99:GLU:HG2	1:B:111:TYR:HE2	1.63	0.62
1:B:141:ASN:HA	1:B:172:VAL:HG22	1.79	0.62
1:A:4:LEU:CD2	1:A:8:MET:HE1	2.24	0.61
1:A:8:MET:CE	1:A:82:THR:CG2	2.78	0.61
1:C:4:LEU:HD22	1:C:8:MET:HE1	1.82	0.59
1:B:217:VAL:HB	1:B:259:ILE:HG13	1.84	0.59
1:A:71:ARG:HH21	1:A:105:ASN:HD21	1.49	0.59
1:C:206[B]:ASN:ND2	5:C:384:HOH:O	2.37	0.58
1:C:264:GLN:HB2	1:C:267:ASP:HB2	1.86	0.57
1:C:4:LEU:HD22	1:C:8:MET:HE2	1.85	0.57
1:C:141:ASN:HA	1:C:172:VAL:HG22	1.86	0.56
1:B:276:THR:HG22	1:B:278:ASN:H	1.71	0.55
1:B:333:ARG:CG	1:B:333:ARG:HH11	2.20	0.55
1:C:20:SER:HB3	1:C:124:VAL:HB	1.88	0.54
1:C:23:VAL:HG11	1:C:27:LEU:HD22	1.90	0.54
1:A:329:GLU:OE1	1:A:333:ARG:NH1	2.41	0.54
1:A:99:GLU:HG2	1:A:111:TYR:HE2	1.73	0.54
1:A:332:GLN:HB3	1:A:333:ARG:HG2	1.90	0.54
1:B:71:ARG:HH21	1:B:105:ASN:HD21	1.56	0.53
1:C:217:VAL:HB	1:C:259:ILE:HG13	1.89	0.53
1:A:295:THR:HG23	1:A:296:ASN:N	2.24	0.52
1:A:228:LEU:C	1:A:228:LEU:HD23	2.30	0.52
1:B:20:SER:CB	1:B:124:VAL:HB	2.40	0.52
1:A:267:ASP:HB3	1:A:268:PRO:CD	2.40	0.52
1:C:266:SER:O	1:C:284:VAL:HG22	2.09	0.51
1:C:131:ARG:NH2	1:C:296:ASN:HA	2.25	0.51
1:A:101:ARG:NH1	5:A:365:HOH:O	2.26	0.51
1:C:5:ARG:NH2	1:C:161:GLN:HG2	2.26	0.50
1:B:8:MET:HE3	1:B:82:THR:CG2	2.40	0.50
1:A:96:ARG:NH2	1:B:281:GLU:OE2	2.44	0.50
1:B:12:LEU:HB2	1:B:165:VAL:HG22	1.93	0.50
1:B:289:PRO:HA	1:B:292:MET:HB2	1.93	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:287:LEU:HD11	1:C:328:ARG:HH21	1.77	0.49
1:A:50:GLN:HE21	1:A:54:GLU:CD	2.15	0.48
1:B:8:MET:HE3	1:B:8:MET:HB2	1.69	0.48
1:A:5:ARG:O	1:A:8:MET:HG3	2.14	0.48
1:B:66:VAL:HG23	1:B:166:SER:HB3	1.96	0.48
1:B:293:VAL:HB	1:B:332:GLN:O	2.14	0.47
1:C:95:ALA:O	1:C:99:GLU:HB2	2.14	0.47
1:B:96:ARG:HH11	1:B:96:ARG:HG3	1.79	0.47
1:C:314:ARG:NH1	5:C:376:HOH:O	2.47	0.47
1:A:295:THR:CG2	1:A:296:ASN:N	2.78	0.47
1:B:299:GLY:HA2	2:B:349:B4P:H51B	1.96	0.47
1:C:299:GLY:HA2	2:C:349:B4P:H51B	1.97	0.47
1:A:267:ASP:HB3	1:A:268:PRO:HD2	1.97	0.46
1:A:8:MET:HE2	1:A:82:THR:HG23	1.97	0.46
1:B:228:LEU:HD23	1:B:228:LEU:O	2.15	0.46
1:B:333:ARG:CB	1:B:337:THR:HG23	2.28	0.46
1:A:266:SER:O	1:A:284:VAL:HG13	2.16	0.46
1:A:74:GLN:HE21	1:A:83:ALA:N	2.12	0.46
1:B:288:ALA:N	1:B:291:GLN:HE21	2.15	0.45
1:C:20:SER:CB	1:C:124:VAL:HB	2.47	0.45
1:A:222:GLU:HG2	1:A:223:THR:N	2.31	0.45
1:C:74:GLN:HE21	1:C:83:ALA:N	2.12	0.45
1:B:74:GLN:HE22	1:B:82:THR:H	1.65	0.45
1:B:74:GLN:HE22	1:B:82:THR:N	2.15	0.45
1:B:8:MET:HE2	1:B:82:THR:HG21	1.97	0.45
1:C:17:LEU:HD11	1:C:60:TYR:HB3	1.98	0.45
1:B:222:GLU:HB2	1:B:239:LEU:HD11	1.99	0.45
1:C:267:ASP:HB3	1:C:268:PRO:CD	2.47	0.45
1:C:228:LEU:HD23	1:C:228:LEU:C	2.37	0.44
1:A:91:GLN:HG2	5:A:456:HOH:O	2.17	0.44
1:B:131:ARG:NH1	1:B:295:THR:H	2.14	0.44
1:B:11:GLY:HA2	1:B:164:TYR:O	2.18	0.44
1:B:146:GLU:CD	1:B:146:GLU:H	2.20	0.44
1:A:165:VAL:O	1:A:193:MET:HA	2.17	0.44
1:A:10:VAL:CG1	1:A:160:ALA:HB2	2.49	0.43
1:A:322:CYS:HB2	1:A:344:PHE:CE2	2.53	0.43
1:C:131:ARG:NH2	2:C:349:B4P:O1A	2.51	0.43
1:C:36:ASN:HA	1:C:131:ARG:O	2.17	0.43
1:B:100:GLU:O	1:B:104:SER:HB2	2.18	0.43
1:C:22:VAL:HA	1:C:126:VAL:O	2.19	0.43
1:B:266:SER:O	1:B:284:VAL:HG22	2.19	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:25:LYS:HA	1:B:28:LEU:HD12	2.02	0.42
1:C:317:ASP:O	1:C:321:LYS:HG3	2.20	0.42
1:B:96:ARG:HH11	1:B:96:ARG:CG	2.33	0.42
1:A:222:GLU:HB2	1:A:239:LEU:HD11	2.01	0.42
1:B:71:ARG:NE	1:B:105:ASN:ND2	2.52	0.42
1:C:222:GLU:OE2	1:C:264:GLN:HA	2.19	0.42
1:B:20:SER:HB2	1:B:124:VAL:HB	2.01	0.42
1:A:146:GLU:HB3	5:A:440:HOH:O	2.14	0.42
1:B:131:ARG:HH11	1:B:294:ASP:HA	1.86	0.41
1:C:331:ILE:O	1:C:331:ILE:CG2	2.69	0.41
1:A:299:GLY:HA2	2:A:349:B4P:H51B	2.03	0.41
1:C:5:ARG:HA	1:C:79:ARG:NH2	2.35	0.41
1:C:165:VAL:O	1:C:193:MET:HA	2.21	0.40
1:A:74:GLN:HE22	1:A:82:THR:N	2.18	0.40
1:A:26:ASP:N	1:A:26:ASP:OD2	2.55	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	331/365 (91%)	323 (98%)	8 (2%)	0	100	100
1	B	339/365 (93%)	327 (96%)	11 (3%)	1 (0%)	44	40
1	C	318/365 (87%)	308 (97%)	10 (3%)	0	100	100
All	All	988/1095 (90%)	958 (97%)	29 (3%)	1 (0%)	55	52

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	332	GLN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	273/300 (91%)	262 (96%)	11 (4%)	36	32
1	B	279/300 (93%)	255 (91%)	24 (9%)	12	7
1	C	263/300 (88%)	249 (95%)	14 (5%)	26	21
All	All	815/900 (91%)	766 (94%)	49 (6%)	22	17

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	LEU
1	A	25	LYS
1	A	77	LEU
1	A	99	GLU
1	A	133	LEU
1	A	146	GLU
1	A	284	VAL
1	A	295	THR
1	A	332	GLN
1	A	333	ARG
1	A	337	THR
1	B	4	LEU
1	B	10	VAL
1	B	16	LEU
1	B	24	GLU
1	B	34	GLN
1	B	43	GLU
1	B	77	LEU
1	B	93	GLU
1	B	96	ARG
1	B	99	GLU
1	B	101	ARG
1	B	109	VAL
1	B	137	LEU
1	B	141	ASN
1	B	146	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	208	LEU
1	B	217	VAL
1	B	222	GLU
1	B	264	GLN
1	B	284	VAL
1	B	292	MET
1	B	332	GLN
1	B	333	ARG
1	B	337	THR
1	C	12	LEU
1	C	99	GLU
1	C	127	THR
1	C	129	THR
1	C	131	ARG
1	C	133	LEU
1	C	137	LEU
1	C	146	GLU
1	C	151	ASP
1	C	208	LEU
1	C	217	VAL
1	C	269	VAL
1	C	276	THR
1	C	284	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	GLN
1	A	78	GLN
1	A	105	ASN
1	A	110	GLN
1	A	158	GLN
1	A	264	GLN
1	B	29	ASN
1	B	50	GLN
1	B	74	GLN
1	B	78	GLN
1	B	105	ASN
1	B	110	GLN
1	B	153	ASN
1	B	158	GLN
1	B	264	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	291	GLN
1	B	312	GLN
1	C	74	GLN
1	C	78	GLN
1	C	105	ASN
1	C	110	GLN
1	C	147	HIS
1	C	153	ASN
1	C	158	GLN
1	C	264	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 6 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	B4P	A	349	3	46,58,58	0.95	2 (4%)	42,91,91	2.29	5 (11%)
2	B4P	B	349	3	46,58,58	0.84	1 (2%)	42,91,91	2.20	6 (14%)
2	B4P	C	349	3	46,58,58	0.95	2 (4%)	42,91,91	2.26	6 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	B4P	A	349	3	-	0/30/70/70	0/6/6/6
2	B4P	B	349	3	-	0/30/70/70	0/6/6/6
2	B4P	C	349	3	-	0/30/70/70	0/6/6/6

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	349	B4P	O4F-C1F	2.56	1.44	1.41
2	A	349	B4P	C2B-N3B	2.75	1.36	1.32
2	B	349	B4P	C5B-C4B	3.08	1.47	1.40
2	A	349	B4P	C5B-C4B	3.14	1.47	1.40
2	C	349	B4P	C5B-C4B	3.86	1.49	1.40

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	349	B4P	N3A-C2A-N1A	-10.03	120.12	128.86
2	A	349	B4P	N3A-C2A-N1A	-9.14	120.90	128.86
2	B	349	B4P	N3A-C2A-N1A	-8.79	121.20	128.86
2	A	349	B4P	N3B-C2B-N1B	-8.40	121.55	128.86
2	B	349	B4P	N3B-C2B-N1B	-7.59	122.25	128.86
2	C	349	B4P	N3B-C2B-N1B	-7.05	122.71	128.86
2	B	349	B4P	C4E-O4E-C1E	-4.37	105.12	109.77
2	C	349	B4P	C4B-C5B-N7B	-3.51	106.02	109.41
2	A	349	B4P	C4B-C5B-N7B	-3.51	106.02	109.41
2	C	349	B4P	C4E-O4E-C1E	-3.33	106.23	109.77
2	A	349	B4P	C4A-C5A-N7A	-3.16	106.36	109.41
2	B	349	B4P	C4B-C5B-N7B	-2.80	106.70	109.41
2	B	349	B4P	C5E-C4E-C3E	-2.41	106.11	115.29
2	B	349	B4P	C1F-N9B-C4B	-2.15	122.92	126.64
2	A	349	B4P	O3E-C3E-C4E	-2.11	104.91	111.09
2	C	349	B4P	C5E-C4E-C3E	-2.08	107.36	115.29
2	C	349	B4P	C2B-N1B-C6B	2.05	122.35	118.77

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.



3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	349	B4P	1	0
2	B	349	B4P	1	0
2	C	349	B4P	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	335/365 (91%)	0.16	17 (5%) 29 29	20, 30, 52, 62	0
1	B	341/365 (93%)	0.67	44 (12%) 4 4	25, 40, 72, 79	0
1	C	321/365 (87%)	0.38	20 (6%) 21 21	27, 41, 60, 68	0
All	All	997/1095 (91%)	0.41	81 (8%) 13 13	20, 37, 62, 79	0

All (81) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	336	CYS	8.5
1	C	129	THR	7.3
1	B	129	THR	6.0
1	B	339	GLU	5.9
1	B	335	GLY	5.9
1	B	293	VAL	5.4
1	B	29	ASN	5.1
1	B	288	ALA	5.1
1	B	340	GLY	5.1
1	B	337	THR	4.6
1	B	338	PHE	4.6
1	A	129	THR	4.6
1	C	287	LEU	4.5
1	B	341	GLU	4.4
1	B	57	GLN	4.3
1	A	334	SER	4.3
1	C	255	LYS	4.3
1	C	130	GLN	4.3
1	B	130	GLN	4.1
1	B	43	GLU	4.1
1	C	115	ALA	4.1
1	B	127	THR	3.9
1	B	203	PHE	3.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	286	LYS	3.9
1	B	290	GLU	3.9
1	C	332	GLN	3.8
1	B	334	SER	3.8
1	B	289	PRO	3.8
1	A	287	LEU	3.6
1	B	343	SER	3.6
1	A	336	CYS	3.5
1	B	333	ARG	3.5
1	B	24	GLU	3.4
1	C	331	ILE	3.4
1	A	335	GLY	3.4
1	B	25	LYS	3.3
1	C	25	LYS	3.2
1	A	333	ARG	3.2
1	B	327	ALA	3.2
1	A	288	ALA	3.2
1	C	296	ASN	3.1
1	C	75	TRP	3.1
1	B	291	GLN	3.1
1	B	31	TYR	3.1
1	B	36	ASN	3.0
1	B	54	GLU	3.0
1	A	115	ALA	3.0
1	A	151	ASP	2.9
1	B	32	ASP	2.8
1	B	255	LYS	2.8
1	A	337	THR	2.7
1	B	128	GLY	2.7
1	A	341	GLU	2.6
1	C	43	GLU	2.6
1	C	275	GLY	2.6
1	A	154	ARG	2.6
1	B	123	ALA	2.6
1	C	325	TRP	2.5
1	B	55	LYS	2.5
1	C	128	GLY	2.5
1	B	228	LEU	2.5
1	B	131	ARG	2.5
1	C	57	GLN	2.4
1	B	326	ALA	2.4
1	B	286	LYS	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	35	PRO	2.4
1	C	330	ILE	2.4
1	A	130	GLN	2.3
1	C	328	ARG	2.3
1	B	115	ALA	2.3
1	A	123	ALA	2.3
1	C	123	ALA	2.2
1	B	26	ASP	2.2
1	B	34	GLN	2.2
1	A	343	SER	2.2
1	C	100	GLU	2.2
1	A	57	GLN	2.2
1	A	43	GLU	2.2
1	B	215	VAL	2.1
1	B	332	GLN	2.0
1	B	294	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	MG	C	350	1/1	0.97	0.10	-0.35	35,35,35,35	0
2	B4P	B	349	53/53	0.92	0.12	-0.36	29,38,51,56	0
2	B4P	A	349	53/53	0.95	0.11	-0.51	21,29,39,41	0
2	B4P	C	349	53/53	0.93	0.12	-0.54	28,44,54,55	0
4	CL	C	351	1/1	0.99	0.09	-0.66	30,30,30,30	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
4	CL	A	351	1/1	0.99	0.07	-1.35	22,22,22,22	0
4	CL	B	351	1/1	0.99	0.06	-1.68	30,30,30,30	0
3	MG	A	350	1/1	0.98	0.05	-1.88	28,28,28,28	0
3	MG	B	350	1/1	0.96	0.05	-3.35	37,37,37,37	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.