



wwPDB/EMDataBank EM Map/Model Validation Summary Report ⓘ

Aug 24, 2017 – 07:40 AM EDT

PDB ID : 5LZB
EMDB ID: : EMD-4122
Title : Structure of SelB-Sec-tRNA^{Sec} bound to the 70S ribosome in the initial binding state (IB)
Authors : Fischer, N.; Neumann, P.; Bock, L.V.; Maracci, C.; Wang, Z.; Paleskava, A.; Konevega, A.L.; Schroeder, G.F.; Grubmueller, H.; Ficner, R.; Rodnina, M.V.; Stark, H.
Deposited on : unknown
Resolution : 5.30 Å(reported)

This is a wwPDB/EMDataBank EM Map/Model Validation Summary Report
for a publicly released PDB/EMDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20029824


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 5.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|-----------------------------|-----------------------------|
| Clashscore | 125131 | 1336 |
| Ramachandran outliers | 121729 | 1120 |
| Sidechain outliers | 121581 | 1026 |
| RNA backbone | 3398 | 335 |

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | a | 1539 | 75% 22% . |
| 2 | b | 218 | 96% . |
| 3 | c | 206 | 97% . |
| 4 | d | 205 | 97% . |
| 5 | e | 157 | 95% 5% |
| 6 | f | 100 | 95% 5% |
| 7 | g | 151 | 97% . |
| 8 | h | 129 | 98% . |


























Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|---|
| 9 | i | 127 |  97% . |
| 10 | j | 98 |  92% 7% . |
| 11 | k | 116 |  96% .. |
| 12 | l | 123 |  93% 7% |
| 13 | m | 114 |  96% .. |
| 14 | n | 100 |  99% . |
| 15 | o | 88 |  93% 6% . |
| 16 | p | 82 |  96% . |
| 17 | q | 80 |  96% . |
| 18 | r | 65 |  92% 8% |
| 19 | s | 79 |  97% . |
| 20 | t | 85 |  99% . |
| 21 | u | 65 |  94% 6% |
| 22 | v | 77 |  66% 34% |
| 23 | x | 48 |  33% 29% 38% |
| 24 | y | 95 |  44% 39% 17% |
| 25 | z | 614 |  97% . |
| 26 | A | 2903 |  62% 31% 6% . |
| 27 | B | 120 |  64% 29% 5% . |
| 28 | C | 271 |  82% 17% |
| 29 | D | 209 |  78% 22% |
| 30 | E | 201 |  87% 13% |
| 31 | F | 177 |  81% 18% . |
| 32 | G | 176 |  74% 23% . |
| 33 | I | 141 |  78% 21% .. |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|---|
| 34 | H | 149 |  83% 15% . |
| 35 | J | 142 |  82% 17% . |
| 36 | K | 122 |  78% 21% . |
| 37 | L | 143 |  78% 22% . |
| 38 | M | 136 |  81% 18% . |
| 39 | N | 120 |  82% 18% |
| 40 | O | 116 |  83% 17% |
| 41 | P | 114 |  81% 19% |
| 42 | Q | 117 |  85% 15% |
| 43 | R | 103 |  80% 20% |
| 44 | S | 110 |  87% 11% . |
| 45 | T | 93 |  75% 24% . |
| 46 | U | 102 |  67% 31% . |
| 47 | V | 94 |  86% 14% |
| 48 | W | 75 |  83% 17% |
| 49 | X | 77 |  91% 9% |
| 50 | Y | 63 |  83% 16% . |
| 51 | Z | 58 |  76% 24% |
| 52 | 0 | 56 |  84% 16% |
| 53 | 1 | 50 |  76% 24% |
| 54 | 2 | 46 |  87% 13% |
| 55 | 3 | 64 |  86% 13% . |
| 56 | 4 | 38 |  82% 16% . |
| 57 | 6 | 66 |  73% 21% 6% |
| 58 | w | 3 |  100% |

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

| Mol | Type | Chain | Res | Chirality | Geometry | Clashes | Electron density |
|-----|------|-------|------|-----------|----------|---------|------------------|
| 1 | G7M | a | 527 | X | - | - | - |
| 26 | G7M | A | 2069 | X | - | - | - |

2 Entry composition

There are 64 unique types of molecules in this entry. The entry contains 152991 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-------|------|-------|------|---------|-------|
| 1 | a | 1539 | Total | C | N | O | P | 0 | 0 |
| | | | 33029 | 14738 | 6052 | 10700 | 1539 | | |

- Molecule 2 is a protein called 30S ribosomal protein S2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 2 | b | 218 | Total | C | N | O | S | 0 | 0 |
| | | | 1705 | 1081 | 305 | 312 | 7 | | |

- Molecule 3 is a protein called 30S ribosomal protein S3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 3 | c | 206 | Total | C | N | O | S | 0 | 0 |
| | | | 1625 | 1028 | 305 | 289 | 3 | | |

- Molecule 4 is a protein called 30S ribosomal protein S4.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 4 | d | 205 | Total | C | N | O | S | 0 | 0 |
| | | | 1643 | 1026 | 315 | 298 | 4 | | |

- Molecule 5 is a protein called 30S ribosomal protein S5.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 5 | e | 157 | Total | C | N | O | S | 0 | 0 |
| | | | 1157 | 719 | 218 | 214 | 6 | | |

- Molecule 6 is a protein called 30S ribosomal protein S6.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 6 | f | 100 | Total | C | N | O | S | 0 | 0 |
| | | | 818 | 515 | 148 | 149 | 6 | | |

- Molecule 7 is a protein called 30S ribosomal protein S7.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 7 | g | 151 | Total | C | N | O | S | 0 | 0 |
| | | | 1182 | 735 | 227 | 216 | 4 | | |

- Molecule 8 is a protein called 30S ribosomal protein S8.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 8 | h | 129 | Total | C | N | O | S | 0 | 0 |
| | | | 979 | 616 | 173 | 184 | 6 | | |

- Molecule 9 is a protein called 30S ribosomal protein S9.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 9 | i | 127 | Total | C | N | O | S | 0 | 0 |
| | | | 1022 | 634 | 206 | 179 | 3 | | |

- Molecule 10 is a protein called 30S ribosomal protein S10.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 10 | j | 98 | Total | C | N | O | S | 0 | 0 |
| | | | 787 | 493 | 150 | 143 | 1 | | |

- Molecule 11 is a protein called 30S ribosomal protein S11.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 11 | k | 116 | Total | C | N | O | S | 0 | 0 |
| | | | 870 | 535 | 173 | 159 | 3 | | |

- Molecule 12 is a protein called 30S ribosomal protein S12.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 12 | l | 123 | Total | C | N | O | S | 0 | 0 |
| | | | 955 | 590 | 196 | 165 | 4 | | |

- Molecule 13 is a protein called 30S ribosomal protein S13.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 13 | m | 114 | Total | C | N | O | S | 0 | 0 |
| | | | 884 | 546 | 178 | 157 | 3 | | |

- Molecule 14 is a protein called 30S ribosomal protein S14.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 14 | n | 100 | Total | C | N | O | S | 0 | 0 |
| | | | 794 | 495 | 164 | 132 | 3 | | |

- Molecule 15 is a protein called 30S ribosomal protein S15.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 15 | o | 88 | Total | C | N | O | S | 0 | 0 |
| | | | 714 | 439 | 144 | 130 | 1 | | |

- Molecule 16 is a protein called 30S ribosomal protein S16.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 16 | p | 82 | Total | C | N | O | S | 0 | 0 |
| | | | 649 | 406 | 128 | 114 | 1 | | |

- Molecule 17 is a protein called 30S ribosomal protein S17.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 17 | q | 80 | Total | C | N | O | S | 0 | 0 |
| | | | 649 | 411 | 121 | 114 | 3 | | |

- Molecule 18 is a protein called 30S ribosomal protein S18.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---------|-------|
| 18 | r | 65 | Total | C | N | O | 0 | 0 |
| | | | 505 | 317 | 96 | 92 | | |

- Molecule 19 is a protein called 30S ribosomal protein S19.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 19 | s | 79 | Total | C | N | O | S | 0 | 0 |
| | | | 638 | 408 | 120 | 108 | 2 | | |

- Molecule 20 is a protein called 30S ribosomal protein S20.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 20 | t | 85 | Total | C | N | O | S | 0 | 0 |
| | | | 665 | 411 | 137 | 114 | 3 | | |

- Molecule 21 is a protein called 30S ribosomal protein S21.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 21 | u | 65 | Total | C | N | O | S | 0 | 0 |
| | | | 496 | 307 | 100 | 88 | 1 | | |

- Molecule 22 is a RNA chain called fMet-tRNA^{fMet}.

| Mol | Chain | Residues | Atoms | | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---|---------|-------|
| 22 | v | 77 | Total | C | N | O | P | S | 0 | 0 |
| | | | 1642 | 733 | 297 | 534 | 77 | 1 | | |

- Molecule 23 is a RNA chain called SECIS mRNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 23 | x | 48 | Total | C | N | O | P | 0 | 0 |
| | | | 1025 | 457 | 183 | 337 | 48 | | |

- Molecule 24 is a RNA chain called Sec-tRNA^{Sec}.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 24 | y | 95 | Total | C | N | O | P | 0 | 0 |
| | | | 2031 | 907 | 357 | 672 | 95 | | |

- Molecule 25 is a protein called Selenocysteine-specific elongation factor.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 25 | z | 614 | Total | C | N | O | S | 1 | 0 |
| | | | 4863 | 3049 | 904 | 893 | 17 | | |

- Molecule 26 is a RNA chain called 23S ribosomal RNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-------|-------|-------|------|---------|-------|
| 26 | A | 2903 | Total | C | N | O | P | 0 | 0 |
| | | | 62335 | 27815 | 11467 | 20150 | 2903 | | |

- Molecule 27 is a RNA chain called 5S ribosomal RNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|-----|---------|-------|
| 27 | B | 120 | Total | C | N | O | P | 0 | 0 |
| | | | 2570 | 1144 | 468 | 838 | 120 | | |

- Molecule 28 is a protein called 50S ribosomal protein L2.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|-------|
| 28 | C | 271 | Total | C | N | O | S | 0 | 0 |
| | | | 2083 | 1288 | 423 | 365 | 7 | | |

- Molecule 29 is a protein called 50S ribosomal protein L3.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 29 | D | 209 | Total | C | N | O | S | 0 | 0 |
| | | | 1565 | 979 | 288 | 294 | 4 | | |

- Molecule 30 is a protein called 50S ribosomal protein L4.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 30 | E | 201 | Total | C | N | O | S | 0 | 0 |
| | | | 1552 | 974 | 283 | 290 | 5 | | |

- Molecule 31 is a protein called 50S ribosomal protein L5.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 31 | F | 177 | Total | C | N | O | S | 0 | 0 |
| | | | 1411 | 899 | 249 | 257 | 6 | | |

- Molecule 32 is a protein called 50S ribosomal protein L6.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 32 | G | 176 | Total | C | N | O | S | 0 | 0 |
| | | | 1323 | 832 | 243 | 246 | 2 | | |

- Molecule 33 is a protein called 50S ribosomal protein L11.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 33 | I | 141 | Total | C | N | O | S | 0 | 0 |
| | | | 1032 | 651 | 179 | 196 | 6 | | |

- Molecule 34 is a protein called 50S ribosomal protein L9.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 34 | H | 149 | Total | C | N | O | S | 0 | 0 |
| | | | 1111 | 699 | 197 | 214 | 1 | | |

- Molecule 35 is a protein called 50S ribosomal protein L13.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 35 | J | 142 | Total | C | N | O | S | 0 | 0 |
| | | | 1129 | 714 | 212 | 199 | 4 | | |

- Molecule 36 is a protein called 50S ribosomal protein L14.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 36 | K | 122 | Total | C | N | O | S | 0 | 0 |
| | | | 939 | 587 | 180 | 166 | 6 | | |

- Molecule 37 is a protein called 50S ribosomal protein L15.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 37 | L | 143 | Total | C | N | O | S | 0 | 0 |
| | | | 1045 | 649 | 206 | 189 | 1 | | |

- Molecule 38 is a protein called 50S ribosomal protein L16.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 38 | M | 136 | Total | C | N | O | S | 0 | 0 |
| | | | 1074 | 686 | 205 | 177 | 6 | | |

- Molecule 39 is a protein called 50S ribosomal protein L17.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 39 | N | 120 | Total | C | N | O | S | 0 | 0 |
| | | | 961 | 593 | 196 | 167 | 5 | | |

- Molecule 40 is a protein called 50S ribosomal protein L18.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 40 | O | 116 | Total | C | N | O | 0 | 0 |
| | | | 892 | 552 | 178 | 162 | | |

- Molecule 41 is a protein called 50S ribosomal protein L19.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 41 | P | 114 | Total | C | N | O | S | 0 | 0 |
| | | | 917 | 574 | 179 | 163 | 1 | | |

- Molecule 42 is a protein called 50S ribosomal protein L20.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 42 | Q | 117 | Total | C | N | O | 0 | 0 |
| | | | 947 | 604 | 192 | 151 | | |

- Molecule 43 is a protein called 50S ribosomal protein L21.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 43 | R | 103 | Total | C | N | O | S | 0 | 0 |
| | | | 816 | 516 | 153 | 145 | 2 | | |

- Molecule 44 is a protein called 50S ribosomal protein L22.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 44 | S | 110 | Total | C | N | O | S | 0 | 0 |
| | | | 857 | 532 | 166 | 156 | 3 | | |

- Molecule 45 is a protein called 50S ribosomal protein L23.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 45 | T | 93 | Total | C | N | O | S | 0 | 0 |
| | | | 739 | 466 | 139 | 132 | 2 | | |

- Molecule 46 is a protein called 50S ribosomal protein L24.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 46 | U | 102 | Total | C | N | O | 0 | 0 |
| | | | 780 | 492 | 146 | 142 | | |

- Molecule 47 is a protein called 50S ribosomal protein L25.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 47 | V | 94 | Total | C | N | O | S | 0 | 0 |
| | | | 753 | 479 | 137 | 134 | 3 | | |

- Molecule 48 is a protein called 50S ribosomal protein L27.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 48 | W | 75 | Total | C | N | O | S | 0 | 0 |
| | | | 575 | 356 | 116 | 102 | 1 | | |

- Molecule 49 is a protein called 50S ribosomal protein L28.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 49 | X | 77 | Total | C | N | O | S | 0 | 0 |
| | | | 625 | 388 | 129 | 106 | 2 | | |

- Molecule 50 is a protein called 50S ribosomal protein L29.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 50 | Y | 63 | Total | C | N | O | S | 0 | 0 |
| | | | 509 | 313 | 99 | 95 | 2 | | |

- Molecule 51 is a protein called 50S ribosomal protein L30.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 51 | Z | 58 | Total | C | N | O | S | 0 | 0 |
| | | | 449 | 281 | 87 | 79 | 2 | | |

- Molecule 52 is a protein called 50S ribosomal protein L32.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 52 | 0 | 56 | Total | C | N | O | S | 0 | 0 |
| | | | 444 | 269 | 94 | 80 | 1 | | |

- Molecule 53 is a protein called 50S ribosomal protein L33.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---------|-------|
| 53 | 1 | 50 | Total | C | N | O | 0 | 0 |
| | | | 410 | 263 | 75 | 72 | | |

- Molecule 54 is a protein called 50S ribosomal protein L34.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 54 | 2 | 46 | Total | C | N | O | S | 0 | 0 |
| | | | 377 | 228 | 90 | 57 | 2 | | |

- Molecule 55 is a protein called 50S ribosomal protein L35.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 55 | 3 | 64 | Total | C | N | O | S | 0 | 0 |
| | | | 504 | 323 | 105 | 74 | 2 | | |

- Molecule 56 is a protein called 50S ribosomal protein L36.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 56 | 4 | 38 | Total | C | N | O | S | 0 | 0 |
| | | | 302 | 185 | 65 | 48 | 4 | | |


- Molecule 57 is a protein called 50S ribosomal protein L31.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---|---------|-------|
| 57 | 6 | 66 | Total | C | N | O | S | 0 | 0 |
| | | | 523 | 323 | 99 | 95 | 6 | | |

- Molecule 58 is a RNA chain called CCA 3' end of E-site tRNA^{Sec} (low occupancy).


| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|---|---------|-------|
| 58 | w | 3 | Total | C | N | O | P | 0 | 0 |
| | | | 62 | 28 | 11 | 20 | 3 | | |

- Molecule 59 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: C₆H₁₁NO₃S).




| Mol | Chain | Residues | Atoms | | | | | AltConf |
|-----|-------|----------|-------|---|---|---|---|---------|
| 59 | v | 1 | Total | C | N | O | S | 0 |
| | | | 10 | 6 | 1 | 2 | 1 | |

- Molecule 60 is SELENOCYSTEINE (three-letter code: SEC) (formula: C₃H₇NO₂Se).



| Mol | Chain | Residues | Atoms | | | | | AltConf |
|-----|-------|----------|-------|---|---|---|----|---------|
| 60 | y | 1 | Total | C | N | O | Se | 0 |
| | | | 6 | 3 | 1 | 1 | 1 | |

- Molecule 61 is PHOSPHOAMINOPHOSPHONIC ACID-GUANYLATE ESTER (three-letter code: GNP) (formula: $C_{10}H_{17}N_6O_{13}P_3$).



| Mol | Chain | Residues | Atoms | | | | | AltConf |
|-----|-------|----------|-------|----|---|----|---|---------|
| 61 | z | 1 | Total | C | N | O | P | 0 |
| | | | 32 | 10 | 6 | 13 | 3 | |

- Molecule 62 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| 62 | z | 1 | Total | Mg | 0 |
| | | | 1 | 1 | |

- Molecule 63 is ZINC ION (three-letter code: ZN) (formula: Zn).

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|----|---------|
| 63 | 4 | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |
| 63 | 6 | 1 | Total | Zn | 0 |
| | | | 1 | 1 | |


- Molecule 64 is water.

| Mol | Chain | Residues | Atoms | | AltConf |
|-----|-------|----------|-------|---|---------|
| 64 | z | 2 | Total | O | 0 |
| | | | 2 | 2 | |


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 16S ribosomal RNA




- Molecule 2: 30S ribosomal protein S2

Chain b:  96% .



- Molecule 3: 30S ribosomal protein S3

Chain c:  97% .



- Molecule 4: 30S ribosomal protein S4

Chain d:  97% .




- Molecule 5: 30S ribosomal protein S5

Chain e:  95% 5%



- Molecule 6: 30S ribosomal protein S6

Chain f:  95% 5%



- Molecule 7: 30S ribosomal protein S7

Chain g:  97% .



- Molecule 8: 30S ribosomal protein S8

Chain h:  98% .



- Molecule 9: 30S ribosomal protein S9

Chain i:  97% .



- Molecule 10: 30S ribosomal protein S10

Chain j:
92% 7%



- Molecule 11: 30S ribosomal protein S11

Chain k:
96%



- Molecule 12: 30S ribosomal protein S12

Chain l:
93% 7%



- Molecule 13: 30S ribosomal protein S13

Chain m:
96%



- Molecule 14: 30S ribosomal protein S14

Chain n:
99%




- Molecule 15: 30S ribosomal protein S15

Chain o:
93% 6%



- Molecule 16: 30S ribosomal protein S16

Chain p:
96%




- Molecule 17: 30S ribosomal protein S17

Chain q:  96% .




- Molecule 18: 30S ribosomal protein S18

Chain r:  92% 8%



- Molecule 19: 30S ribosomal protein S19

Chain s:  97% .



- Molecule 20: 30S ribosomal protein S20

Chain t:  99% .




- Molecule 21: 30S ribosomal protein S21

Chain u:  94% 6%




- Molecule 22: fMet-tRNA^{fMet}

Chain v:  66% 34%




- Molecule 23: SECIS mRNA

Chain x:  33% 29% 38%



- Molecule 24: Sec-tRNA^{Sec}

Chain y:  44% 39% 17%




- Molecule 25: Selenocysteine-specific elongation factor

Chain z: 97%




- Molecule 26: 23S ribosomal RNA

Chain A: 62% 31% 6%




| | | | | | | | | | | | |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| G2663 | G2567 | A2478 | G2375 | A2173 | C2104 | C1905 | A1668 | A1569 | A1469 | G1250 | A1142 |
| U2684 | U2568 | U2479 | A2378 | C2174 | U2105 | G1906 | A1669 | A1570 | A1470 | C1251 | A1143 |
| G2689 | A2572 | G2480 | G2378 | C2175 | U2106 | G1907 | A1670 | A1571 | A1475 | G1252 | |
| U2690 | G2573 | G2481 | G2383 | A2176 | G2107 | A1913 | G1673 | A1572 | G1475 | A1253 | |
| G2691 | G2574 | G2482 | U2384 | C2177 | A2108 | G1914 | G1674 | A1577 | A1476 | A1254 | G1149 |
| | G2575 | G2483 | G2385 | C2178 | U2109 | G1915 | U1577 | G1577 | A1477 | U1255 | G1150 |
| | G2576 | G2484 | C2385 | C2179 | G2110 | G1916 | C1675 | U1578 | G1478 | G1256 | A1151 |
| U2698 | | G2485 | U2390 | U2180 | U2111 | A1916 | | | | C1257 | C1152 |
| G2699 | | G2488 | | U2181 | G2112 | C1924 | U1680 | C1582 | G1482 | U1258 | C1153 |
| A2700 | U2580 | U2393 | U2393 | U2182 | U2113 | G1924 | G1681 | U1583 | A1378 | G1259 | G1154 |
| U2701 | G2581 | A2394 | C2394 | A2183 | G2116 | A1927 | G1797 | U1584 | A1379 | A1260 | A1155 |
| G2702 | G2582 | U2184 | | U2185 | A2117 | G1928 | G1798 | U1585 | A1380 | G1261 | |
| | G2583 | U2186 | | G2186 | U2118 | G1929 | G1682 | C1585 | | A1264 | G1156 |
| U2707 | U2584 | A2287 | | U2187 | A2119 | G1930 | G1687 | | | A1265 | |
| U2585 | U2585 | U2291 | | U2188 | G2120 | | | | A1383 | G1266 | |
| C2710 | C2591 | U2292 | | U2189 | G2121 | C1934 | U1693 | G1601 | A1490 | U1267 | C1167 |
| G2714 | G2592 | U2295 | | G2125 | G2125 | G1935 | G1699 | A1602 | C1386 | G1270 | G1171 |
| C2715 | U2593 | C2295 | | A2196 | A2196 | A1936 | A1700 | A1603 | A1387 | G1271 | C1172 |
| G2716 | U2594 | U2296 | | G2127 | G2127 | A1937 | A1494 | A1608 | A1392 | A1272 | |
| G2717 | G2595 | A2198 | | G2128 | U2041 | U1938 | C1704 | A1609 | A1393 | U1273 | |
| G2718 | G2596 | A2199 | | C2129 | A2042 | G1811 | A1705 | A1610 | U1394 | U1274 | A1175 |
| G2719 | U2597 | G2303 | | U2130 | C2043 | U1940 | C1708 | A1611 | A1395 | A1275 | |
| U2720 | U2598 | G2304 | | U2131 | C2044 | C1941 | | | U1396 | | |
| | A2600 | U2305 | | U2132 | C2045 | C1942 | | | U1397 | | |
| G2601 | C2512 | U2306 | | G2133 | G2046 | U1943 | G1715 | A1614 | C1398 | | |
| A2602 | A2513 | G2308 | | A2134 | C2047 | | U1716 | C1615 | A1504 | | |
| G2603 | G2514 | A2309 | | A2135 | G2048 | U1955 | A1717 | A1616 | A1505 | C1278 | |
| U2604 | G2515 | G2310 | | A2136 | C2049 | U1956 | G1723 | C1617 | U1506 | G1279 | |
| U2605 | G2516 | U2311 | | G2136 | | U1957 | | U1618 | C1507 | G1288 | |
| G2606 | C2517 | U2312 | | | A2051 | C1957 | G1727 | G1619 | A1402 | | |
| | A2518 | | | | A2052 | C1958 | C1728 | | A1508 | U1294 | |
| A2607 | U2519 | U2313 | | G2140 | | G1959 | | U1624 | A1509 | | |
| G2608 | C2520 | C2215 | | U2141 | C2055 | U1960 | C1738 | | G1407 | | |
| U2609 | U2520 | U2210 | | A2142 | G2056 | A1961 | U1737 | U1629 | G1408 | G1300 | |
| C2610 | G2521 | A2211 | | C2143 | G2057 | U1962 | G1738 | G1514 | U1409 | A1301 | |
| U2611 | U2522 | U2321 | | G2144 | A2058 | U1963 | | | G410 | G1190 | |
| G2613 | U2523 | U2322 | | C2145 | C2059 | G1964 | G1743 | A1637 | G416 | G1311 | |
| U2614 | A2524 | U2323 | | A2147 | A2060 | | | C1638 | C417 | U1312 | |
| U2615 | G2525 | U2324 | | | A2062 | C1967 | | C1639 | | U1313 | |
| G2616 | U2526 | G2226 | | C2150 | C2061 | U1971 | U1751 | | A1420 | C1314 | |
| U2617 | G2527 | A2322 | | G2152 | A2062 | G1972 | C1752 | G1644 | U1528 | G1315 | |
| C2626 | U2528 | U2323 | | U2151 | C2065 | U1973 | G1753 | A1645 | | U1316 | |
| U2629 | A2529 | G2325 | | G2156 | C2066 | U1976 | A1754 | C1646 | C1428 | G1317 | |
| G2630 | U2530 | U2326 | | G2157 | G2069 | | A1755 | C1647 | | | |
| | A2531 | G2327 | | A2158 | A2070 | U1982 | U1756 | U1648 | G1432 | A1321 | |
| U2631 | G2532 | U2328 | | G2159 | A2071 | U1983 | A1757 | G1649 | A1433 | A1322 | |
| A2542 | U2533 | G2329 | | C2160 | U2075 | U1990 | U1758 | A1652 | A1434 | G1323 | |
| U2632 | A2534 | U2330 | | U2161 | U2076 | U1991 | G1875 | G1653 | G1435 | G1324 | |
| U2633 | U2535 | G2331 | | G2162 | U2077 | U1992 | A1876 | A1654 | C1436 | U1325 | |
| | U2536 | U2332 | | A2163 | A2080 | G1993 | | A1655 | C1437 | | |
| U2634 | G2537 | G2333 | | C2164 | U2081 | U1994 | G1884 | A1656 | G1452 | U1329 | |
| U2635 | U2538 | U2334 | | U2165 | U2082 | U1995 | A1885 | C1656 | A1453 | G1333 | |
| A2547 | A2469 | G2335 | | G2166 | U2083 | C1996 | U1886 | | G1454 | | |
| U2548 | G2470 | C2354 | | U2167 | A2084 | U1997 | U1769 | G1659 | G1455 | U1340 | |
| U2549 | U2473 | G2357 | | G2168 | A2085 | A1998 | G1770 | G1660 | G1456 | | |
| U2550 | U2474 | A2358 | | A2169 | G2100 | G2002 | A1772 | A1664 | U1458 | C1345 | |
| U2551 | G2475 | U2359 | | A2170 | C2103 | U2007 | C1773 | A1665 | G1459 | G1348 | |
| U2552 | U2476 | C2359 | | A2171 | | | U1775 | A1666 | U1460 | C1349 | |
| U2553 | U2477 | C2264 | | U2172 | | | | G1667 | U1468 | G1350 | |




• Molecule 27: 5S ribosomal RNA

Chain B: 64% 29% 5% •



• Molecule 28: 50S ribosomal protein L2

Chain C: 82% 17%



• Molecule 29: 50S ribosomal protein L3

Chain D: 78% 22%



• Molecule 30: 50S ribosomal protein L4

Chain E: 87% 13%




• Molecule 31: 50S ribosomal protein L5

Chain F: 81% 18%



• Molecule 32: 50S ribosomal protein L6

Chain G: 74% 23%




- Molecule 33: 50S ribosomal protein L11

Chain I: 78% 21% ..



- Molecule 34: 50S ribosomal protein L9

Chain H: 83% 15% .



- Molecule 35: 50S ribosomal protein L13

Chain J: 82% 17% .



- Molecule 36: 50S ribosomal protein L14

Chain K: 78% 21% .



- Molecule 37: 50S ribosomal protein L15

Chain L: 78% 22% .




- Molecule 38: 50S ribosomal protein L16

Chain M: 81% 18% .




- Molecule 39: 50S ribosomal protein L17

Chain N: 82% 18%



- Molecule 40: 50S ribosomal protein L18

Chain O: 83% 17%



- Molecule 41: 50S ribosomal protein L19

Chain P: 81% 19%




- Molecule 42: 50S ribosomal protein L20

Chain Q: 85% 15%



- Molecule 43: 50S ribosomal protein L21

Chain R: 80% 20%



- Molecule 44: 50S ribosomal protein L22

Chain S: 87% 11%



- Molecule 45: 50S ribosomal protein L23

Chain T: 75% 24%




- Molecule 46: 50S ribosomal protein L24

Chain U: 67% 31%




- Molecule 47: 50S ribosomal protein L25

Chain V:  86% 14%



- Molecule 48: 50S ribosomal protein L27

Chain W:  83% 17%




- Molecule 49: 50S ribosomal protein L28

Chain X:  91% 9%



- Molecule 50: 50S ribosomal protein L29

Chain Y:  83% 16% .




- Molecule 51: 50S ribosomal protein L30

Chain Z:  76% 24%




- Molecule 52: 50S ribosomal protein L32

Chain 0:  84% 16%



- Molecule 53: 50S ribosomal protein L33

Chain 1:  76% 24%




- Molecule 54: 50S ribosomal protein L34

Chain 2:  87% 13%



- Molecule 55: 50S ribosomal protein L35

Chain 3: 86% 13% .




- Molecule 56: 50S ribosomal protein L36

Chain 4: 82% 16% .



- Molecule 57: 50S ribosomal protein L31

Chain 6: 73% 21% 6%



- Molecule 58: CCA 3' end of E-site tRNA^{Sec} (low occupancy)

Chain w: 100%

There are no outlier residues recorded for this chain.

4 Experimental information

| Property | Value | Source |
|--------------------------------------|--|-----------|
| Reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, Not provided | Depositor |
| Number of particles used | 8002 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | PHASE FLIPPING ONLY; Local CTF correction, after MSA based classification and averaging of local power spectra | Depositor |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 30 | Depositor |
| Minimum defocus (nm) | 700 | Depositor |
| Maximum defocus (nm) | 2600 | Depositor |
| Magnification | 59000 | Depositor |
| Image detector | FEI FALCON II (4k x 4k) | Depositor |

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GNP, MA6, 2MA, 2MG, 1MG, 3TD, G7M, SEC, UR3, 5MU, ZN, 6IA, 5MC, 6MZ, FME, OMC, MG, OMG, H2U, OMU, 4OC, 4SU, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|-----------------|-------------|-------------------|
| | | RMSZ | # Z >2 | RMSZ | # Z >2 |
| 1 | a | 0.58 | 3/36701 (0.0%) | 1.30 | 392/57246 (0.7%) |
| 10 | j | 0.44 | 0/797 | 0.87 | 1/1077 (0.1%) |
| 11 | k | 0.48 | 0/886 | 0.87 | 3/1195 (0.3%) |
| 12 | l | 0.43 | 0/969 | 0.79 | 1/1300 (0.1%) |
| 13 | m | 0.42 | 0/893 | 0.90 | 1/1193 (0.1%) |
| 14 | n | 0.45 | 0/806 | 0.82 | 1/1074 (0.1%) |
| 15 | o | 0.42 | 0/722 | 0.81 | 3/964 (0.3%) |
| 16 | p | 0.55 | 0/659 | 0.78 | 0/884 |
| 17 | q | 0.45 | 0/658 | 0.88 | 0/881 |
| 18 | r | 0.36 | 0/512 | 0.67 | 0/689 |
| 19 | s | 0.37 | 0/653 | 0.73 | 2/877 (0.2%) |
| 2 | b | 0.45 | 0/1736 | 0.85 | 4/2338 (0.2%) |
| 20 | t | 0.43 | 0/671 | 0.77 | 0/888 |
| 21 | u | 0.43 | 0/501 | 0.85 | 1/668 (0.1%) |
| 22 | v | 0.62 | 2/1745 (0.1%) | 1.33 | 25/2716 (0.9%) |
| 23 | x | 0.88 | 1/1145 (0.1%) | 1.84 | 45/1781 (2.5%) |
| 24 | y | 0.89 | 2/2168 (0.1%) | 1.92 | 110/3375 (3.3%) |
| 25 | z | 0.47 | 0/4963 | 0.89 | 12/6727 (0.2%) |
| 26 | A | 0.57 | 13/69240 (0.0%) | 1.24 | 539/108014 (0.5%) |
| 27 | B | 0.58 | 1/2873 (0.0%) | 1.24 | 27/4478 (0.6%) |
| 28 | C | 0.42 | 0/2122 | 0.77 | 1/2852 (0.0%) |
| 29 | D | 0.45 | 0/1586 | 0.75 | 0/2134 |
| 3 | c | 0.41 | 0/1652 | 0.76 | 3/2225 (0.1%) |
| 30 | E | 0.43 | 0/1571 | 0.75 | 2/2113 (0.1%) |
| 31 | F | 0.52 | 1/1435 (0.1%) | 0.90 | 4/1926 (0.2%) |
| 32 | G | 0.47 | 0/1343 | 0.82 | 3/1816 (0.2%) |
| 33 | I | 0.49 | 0/1046 | 0.97 | 5/1410 (0.4%) |
| 34 | H | 0.40 | 0/1122 | 0.74 | 1/1515 (0.1%) |
| 35 | J | 0.42 | 0/1152 | 0.70 | 2/1551 (0.1%) |
| 36 | K | 0.47 | 0/948 | 0.75 | 0/1268 |
| 37 | L | 0.42 | 0/1054 | 0.75 | 0/1403 |

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|------------------|-------------|--------------------|
| | | RMSZ | # Z >2 | RMSZ | # Z >2 |
| 38 | M | 0.43 | 0/1093 | 0.74 | 1/1460 (0.1%) |
| 39 | N | 0.43 | 0/974 | 0.68 | 0/1301 |
| 4 | d | 0.49 | 0/1665 | 0.93 | 3/2227 (0.1%) |
| 40 | O | 0.43 | 0/902 | 0.72 | 0/1209 |
| 41 | P | 0.43 | 0/929 | 0.72 | 1/1242 (0.1%) |
| 42 | Q | 0.41 | 0/960 | 0.58 | 1/1278 (0.1%) |
| 43 | R | 0.42 | 0/829 | 0.79 | 0/1107 |
| 44 | S | 0.39 | 0/864 | 0.80 | 2/1156 (0.2%) |
| 45 | T | 0.44 | 0/745 | 0.77 | 0/994 |
| 46 | U | 0.43 | 0/788 | 0.91 | 1/1051 (0.1%) |
| 47 | V | 0.47 | 0/766 | 0.72 | 0/1025 |
| 48 | W | 0.39 | 0/582 | 0.69 | 0/769 |
| 49 | X | 0.35 | 0/635 | 0.70 | 1/848 (0.1%) |
| 5 | e | 0.45 | 0/1170 | 0.88 | 0/1573 |
| 50 | Y | 0.48 | 0/510 | 0.92 | 2/677 (0.3%) |
| 51 | Z | 0.40 | 0/453 | 0.72 | 1/605 (0.2%) |
| 52 | 0 | 0.44 | 0/450 | 0.80 | 0/599 |
| 53 | 1 | 0.36 | 0/417 | 0.77 | 0/554 |
| 54 | 2 | 0.40 | 0/380 | 0.69 | 0/498 |
| 55 | 3 | 0.40 | 0/513 | 0.63 | 0/676 |
| 56 | 4 | 0.48 | 0/303 | 0.80 | 1/397 (0.3%) |
| 57 | 6 | 0.46 | 0/532 | 1.01 | 5/709 (0.7%) |
| 58 | w | 0.32 | 0/68 | 0.98 | 0/103 |
| 6 | f | 0.51 | 0/836 | 0.85 | 1/1128 (0.1%) |
| 7 | g | 0.46 | 0/1196 | 0.81 | 2/1602 (0.1%) |
| 8 | h | 0.43 | 0/989 | 0.78 | 1/1326 (0.1%) |
| 9 | i | 0.47 | 0/1034 | 0.84 | 0/1375 |
| All | All | 0.55 | 23/164912 (0.0%) | 1.17 | 1211/246067 (0.5%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1 | a | 2 | 0 |
| 10 | j | 0 | 2 |
| 11 | k | 0 | 1 |
| 12 | l | 0 | 2 |
| 13 | m | 0 | 2 |
| 15 | o | 0 | 1 |
| 18 | r | 0 | 2 |

Continued on next page...

Continued from previous page...

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 2 | b | 0 | 2 |
| 25 | z | 0 | 3 |
| 26 | A | 2 | 0 |
| 28 | C | 0 | 1 |
| 33 | I | 0 | 2 |
| 34 | H | 0 | 3 |
| 36 | K | 0 | 1 |
| 38 | M | 0 | 1 |
| 44 | S | 0 | 1 |
| 46 | U | 0 | 2 |
| 5 | e | 0 | 1 |
| 55 | 3 | 0 | 1 |
| All | All | 4 | 28 |

The worst 5 of 23 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|--------|-------------|----------|
| 24 | y | 1 | G | OP3-P | -10.71 | 1.48 | 1.61 |
| 22 | v | 1 | C | OP3-P | -10.67 | 1.48 | 1.61 |
| 23 | x | 87 | A | OP3-P | -10.65 | 1.48 | 1.61 |
| 1 | a | 2 | A | OP3-P | -10.60 | 1.48 | 1.61 |
| 27 | B | 1 | U | OP3-P | -10.57 | 1.48 | 1.61 |

The worst 5 of 1211 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|-----------|--------|-------------|----------|
| 1 | a | 452 | A | O5'-P-OP1 | -19.89 | 86.83 | 110.70 |
| 1 | a | 450 | G | O5'-P-OP1 | 16.99 | 131.09 | 110.70 |
| 26 | A | 1026 | G | O5'-P-OP1 | -15.92 | 91.37 | 105.70 |
| 26 | A | 2169 | A | C5-N7-C8 | 15.84 | 111.82 | 103.90 |
| 26 | A | 1178 | C | N1-C2-O2 | 15.82 | 128.39 | 118.90 |

All (4) chirality outliers are listed below:

| Mol | Chain | Res | Type | Atom |
|-----|-------|------|------|---------|
| 1 | a | 527 | G7M | C4',C3' |
| 26 | A | 2069 | G7M | C4',C3' |

5 of 28 planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|---------|
| 2 | b | 16 | GLY | Peptide |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|-----------|
| 2 | b | 17 | HIS | Mainchain |
| 5 | e | 92 | ARG | Peptide |
| 10 | j | 33 | GLY | Peptide |
| 10 | j | 56 | HIS | Peptide |

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | a | 33029 | 0 | 16643 | 0 | 0 |
| 2 | b | 1705 | 0 | 1732 | 0 | 0 |
| 3 | c | 1625 | 0 | 1699 | 0 | 0 |
| 4 | d | 1643 | 0 | 1710 | 0 | 0 |
| 5 | e | 1157 | 0 | 1199 | 0 | 0 |
| 6 | f | 818 | 0 | 808 | 0 | 0 |
| 7 | g | 1182 | 0 | 1240 | 0 | 0 |
| 8 | h | 979 | 0 | 1034 | 0 | 0 |
| 9 | i | 1022 | 0 | 1070 | 0 | 0 |
| 10 | j | 787 | 0 | 828 | 0 | 0 |
| 11 | k | 870 | 0 | 878 | 0 | 0 |
| 12 | l | 955 | 0 | 1019 | 0 | 0 |
| 13 | m | 884 | 0 | 944 | 0 | 0 |
| 14 | n | 794 | 0 | 836 | 0 | 0 |
| 15 | o | 714 | 0 | 737 | 0 | 0 |
| 16 | p | 649 | 0 | 666 | 0 | 0 |
| 17 | q | 649 | 0 | 691 | 0 | 0 |
| 18 | r | 505 | 0 | 502 | 0 | 0 |
| 19 | s | 638 | 0 | 665 | 0 | 0 |
| 20 | t | 665 | 0 | 714 | 0 | 0 |
| 21 | u | 496 | 0 | 486 | 0 | 0 |
| 22 | v | 1642 | 0 | 839 | 0 | 0 |
| 23 | x | 1025 | 0 | 518 | 0 | 0 |
| 24 | y | 2031 | 0 | 1039 | 0 | 0 |
| 25 | z | 4863 | 0 | 4837 | 0 | 0 |
| 26 | A | 62335 | 0 | 31375 | 421 | 0 |
| 27 | B | 2570 | 0 | 1301 | 20 | 0 |
| 28 | C | 2083 | 0 | 2157 | 30 | 0 |
| 29 | D | 1565 | 0 | 1616 | 32 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|--------|----------|----------|---------|--------------|
| 30 | E | 1552 | 0 | 1619 | 16 | 0 |
| 31 | F | 1411 | 0 | 1447 | 20 | 0 |
| 32 | G | 1323 | 0 | 1374 | 29 | 0 |
| 33 | I | 1032 | 0 | 1088 | 15 | 0 |
| 34 | H | 1111 | 0 | 1148 | 13 | 0 |
| 35 | J | 1129 | 0 | 1162 | 14 | 0 |
| 36 | K | 939 | 0 | 1012 | 16 | 0 |
| 37 | L | 1045 | 0 | 1117 | 21 | 0 |
| 38 | M | 1074 | 0 | 1157 | 17 | 0 |
| 39 | N | 961 | 0 | 1000 | 14 | 0 |
| 40 | O | 892 | 0 | 923 | 14 | 0 |
| 41 | P | 917 | 0 | 965 | 13 | 0 |
| 42 | Q | 947 | 0 | 1022 | 14 | 0 |
| 43 | R | 816 | 0 | 839 | 12 | 0 |
| 44 | S | 857 | 0 | 922 | 9 | 0 |
| 45 | T | 739 | 0 | 807 | 16 | 0 |
| 46 | U | 780 | 0 | 834 | 16 | 0 |
| 47 | V | 753 | 0 | 780 | 10 | 0 |
| 48 | W | 575 | 0 | 592 | 9 | 0 |
| 49 | X | 625 | 0 | 655 | 6 | 0 |
| 50 | Y | 509 | 0 | 543 | 8 | 0 |
| 51 | Z | 449 | 0 | 491 | 10 | 0 |
| 52 | 0 | 444 | 0 | 461 | 6 | 0 |
| 53 | 1 | 410 | 0 | 440 | 7 | 0 |
| 54 | 2 | 377 | 0 | 418 | 4 | 0 |
| 55 | 3 | 504 | 0 | 574 | 7 | 0 |
| 56 | 4 | 302 | 0 | 340 | 6 | 0 |
| 57 | 6 | 523 | 0 | 521 | 10 | 0 |
| 58 | w | 62 | 0 | 34 | 0 | 0 |
| 59 | v | 10 | 0 | 10 | 0 | 0 |
| 60 | y | 6 | 0 | 3 | 0 | 0 |
| 61 | z | 32 | 0 | 13 | 0 | 0 |
| 62 | z | 1 | 0 | 0 | 0 | 0 |
| 63 | 4 | 1 | 0 | 0 | 0 | 0 |
| 63 | 6 | 1 | 0 | 0 | 0 | 0 |
| 64 | z | 2 | 0 | 0 | 0 | 0 |
| All | All | 152991 | 0 | 104094 | 728 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 728 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|--------------------------|-------------------|
| 26:A:279:A:N6 | 26:A:361:G:N3 | 2.04 | 1.05 |
| 26:A:2166:U:O2 | 26:A:2170:A:N6 | 2.08 | 0.85 |
| 36:K:35:VAL:HG21 | 36:K:69:VAL:HG12 | 1.69 | 0.74 |
| 26:A:1072:C:OP1 | 26:A:1077:A:N6 | 2.23 | 0.72 |
| 26:A:410:G:N3 | 26:A:432:A:N6 | 41.67 | 0.72 |

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|-----------|----------|----------|-------------|-----|
| 2 | b | 216/218 (99%) | 188 (87%) | 24 (11%) | 4 (2%) | 9 | 48 |
| 3 | c | 204/206 (99%) | 191 (94%) | 10 (5%) | 3 (2%) | 12 | 53 |
| 4 | d | 203/205 (99%) | 190 (94%) | 8 (4%) | 5 (2%) | 6 | 42 |
| 5 | e | 155/157 (99%) | 142 (92%) | 6 (4%) | 7 (4%) | 3 | 29 |
| 6 | f | 98/100 (98%) | 81 (83%) | 13 (13%) | 4 (4%) | 3 | 31 |
| 7 | g | 149/151 (99%) | 139 (93%) | 7 (5%) | 3 (2%) | 9 | 47 |
| 8 | h | 127/129 (98%) | 115 (91%) | 11 (9%) | 1 (1%) | 22 | 66 |
| 9 | i | 125/127 (98%) | 108 (86%) | 13 (10%) | 4 (3%) | 5 | 37 |
| 10 | j | 96/98 (98%) | 83 (86%) | 7 (7%) | 6 (6%) | 1 | 22 |
| 11 | k | 114/116 (98%) | 104 (91%) | 8 (7%) | 2 (2%) | 10 | 49 |
| 12 | l | 121/123 (98%) | 110 (91%) | 7 (6%) | 4 (3%) | 4 | 36 |
| 13 | m | 112/114 (98%) | 101 (90%) | 8 (7%) | 3 (3%) | 6 | 41 |
| 14 | n | 98/100 (98%) | 85 (87%) | 13 (13%) | 0 | 100 | 100 |
| 15 | o | 86/88 (98%) | 76 (88%) | 7 (8%) | 3 (4%) | 4 | 35 |
| 16 | p | 80/82 (98%) | 72 (90%) | 5 (6%) | 3 (4%) | 4 | 33 |
| 17 | q | 78/80 (98%) | 70 (90%) | 5 (6%) | 3 (4%) | 4 | 33 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|----------------|-----------|----------|----------|-------------|-----|
| 18 | r | 63/65 (97%) | 57 (90%) | 3 (5%) | 3 (5%) | 2 | 28 |
| 19 | s | 77/79 (98%) | 69 (90%) | 8 (10%) | 0 | 100 | 100 |
| 20 | t | 83/85 (98%) | 77 (93%) | 5 (6%) | 1 (1%) | 15 | 58 |
| 21 | u | 63/65 (97%) | 53 (84%) | 7 (11%) | 3 (5%) | 2 | 28 |
| 25 | z | 613/614 (100%) | 587 (96%) | 20 (3%) | 6 (1%) | 18 | 61 |
| 28 | C | 269/271 (99%) | 254 (94%) | 13 (5%) | 2 (1%) | 25 | 68 |
| 29 | D | 207/209 (99%) | 197 (95%) | 8 (4%) | 2 (1%) | 18 | 61 |
| 30 | E | 199/201 (99%) | 189 (95%) | 8 (4%) | 2 (1%) | 18 | 61 |
| 31 | F | 175/177 (99%) | 163 (93%) | 9 (5%) | 3 (2%) | 11 | 51 |
| 32 | G | 174/176 (99%) | 162 (93%) | 7 (4%) | 5 (3%) | 5 | 39 |
| 33 | I | 139/141 (99%) | 121 (87%) | 14 (10%) | 4 (3%) | 5 | 39 |
| 34 | H | 147/149 (99%) | 130 (88%) | 12 (8%) | 5 (3%) | 4 | 36 |
| 35 | J | 140/142 (99%) | 136 (97%) | 3 (2%) | 1 (1%) | 25 | 68 |
| 36 | K | 120/122 (98%) | 116 (97%) | 2 (2%) | 2 (2%) | 11 | 51 |
| 37 | L | 141/143 (99%) | 131 (93%) | 8 (6%) | 2 (1%) | 13 | 54 |
| 38 | M | 134/136 (98%) | 127 (95%) | 5 (4%) | 2 (2%) | 12 | 53 |
| 39 | N | 118/120 (98%) | 108 (92%) | 9 (8%) | 1 (1%) | 22 | 66 |
| 40 | O | 114/116 (98%) | 103 (90%) | 10 (9%) | 1 (1%) | 20 | 63 |
| 41 | P | 112/114 (98%) | 108 (96%) | 4 (4%) | 0 | 100 | 100 |
| 42 | Q | 115/117 (98%) | 110 (96%) | 5 (4%) | 0 | 100 | 100 |
| 43 | R | 101/103 (98%) | 93 (92%) | 6 (6%) | 2 (2%) | 9 | 47 |
| 44 | S | 108/110 (98%) | 102 (94%) | 4 (4%) | 2 (2%) | 9 | 48 |
| 45 | T | 91/93 (98%) | 79 (87%) | 11 (12%) | 1 (1%) | 17 | 60 |
| 46 | U | 100/102 (98%) | 89 (89%) | 5 (5%) | 6 (6%) | 2 | 22 |
| 47 | V | 92/94 (98%) | 88 (96%) | 4 (4%) | 0 | 100 | 100 |
| 48 | W | 73/75 (97%) | 69 (94%) | 4 (6%) | 0 | 100 | 100 |
| 49 | X | 75/77 (97%) | 74 (99%) | 1 (1%) | 0 | 100 | 100 |
| 50 | Y | 61/63 (97%) | 56 (92%) | 4 (7%) | 1 (2%) | 11 | 52 |
| 51 | Z | 56/58 (97%) | 55 (98%) | 1 (2%) | 0 | 100 | 100 |
| 52 | 0 | 54/56 (96%) | 51 (94%) | 2 (4%) | 1 (2%) | 9 | 48 |
| 53 | 1 | 48/50 (96%) | 46 (96%) | 1 (2%) | 1 (2%) | 8 | 46 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|----------|----------|-------------|-----|
| 54 | 2 | 44/46 (96%) | 42 (96%) | 1 (2%) | 1 (2%) | 7 | 44 |
| 55 | 3 | 62/64 (97%) | 57 (92%) | 4 (6%) | 1 (2%) | 11 | 52 |
| 56 | 4 | 36/38 (95%) | 33 (92%) | 3 (8%) | 0 | 100 | 100 |
| 57 | 6 | 64/66 (97%) | 57 (89%) | 5 (8%) | 2 (3%) | 5 | 37 |
| All | All | 6330/6431 (98%) | 5844 (92%) | 368 (6%) | 118 (2%) | 14 | 48 |

5 of 118 Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 2 | b | 18 | GLN |
| 2 | b | 151 | LYS |
| 5 | e | 89 | THR |
| 6 | f | 94 | HIS |
| 9 | i | 57 | VAL |

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|------------|----------|-------------|-----|
| 2 | b | 180/180 (100%) | 180 (100%) | 0 | 100 | 100 |
| 3 | c | 170/170 (100%) | 170 (100%) | 0 | 100 | 100 |
| 4 | d | 172/172 (100%) | 172 (100%) | 0 | 100 | 100 |
| 5 | e | 119/119 (100%) | 119 (100%) | 0 | 100 | 100 |
| 6 | f | 87/87 (100%) | 87 (100%) | 0 | 100 | 100 |
| 7 | g | 124/124 (100%) | 124 (100%) | 0 | 100 | 100 |
| 8 | h | 104/104 (100%) | 104 (100%) | 0 | 100 | 100 |
| 9 | i | 105/105 (100%) | 105 (100%) | 0 | 100 | 100 |
| 10 | j | 86/86 (100%) | 86 (100%) | 0 | 100 | 100 |
| 11 | k | 89/89 (100%) | 89 (100%) | 0 | 100 | 100 |
| 12 | l | 103/103 (100%) | 102 (99%) | 1 (1%) | 80 | 90 |
| 13 | m | 92/92 (100%) | 92 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|------------|----------|-------------|-----|
| 14 | n | 79/83 (95%) | 79 (100%) | 0 | 100 | 100 |
| 15 | o | 76/76 (100%) | 76 (100%) | 0 | 100 | 100 |
| 16 | p | 65/65 (100%) | 65 (100%) | 0 | 100 | 100 |
| 17 | q | 74/74 (100%) | 74 (100%) | 0 | 100 | 100 |
| 18 | r | 48/56 (86%) | 48 (100%) | 0 | 100 | 100 |
| 19 | s | 70/70 (100%) | 70 (100%) | 0 | 100 | 100 |
| 20 | t | 65/65 (100%) | 65 (100%) | 0 | 100 | 100 |
| 21 | u | 44/55 (80%) | 44 (100%) | 0 | 100 | 100 |
| 25 | z | 502/501 (100%) | 502 (100%) | 0 | 100 | 100 |
| 28 | C | 216/216 (100%) | 216 (100%) | 0 | 100 | 100 |
| 29 | D | 164/164 (100%) | 164 (100%) | 0 | 100 | 100 |
| 30 | E | 165/165 (100%) | 165 (100%) | 0 | 100 | 100 |
| 31 | F | 148/148 (100%) | 148 (100%) | 0 | 100 | 100 |
| 32 | G | 137/137 (100%) | 137 (100%) | 0 | 100 | 100 |
| 33 | I | 109/109 (100%) | 109 (100%) | 0 | 100 | 100 |
| 34 | H | 114/114 (100%) | 114 (100%) | 0 | 100 | 100 |
| 35 | J | 116/116 (100%) | 116 (100%) | 0 | 100 | 100 |
| 36 | K | 103/103 (100%) | 103 (100%) | 0 | 100 | 100 |
| 37 | L | 102/102 (100%) | 102 (100%) | 0 | 100 | 100 |
| 38 | M | 109/109 (100%) | 109 (100%) | 0 | 100 | 100 |
| 39 | N | 100/100 (100%) | 100 (100%) | 0 | 100 | 100 |
| 40 | O | 86/86 (100%) | 86 (100%) | 0 | 100 | 100 |
| 41 | P | 99/99 (100%) | 99 (100%) | 0 | 100 | 100 |
| 42 | Q | 89/89 (100%) | 89 (100%) | 0 | 100 | 100 |
| 43 | R | 84/84 (100%) | 84 (100%) | 0 | 100 | 100 |
| 44 | S | 93/93 (100%) | 93 (100%) | 0 | 100 | 100 |
| 45 | T | 80/80 (100%) | 80 (100%) | 0 | 100 | 100 |
| 46 | U | 83/83 (100%) | 83 (100%) | 0 | 100 | 100 |
| 47 | V | 78/78 (100%) | 78 (100%) | 0 | 100 | 100 |
| 48 | W | 57/57 (100%) | 57 (100%) | 0 | 100 | 100 |
| 49 | X | 67/67 (100%) | 67 (100%) | 0 | 100 | 100 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|------------------|-------------|----------|-------------|-----|
| 50 | Y | 55/55 (100%) | 55 (100%) | 0 | 100 | 100 |
| 51 | Z | 48/48 (100%) | 48 (100%) | 0 | 100 | 100 |
| 52 | 0 | 47/47 (100%) | 47 (100%) | 0 | 100 | 100 |
| 53 | 1 | 45/45 (100%) | 45 (100%) | 0 | 100 | 100 |
| 54 | 2 | 38/38 (100%) | 38 (100%) | 0 | 100 | 100 |
| 55 | 3 | 51/51 (100%) | 51 (100%) | 0 | 100 | 100 |
| 56 | 4 | 34/34 (100%) | 34 (100%) | 0 | 100 | 100 |
| 57 | 6 | 59/59 (100%) | 59 (100%) | 0 | 100 | 100 |
| All | All | 5230/5252 (100%) | 5229 (100%) | 1 (0%) | 100 | 100 |

All (1) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 12 | l | 23 | LEU |

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 36 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 25 | z | 529 | GLN |
| 29 | D | 150 | GLN |
| 50 | Y | 58 | ASN |
| 28 | C | 89 | ASN |
| 30 | E | 90 | GLN |

5.3.3 RNA ⓘ

| Mol | Chain | Analysed | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 1 | a | 1535/1539 (99%) | 197 (12%) | 0 |
| 22 | v | 76/77 (98%) | 10 (13%) | 0 |
| 23 | x | 47/48 (97%) | 29 (61%) | 0 |
| 24 | y | 93/95 (97%) | 23 (24%) | 0 |
| 26 | A | 2898/2903 (99%) | 414 (14%) | 5 (0%) |
| 27 | B | 119/120 (99%) | 11 (9%) | 0 |
| 58 | w | 2/3 (66%) | 0 | 0 |
| All | All | 4770/4785 (99%) | 684 (14%) | 5 (0%) |

5 of 684 RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | a | 8 | A |
| 1 | a | 9 | G |
| 1 | a | 22 | G |
| 1 | a | 32 | A |
| 1 | a | 39 | G |

All (5) RNA pucker outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 26 | A | 818 | G |
| 26 | A | 960 | A |
| 26 | A | 1042 | G |
| 26 | A | 1358 | G |
| 26 | A | 1875 | G |

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

43 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|-------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 26 | 6MZ | A | 1618 | 26 | 18,25,26 | 1.09 | 1 (5%) | 16,36,39 | 2.89 | 4 (25%) |
| 26 | 2MG | A | 1835 | 26 | 19,26,27 | 1.28 | 2 (10%) | 20,38,41 | 2.63 | 8 (40%) |
| 26 | PSU | A | 1911 | 26 | 16,21,22 | 1.27 | 3 (18%) | 20,30,33 | 3.31 | 5 (25%) |
| 26 | 3TD | A | 1915 | 26 | 16,22,23 | 3.16 | 7 (43%) | 19,32,35 | 2.11 | 5 (26%) |
| 26 | PSU | A | 1917 | 26 | 16,21,22 | 1.16 | 2 (12%) | 20,30,33 | 3.68 | 6 (30%) |
| 26 | 5MU | A | 1939 | 26 | 14,22,23 | 0.69 | 0 | 16,32,35 | 2.22 | 3 (18%) |
| 26 | 5MC | A | 1962 | 26 | 15,22,23 | 1.24 | 1 (6%) | 17,32,35 | 1.65 | 2 (11%) |
| 26 | 6MZ | A | 2030 | 26 | 18,25,26 | 1.12 | 1 (5%) | 16,36,39 | 2.08 | 5 (31%) |
| 26 | G7M | A | 2069 | 26 | 19,26,27 | 1.43 | 4 (21%) | 19,39,42 | 2.53 | 9 (47%) |
| 26 | OMG | A | 2251 | 26,22 | 18,26,27 | 1.37 | 3 (16%) | 22,38,41 | 2.17 | 6 (27%) |
| 26 | 2MG | A | 2445 | 26 | 19,26,27 | 1.29 | 2 (10%) | 20,38,41 | 2.32 | 6 (30%) |
| 26 | H2U | A | 2449 | 26 | 17,21,22 | 1.25 | 3 (17%) | 21,30,33 | 1.98 | 3 (14%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 26 | PSU | A | 2457 | 26 | 16,21,22 | 1.43 | 2 (12%) | 20,30,33 | 3.50 | 7 (35%) |
| 26 | OMC | A | 2498 | 26 | 15,22,23 | 0.78 | 0 | 19,31,34 | 0.89 | 1 (5%) |
| 26 | 2MA | A | 2503 | 26 | 18,25,26 | 1.75 | 3 (16%) | 17,37,40 | 1.87 | 2 (11%) |
| 26 | PSU | A | 2504 | 26 | 16,21,22 | 1.17 | 2 (12%) | 20,30,33 | 3.50 | 7 (35%) |
| 26 | OMU | A | 2552 | 26 | 14,22,23 | 0.81 | 1 (7%) | 18,31,34 | 2.16 | 1 (5%) |
| 26 | PSU | A | 2580 | 26 | 16,21,22 | 1.44 | 2 (12%) | 20,30,33 | 3.53 | 6 (30%) |
| 26 | PSU | A | 2604 | 26 | 16,21,22 | 1.19 | 2 (12%) | 20,30,33 | 3.37 | 6 (30%) |
| 26 | PSU | A | 2605 | 26 | 16,21,22 | 1.44 | 3 (18%) | 20,30,33 | 3.41 | 6 (30%) |
| 26 | 1MG | A | 745 | 26 | 18,26,27 | 1.61 | 3 (16%) | 18,39,42 | 2.16 | 5 (27%) |
| 26 | PSU | A | 746 | 26 | 16,21,22 | 1.63 | 1 (6%) | 20,30,33 | 3.59 | 7 (35%) |
| 26 | 5MU | A | 747 | 26 | 14,22,23 | 0.75 | 0 | 16,32,35 | 2.40 | 2 (12%) |
| 26 | PSU | A | 955 | 26 | 16,21,22 | 1.28 | 2 (12%) | 20,30,33 | 3.46 | 6 (30%) |
| 1 | 2MG | a | 1207 | 1 | 19,26,27 | 1.26 | 2 (10%) | 20,38,41 | 2.28 | 7 (35%) |
| 1 | 4OC | a | 1402 | 1 | 16,23,24 | 0.72 | 0 | 19,32,35 | 1.19 | 1 (5%) |
| 1 | 5MC | a | 1407 | 1 | 15,22,23 | 1.45 | 1 (6%) | 17,32,35 | 0.93 | 0 |
| 1 | UR3 | a | 1498 | 1 | 14,22,23 | 0.76 | 0 | 16,32,35 | 0.89 | 1 (6%) |
| 1 | 2MG | a | 1516 | 1 | 19,26,27 | 1.31 | 2 (10%) | 20,38,41 | 2.24 | 7 (35%) |
| 1 | MA6 | a | 1518 | 1 | 16,26,27 | 0.99 | 1 (6%) | 18,38,41 | 2.78 | 7 (38%) |
| 1 | MA6 | a | 1519 | 1 | 16,26,27 | 1.00 | 1 (6%) | 18,38,41 | 2.71 | 5 (27%) |
| 1 | PSU | a | 516 | 1 | 16,21,22 | 1.18 | 1 (6%) | 20,30,33 | 3.52 | 6 (30%) |
| 1 | G7M | a | 527 | 1 | 19,26,27 | 1.36 | 3 (15%) | 19,39,42 | 2.82 | 10 (52%) |
| 1 | 2MG | a | 966 | 1 | 19,26,27 | 1.24 | 2 (10%) | 20,38,41 | 2.21 | 7 (35%) |
| 1 | 5MC | a | 967 | 1 | 15,22,23 | 1.44 | 1 (6%) | 17,32,35 | 0.97 | 1 (5%) |
| 22 | H2U | v | 20 | 22 | 17,21,22 | 1.08 | 2 (11%) | 21,30,33 | 1.79 | 3 (14%) |
| 22 | 5MU | v | 54 | 22 | 14,22,23 | 0.84 | 1 (7%) | 16,32,35 | 2.38 | 2 (12%) |
| 22 | PSU | v | 55 | 22 | 16,21,22 | 1.32 | 3 (18%) | 20,30,33 | 3.49 | 8 (40%) |
| 22 | 4SU | v | 8 | 22 | 14,21,22 | 1.32 | 1 (7%) | 15,30,33 | 1.50 | 2 (13%) |
| 24 | H2U | y | 19 | 24 | 17,21,22 | 1.32 | 3 (17%) | 21,30,33 | 3.17 | 5 (23%) |
| 24 | 6IA | y | 37 | 24 | 21,29,30 | 0.99 | 1 (4%) | 21,41,44 | 2.96 | 3 (14%) |
| 24 | 5MU | y | 54 | 24 | 14,22,23 | 0.70 | 0 | 16,32,35 | 2.36 | 3 (18%) |
| 24 | PSU | y | 55 | 24 | 16,21,22 | 1.64 | 3 (18%) | 20,30,33 | 3.72 | 8 (40%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|------|-------|---------|-----------|---------|
| 26 | 6MZ | A | 1618 | 26 | - | 0/5/27/28 | 0/3/3/3 |
| 26 | 2MG | A | 1835 | 26 | - | 0/5/27/28 | 0/3/3/3 |
| 26 | PSU | A | 1911 | 26 | - | 0/7/25/26 | 0/2/2/2 |
| 26 | 3TD | A | 1915 | 26 | - | 1/7/25/26 | 0/2/2/2 |
| 26 | PSU | A | 1917 | 26 | - | 0/7/25/26 | 0/2/2/2 |
| 26 | 5MU | A | 1939 | 26 | - | 0/3/25/26 | 0/2/2/2 |
| 26 | 5MC | A | 1962 | 26 | - | 0/3/25/26 | 0/2/2/2 |
| 26 | 6MZ | A | 2030 | 26 | - | 0/5/27/28 | 0/3/3/3 |
| 26 | G7M | A | 2069 | 26 | 2/2/5/5 | 0/3/25/26 | 0/3/3/3 |
| 26 | OMG | A | 2251 | 26,22 | - | 0/5/27/28 | 0/3/3/3 |
| 26 | 2MG | A | 2445 | 26 | - | 0/5/27/28 | 0/3/3/3 |
| 26 | H2U | A | 2449 | 26 | - | 0/7/38/39 | 0/2/2/2 |
| 26 | PSU | A | 2457 | 26 | - | 0/7/25/26 | 0/2/2/2 |
| 26 | OMC | A | 2498 | 26 | - | 0/5/27/28 | 0/2/2/2 |
| 26 | 2MA | A | 2503 | 26 | - | 0/3/25/26 | 0/3/3/3 |
| 26 | PSU | A | 2504 | 26 | - | 0/7/25/26 | 0/2/2/2 |
| 26 | OMU | A | 2552 | 26 | - | 0/5/27/28 | 0/2/2/2 |
| 26 | PSU | A | 2580 | 26 | - | 0/7/25/26 | 0/2/2/2 |
| 26 | PSU | A | 2604 | 26 | - | 0/7/25/26 | 0/2/2/2 |
| 26 | PSU | A | 2605 | 26 | - | 0/7/25/26 | 0/2/2/2 |
| 26 | 1MG | A | 745 | 26 | - | 0/3/25/26 | 0/3/3/3 |
| 26 | PSU | A | 746 | 26 | - | 0/7/25/26 | 0/2/2/2 |
| 26 | 5MU | A | 747 | 26 | - | 0/3/25/26 | 0/2/2/2 |
| 26 | PSU | A | 955 | 26 | - | 0/7/25/26 | 0/2/2/2 |
| 1 | 2MG | a | 1207 | 1 | - | 0/5/27/28 | 0/3/3/3 |
| 1 | 4OC | a | 1402 | 1 | - | 0/7/29/30 | 0/2/2/2 |
| 1 | 5MC | a | 1407 | 1 | - | 0/3/25/26 | 0/2/2/2 |
| 1 | UR3 | a | 1498 | 1 | - | 0/3/25/26 | 0/2/2/2 |
| 1 | 2MG | a | 1516 | 1 | - | 0/5/27/28 | 0/3/3/3 |
| 1 | MA6 | a | 1518 | 1 | - | 0/7/29/30 | 0/3/3/3 |
| 1 | MA6 | a | 1519 | 1 | - | 0/7/29/30 | 0/3/3/3 |
| 1 | PSU | a | 516 | 1 | - | 0/7/25/26 | 0/2/2/2 |
| 1 | G7M | a | 527 | 1 | 2/2/5/5 | 0/3/25/26 | 0/3/3/3 |
| 1 | 2MG | a | 966 | 1 | - | 0/5/27/28 | 0/3/3/3 |
| 1 | 5MC | a | 967 | 1 | - | 0/3/25/26 | 0/2/2/2 |
| 22 | H2U | v | 20 | 22 | - | 0/7/38/39 | 0/2/2/2 |
| 22 | 5MU | v | 54 | 22 | - | 0/3/25/26 | 0/2/2/2 |
| 22 | PSU | v | 55 | 22 | - | 0/7/25/26 | 0/2/2/2 |
| 22 | 4SU | v | 8 | 22 | - | 0/3/25/26 | 0/2/2/2 |
| 24 | H2U | y | 19 | 24 | - | 0/7/38/39 | 0/2/2/2 |
| 24 | 6IA | y | 37 | 24 | - | 0/9/31/32 | 0/3/3/3 |
| 24 | 5MU | y | 54 | 24 | - | 0/3/25/26 | 0/2/2/2 |
| 24 | PSU | y | 55 | 24 | - | 0/7/25/26 | 0/2/2/2 |

The worst 5 of 78 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|--------|-------|-------------|----------|
| 26 | A | 746 | PSU | C5-C1' | -5.31 | 1.47 | 1.52 |
| 26 | A | 2457 | PSU | C5-C1' | -4.37 | 1.48 | 1.52 |
| 26 | A | 2580 | PSU | C5-C1' | -4.28 | 1.48 | 1.52 |
| 26 | A | 2605 | PSU | C5-C1' | -4.28 | 1.48 | 1.52 |
| 22 | v | 8 | 4SU | C4-S4 | -4.14 | 1.59 | 1.67 |

The worst 5 of 204 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|----------|-------|-------------|----------|
| 1 | a | 516 | PSU | N1-C2-N3 | -9.92 | 121.27 | 128.40 |
| 24 | y | 55 | PSU | N1-C2-N3 | -9.78 | 121.36 | 128.40 |
| 26 | A | 1917 | PSU | C5-C4-N3 | -9.45 | 117.67 | 125.43 |
| 26 | A | 1911 | PSU | N1-C2-N3 | -9.38 | 121.65 | 128.40 |
| 26 | A | 1917 | PSU | N1-C2-N3 | -9.22 | 121.76 | 128.40 |

All (4) chirality outliers are listed below:

| Mol | Chain | Res | Type | Atom |
|-----|-------|------|------|------|
| 1 | a | 527 | G7M | C4' |
| 1 | a | 527 | G7M | C3' |
| 26 | A | 2069 | G7M | C4' |
| 26 | A | 2069 | G7M | C3' |

All (1) torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|------|------|---------------|
| 26 | A | 1915 | 3TD | O4'-C1'-C5-C4 |

There are no ring outliers.

8 monomers are involved in 8 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|------|------|---------|--------------|
| 26 | A | 1915 | 3TD | 1 | 0 |
| 26 | A | 1939 | 5MU | 1 | 0 |
| 26 | A | 1962 | 5MC | 1 | 0 |
| 26 | A | 2030 | 6MZ | 1 | 0 |
| 26 | A | 2457 | PSU | 1 | 0 |
| 26 | A | 2504 | PSU | 1 | 0 |
| 26 | A | 2604 | PSU | 1 | 0 |
| 26 | A | 745 | 1MG | 2 | 0 |

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 6 ligands modelled in this entry, 3 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|-------------|-------------|------|-------------|
| | | | | | Counts | RMSZ | # $ Z > 2$ | Counts | RMSZ | # $ Z > 2$ |
| 59 | FME | v | 101 | 22 | 9,9,10 | 1.25 | 1 (11%) | 7,9,11 | 1.67 | 2 (28%) |
| 60 | SEC | y | 701 | 24 | 3,5,6 | 0.99 | 0 | 2,5,7 | 1.34 | 0 |
| 61 | GNP | z | 701 | 62 | 27,34,34 | 2.66 | 6 (22%) | 26,54,54 | 1.09 | 4 (15%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|------------|---------|
| 59 | FME | v | 101 | 22 | - | 1/6/9/11 | 0/0/0/0 |
| 60 | SEC | y | 701 | 24 | - | 0/0/4/6 | 0/0/0/0 |
| 61 | GNP | z | 701 | 62 | - | 0/16/38/38 | 0/3/3/3 |

The worst 5 of 7 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|--------|-------------|----------|
| 61 | z | 701 | GNP | C4-N9 | -10.50 | 1.33 | 1.47 |
| 61 | z | 701 | GNP | C8-N9 | -4.02 | 1.34 | 1.46 |
| 61 | z | 701 | GNP | C5-C6 | -3.34 | 1.47 | 1.53 |
| 61 | z | 701 | GNP | C2-N1 | -2.33 | 1.34 | 1.44 |
| 59 | v | 101 | FME | CA-C | 2.50 | 1.53 | 1.50 |

The worst 5 of 6 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed($^{\circ}$) | Ideal($^{\circ}$) |
|-----|-------|-----|------|-------------|-------|------------------------|---------------------|
| 59 | v | 101 | FME | CB-CA-C | -2.78 | 107.07 | 111.65 |
| 61 | z | 701 | GNP | O3G-PG-O1G | -2.78 | 106.34 | 113.41 |
| 61 | z | 701 | GNP | C2'-C1'-N9 | -2.17 | 107.72 | 113.34 |
| 61 | z | 701 | GNP | PA-O3A-PB | -2.07 | 125.07 | 132.38 |
| 61 | z | 701 | GNP | C3'-C2'-C1' | 2.15 | 105.56 | 101.43 |

There are no chirality outliers.

All (1) torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|------------|
| 59 | v | 101 | FME | O1-CN-N-CA |

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.