



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 12:43 am GMT

PDB ID : 4M26
Title : Crystal structure of non-heme iron oxygenase OrfP in complex with Fe, succinate, and (3S)-hydroxy-L-Arg
Authors : Chang, C.Y.; Liu, Y.C.; Lyu, S.Y.; Wu, C.C.; Li, T.L.
Deposited on : 2013-08-05
Resolution : 2.02 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.02 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	8396 (2.04-2.00)
Clashscore	112137	9678 (2.04-2.00)
Ramachandran outliers	110173	9566 (2.04-2.00)
Sidechain outliers	110143	9565 (2.04-2.00)
RSRZ outliers	101464	8490 (2.04-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	364	<div> <div>5%</div> <div> <div></div> <div>79%</div> <div>13%</div> <div>•</div> <div>8%</div> </div> </div>
1	B	364	<div> <div>10%</div> <div> <div></div> <div>73%</div> <div>10%</div> <div>•</div> <div>14%</div> </div> </div>
1	C	364	<div> <div>9%</div> <div> <div></div> <div>79%</div> <div>10%</div> <div>•</div> <div>9%</div> </div> </div>
1	D	364	<div> <div>11%</div> <div> <div></div> <div>74%</div> <div>16%</div> <div>•</div> <div>8%</div> </div> </div>

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 11335 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-arginine beta-hydroxylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	336	Total	C	N	O	S	0	1	0
			2701	1699	491	504	7			
1	B	314	Total	C	N	O	S	0	1	0
			2521	1590	454	470	7			
1	C	332	Total	C	N	O	S	0	0	0
			2660	1676	483	494	7			
1	D	336	Total	C	N	O	S	0	0	0
			2690	1693	487	503	7			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	EXPRESSION TAG	UNP G9MBV2
A	-18	GLY	-	EXPRESSION TAG	UNP G9MBV2
A	-17	SER	-	EXPRESSION TAG	UNP G9MBV2
A	-16	SER	-	EXPRESSION TAG	UNP G9MBV2
A	-15	HIS	-	EXPRESSION TAG	UNP G9MBV2
A	-14	HIS	-	EXPRESSION TAG	UNP G9MBV2
A	-13	HIS	-	EXPRESSION TAG	UNP G9MBV2
A	-12	HIS	-	EXPRESSION TAG	UNP G9MBV2
A	-11	HIS	-	EXPRESSION TAG	UNP G9MBV2
A	-10	HIS	-	EXPRESSION TAG	UNP G9MBV2
A	-9	SER	-	EXPRESSION TAG	UNP G9MBV2
A	-8	SER	-	EXPRESSION TAG	UNP G9MBV2
A	-7	GLY	-	EXPRESSION TAG	UNP G9MBV2
A	-6	LEU	-	EXPRESSION TAG	UNP G9MBV2
A	-5	VAL	-	EXPRESSION TAG	UNP G9MBV2
A	-4	PRO	-	EXPRESSION TAG	UNP G9MBV2
A	-3	ARG	-	EXPRESSION TAG	UNP G9MBV2
A	-2	GLY	-	EXPRESSION TAG	UNP G9MBV2
A	-1	SER	-	EXPRESSION TAG	UNP G9MBV2
A	0	HIS	-	EXPRESSION TAG	UNP G9MBV2
B	-19	MET	-	EXPRESSION TAG	UNP G9MBV2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	EXPRESSION TAG	UNP G9MBV2
B	-17	SER	-	EXPRESSION TAG	UNP G9MBV2
B	-16	SER	-	EXPRESSION TAG	UNP G9MBV2
B	-15	HIS	-	EXPRESSION TAG	UNP G9MBV2
B	-14	HIS	-	EXPRESSION TAG	UNP G9MBV2
B	-13	HIS	-	EXPRESSION TAG	UNP G9MBV2
B	-12	HIS	-	EXPRESSION TAG	UNP G9MBV2
B	-11	HIS	-	EXPRESSION TAG	UNP G9MBV2
B	-10	HIS	-	EXPRESSION TAG	UNP G9MBV2
B	-9	SER	-	EXPRESSION TAG	UNP G9MBV2
B	-8	SER	-	EXPRESSION TAG	UNP G9MBV2
B	-7	GLY	-	EXPRESSION TAG	UNP G9MBV2
B	-6	LEU	-	EXPRESSION TAG	UNP G9MBV2
B	-5	VAL	-	EXPRESSION TAG	UNP G9MBV2
B	-4	PRO	-	EXPRESSION TAG	UNP G9MBV2
B	-3	ARG	-	EXPRESSION TAG	UNP G9MBV2
B	-2	GLY	-	EXPRESSION TAG	UNP G9MBV2
B	-1	SER	-	EXPRESSION TAG	UNP G9MBV2
B	0	HIS	-	EXPRESSION TAG	UNP G9MBV2
C	-19	MET	-	EXPRESSION TAG	UNP G9MBV2
C	-18	GLY	-	EXPRESSION TAG	UNP G9MBV2
C	-17	SER	-	EXPRESSION TAG	UNP G9MBV2
C	-16	SER	-	EXPRESSION TAG	UNP G9MBV2
C	-15	HIS	-	EXPRESSION TAG	UNP G9MBV2
C	-14	HIS	-	EXPRESSION TAG	UNP G9MBV2
C	-13	HIS	-	EXPRESSION TAG	UNP G9MBV2
C	-12	HIS	-	EXPRESSION TAG	UNP G9MBV2
C	-11	HIS	-	EXPRESSION TAG	UNP G9MBV2
C	-10	HIS	-	EXPRESSION TAG	UNP G9MBV2
C	-9	SER	-	EXPRESSION TAG	UNP G9MBV2
C	-8	SER	-	EXPRESSION TAG	UNP G9MBV2
C	-7	GLY	-	EXPRESSION TAG	UNP G9MBV2
C	-6	LEU	-	EXPRESSION TAG	UNP G9MBV2
C	-5	VAL	-	EXPRESSION TAG	UNP G9MBV2
C	-4	PRO	-	EXPRESSION TAG	UNP G9MBV2
C	-3	ARG	-	EXPRESSION TAG	UNP G9MBV2
C	-2	GLY	-	EXPRESSION TAG	UNP G9MBV2
C	-1	SER	-	EXPRESSION TAG	UNP G9MBV2
C	0	HIS	-	EXPRESSION TAG	UNP G9MBV2
D	-19	MET	-	EXPRESSION TAG	UNP G9MBV2
D	-18	GLY	-	EXPRESSION TAG	UNP G9MBV2
D	-17	SER	-	EXPRESSION TAG	UNP G9MBV2

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	-16	SER	-	EXPRESSION TAG	UNP G9MBV2
D	-15	HIS	-	EXPRESSION TAG	UNP G9MBV2
D	-14	HIS	-	EXPRESSION TAG	UNP G9MBV2
D	-13	HIS	-	EXPRESSION TAG	UNP G9MBV2
D	-12	HIS	-	EXPRESSION TAG	UNP G9MBV2
D	-11	HIS	-	EXPRESSION TAG	UNP G9MBV2
D	-10	HIS	-	EXPRESSION TAG	UNP G9MBV2
D	-9	SER	-	EXPRESSION TAG	UNP G9MBV2
D	-8	SER	-	EXPRESSION TAG	UNP G9MBV2
D	-7	GLY	-	EXPRESSION TAG	UNP G9MBV2
D	-6	LEU	-	EXPRESSION TAG	UNP G9MBV2
D	-5	VAL	-	EXPRESSION TAG	UNP G9MBV2
D	-4	PRO	-	EXPRESSION TAG	UNP G9MBV2
D	-3	ARG	-	EXPRESSION TAG	UNP G9MBV2
D	-2	GLY	-	EXPRESSION TAG	UNP G9MBV2
D	-1	SER	-	EXPRESSION TAG	UNP G9MBV2
D	0	HIS	-	EXPRESSION TAG	UNP G9MBV2

- Molecule 2 is FE (III) ION (three-letter code: FE) (formula: Fe).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Fe 1 1	0	0
2	A	2	Total Fe 2 2	0	0
2	D	1	Total Fe 1 1	0	0
2	C	1	Total Fe 1 1	0	0

- Molecule 3 is 2-OXOGLUTARIC ACID (three-letter code: AKG) (formula: C₅H₆O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			10	5	5		
3	B	1	Total	C	O	0	0
			10	5	5		

- Molecule 4 is SUCCINIC ACID (three-letter code: SIN) (formula: $C_4H_6O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			8	4	4		
4	D	1	Total	C	O	0	0
			8	4	4		

- Molecule 5 is (2S,3S)-3-HYDROXYARGININE (three-letter code: ZZU) (formula: $C_6H_{14}N_4O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	C	1	Total	C	N	O	0	0
			13	6	4	3		
5	D	1	Total	C	N	O	0	0
			13	6	4	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	213	Total	O	0	0
			213	213		
6	B	144	Total	O	0	0
			144	144		
6	C	204	Total	O	0	0
			204	204		
6	D	135	Total	O	0	0
			135	135		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: L-arginine beta-hydroxylase




• Molecule 1: L-arginine beta-hydroxylase




• Molecule 1: L-arginine beta-hydroxylase





● Molecule 1: L-arginine beta-hydroxylase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	68.11Å 116.70Å 96.15Å 90.00° 91.47° 90.00°	Depositor
Resolution (Å)	30.00 – 2.02 25.90 – 2.02	Depositor EDS
% Data completeness (in resolution range)	99.6 (30.00-2.02) 99.7 (25.90-2.02)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.80 (at 2.03Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.208 , 0.265 0.208 , 0.264	Depositor DCC
R_{free} test set	4888 reflections (5.26%)	DCC
Wilson B-factor (Å ²)	35.8	Xtriage
Anisotropy	0.098	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 40.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.026 for h,-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11335	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZZU, AKG, FE, SIN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.58	2/2771 (0.1%)	0.68	0/3768
1	B	0.57	1/2587 (0.0%)	0.70	0/3518
1	C	0.58	0/2729	0.69	0/3710
1	D	0.56	2/2760 (0.1%)	0.67	0/3754
All	All	0.57	5/10847 (0.0%)	0.68	0/14750

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	120	TRP	CD2-CE2	5.34	1.47	1.41
1	D	120	TRP	CD2-CE2	5.32	1.47	1.41
1	D	91	TRP	CD2-CE2	5.31	1.47	1.41
1	A	153	TRP	CD2-CE2	5.15	1.47	1.41
1	B	91	TRP	CD2-CE2	5.05	1.47	1.41

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2701	0	2618	31	0
1	B	2521	0	2439	36	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	2660	0	2581	32	0
1	D	2690	0	2606	37	0
2	A	2	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	10	0	4	0	0
3	B	10	0	4	0	0
4	C	8	0	4	0	0
4	D	8	0	4	0	0
5	C	13	0	11	2	0
5	D	13	0	11	0	0
6	A	213	0	0	6	0
6	B	144	0	0	1	0
6	C	204	0	0	2	0
6	D	135	0	0	2	0
All	All	11335	0	10282	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:82:ARG:HH11	1:B:82:ARG:CG	1.61	1.10
1:B:82:ARG:HH11	1:B:82:ARG:HG3	1.22	1.05
1:C:26:THR:HG23	1:C:102:PRO:HB3	1.44	1.00
1:D:26:THR:HG23	1:D:102:PRO:HB3	1.49	0.94
1:C:90:HIS:CD2	1:C:92:ARG:HB2	2.06	0.90
1:A:26:THR:HG23	1:A:102:PRO:HB3	1.58	0.84
1:B:321:ARG:HG2	1:B:321:ARG:HH11	1.42	0.84
1:A:26:THR:HG21	6:A:574:HOH:O	1.77	0.83
1:B:82:ARG:HH11	1:B:82:ARG:HG2	1.48	0.79
1:C:26:THR:HG21	6:C:510:HOH:O	1.83	0.79
1:C:211:HIS:HB3	1:C:230:ILE:HD13	1.64	0.77
1:B:82:ARG:NH1	1:B:82:ARG:HG3	1.93	0.77
1:D:142:GLN:HE22	1:D:152:THR:H	1.33	0.76
1:B:82:ARG:NH1	1:B:82:ARG:CG	2.34	0.74
1:B:237:ARG:N	1:B:238:PRO:HD3	2.02	0.74
1:D:211:HIS:HB3	1:D:230:ILE:HD13	1.69	0.73
1:A:209:GLU:HA	1:A:212:LEU:HD13	1.71	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:169:LEU:CD2	1:D:321:ARG:HG3	2.18	0.73
1:C:36:PHE:CD1	1:C:36:PHE:O	2.44	0.70
1:B:233:MET:HG3	1:B:234:ILE:H	1.57	0.70
1:D:169:LEU:HD23	1:D:321:ARG:HG3	1.73	0.70
1:D:157:ASP:OD1	1:D:211:HIS:HE1	1.76	0.69
1:C:236:GLU:HG3	1:C:238:PRO:HD3	1.76	0.67
1:D:177:HIS:HD2	1:D:289:ASP:OD1	1.78	0.67
1:C:91:TRP:CE3	1:C:92:ARG:HA	2.30	0.66
1:D:26:THR:HG23	1:D:102:PRO:CB	2.23	0.66
1:C:95:VAL:HB	6:C:668:HOH:O	1.96	0.65
1:B:149:GLN:HG2	1:B:305:ARG:O	1.96	0.64
1:A:176:ASP:OD2	1:A:311:ARG:NH2	2.31	0.64
1:A:90:HIS:HD2	1:A:92[B]:ARG:H	1.44	0.62
1:B:321:ARG:NH1	1:B:321:ARG:HG2	2.08	0.62
1:B:144:GLY:O	1:B:145:MET:HB2	1.98	0.61
1:C:90:HIS:HD2	1:C:92:ARG:HB2	1.63	0.61
1:C:169:LEU:CD2	1:C:321:ARG:HG3	2.30	0.61
1:B:135:ILE:HG22	1:B:138:HIS:H	1.65	0.61
1:A:90:HIS:HD2	1:A:92[A]:ARG:H	1.46	0.60
1:A:90:HIS:CD2	1:A:92[A]:ARG:HG3	2.36	0.60
1:D:327:ASP:OD1	6:D:536:HOH:O	2.17	0.60
1:C:90:HIS:HD2	1:C:92:ARG:H	1.50	0.60
1:A:90:HIS:CD2	1:A:92[B]:ARG:H	2.20	0.59
1:A:36:PHE:CE1	1:A:108:MET:HG3	2.36	0.59
1:A:252:MET:HE1	1:A:279:VAL:HG21	1.83	0.59
1:C:169:LEU:HD23	1:C:321:ARG:HG3	1.84	0.59
1:C:122:THR:HG22	1:C:227:PHE:CE2	2.37	0.59
1:A:90:HIS:CD2	1:A:92[A]:ARG:H	2.21	0.58
1:C:139:GLU:HG2	1:C:312:TYR:OH	2.04	0.58
1:B:237:ARG:HD2	1:B:237:ARG:N	2.20	0.56
1:A:177:HIS:HD2	1:A:289:ASP:OD1	1.89	0.56
1:B:146:GLY:O	1:B:305:ARG:NH2	2.39	0.55
1:B:241:PRO:O	1:B:253:ARG:NH1	2.38	0.54
1:A:187:LEU:HD22	1:A:250:PRO:HD3	1.90	0.53
1:D:169:LEU:HD21	1:D:321:ARG:HG3	1.90	0.53
1:B:26:THR:HG21	1:B:106:LEU:HB2	1.91	0.53
1:B:149:GLN:O	1:B:150:LEU:HB2	2.08	0.53
1:C:225:ALA:HB1	1:C:228:ALA:HB2	1.91	0.53
1:B:151:LEU:HD12	1:B:181:THR:HG21	1.91	0.53
1:B:321:ARG:CG	1:B:321:ARG:HH11	2.19	0.53
1:A:214:LYS:HE3	1:A:218:ILE:HD11	1.89	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:179:PRO:HG2	1:C:306:LEU:HD12	1.91	0.52
1:A:96:ARG:HD3	6:A:629:HOH:O	2.09	0.52
1:D:209:GLU:C	1:D:211:HIS:H	2.13	0.52
1:D:130:HIS:HD2	1:D:321:ARG:HH12	1.58	0.51
1:D:139:GLU:HG2	1:D:148:LYS:HB2	1.93	0.51
1:D:81:GLN:NE2	1:D:173:ARG:HH11	2.08	0.51
1:A:192:ALA:HA	1:A:195:ILE:HD12	1.92	0.50
1:C:90:HIS:CD2	1:C:92:ARG:H	2.30	0.50
1:A:223:GLU:HG2	1:A:226:ARG:NH2	2.25	0.50
1:A:219:ALA:O	1:A:223:GLU:HB2	2.12	0.50
1:D:10:PRO:O	1:D:72:THR:HG22	2.12	0.50
1:D:90:HIS:HD2	1:D:92:ARG:H	1.60	0.49
1:D:265:ASP:O	1:D:269:ARG:HG3	2.13	0.49
1:B:9:THR:N	6:B:546:HOH:O	2.46	0.48
1:B:237:ARG:H	1:B:238:PRO:HD3	1.78	0.48
1:A:23:ALA:O	1:A:26:THR:HG22	2.13	0.48
1:D:218:ILE:HG22	1:D:219:ALA:H	1.78	0.48
1:D:176:ASP:OD1	1:D:311:ARG:NH2	2.47	0.48
1:B:193:GLU:O	1:B:197:VAL:HG12	2.14	0.47
1:C:311:ARG:HB2	1:C:311:ARG:HH11	1.79	0.47
1:D:222:GLU:CD	1:D:223:GLU:H	2.17	0.47
1:D:165:ASP:OD1	1:D:299:HIS:CE1	2.68	0.47
1:D:142:GLN:NE2	1:D:152:THR:H	2.08	0.47
1:A:130:HIS:ND1	6:A:636:HOH:O	2.35	0.47
1:A:159:PHE:CG	1:A:207:PRO:HA	2.50	0.47
1:D:220:THR:O	1:D:220:THR:HG22	2.16	0.46
1:B:82:ARG:NH1	1:B:82:ARG:HG2	2.19	0.46
1:C:36:PHE:HD1	1:C:36:PHE:O	1.98	0.46
1:D:80:ASP:OD2	1:D:83:ARG:HB2	2.16	0.46
1:D:299:HIS:ND1	6:D:629:HOH:O	2.35	0.45
1:B:139:GLU:C	1:B:141:ASP:H	2.20	0.45
1:C:154:HIS:CE1	5:C:403:ZZU:HG2C	2.51	0.45
1:D:36:PHE:CE1	1:D:108:MET:HG3	2.52	0.45
1:A:9:THR:HG21	1:A:71:HIS:CE1	2.52	0.45
1:A:222:GLU:N	1:A:222:GLU:OE1	2.49	0.45
1:B:136:ARG:O	1:B:139:GLU:HB2	2.18	0.44
1:C:169:LEU:HD23	1:C:321:ARG:CG	2.48	0.44
1:B:36:PHE:HA	1:B:41:LEU:HD23	1.98	0.44
1:B:100:GLU:HG3	1:B:320:LYS:HE3	1.99	0.44
1:C:91:TRP:CE2	1:C:124:GLN:HG2	2.53	0.44
1:D:157:ASP:OD1	1:D:211:HIS:CE1	2.65	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:119:GLY:O	1:D:342:LEU:HA	2.18	0.43
1:C:26:THR:HG23	1:C:102:PRO:CB	2.30	0.43
1:B:237:ARG:N	1:B:238:PRO:CD	2.75	0.43
1:A:333:GLU:HG2	6:A:657:HOH:O	2.18	0.43
1:C:101:PHE:HB3	1:C:102:PRO:HD3	2.00	0.43
1:A:22:VAL:O	1:A:26:THR:HB	2.19	0.43
1:D:165:ASP:OD1	1:D:299:HIS:HE1	2.01	0.43
1:C:156:GLU:OE2	5:C:403:ZZU:N	2.52	0.43
1:B:139:GLU:O	1:B:141:ASP:N	2.49	0.43
1:B:33:TYR:CD2	1:B:41:LEU:HB2	2.54	0.43
1:D:89:ASP:O	1:D:135:ILE:HG12	2.19	0.43
1:A:54:GLU:HG3	6:A:561:HOH:O	2.18	0.43
1:B:92:ARG:C	1:B:94:ARG:H	2.23	0.43
1:D:274:ALA:O	1:D:278:VAL:HG23	2.19	0.43
1:D:88:PRO:HG2	1:D:133:PHE:CE2	2.54	0.43
1:B:150:LEU:HB3	1:B:151:LEU:H	1.65	0.42
1:C:181:THR:O	1:C:303:HIS:HA	2.19	0.42
1:D:168:ILE:O	1:D:321:ARG:HA	2.18	0.42
1:A:26:THR:HG23	1:A:102:PRO:CB	2.40	0.42
1:B:311:ARG:HH11	1:B:311:ARG:HB2	1.84	0.42
1:A:35:SER:HB2	6:A:578:HOH:O	2.18	0.42
1:C:81:GLN:NE2	1:C:173:ARG:HH11	2.16	0.42
1:C:23:ALA:O	1:C:26:THR:HG22	2.19	0.42
1:A:226:ARG:HG3	1:A:334:MET:HA	2.01	0.42
1:A:213:PRO:HG3	1:A:227:PHE:HB3	2.00	0.42
1:C:81:GLN:HE22	1:C:173:ARG:HE	1.67	0.41
1:D:148:LYS:O	1:D:307:PRO:HB3	2.20	0.41
1:D:130:HIS:HD2	1:D:321:ARG:NH1	2.19	0.41
1:C:90:HIS:HD2	1:C:92:ARG:N	2.14	0.41
1:C:83:ARG:O	1:C:99:PRO:HB2	2.21	0.41
1:C:81:GLN:NE2	1:C:173:ARG:HE	2.18	0.41
1:D:93:GLY:O	1:D:94:ARG:O	2.39	0.40
1:B:135:ILE:HD12	1:B:145:MET:HG3	2.03	0.40
1:A:25:LEU:O	1:A:29:LEU:HG	2.21	0.40
1:B:90:HIS:CD2	1:B:92:ARG:HD2	2.56	0.40
1:D:143:LEU:HD21	1:D:209:GLU:HB2	2.03	0.40
1:B:233:MET:CG	1:B:234:ILE:H	2.31	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	335/364 (92%)	325 (97%)	9 (3%)	1 (0%)	44	39
1	B	311/364 (85%)	295 (95%)	9 (3%)	7 (2%)	7	2
1	C	328/364 (90%)	311 (95%)	11 (3%)	6 (2%)	10	3
1	D	334/364 (92%)	314 (94%)	14 (4%)	6 (2%)	10	3
All	All	1308/1456 (90%)	1245 (95%)	43 (3%)	20 (2%)	12	5

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	139	GLU
1	B	145	MET
1	D	94	ARG
1	B	140	ASN
1	B	234	ILE
1	B	235	ASP
1	C	224	ALA
1	D	218	ILE
1	D	219	ALA
1	B	150	LEU
1	C	147	SER
1	D	209	GLU
1	A	147	SER
1	B	237	ARG
1	C	122	THR
1	C	225	ALA
1	D	95	VAL
1	D	147	SER
1	C	93	GLY
1	C	124	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	287/311 (92%)	278 (97%)	9 (3%)	45	43
1	B	269/311 (86%)	252 (94%)	17 (6%)	21	15
1	C	283/311 (91%)	271 (96%)	12 (4%)	34	29
1	D	286/311 (92%)	270 (94%)	16 (6%)	25	18
All	All	1125/1244 (90%)	1071 (95%)	54 (5%)	30	24

All (54) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	THR
1	A	42	LEU
1	A	48	LEU
1	A	143	LEU
1	A	191	SER
1	A	216	ASN
1	A	218	ILE
1	A	246	SER
1	A	321	ARG
1	B	29	LEU
1	B	45	LEU
1	B	82	ARG
1	B	92	ARG
1	B	125	ASP
1	B	130	HIS
1	B	140	ASN
1	B	151	LEU
1	B	169	LEU
1	B	185	LEU
1	B	189	SER
1	B	197	VAL
1	B	237	ARG
1	B	284	ARG
1	B	299	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	311	ARG
1	B	321	ARG
1	C	26	THR
1	C	29	LEU
1	C	42	LEU
1	C	68	ARG
1	C	122	THR
1	C	139	GLU
1	C	143	LEU
1	C	231	GLN
1	C	254	LEU
1	C	284	ARG
1	C	299	HIS
1	C	311	ARG
1	D	26	THR
1	D	29	LEU
1	D	42	LEU
1	D	45	LEU
1	D	48	LEU
1	D	68	ARG
1	D	96	ARG
1	D	147	SER
1	D	182	VAL
1	D	185	LEU
1	D	187	LEU
1	D	226	ARG
1	D	232	ARG
1	D	299	HIS
1	D	306	LEU
1	D	311	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	57	GLN
1	A	81	GLN
1	A	90	HIS
1	A	138	HIS
1	A	177	HIS
1	A	231	GLN
1	B	57	GLN
1	B	81	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	90	HIS
1	B	177	HIS
1	B	299	HIS
1	C	57	GLN
1	C	81	GLN
1	C	90	HIS
1	C	130	HIS
1	C	142	GLN
1	C	177	HIS
1	D	57	GLN
1	D	81	GLN
1	D	90	HIS
1	D	130	HIS
1	D	142	GLN
1	D	177	HIS
1	D	211	HIS
1	D	215	ASN
1	D	263	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 5 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	AKG	A	403	2	3,9,9	0.34	0	4,11,11	0.59	0
3	AKG	B	402	2	3,9,9	0.74	0	4,11,11	0.31	0
4	SIN	C	402	2	1,7,7	0.10	0	2,8,8	1.18	0
5	ZZU	C	403	2	8,12,12	0.90	0	5,15,15	0.68	0
4	SIN	D	402	2	1,7,7	0.15	0	2,8,8	1.59	1 (50%)
5	ZZU	D	403	2	8,12,12	0.85	0	5,15,15	0.62	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AKG	A	403	2	-	0/3/9/9	0/0/0/0
3	AKG	B	402	2	-	0/3/9/9	0/0/0/0
4	SIN	C	402	2	-	0/1/5/5	0/0/0/0
5	ZZU	C	403	2	-	0/10/14/14	0/0/0/0
4	SIN	D	402	2	-	0/1/5/5	0/0/0/0
5	ZZU	D	403	2	-	0/10/14/14	0/0/0/0

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	402	SIN	C3-C2-C1	2.25	116.50	112.66

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	C	403	ZZU	2	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	336/364 (92%)	0.17	17 (5%)	29 29	22, 35, 63, 128	4 (1%)
1	B	314/364 (86%)	0.58	37 (11%)	5 5	26, 41, 83, 113	3 (0%)
1	C	332/364 (91%)	0.39	32 (9%)	9 9	22, 34, 93, 134	4 (1%)
1	D	336/364 (92%)	0.66	40 (11%)	5 5	24, 44, 81, 143	3 (0%)
All	All	1318/1456 (90%)	0.45	126 (9%)	9 9	22, 38, 82, 143	14 (1%)

All (126) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	224	ALA	11.2
1	A	217	THR	11.0
1	C	224	ALA	10.2
1	B	209	GLU	7.6
1	D	225	ALA	7.5
1	D	220	THR	7.0
1	C	218	ILE	6.8
1	C	95	VAL	6.8
1	D	219	ALA	6.8
1	B	37	GLY	6.0
1	C	225	ALA	5.9
1	C	216	ASN	5.9
1	A	218	ILE	5.8
1	B	146	GLY	5.8
1	A	216	ASN	5.7
1	B	143	LEU	5.6
1	D	95	VAL	5.6
1	B	95	VAL	5.6
1	D	228	ALA	5.4
1	D	226	ARG	5.4
1	B	151	LEU	5.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	148	LYS	5.2
1	B	192	ALA	5.1
1	D	222	GLU	5.1
1	B	142	GLN	5.0
1	C	223	GLU	5.0
1	D	230	ILE	5.0
1	D	214	LYS	4.9
1	D	218	ILE	4.8
1	C	214	LYS	4.8
1	C	213	PRO	4.7
1	B	237	ARG	4.7
1	D	216	ASN	4.6
1	D	213	PRO	4.6
1	C	230	ILE	4.5
1	D	227	PHE	4.4
1	C	231	GLN	4.4
1	C	217	THR	4.0
1	A	215	ASN	3.9
1	B	234	ILE	3.9
1	B	150	LEU	3.8
1	D	217	THR	3.7
1	B	90	HIS	3.7
1	C	229	THR	3.6
1	C	234	ILE	3.6
1	A	221	GLU	3.6
1	B	267	ASP	3.6
1	B	210	SER	3.5
1	B	140	ASN	3.4
1	B	96	ARG	3.4
1	A	209	GLU	3.4
1	C	148	LYS	3.4
1	D	229	THR	3.4
1	C	226	ARG	3.3
1	B	93	GLY	3.3
1	C	227	PHE	3.3
1	C	210	SER	3.3
1	D	223	GLU	3.3
1	C	215	ASN	3.2
1	C	93	GLY	3.2
1	C	235	ASP	3.2
1	B	207	PRO	3.1
1	D	212	LEU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	233	MET	3.0
1	A	37	GLY	3.0
1	D	215	ASN	3.0
1	B	233	MET	2.9
1	C	96	ARG	2.9
1	D	248	LEU	2.9
1	D	82	ARG	2.9
1	B	248	LEU	2.9
1	A	222	GLU	2.9
1	C	82	ARG	2.8
1	C	168	ILE	2.8
1	B	208	ASP	2.7
1	C	232	ARG	2.7
1	C	236	GLU	2.7
1	A	193	GLU	2.7
1	B	141	ASP	2.7
1	A	257	TYR	2.7
1	B	188	SER	2.7
1	B	264	ASP	2.7
1	B	122	THR	2.7
1	A	219	ALA	2.6
1	C	149	GLN	2.6
1	B	144	GLY	2.6
1	A	213	PRO	2.6
1	D	168	ILE	2.5
1	B	82	ARG	2.5
1	D	148	LYS	2.5
1	D	210	SER	2.5
1	C	284	ARG	2.5
1	B	137	SER	2.5
1	D	93	GLY	2.5
1	A	167	LEU	2.4
1	D	169	LEU	2.4
1	C	237	ARG	2.4
1	D	132	ILE	2.4
1	C	169	LEU	2.4
1	C	322	VAL	2.4
1	D	233	MET	2.4
1	B	344	GLY	2.4
1	D	167	LEU	2.3
1	D	9	THR	2.3
1	D	107	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	242	LEU	2.3
1	C	68	ARG	2.3
1	B	139	GLU	2.3
1	D	221	GLU	2.3
1	A	212	LEU	2.3
1	B	257	TYR	2.2
1	D	236	GLU	2.2
1	B	247	ARG	2.2
1	D	106	LEU	2.1
1	D	266	THR	2.1
1	B	238	PRO	2.1
1	B	235	ASP	2.1
1	D	344	GLY	2.1
1	B	191	SER	2.1
1	A	82	ARG	2.1
1	D	311	ARG	2.0
1	D	110	TYR	2.0
1	A	132	ILE	2.0
1	D	319	LEU	2.0
1	A	223	GLU	2.0
1	B	202	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	SIN	C	402	8/8	0.92	0.23	1.60	31,32,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	AKG	B	402	10/10	0.83	0.16	0.39	40,49,53,57	0
3	AKG	A	403	10/10	0.94	0.15	0.24	29,33,38,38	0
4	SIN	D	402	8/8	0.97	0.17	0.19	33,36,37,38	0
5	ZZU	D	403	13/13	0.89	0.14	0.07	39,46,49,52	0
5	ZZU	C	403	13/13	0.92	0.15	-0.13	36,47,58,61	0
2	FE	A	402	1/1	0.97	0.11	-0.65	55,55,55,55	0
2	FE	A	401	1/1	1.00	0.09	-	31,31,31,31	0
2	FE	B	401	1/1	0.97	0.07	-	40,40,40,40	0
2	FE	D	401	1/1	1.00	0.12	-	31,31,31,31	0
2	FE	C	401	1/1	0.99	0.12	-	30,30,30,30	0

6.5 Other polymers [i](#)

There are no such residues in this entry.