



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 10:43 pm GMT

PDB ID : 1M8X
Title : CRYSTAL STRUCTURE OF THE PUMILIO-HOMOLOGY DOMAIN
FROM HUMAN PUMILIO1 IN COMPLEX WITH NRE1-14 RNA
Authors : Wang, X.; McLachlan, J.; Zamore, P.D.; Hall, T.M.T.
Deposited on : 2002-07-26
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4002 (2.20-2.20)
Clashscore	112137	4730 (2.20-2.20)
Ramachandran outliers	110173	4656 (2.20-2.20)
Sidechain outliers	110143	4657 (2.20-2.20)
RSRZ outliers	101464	4033 (2.20-2.20)
RNA backbone	2435	1007 (2.74-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	8	<div> <div>13%</div> <div>88%</div> <div>13%</div> </div>
2	D	7	<div> <div>29%</div> <div>57%</div> <div>14%</div> </div>
3	A	349	<div> <div>3%</div> <div>68%</div> <div>28%</div> <div>..</div> </div>
3	B	349	<div> <div>7%</div> <div>58%</div> <div>38%</div> <div>..</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6357 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 5'-R(P*UP*UP*GP*UP*AP*UP*AP*U)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	8	Total	C	N	O	P	0	0	0
			167	75	25	59	8			

- Molecule 2 is a RNA chain called 5'-R(P*UP*GP*UP*AP*UP*AP*U)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	7	Total	C	N	O	P	0	0	0
			147	66	23	51	7			

- Molecule 3 is a protein called Pumilio 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	341	Total	C	N	O	S	0	0	0
			2775	1758	501	499	17			
3	B	341	Total	C	N	O	S	0	0	0
			2775	1758	501	499	17			


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	295	Total	O	0	0
			295	295		
4	B	171	Total	O	0	0
			171	171		
4	C	16	Total	O	0	0
			16	16		
4	D	11	Total	O	0	0
			11	11		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 5'-R(P*UP*UP*GP*UP*AP*UP*AP*U)-3'




- Molecule 2: 5'-R(P*UP*GP*UP*AP*UP*AP*U)-3'



- Molecule 3: Pumilio 1



- Molecule 3: Pumilio 1



A929	L1014	E1015	L1018	Q1021	T1022	L1023	P1024	T1025	L1026	E1027	E1028	L1029	T1033	V1037	M1043	Q1047	L1050	E1051	R1054	P1055	E1056	D1057	K1060	R1066	L1070	V1071	Q1074	T1087	H1088	R1094	A1095	V1096	V1101	M1104	Y1113	T1114	M1115	M1116	K1117	D1118	Q1119	Y1120	A1121																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	E1015																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	262.73Å 37.73Å 82.52Å 90.00° 102.95° 90.00°	Depositor
Resolution (Å)	34.29 – 2.20 34.29 – 2.19	Depositor EDS
% Data completeness (in resolution range)	92.7 (34.29-2.20) 92.0 (34.29-2.19)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.76 (at 2.20Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.236 , 0.293 0.236 , 0.292	Depositor DCC
R_{free} test set	2296 reflections (6.05%)	DCC
Wilson B-factor (Å ²)	35.4	Xtriage
Anisotropy	0.374	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 60.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6357	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.14% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.56	0/185	0.72	0/285
2	D	0.46	0/163	0.68	0/251
3	A	0.40	0/2829	0.58	0/3815
3	B	0.33	0/2829	0.54	0/3815
All	All	0.38	0/6006	0.57	0/8166

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	167	0	84	1	0
2	D	147	0	74	6	0
3	A	2775	0	2790	75	0
3	B	2775	0	2790	123	0
4	A	295	0	0	8	0
4	B	171	0	0	8	0
4	C	16	0	0	0	0
4	D	11	0	0	0	0
All	All	6357	0	5738	202	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (202) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:879:GLN:HE21	3:B:883:ASN:HD21	0.98	0.91
3:B:879:GLN:HE21	3:B:883:ASN:ND2	1.70	0.89
3:B:879:GLN:NE2	3:B:883:ASN:HD21	1.77	0.82
3:A:879:GLN:HE21	3:A:883:ASN:HD21	1.26	0.80
3:B:1101:VAL:HG11	3:B:1115:MET:SD	2.24	0.78
3:A:874:THR:HG22	3:A:877:GLU:OE1	1.85	0.77
3:B:846:LEU:HG	3:B:869:LYS:HG2	1.68	0.75
3:A:893:MET:HE1	3:A:928:LEU:HD13	1.72	0.72
3:B:1043:ASN:O	3:B:1047:GLN:HG3	1.90	0.70
3:B:879:GLN:NE2	3:B:883:ASN:ND2	2.38	0.70
3:A:910:SER:OG	3:A:913:GLN:HG3	1.94	0.68
3:B:954:VAL:HG11	3:B:981:VAL:HG21	1.75	0.68
3:B:983:PRO:HG2	3:B:984:GLN:OE1	1.95	0.67
3:B:1118:ASP:HB3	3:B:1121:ALA:HB3	1.77	0.66
2:D:16:A:H2'	2:D:17:U:H5''	1.78	0.66
3:B:1000:LEU:HB2	3:B:1010:ILE:HD11	1.77	0.65
3:B:874:THR:HG23	3:B:877:GLU:H	1.62	0.65
3:A:1118:ASP:HB3	3:A:1121:ALA:HB3	1.77	0.65
3:B:860:GLN:HA	3:B:897:PHE:CD2	2.32	0.65
3:B:869:LYS:O	3:B:873:ALA:HB2	1.98	0.64
3:B:1054:ARG:HB3	3:B:1057:ASP:OD2	1.97	0.64
3:A:833:LEU:HD22	3:A:855:GLU:HG2	1.78	0.63
2:D:19:U:O2	3:B:933:TYR:HD2	1.82	0.63
3:B:1051:GLU:HA	3:B:1088:HIS:ND1	2.13	0.63
3:A:879:GLN:HE21	3:A:883:ASN:ND2	1.96	0.63
3:B:982:GLN:HG3	4:B:294:HOH:O	1.99	0.62
3:B:1051:GLU:HA	3:B:1088:HIS:CE1	2.34	0.62
3:B:1161:LEU:O	3:B:1165:GLU:HG3	1.99	0.62
3:B:1151:LEU:HD22	3:B:1161:LEU:HD13	1.82	0.61
3:B:1150:THR:HG22	3:B:1153:LYS:NZ	2.16	0.60
3:B:1023:LEU:O	3:B:1027:GLU:HG3	2.02	0.60
3:B:981:VAL:HG12	3:B:982:GLN:N	2.16	0.60
3:B:1051:GLU:HA	3:B:1088:HIS:HD1	1.65	0.59
3:B:1158:LYS:NZ	3:B:1158:LYS:HB2	2.17	0.59
3:A:1011:GLN:O	3:A:1015:GLU:HG3	2.03	0.58
3:A:932:MET:HG3	4:B:121:HOH:O	2.02	0.58
3:A:870:LEU:HD22	3:A:878:ARG:HG2	1.86	0.58
3:A:1133:GLU:CD	3:A:1135:GLY:H	2.06	0.58
3:B:1151:LEU:HD23	3:B:1151:LEU:O	2.03	0.58
3:B:896:VAL:HG13	3:B:897:PHE:CD1	2.39	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:874:THR:HG23	3:A:877:GLU:H	1.69	0.57
3:A:945:ILE:HD12	3:A:949:GLN:HB3	1.87	0.57
3:B:1056:GLU:H	3:B:1056:GLU:CD	2.08	0.57
3:B:963:LYS:O	3:B:967:ASP:HB2	2.05	0.56
3:A:879:GLN:NE2	3:A:883:ASN:HD21	2.00	0.56
3:B:1055:PRO:HB2	3:B:1056:GLU:OE2	2.05	0.56
3:B:945:ILE:HD12	3:B:949:GLN:HB3	1.88	0.56
3:B:946:PRO:HB2	3:B:949:GLN:HE21	1.70	0.56
3:B:872:ARG:H	3:B:872:ARG:HD2	1.70	0.56
3:B:1113:TYR:CD1	3:B:1147:HIS:HB3	2.41	0.56
3:B:829:ARG:HG3	3:B:833:LEU:HD23	1.87	0.56
3:B:874:THR:HG22	3:B:877:GLU:CG	2.36	0.55
3:A:967:ASP:OD1	3:A:969:ASN:N	2.37	0.55
3:B:1066:ARG:CZ	3:B:1096:VAL:HG11	2.37	0.55
3:B:1071:VAL:HG23	4:B:90:HOH:O	2.06	0.55
3:B:971:ASN:O	3:B:975:GLN:HG3	2.07	0.54
3:B:1155:THR:HA	3:B:1158:LYS:NZ	2.21	0.54
3:A:919:GLU:HB2	3:A:922:ARG:NH2	2.23	0.54
3:A:893:MET:HE1	3:A:921:ILE:HG12	1.89	0.54
3:B:845:GLN:HG2	3:B:848:GLU:OE1	2.08	0.54
3:B:941:ALA:O	3:B:945:ILE:HG12	2.07	0.53
3:A:841:TYR:HB3	3:A:844:LEU:HB2	1.90	0.53
3:B:1026:LEU:HD23	3:B:1029:LEU:HD12	1.90	0.53
3:A:1089:ALA:HB1	3:A:1093:GLU:HB2	1.91	0.52
3:A:893:MET:HE1	3:A:928:LEU:CD1	2.39	0.52
3:B:942:LEU:O	3:B:950:GLN:NE2	2.36	0.52
3:A:1056:GLU:HB2	4:A:164:HOH:O	2.08	0.52
3:A:946:PRO:HB2	3:A:949:GLN:NE2	2.25	0.52
3:A:830:SER:O	3:A:834:GLU:HB2	2.10	0.52
3:A:899:ASN:O	3:A:903:GLN:HG3	2.08	0.52
3:A:972:HIS:HE1	4:A:62:HOH:O	1.93	0.52
2:D:16:A:C2'	2:D:17:U:H5''	2.39	0.52
3:B:1164:LEU:C	3:B:1166:LYS:H	2.14	0.52
3:A:854:MET:O	3:A:858:GLN:HG3	2.10	0.52
3:B:874:THR:CG2	3:B:877:GLU:H	2.22	0.52
3:B:946:PRO:HB2	3:B:949:GLN:NE2	2.25	0.51
3:A:954:VAL:HG21	3:A:981:VAL:HG21	1.91	0.51
3:B:1104:MET:HE1	4:B:318:HOH:O	2.10	0.51
3:B:907:GLU:OE1	3:B:940:LYS:NZ	2.41	0.51
3:B:1070:LEU:O	3:B:1074:GLN:HG3	2.10	0.50
3:B:982:GLN:HB3	3:B:984:GLN:NE2	2.26	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:1010:ILE:O	3:B:1014:LEU:HG	2.11	0.50
3:B:872:ARG:H	3:B:872:ARG:CD	2.25	0.50
3:B:874:THR:HG22	3:B:877:GLU:HB2	1.94	0.50
3:A:831:ARG:NH1	4:A:452:HOH:O	2.45	0.50
3:B:896:VAL:HA	3:B:933:TYR:CE2	2.47	0.50
3:A:1165:GLU:HA	3:A:1168:TYR:CD2	2.47	0.50
3:A:907:GLU:HG2	3:A:940:LYS:HD2	1.94	0.50
3:A:1046:ILE:HG23	3:A:1061:ILE:HD13	1.93	0.49
3:B:858:GLN:NE2	4:B:99:HOH:O	2.44	0.49
3:B:1056:GLU:O	3:B:1060:LYS:HG3	2.12	0.49
3:A:1153:LYS:NZ	3:A:1153:LYS:HB2	2.27	0.49
3:B:1124:VAL:O	3:B:1128:MET:HG3	2.12	0.49
3:B:860:GLN:HA	3:B:897:PHE:CE2	2.47	0.49
3:A:829:ARG:HD3	3:A:837:ARG:HD2	1.95	0.49
3:A:869:LYS:O	3:A:873:ALA:HB2	2.12	0.49
3:A:1165:GLU:O	3:A:1168:TYR:HD2	1.96	0.48
3:B:1095:ALA:HA	3:B:1136:GLN:OE1	2.13	0.48
3:A:1065:ILE:HG13	3:A:1085:CYS:SG	2.52	0.48
3:A:831:ARG:HG2	3:A:831:ARG:HH11	1.77	0.48
3:B:1087:THR:HG22	3:B:1088:HIS:HD2	1.78	0.48
3:B:1145:ARG:HB3	3:B:1146:PRO:HD3	1.95	0.48
3:A:845:GLN:NE2	3:A:845:GLN:HA	2.28	0.48
3:A:916:ALA:O	3:A:920:ARG:HG2	2.14	0.48
3:B:1119:GLN:HG3	3:B:1120:TYR:CD1	2.49	0.48
3:B:1156:TYR:C	3:B:1158:LYS:H	2.18	0.48
3:B:1011:GLN:O	3:B:1015:GLU:HG3	2.14	0.47
3:A:954:VAL:O	3:A:957:LEU:HB2	2.15	0.47
3:B:1133:GLU:HB3	3:B:1134:PRO:HD2	1.97	0.47
3:B:911:LEU:HG	3:B:915:LEU:HD22	1.96	0.47
3:B:946:PRO:O	3:B:950:GLN:HG3	2.15	0.47
3:B:1033:THR:O	3:B:1037:VAL:HG13	2.15	0.47
3:B:984:GLN:H	3:B:984:GLN:CD	2.18	0.47
3:B:1145:ARG:HB3	3:B:1146:PRO:CD	2.45	0.47
3:B:922:ARG:HH22	3:B:952:GLU:CG	2.28	0.47
3:A:879:GLN:NE2	3:A:883:ASN:ND2	2.60	0.46
3:B:962:LEU:HD12	3:B:962:LEU:N	2.31	0.46
3:B:835:ASP:HB2	3:B:841:TYR:HE2	1.80	0.46
3:A:893:MET:CE	3:A:921:ILE:HG12	2.45	0.46
3:A:982:GLN:HG3	4:A:283:HOH:O	2.13	0.46
3:B:1094:ARG:HG3	3:B:1094:ARG:HH11	1.80	0.46
2:D:13:U:O2'	2:D:14:G:H5'	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1086:VAL:HG12	3:A:1131:VAL:HG21	1.98	0.45
2:D:17:U:O4'	3:B:1008:ARG:NH1	2.49	0.45
3:B:1050:LEU:O	3:B:1088:HIS:ND1	2.47	0.45
3:A:978:ILE:HD13	3:A:1013:ILE:HG13	1.99	0.45
3:A:869:LYS:O	3:A:873:ALA:N	2.48	0.45
3:B:874:THR:HG22	3:B:877:GLU:CB	2.47	0.45
3:A:983:PRO:HD2	3:A:984:GLN:OE1	2.16	0.45
3:B:896:VAL:HA	3:B:933:TYR:CD2	2.52	0.45
3:B:896:VAL:HG13	3:B:897:PHE:HD1	1.78	0.45
3:A:919:GLU:OE1	3:A:922:ARG:NH2	2.48	0.45
3:A:1143:LYS:NZ	3:A:1143:LYS:HB3	2.32	0.45
3:A:860:GLN:HB2	3:A:897:PHE:CE1	2.51	0.45
3:A:919:GLU:HB2	3:A:922:ARG:HH21	1.82	0.45
3:B:1122:ASN:O	3:B:1126:GLN:HG3	2.17	0.45
3:B:829:ARG:NH1	3:B:837:ARG:NE	2.65	0.45
3:B:844:LEU:HD11	3:B:849:ILE:HG23	1.99	0.45
3:A:829:ARG:HE	3:A:837:ARG:NE	2.15	0.44
3:B:1164:LEU:HD13	3:B:1164:LEU:O	2.17	0.44
3:B:1009:VAL:O	3:B:1013:ILE:HG12	2.16	0.44
3:B:981:VAL:CG1	3:B:982:GLN:N	2.80	0.44
3:A:893:MET:HE3	3:A:937:VAL:HG11	1.98	0.44
3:B:844:LEU:HD12	3:B:865:PHE:CZ	2.51	0.44
3:A:1152:ARG:O	3:A:1158:LYS:HE2	2.18	0.44
3:A:874:THR:OG1	3:A:875:PRO:HD2	2.18	0.44
3:B:1003:HIS:ND1	3:B:1004:PRO:HD2	2.32	0.44
3:B:1087:THR:HG22	3:B:1088:HIS:CD2	2.53	0.44
3:A:951:ASN:HB3	3:A:955:ARG:NH2	2.32	0.44
3:B:986:LEU:HD22	3:B:989:ILE:HD12	2.00	0.43
3:A:1105:ASN:HA	3:A:1110:SER:HA	2.01	0.43
3:B:975:GLN:O	3:B:979:GLU:HG2	2.18	0.43
2:D:13:U:O2	3:B:1156:TYR:HD1	2.02	0.43
3:A:911:LEU:CD2	3:A:915:LEU:HD11	2.48	0.43
3:A:910:SER:O	3:A:914:LYS:HG3	2.18	0.43
3:B:903:GLN:HG3	3:B:937:VAL:HG22	2.01	0.43
3:B:872:ARG:N	3:B:872:ARG:HD2	2.32	0.42
3:A:1038:GLN:NE2	4:A:382:HOH:O	2.51	0.42
3:B:1117:LYS:HG3	4:B:147:HOH:O	2.19	0.42
3:A:858:GLN:NE2	4:A:260:HOH:O	2.50	0.42
3:B:929:ALA:O	3:B:935:CYS:HB3	2.18	0.42
1:C:12:U:O2	1:C:12:U:H2'	2.20	0.42
3:A:1007:CYS:O	3:A:1011:GLN:HG3	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1113:TYR:HD1	3:A:1116:MET:HE3	1.84	0.42
3:A:1145:ARG:HB3	3:A:1146:PRO:CD	2.50	0.42
3:A:1073:SER:HB2	3:A:1124:VAL:HG21	2.01	0.42
3:B:1113:TYR:O	3:B:1116:MET:HG2	2.20	0.42
3:A:1147:HIS:O	3:A:1151:LEU:HG	2.20	0.42
3:B:983:PRO:HB2	3:B:1018:LEU:CD2	2.50	0.41
3:B:830:SER:HB2	4:B:70:HOH:O	2.20	0.41
3:B:983:PRO:HB2	3:B:1018:LEU:HD22	2.02	0.41
3:B:829:ARG:HD2	3:B:834:GLU:OE1	2.19	0.41
3:A:996:GLN:HA	4:A:72:HOH:O	2.19	0.41
3:A:963:LYS:NZ	4:A:321:HOH:O	2.51	0.41
3:B:1167:TYR:HD1	3:B:1167:TYR:O	2.03	0.41
3:B:1128:MET:O	3:B:1132:ALA:HB2	2.21	0.41
3:B:1113:TYR:HD1	3:B:1147:HIS:HB3	1.85	0.41
3:B:906:PHE:O	3:B:914:LYS:HE2	2.21	0.41
3:B:933:TYR:O	3:B:936:ARG:HB2	2.20	0.41
3:A:941:ALA:O	3:A:945:ILE:HG12	2.21	0.41
3:B:1054:ARG:HD2	3:B:1056:GLU:OE1	2.19	0.41
3:B:835:ASP:HB3	3:B:840:ARG:HB2	2.02	0.41
3:B:890:TYR:HD2	3:B:890:TYR:O	2.03	0.41
3:B:990:ILE:HG12	3:B:1021:GLN:HB3	2.01	0.41
3:A:1070:LEU:HD13	3:A:1111:ALA:HB1	2.03	0.41
3:A:911:LEU:HD22	3:A:915:LEU:HD11	2.02	0.41
3:B:1056:GLU:N	3:B:1056:GLU:OE2	2.50	0.41
3:B:892:LEU:O	3:B:899:ASN:N	2.54	0.41
3:B:1164:LEU:O	3:B:1166:LYS:N	2.53	0.41
3:A:954:VAL:CG2	3:A:981:VAL:HG21	2.51	0.41
3:A:926:LEU:HD22	3:A:960:HIS:CD2	2.57	0.40
3:B:1021:GLN:O	3:B:1024:PRO:HD2	2.22	0.40
3:B:1137:ARG:O	3:B:1141:MET:HG2	2.21	0.40
3:B:922:ARG:HH22	3:B:952:GLU:HG2	1.87	0.40
3:B:996:GLN:O	3:B:1000:LEU:HG	2.21	0.40
3:B:1116:MET:CE	3:B:1144:ILE:HG23	2.50	0.40
3:A:1005:TYR:O	3:A:1008:ARG:HB2	2.22	0.40
3:B:831:ARG:HD2	4:B:468:HOH:O	2.20	0.40
3:B:990:ILE:N	3:B:990:ILE:HD12	2.36	0.40
3:A:978:ILE:HA	3:A:986:LEU:CD1	2.51	0.40
3:B:1148:ILE:O	3:B:1151:LEU:HB3	2.21	0.40
3:B:1164:LEU:C	3:B:1166:LYS:N	2.74	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	339/349 (97%)	328 (97%)	9 (3%)	2 (1%)	28	29
3	B	339/349 (97%)	314 (93%)	21 (6%)	4 (1%)	15	12
All	All	678/698 (97%)	642 (95%)	30 (4%)	6 (1%)	20	18

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	B	830	SER
3	B	1149	ALA
3	B	839	ASN
3	B	1165	GLU
3	A	838	ASN
3	A	1108	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	304/310 (98%)	298 (98%)	6 (2%)	60	74
3	B	304/310 (98%)	299 (98%)	5 (2%)	68	81
All	All	608/620 (98%)	597 (98%)	11 (2%)	64	77

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	831	ARG
3	A	837	ARG
3	A	919	GLU
3	A	957	LEU
3	A	1082	VAL
3	A	1168	TYR
3	B	872	ARG
3	B	890	TYR
3	B	915	LEU
3	B	957	LEU
3	B	984	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	845	GLN
3	A	852	HIS
3	A	858	GLN
3	A	883	ASN
3	A	891	GLN
3	A	949	GLN
3	A	951	ASN
3	A	972	HIS
3	A	1105	ASN
3	A	1119	GLN
3	B	845	GLN
3	B	883	ASN
3	B	891	GLN
3	B	949	GLN
3	B	951	ASN
3	B	1031	GLN
3	B	1119	GLN
3	B	1147	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	C	7/8 (87%)	0	0
2	D	6/7 (85%)	1 (16%)	0
All	All	13/15 (86%)	1 (7%)	0

All (1) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	D	17	U

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	C	8/8 (100%)	0.49	1 (12%) 4 4	32, 49, 66, 103	0
2	D	7/7 (100%)	0.36	0 100 100	46, 67, 83, 85	0
3	A	341/349 (97%)	0.14	9 (2%) 56 54	19, 34, 71, 87	0
3	B	341/349 (97%)	0.39	24 (7%) 17 16	28, 51, 97, 110	0
All	All	697/713 (97%)	0.27	34 (4%) 30 29	19, 43, 80, 110	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	B	1156	TYR	8.6
3	B	1157	GLY	6.4
3	A	828	GLY	5.1
3	A	868	LEU	4.8
3	B	1168	TYR	4.8
3	B	1155	THR	4.7
3	B	1160	ILE	4.5
3	A	872	ARG	4.0
3	B	1158	LYS	3.5
3	B	1164	LEU	3.4
3	A	1104	MET	3.3
3	A	1168	TYR	3.2
1	C	12	U	3.2
3	B	840	ARG	3.1
3	B	1147	HIS	3.1
3	B	1152	ARG	3.1
3	B	1150	THR	3.0
3	B	1167	TYR	2.9
3	B	1159	HIS	2.7
3	B	1153	LYS	2.6
3	B	1146	PRO	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	B	1163	LYS	2.4
3	A	847	ARG	2.4
3	B	839	ASN	2.3
3	B	1142	HIS	2.3
3	B	995	GLY	2.2
3	B	874	THR	2.2
3	A	842	PRO	2.2
3	B	1161	LEU	2.1
3	A	861	HIS	2.1
3	A	908	PHE	2.1
3	B	1166	LYS	2.0
3	B	1113	TYR	2.0
3	B	1148	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.