



# Full wwPDB X-ray Structure Validation Report ⓘ

Jan 21, 2018 – 05:15 AM EST

PDB ID : 4MIM  
Title : Structure of the carboxyl transferase domain from *Rhizobium etli* pyruvate carboxylase with 3-bromopyruvate  
Authors : Lietzan, A.D.; St.Maurice, M.  
Deposited on : 2013-09-01  
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20030736  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20030736


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	3491 (2.70-2.62)
Clashscore	112137	1026 (2.68-2.64)
Ramachandran outliers	110173	1010 (2.68-2.64)
Sidechain outliers	110143	1010 (2.68-2.64)
RSRZ outliers	101464	3511 (2.70-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	632	<div> <div>2%</div> <div>83% 11% 6%</div> </div>
1	B	632	<div> <div>9%</div> <div>84% 9% 6%</div> </div>
1	C	632	<div> <div>2%</div> <div>86% 9% 6%</div> </div>
1	D	632	<div> <div>5%</div> <div>84% 9% 6%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	BPV	C	1102	-	-	-	X
4	CL	B	1104	-	-	X	-
6	GOL	B	1101	-	-	-	X

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 17720 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PYRUVATE CARBOXYLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	595	Total	C	N	O	S	0	1	0
			4515	2868	755	869	23			
1	B	593	Total	C	N	O	S	0	1	0
			4297	2715	727	832	23			
1	C	597	Total	C	N	O	S	0	1	0
			4428	2815	744	846	23			
1	D	592	Total	C	N	O	S	0	1	0
			4288	2716	721	828	23			

There are 116 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	436	MET	-	EXPRESSION TAG	UNP Q2K340
A	437	GLY	-	EXPRESSION TAG	UNP Q2K340
A	438	SER	-	EXPRESSION TAG	UNP Q2K340
A	439	SER	-	EXPRESSION TAG	UNP Q2K340
A	440	HIS	-	EXPRESSION TAG	UNP Q2K340
A	441	HIS	-	EXPRESSION TAG	UNP Q2K340
A	442	HIS	-	EXPRESSION TAG	UNP Q2K340
A	443	HIS	-	EXPRESSION TAG	UNP Q2K340
A	444	HIS	-	EXPRESSION TAG	UNP Q2K340
A	445	HIS	-	EXPRESSION TAG	UNP Q2K340
A	446	HIS	-	EXPRESSION TAG	UNP Q2K340
A	447	HIS	-	EXPRESSION TAG	UNP Q2K340
A	448	ASP	-	EXPRESSION TAG	UNP Q2K340
A	449	TYR	-	EXPRESSION TAG	UNP Q2K340
A	450	ASP	-	EXPRESSION TAG	UNP Q2K340
A	451	ILE	-	EXPRESSION TAG	UNP Q2K340
A	452	PRO	-	EXPRESSION TAG	UNP Q2K340
A	453	THR	-	EXPRESSION TAG	UNP Q2K340
A	454	SER	-	EXPRESSION TAG	UNP Q2K340
A	455	GLU	-	EXPRESSION TAG	UNP Q2K340
A	456	ASN	-	EXPRESSION TAG	UNP Q2K340

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	457	LEU	-	EXPRESSION TAG	UNP Q2K340
A	458	TYR	-	EXPRESSION TAG	UNP Q2K340
A	459	PHE	-	EXPRESSION TAG	UNP Q2K340
A	460	GLN	-	EXPRESSION TAG	UNP Q2K340
A	461	GLY	-	EXPRESSION TAG	UNP Q2K340
A	462	LEU	-	EXPRESSION TAG	UNP Q2K340
A	463	LEU	-	EXPRESSION TAG	UNP Q2K340
A	464	HIS	-	EXPRESSION TAG	UNP Q2K340
B	436	MET	-	EXPRESSION TAG	UNP Q2K340
B	437	GLY	-	EXPRESSION TAG	UNP Q2K340
B	438	SER	-	EXPRESSION TAG	UNP Q2K340
B	439	SER	-	EXPRESSION TAG	UNP Q2K340
B	440	HIS	-	EXPRESSION TAG	UNP Q2K340
B	441	HIS	-	EXPRESSION TAG	UNP Q2K340
B	442	HIS	-	EXPRESSION TAG	UNP Q2K340
B	443	HIS	-	EXPRESSION TAG	UNP Q2K340
B	444	HIS	-	EXPRESSION TAG	UNP Q2K340
B	445	HIS	-	EXPRESSION TAG	UNP Q2K340
B	446	HIS	-	EXPRESSION TAG	UNP Q2K340
B	447	HIS	-	EXPRESSION TAG	UNP Q2K340
B	448	ASP	-	EXPRESSION TAG	UNP Q2K340
B	449	TYR	-	EXPRESSION TAG	UNP Q2K340
B	450	ASP	-	EXPRESSION TAG	UNP Q2K340
B	451	ILE	-	EXPRESSION TAG	UNP Q2K340
B	452	PRO	-	EXPRESSION TAG	UNP Q2K340
B	453	THR	-	EXPRESSION TAG	UNP Q2K340
B	454	SER	-	EXPRESSION TAG	UNP Q2K340
B	455	GLU	-	EXPRESSION TAG	UNP Q2K340
B	456	ASN	-	EXPRESSION TAG	UNP Q2K340
B	457	LEU	-	EXPRESSION TAG	UNP Q2K340
B	458	TYR	-	EXPRESSION TAG	UNP Q2K340
B	459	PHE	-	EXPRESSION TAG	UNP Q2K340
B	460	GLN	-	EXPRESSION TAG	UNP Q2K340
B	461	GLY	-	EXPRESSION TAG	UNP Q2K340
B	462	LEU	-	EXPRESSION TAG	UNP Q2K340
B	463	LEU	-	EXPRESSION TAG	UNP Q2K340
B	464	HIS	-	EXPRESSION TAG	UNP Q2K340
C	436	MET	-	EXPRESSION TAG	UNP Q2K340
C	437	GLY	-	EXPRESSION TAG	UNP Q2K340
C	438	SER	-	EXPRESSION TAG	UNP Q2K340
C	439	SER	-	EXPRESSION TAG	UNP Q2K340
C	440	HIS	-	EXPRESSION TAG	UNP Q2K340

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	441	HIS	-	EXPRESSION TAG	UNP Q2K340
C	442	HIS	-	EXPRESSION TAG	UNP Q2K340
C	443	HIS	-	EXPRESSION TAG	UNP Q2K340
C	444	HIS	-	EXPRESSION TAG	UNP Q2K340
C	445	HIS	-	EXPRESSION TAG	UNP Q2K340
C	446	HIS	-	EXPRESSION TAG	UNP Q2K340
C	447	HIS	-	EXPRESSION TAG	UNP Q2K340
C	448	ASP	-	EXPRESSION TAG	UNP Q2K340
C	449	TYR	-	EXPRESSION TAG	UNP Q2K340
C	450	ASP	-	EXPRESSION TAG	UNP Q2K340
C	451	ILE	-	EXPRESSION TAG	UNP Q2K340
C	452	PRO	-	EXPRESSION TAG	UNP Q2K340
C	453	THR	-	EXPRESSION TAG	UNP Q2K340
C	454	SER	-	EXPRESSION TAG	UNP Q2K340
C	455	GLU	-	EXPRESSION TAG	UNP Q2K340
C	456	ASN	-	EXPRESSION TAG	UNP Q2K340
C	457	LEU	-	EXPRESSION TAG	UNP Q2K340
C	458	TYR	-	EXPRESSION TAG	UNP Q2K340
C	459	PHE	-	EXPRESSION TAG	UNP Q2K340
C	460	GLN	-	EXPRESSION TAG	UNP Q2K340
C	461	GLY	-	EXPRESSION TAG	UNP Q2K340
C	462	LEU	-	EXPRESSION TAG	UNP Q2K340
C	463	LEU	-	EXPRESSION TAG	UNP Q2K340
C	464	HIS	-	EXPRESSION TAG	UNP Q2K340
D	436	MET	-	EXPRESSION TAG	UNP Q2K340
D	437	GLY	-	EXPRESSION TAG	UNP Q2K340
D	438	SER	-	EXPRESSION TAG	UNP Q2K340
D	439	SER	-	EXPRESSION TAG	UNP Q2K340
D	440	HIS	-	EXPRESSION TAG	UNP Q2K340
D	441	HIS	-	EXPRESSION TAG	UNP Q2K340
D	442	HIS	-	EXPRESSION TAG	UNP Q2K340
D	443	HIS	-	EXPRESSION TAG	UNP Q2K340
D	444	HIS	-	EXPRESSION TAG	UNP Q2K340
D	445	HIS	-	EXPRESSION TAG	UNP Q2K340
D	446	HIS	-	EXPRESSION TAG	UNP Q2K340
D	447	HIS	-	EXPRESSION TAG	UNP Q2K340
D	448	ASP	-	EXPRESSION TAG	UNP Q2K340
D	449	TYR	-	EXPRESSION TAG	UNP Q2K340
D	450	ASP	-	EXPRESSION TAG	UNP Q2K340
D	451	ILE	-	EXPRESSION TAG	UNP Q2K340
D	452	PRO	-	EXPRESSION TAG	UNP Q2K340
D	453	THR	-	EXPRESSION TAG	UNP Q2K340

*Continued on next page...*


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	454	SER	-	EXPRESSION TAG	UNP Q2K340
D	455	GLU	-	EXPRESSION TAG	UNP Q2K340
D	456	ASN	-	EXPRESSION TAG	UNP Q2K340
D	457	LEU	-	EXPRESSION TAG	UNP Q2K340
D	458	TYR	-	EXPRESSION TAG	UNP Q2K340
D	459	PHE	-	EXPRESSION TAG	UNP Q2K340
D	460	GLN	-	EXPRESSION TAG	UNP Q2K340
D	461	GLY	-	EXPRESSION TAG	UNP Q2K340
D	462	LEU	-	EXPRESSION TAG	UNP Q2K340
D	463	LEU	-	EXPRESSION TAG	UNP Q2K340
D	464	HIS	-	EXPRESSION TAG	UNP Q2K340

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	B	1	Total Zn 1 1	0	0
2	A	1	Total Zn 1 1	0	0
2	D	1	Total Zn 1 1	0	0
2	C	1	Total Zn 1 1	0	0

- Molecule 3 is Bromopyruvate (three-letter code: BPV) (formula: C<sub>3</sub>H<sub>3</sub>BrO<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Br C O 14 2 6 6	0	1
3	B	1	Total C O 6 3 3	0	0
3	C	1	Total C O 6 3 3	0	0
3	D	1	Total C O 6 3 3	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Cl 1 1	0	0
4	A	1	Total Cl 1 1	0	0
4	D	1	Total Cl 1 1	0	0
4	C	1	Total Cl 1 1	0	0

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total Mg 1 1	0	0
5	A	1	Total Mg 1 1	0	0
5	D	1	Total Mg 1 1	0	0
5	C	1	Total Mg 1 1	0	0

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	54	Total	O	0	0
			54	54		
7	B	29	Total	O	0	0
			29	29		
7	C	33	Total	O	0	0
			33	33		
7	D	20	Total	O	0	0
			20	20		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: PYRUVATE CARBOXYLASE




#### • Molecule 1: PYRUVATE CARBOXYLASE





#### • Molecule 1: PYRUVATE CARBOXYLASE





● Molecule 1: PYRUVATE CARBOXYLASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	85.59Å 157.06Å 243.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.13 – 2.65 48.08 – 2.65	Depositor EDS
% Data completeness (in resolution range)	99.3 (48.13-2.65) 99.3 (48.08-2.65)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.75 (at 2.65Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, $R_{free}$	0.186 , 0.235 0.190 , 0.232	Depositor DCC
$R_{free}$ test set	4756 reflections (5.28%)	DCC
Wilson B-factor (Å <sup>2</sup> )	64.3	Xtriage
Anisotropy	0.135	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 42.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	17720	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	76.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.21% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, CL, MG, BPV, KCX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.82	0/4600	0.90	9/6261 (0.1%)
1	B	0.69	0/4380	0.81	4/5985 (0.1%)
1	C	0.67	0/4515	0.81	3/6162 (0.0%)
1	D	0.60	0/4371	0.73	1/5973 (0.0%)
All	All	0.70	0/17866	0.81	17/24381 (0.1%)

There are no bond length outliers.

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	539	ARG	NE-CZ-NH1	7.98	124.29	120.30
1	B	549	ASP	CB-CG-OD1	6.88	124.49	118.30
1	C	516	ASP	CB-CG-OD1	6.43	124.09	118.30
1	A	974	ARG	NE-CZ-NH1	5.77	123.18	120.30
1	B	577	ASN	CB-CA-C	-5.55	99.29	110.40
1	A	737	ARG	NE-CZ-NH1	-5.54	117.53	120.30
1	A	686	ASP	CB-CG-OD1	5.54	123.28	118.30
1	A	641	ARG	NE-CZ-NH1	5.54	123.07	120.30
1	A	686	ASP	CB-CG-OD2	-5.51	113.34	118.30
1	A	594	ARG	NE-CZ-NH2	5.45	123.03	120.30
1	B	803	ASP	CB-CG-OD1	5.28	123.05	118.30
1	C	494	ARG	NE-CZ-NH2	5.26	122.93	120.30
1	A	827	ASP	CB-CG-OD1	5.25	123.02	118.30
1	A	737	ARG	NE-CZ-NH2	5.24	122.92	120.30
1	D	549	ASP	CB-CG-OD1	5.21	122.99	118.30
1	C	494	ARG	NE-CZ-NH1	-5.11	117.74	120.30
1	A	655	ASP	CB-CG-OD1	-5.02	113.78	118.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4515	0	4362	30	0
1	B	4297	0	3912	34	0
1	C	4428	0	4203	29	0
1	D	4288	0	3900	34	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	14	0	0	2	0
3	B	6	0	0	0	0
3	C	6	0	0	0	0
3	D	6	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	2	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
6	B	6	0	8	1	0
6	C	6	0	8	3	0
7	A	54	0	0	0	0
7	B	29	0	0	0	0
7	C	33	0	0	0	0
7	D	20	0	0	0	0
All	All	17720	0	16393	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:677:CYS:H	1:B:713:HIS:HD2	1.17	0.92

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:481:ALA:O	1:C:485:VAL:HG13	1.81	0.81
1:A:677:CYS:H	1:A:713:HIS:HD2	1.30	0.77
1:A:481:ALA:O	1:A:485:VAL:HG13	1.87	0.74
1:A:481:ALA:O	1:A:485:VAL:CG1	2.37	0.72
1:C:549:ASP:HB3	1:C:783:GLN:HE22	1.56	0.70
1:C:630:ASN:HD21	1:C:662:ASN:HD21	1.40	0.69
1:B:549:ASP:HB3	1:B:783:GLN:HE22	1.57	0.69
1:A:548:ARG:HH22	3:A:1102[A]:BPV:C3	2.07	0.68
1:D:630:ASN:HD21	1:D:662:ASN:HD21	1.40	0.67
1:A:630:ASN:HD21	1:A:662:ASN:HD21	1.43	0.65
1:C:677:CYS:H	1:C:713:HIS:HD2	1.44	0.64
1:A:549:ASP:OD1	3:A:1102[A]:BPV:BR	2.72	0.63
1:A:1025:ASP:OD2	1:A:1031:THR:OG1	2.19	0.61
1:B:677:CYS:H	1:B:713:HIS:CD2	2.08	0.59
1:B:566:ARG:HG3	1:B:566:ARG:HH11	1.68	0.59
1:B:630:ASN:HD21	1:B:662:ASN:HD21	1.49	0.59
6:C:1105:GOL:O1	1:D:750:ASP:OD2	2.20	0.58
1:A:891[B]:MET:HE2	1:A:918:VAL:HG11	1.85	0.58
1:D:549:ASP:HB3	1:D:783:GLN:HE22	1.69	0.58
1:B:750:ASP:C	1:B:780:ASN:O	2.43	0.57
6:C:1105:GOL:H12	1:D:780:ASN:H	1.70	0.57
1:C:597:THR:HG22	1:C:597:THR:O	2.07	0.55
1:C:1003:PRO:O	1:C:1006:VAL:HG22	2.07	0.54
1:C:590:ASP:OD1	1:C:594:ARG:HD2	2.07	0.54
1:A:799:ASP:OD1	1:A:800:PRO:HD2	2.11	0.51
1:C:630:ASN:ND2	1:C:952:PRO:HG2	2.25	0.51
1:C:621:ARG:HG2	1:C:654:PHE:CE2	2.45	0.51
1:C:630:ASN:HD22	1:C:952:PRO:HG2	1.75	0.51
1:A:551:HIS:CE1	1:A:559:MET:HB3	2.46	0.51
1:B:566:ARG:CG	1:B:566:ARG:HH11	2.23	0.51
1:A:633:ASP:OD1	1:A:951:ARG:NH1	2.44	0.50
1:B:748:THR:O	1:B:783:GLN:HG3	2.11	0.50
1:D:486:ASN:HD21	1:D:1066:ARG:H	1.59	0.50
1:C:567:ILE:HD13	1:C:813:TYR:CD2	2.47	0.49
1:D:835:VAL:HA	1:D:838:HIS:CE1	2.47	0.49
1:D:678:GLU:HA	1:D:714:ILE:O	2.13	0.48
1:C:791:GLU:HG2	1:D:836:TYR:CD2	2.48	0.48
1:A:494:ARG:HB3	1:A:495:PRO:CD	2.44	0.48
1:D:599:ASP:HB3	1:D:602:GLU:HB2	1.95	0.48
1:D:987:TYR:HB3	1:D:990:VAL:HB	1.95	0.48
1:B:624:ASN:HD22	1:B:629:THR:C	2.17	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:913:SER:O	1:D:913:SER:OG	2.28	0.47
1:D:678:GLU:CG	1:D:716:ALA:HB2	2.44	0.47
1:D:608:ARG:HA	1:D:608:ARG:NE	2.30	0.47
1:B:806:TRP:CE2	1:B:809:ARG:NH1	2.83	0.46
1:A:698:LYS:HG2	1:A:702:ASN:ND2	2.30	0.46
1:A:624:ASN:HD22	1:A:629:THR:C	2.18	0.46
1:A:481:ALA:O	1:A:485:VAL:HG12	2.12	0.46
1:A:891[B]:MET:CE	1:A:918:VAL:HG11	2.46	0.46
1:D:608:ARG:HA	1:D:608:ARG:HE	1.81	0.46
1:D:494:ARG:HB3	1:D:495:PRO:CD	2.46	0.46
1:B:1037:GLN:O	1:B:1038:ALA:HB2	2.16	0.45
1:D:543:THR:HB	1:D:771:ASP:OD1	2.16	0.45
1:D:542:LEU:HD12	1:D:786:LEU:CD1	2.46	0.45
1:C:1045:GLN:N	1:C:1045:GLN:OE1	2.49	0.45
1:A:549:ASP:HB3	1:A:783:GLN:HE22	1.81	0.45
1:B:661:GLU:OE1	1:B:664:ARG:NH1	2.50	0.45
1:D:750:ASP:C	1:D:780:ASN:O	2.55	0.45
1:B:1023:PHE:CE1	1:B:1033:VAL:HG22	2.52	0.44
6:C:1105:GOL:C1	1:D:780:ASN:H	2.30	0.44
1:C:608:ARG:HA	1:C:608:ARG:NE	2.31	0.44
1:C:836:TYR:CD2	1:D:791:GLU:HG2	2.52	0.44
1:B:942:LEU:O	1:B:943:LYS:C	2.56	0.44
1:C:549:ASP:HB3	1:C:783:GLN:NE2	2.26	0.44
1:B:989:LYS:N	4:B:1104:CL:CL	2.87	0.44
1:C:1043:ASP:OD1	1:C:1045:GLN:N	2.49	0.44
1:B:750:ASP:OD2	6:B:1101:GOL:H32	2.18	0.44
1:A:488:HIS:CE1	1:A:490:GLU:HB2	2.52	0.44
1:B:598:GLU:OE2	1:B:603:ARG:NH2	2.45	0.44
1:B:751:THR:N	1:B:780:ASN:O	2.51	0.44
1:A:836:TYR:CD2	1:B:791:GLU:HG2	2.53	0.43
1:B:928:GLN:OE1	1:B:949:THR:HG22	2.18	0.43
1:B:793:LEU:HA	1:B:793:LEU:HD23	1.82	0.43
1:B:951:ARG:NH2	1:B:954:SER:HB3	2.33	0.43
1:D:1063:VAL:HB	1:D:1064:PRO:HD2	2.00	0.43
1:B:566:ARG:CG	1:B:566:ARG:NH1	2.79	0.43
1:D:698:LYS:HA	1:D:701:THR:OG1	2.17	0.43
1:D:630:ASN:ND2	1:D:662:ASN:HD21	2.12	0.43
1:A:782:SER:OG	1:A:783:GLN:N	2.52	0.43
1:B:942:LEU:O	1:B:943:LYS:O	2.37	0.43
1:B:663:MET:O	1:B:667:MET:HG3	2.19	0.43
1:B:630:ASN:ND2	1:B:662:ASN:HD21	2.14	0.43

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:551:HIS:CE1	1:C:559:MET:HB3	2.53	0.43
1:A:774:MET:O	1:A:775:ASP:C	2.57	0.42
1:A:772:ALA:HB3	1:A:786:LEU:HD13	2.00	0.42
1:B:621:ARG:O	1:B:622:GLY:C	2.57	0.42
1:A:599:ASP:OD1	1:A:601:TRP:N	2.45	0.42
1:A:929:PRO:HD3	1:A:933:TRP:CE2	2.53	0.42
1:B:621:ARG:O	1:B:624:ASN:N	2.47	0.42
1:D:486:ASN:ND2	1:D:1066:ARG:H	2.18	0.42
1:C:472:ARG:CB	1:C:1026:ILE:HD11	2.49	0.42
1:C:678:GLU:OE1	1:C:745:HIS:ND1	2.42	0.42
1:D:549:ASP:HB3	1:D:783:GLN:NE2	2.35	0.42
1:D:881:VAL:C	1:D:885:SER:OG	2.58	0.41
1:C:541:LEU:HB3	1:C:579:LEU:HB2	2.02	0.41
1:C:677:CYS:H	1:C:713:HIS:CD2	2.31	0.41
1:C:799:ASP:C	1:C:799:ASP:OD1	2.59	0.41
1:A:876:GLY:O	1:A:877:ASP:HB3	2.20	0.41
1:B:500:ASN:O	1:B:502:ALA:N	2.54	0.41
1:B:650:LEU:HD23	1:B:651:PHE:N	2.35	0.41
1:D:882:THR:HA	1:D:883:PRO:HA	1.91	0.41
1:A:567:ILE:O	1:A:568:ALA:C	2.59	0.41
1:D:667:MET:HG2	1:D:677:CYS:SG	2.60	0.41
1:C:757:ALA:HB2	1:D:757:ALA:HA	2.01	0.41
1:D:661:GLU:O	1:D:951:ARG:HD2	2.20	0.41
1:B:521:LEU:HD22	1:B:525:LEU:HG	2.03	0.41
1:D:763:VAL:HA	1:D:767:VAL:HG12	2.01	0.41
1:C:956:LEU:O	1:C:957:LYS:C	2.59	0.41
1:D:775:ASP:HB2	1:D:811:SER:OG	2.21	0.41
1:A:760:LEU:HD23	1:A:760:LEU:HA	1.94	0.41
1:D:1023:PHE:CD1	1:D:1033:VAL:HG22	2.56	0.41
1:D:651:PHE:HB2	1:D:670:ILE:HD13	2.02	0.41
1:A:678:GLU:OE1	1:A:745:HIS:ND1	2.50	0.40
1:B:1048:VAL:O	1:B:1062:LYS:HA	2.21	0.40
1:B:574:ALA:HB1	1:B:806:TRP:CG	2.56	0.40
1:C:775:ASP:HB2	1:C:811:SER:OG	2.22	0.40
1:A:887:VAL:HG13	1:A:918:VAL:HA	2.03	0.40
1:A:953:GLY:HA2	1:A:956:LEU:HD12	2.02	0.40
1:C:687:ILE:HG22	1:C:696:ASP:C	2.42	0.40
1:B:990:VAL:N	4:B:1104:CL:CL	2.70	0.40
1:C:630:ASN:ND2	1:C:662:ASN:HD21	2.12	0.40
1:C:750:ASP:C	1:C:780:ASN:O	2.60	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	591/632 (94%)	578 (98%)	12 (2%)	1 (0%)	51	69
1	B	585/632 (93%)	555 (95%)	29 (5%)	1 (0%)	51	69
1	C	595/632 (94%)	570 (96%)	22 (4%)	3 (0%)	32	49
1	D	582/632 (92%)	552 (95%)	29 (5%)	1 (0%)	51	69
All	All	2353/2528 (93%)	2255 (96%)	92 (4%)	6 (0%)	44	62

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	501	ALA
1	D	512	ASN
1	A	501	ALA
1	B	930	PRO
1	C	877	ASP
1	C	908	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	457/519 (88%)	437 (96%)	20 (4%)	33	51
1	B	400/519 (77%)	384 (96%)	16 (4%)	36	55
1	C	435/519 (84%)	425 (98%)	10 (2%)	56	76
1	D	399/519 (77%)	381 (96%)	18 (4%)	32	50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1691/2076 (82%)	1627 (96%)	64 (4%)	38 57

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	485	VAL
1	A	510	ASN
1	A	528	LYS
1	A	537	GLU
1	A	557	THR
1	A	577	ASN
1	A	584	TRP
1	A	672	GLU
1	A	698	LYS
1	A	720	MET
1	A	808	ARG
1	A	854	SER
1	A	860	ARG
1	A	863	GLN
1	A	899	ASP
1	A	926	LEU
1	A	931	SER
1	A	945	GLU
1	A	999	ASP
1	A	1045	GLN
1	B	514	VAL
1	B	521	LEU
1	B	557	THR
1	B	566	ARG
1	B	584	TRP
1	B	629	THR
1	B	666	SER
1	B	720	MET
1	B	794	SER
1	B	897	SER
1	B	926	LEU
1	B	930	PRO
1	B	962	ASP
1	B	998	SER
1	B	1000	THR
1	B	1022	LEU
1	C	494	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	510	ASN
1	C	557	THR
1	C	566	ARG
1	C	584	TRP
1	C	720	MET
1	C	730	LYS
1	C	794	SER
1	C	926	LEU
1	C	999	ASP
1	D	493	ASP
1	D	494	ARG
1	D	538	LYS
1	D	542	LEU
1	D	557	THR
1	D	584	TRP
1	D	602	GLU
1	D	629	THR
1	D	684	THR
1	D	720	MET
1	D	794	SER
1	D	797	GLU
1	D	850	GLU
1	D	926	LEU
1	D	998	SER
1	D	1000	THR
1	D	1008	PRO
1	D	1063	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	486	ASN
1	A	510	ASN
1	A	624	ASN
1	A	630	ASN
1	A	713	HIS
1	A	783	GLN
1	B	486	ASN
1	B	624	ASN
1	B	630	ASN
1	B	713	HIS
1	B	783	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	486	ASN
1	C	577	ASN
1	C	624	ASN
1	C	630	ASN
1	C	713	HIS
1	C	783	GLN
1	D	486	ASN
1	D	577	ASN
1	D	624	ASN
1	D	662	ASN
1	D	713	HIS
1	D	783	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	KCX	A	718	1,2	8,11,12	0.81	0	6,12,14	1.08	0
1	KCX	B	718	1,2	8,11,12	0.68	0	6,12,14	1.68	1 (16%)
1	KCX	C	718	1,2	8,11,12	0.74	0	6,12,14	0.99	0
1	KCX	D	718	1,2	8,11,12	0.56	0	6,12,14	1.05	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	A	718	1,2	-	0/6/10/12	0/0/0/0
1	KCX	B	718	1,2	-	0/6/10/12	0/0/0/0
1	KCX	C	718	1,2	-	0/6/10/12	0/0/0/0
1	KCX	D	718	1,2	-	0/6/10/12	0/0/0/0

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	718	KCX	CB-CA-C	2.63	115.98	111.65

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 19 ligands modelled in this entry, 12 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	BPV	A	1102[A]	-	3,6,6	1.55	1 (33%)	2,7,7	3.70	2 (100%)
3	BPV	A	1102[B]	-	3,6,6	3.53	2 (66%)	2,7,7	3.19	1 (50%)
6	GOL	B	1101	-	5,5,5	0.49	0	5,5,5	1.01	0
3	BPV	B	1103	-	2,5,6	0.68	0	2,6,7	0.14	0
3	BPV	C	1102	-	2,5,6	0.63	0	2,6,7	0.92	0
6	GOL	C	1105	-	5,5,5	0.32	0	5,5,5	0.72	0
3	BPV	D	1102	-	2,5,6	0.61	0	2,6,7	1.61	1 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	BPV	A	1102[A]	-	-	0/2/6/6	0/0/0/0
3	BPV	A	1102[B]	-	-	0/2/6/6	0/0/0/0
6	GOL	B	1101	-	-	0/4/4/4	0/0/0/0
3	BPV	B	1103	-	-	0/0/4/6	0/0/0/0
3	BPV	C	1102	-	-	0/0/4/6	0/0/0/0
6	GOL	C	1105	-	-	0/4/4/4	0/0/0/0
3	BPV	D	1102	-	-	0/0/4/6	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1102[A]	BPV	BR-C3	2.48	2.03	1.94
3	A	1102[B]	BPV	C3-C2	3.84	1.58	1.51
3	A	1102[B]	BPV	BR-C3	4.49	2.10	1.94

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	1102	BPV	O3-C2-C3	-2.28	114.96	120.16
3	A	1102[A]	BPV	O3-C2-C3	2.23	125.50	121.08
3	A	1102[B]	BPV	BR-C3-C2	4.23	123.85	112.50
3	A	1102[A]	BPV	BR-C3-C2	4.73	125.19	112.50

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1102[A]	BPV	2	0
6	B	1101	GOL	1	0
6	C	1105	GOL	3	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	594/632 (93%)	-0.20	11 (1%) 67 66	37, 53, 79, 120	13 (2%)
1	B	592/632 (93%)	0.34	55 (9%) 9 7	38, 86, 159, 198	6 (1%)
1	C	596/632 (94%)	-0.03	13 (2%) 62 61	48, 69, 111, 145	8 (1%)
1	D	591/632 (93%)	0.19	33 (5%) 25 23	51, 89, 132, 163	8 (1%)
All	All	2373/2528 (93%)	0.07	112 (4%) 32 30	37, 71, 135, 198	35 (1%)

All (112) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	914	PHE	6.5
1	D	907	SER	5.0
1	D	961	LEU	4.9
1	D	941	ALA	4.9
1	B	912	VAL	4.8
1	B	981	PHE	4.7
1	D	891[A]	MET	4.7
1	D	909	ASP	4.6
1	B	941	ALA	4.5
1	B	473	ALA	4.2
1	B	1003	PRO	4.2
1	D	933	TRP	4.2
1	D	908	PRO	4.1
1	B	476	LEU	4.1
1	B	934	PRO	4.1
1	D	875	PHE	4.1
1	D	914	PHE	4.0
1	B	1011	ALA	4.0
1	C	900	LEU	4.0
1	B	1059	ARG	3.9
1	C	874	MET	3.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	891[A]	MET	3.8
1	B	976	VAL	3.7
1	B	933	TRP	3.7
1	B	909	ASP	3.7
1	D	1051	PHE	3.6
1	D	1003	PRO	3.4
1	C	961	LEU	3.4
1	C	909	ASP	3.3
1	B	478	THR	3.3
1	B	477	LEU	3.2
1	B	1050	VAL	3.2
1	B	891[A]	MET	3.2
1	D	1019	GLY	3.2
1	D	910	ARG	3.2
1	D	1052	PHE	3.1
1	D	975	GLU	3.1
1	B	1001	TYR	3.0
1	B	963	ALA	3.0
1	D	675	LYS	3.0
1	C	963	ALA	3.0
1	B	874	MET	3.0
1	C	893	LEU	3.0
1	B	938	GLN	2.9
1	B	962	ASP	2.9
1	D	938	GLN	2.9
1	C	875	PHE	2.9
1	D	948	TYR	2.9
1	D	1001	TYR	2.9
1	B	947	PRO	2.8
1	B	1016	LEU	2.8
1	B	942	LEU	2.7
1	C	906	VAL	2.7
1	B	887	VAL	2.7
1	B	753	GLY	2.7
1	B	960	ASP	2.7
1	B	479	TYR	2.6
1	D	1067	ALA	2.6
1	A	778	SER	2.6
1	B	913	SER	2.6
1	A	779	GLY	2.6
1	B	831	PRO	2.5
1	A	750	ASP	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	905	VAL	2.5
1	B	937	LEU	2.5
1	B	830	GLY	2.5
1	B	907	SER	2.5
1	D	896	VAL	2.4
1	A	785	CYS	2.4
1	D	525	LEU	2.4
1	D	898	GLN	2.4
1	D	1014	TYR	2.4
1	D	947	PRO	2.4
1	B	500	ASN	2.4
1	B	936	ALA	2.4
1	B	1017	ALA	2.4
1	A	780	ASN	2.3
1	D	500	ASN	2.3
1	A	751	THR	2.3
1	B	474	THR	2.3
1	D	939	LYS	2.3
1	B	968	ILE	2.3
1	C	785	CYS	2.3
1	D	976	VAL	2.3
1	B	904	ASP	2.3
1	C	908	PRO	2.2
1	B	896	VAL	2.2
1	B	906	VAL	2.2
1	B	780	ASN	2.2
1	D	1044	SER	2.2
1	B	893	LEU	2.2
1	B	945	GLU	2.2
1	D	700	TYR	2.2
1	B	903	ALA	2.2
1	C	959	ALA	2.2
1	A	782	SER	2.1
1	B	908	PRO	2.1
1	D	926	LEU	2.1
1	B	1036	ASN	2.1
1	A	752	SER	2.1
1	A	968	ILE	2.1
1	D	676	LEU	2.1
1	B	782	SER	2.1
1	B	876	GLY	2.1
1	A	755	ALA	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	940	LYS	2.1
1	B	978	ASP	2.1
1	B	924	GLY	2.0
1	A	1067	ALA	2.0
1	C	1067	ALA	2.0
1	B	754	ILE	2.0
1	D	523	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
1	KCX	B	718	12/13	0.97	0.17	-	57,60,65,68	0
1	KCX	A	718	12/13	0.99	0.19	-	39,42,44,47	0
1	KCX	D	718	12/13	0.97	0.20	-	66,68,71,73	0
1	KCX	C	718	12/13	0.98	0.20	-	50,55,58,59	0

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	BPV	C	1102	6/7	0.94	0.27	2.47	55,63,66,67	0
6	GOL	B	1101	6/6	0.93	0.41	2.30	52,55,57,60	0
3	BPV	B	1103	6/7	0.94	0.23	1.32	52,67,75,75	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
3	BPV	A	1102[B]	7/7	0.93	0.24	1.16	48,53,67,108	7
3	BPV	D	1102	6/7	0.93	0.22	0.98	72,73,77,81	0
3	BPV	A	1102[A]	7/7	0.93	0.24	0.75	33,34,35,38	7
2	ZN	C	1101	1/1	0.98	0.24	0.19	61,61,61,61	0
5	MG	A	1104	1/1	0.98	0.13	-0.10	59,59,59,59	0
6	GOL	C	1105	6/6	0.96	0.25	-0.23	55,61,63,65	0
2	ZN	B	1102	1/1	0.97	0.21	-0.24	64,64,64,64	0
5	MG	D	1104	1/1	0.79	0.10	-1.22	69,69,69,69	0
2	ZN	D	1101	1/1	0.99	0.20	-1.26	68,68,68,68	0
2	ZN	A	1101	1/1	0.99	0.19	-1.90	47,47,47,47	0
5	MG	C	1104	1/1	0.83	0.09	-3.15	66,66,66,66	0
5	MG	B	1105	1/1	0.98	0.04	-5.53	52,52,52,52	0
4	CL	A	1103	1/1	0.97	0.13	-	55,55,55,55	0
4	CL	C	1103	1/1	0.88	0.11	-	74,74,74,74	0
4	CL	B	1104	1/1	0.93	0.13	-	87,87,87,87	0
4	CL	D	1103	1/1	0.94	0.17	-	80,80,80,80	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.