



Full wwPDB X-ray Structure Validation Report i

Aug 23, 2017 – 03:14 PM EDT

PDB ID : 5MQP
Title : Glycoside hydrolase BT_1002
Authors : Basle, A.; Ndeh, D.; Rogowski, A.; Cartmell, A.; Luis, A.S.; Venditto, I.; Labourel, A.; Gilbert, H.J.
Deposited on : unknown
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20029824
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20029824


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	6609 (2.00-2.00)
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)
RSRZ outliers	101464	6696 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	F	624	4%	91%	5% •
1	G	624	.%	87%	8% •
1	H	624	3%	90%	6% •

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 41129 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glycoside hydrolase BT_1002.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	600	Total	C 4793	N 3021	O 856	S 894	22	0	1	0
1	B	599	Total	C 4784	N 3015	O 854	S 892	23	0	1	0
1	C	601	Total	C 4804	N 3028	O 857	S 896	23	0	2	0
1	D	600	Total	C 4793	N 3021	O 856	S 894	22	0	1	0
1	E	602	Total	C 4807	N 3030	O 858	S 897	22	0	1	0
1	F	599	Total	C 4781	N 3013	O 854	S 892	22	0	0	0
1	G	600	Total	C 4793	N 3021	O 856	S 894	22	0	1	0
1	H	600	Total	C 4793	N 3021	O 856	S 894	22	0	1	0

There are 152 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	MET	-	initiating methionine	UNP A0A0P0F5L7
A	-3	GLY	-	expression tag	UNP A0A0P0F5L7
A	-2	SER	-	expression tag	UNP A0A0P0F5L7
A	-1	SER	-	expression tag	UNP A0A0P0F5L7
A	0	HIS	-	expression tag	UNP A0A0P0F5L7
A	1	HIS	-	expression tag	UNP A0A0P0F5L7
A	2	HIS	-	expression tag	UNP A0A0P0F5L7
A	3	HIS	-	expression tag	UNP A0A0P0F5L7
A	4	HIS	-	expression tag	UNP A0A0P0F5L7
A	5	HIS	-	expression tag	UNP A0A0P0F5L7
A	6	SER	-	expression tag	UNP A0A0P0F5L7
A	7	SER	-	expression tag	UNP A0A0P0F5L7
A	8	GLY	-	expression tag	UNP A0A0P0F5L7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	9	PRO	-	expression tag	UNP A0A0P0F5L7
A	10	GLN	-	expression tag	UNP A0A0P0F5L7
A	11	GLN	-	expression tag	UNP A0A0P0F5L7
A	12	GLY	-	expression tag	UNP A0A0P0F5L7
A	13	LEU	-	expression tag	UNP A0A0P0F5L7
A	14	ARG	-	expression tag	UNP A0A0P0F5L7
B	-4	MET	-	initiating methionine	UNP A0A0P0F5L7
B	-3	GLY	-	expression tag	UNP A0A0P0F5L7
B	-2	SER	-	expression tag	UNP A0A0P0F5L7
B	-1	SER	-	expression tag	UNP A0A0P0F5L7
B	0	HIS	-	expression tag	UNP A0A0P0F5L7
B	1	HIS	-	expression tag	UNP A0A0P0F5L7
B	2	HIS	-	expression tag	UNP A0A0P0F5L7
B	3	HIS	-	expression tag	UNP A0A0P0F5L7
B	4	HIS	-	expression tag	UNP A0A0P0F5L7
B	5	HIS	-	expression tag	UNP A0A0P0F5L7
B	6	SER	-	expression tag	UNP A0A0P0F5L7
B	7	SER	-	expression tag	UNP A0A0P0F5L7
B	8	GLY	-	expression tag	UNP A0A0P0F5L7
B	9	PRO	-	expression tag	UNP A0A0P0F5L7
B	10	GLN	-	expression tag	UNP A0A0P0F5L7
B	11	GLN	-	expression tag	UNP A0A0P0F5L7
B	12	GLY	-	expression tag	UNP A0A0P0F5L7
B	13	LEU	-	expression tag	UNP A0A0P0F5L7
B	14	ARG	-	expression tag	UNP A0A0P0F5L7
C	-4	MET	-	initiating methionine	UNP A0A0P0F5L7
C	-3	GLY	-	expression tag	UNP A0A0P0F5L7
C	-2	SER	-	expression tag	UNP A0A0P0F5L7
C	-1	SER	-	expression tag	UNP A0A0P0F5L7
C	0	HIS	-	expression tag	UNP A0A0P0F5L7
C	1	HIS	-	expression tag	UNP A0A0P0F5L7
C	2	HIS	-	expression tag	UNP A0A0P0F5L7
C	3	HIS	-	expression tag	UNP A0A0P0F5L7
C	4	HIS	-	expression tag	UNP A0A0P0F5L7
C	5	HIS	-	expression tag	UNP A0A0P0F5L7
C	6	SER	-	expression tag	UNP A0A0P0F5L7
C	7	SER	-	expression tag	UNP A0A0P0F5L7
C	8	GLY	-	expression tag	UNP A0A0P0F5L7
C	9	PRO	-	expression tag	UNP A0A0P0F5L7
C	10	GLN	-	expression tag	UNP A0A0P0F5L7
C	11	GLN	-	expression tag	UNP A0A0P0F5L7
C	12	GLY	-	expression tag	UNP A0A0P0F5L7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	13	LEU	-	expression tag	UNP A0A0P0F5L7
C	14	ARG	-	expression tag	UNP A0A0P0F5L7
D	-4	MET	-	initiating methionine	UNP A0A0P0F5L7
D	-3	GLY	-	expression tag	UNP A0A0P0F5L7
D	-2	SER	-	expression tag	UNP A0A0P0F5L7
D	-1	SER	-	expression tag	UNP A0A0P0F5L7
D	0	HIS	-	expression tag	UNP A0A0P0F5L7
D	1	HIS	-	expression tag	UNP A0A0P0F5L7
D	2	HIS	-	expression tag	UNP A0A0P0F5L7
D	3	HIS	-	expression tag	UNP A0A0P0F5L7
D	4	HIS	-	expression tag	UNP A0A0P0F5L7
D	5	HIS	-	expression tag	UNP A0A0P0F5L7
D	6	SER	-	expression tag	UNP A0A0P0F5L7
D	7	SER	-	expression tag	UNP A0A0P0F5L7
D	8	GLY	-	expression tag	UNP A0A0P0F5L7
D	9	PRO	-	expression tag	UNP A0A0P0F5L7
D	10	GLN	-	expression tag	UNP A0A0P0F5L7
D	11	GLN	-	expression tag	UNP A0A0P0F5L7
D	12	GLY	-	expression tag	UNP A0A0P0F5L7
D	13	LEU	-	expression tag	UNP A0A0P0F5L7
D	14	ARG	-	expression tag	UNP A0A0P0F5L7
E	-4	MET	-	initiating methionine	UNP A0A0P0F5L7
E	-3	GLY	-	expression tag	UNP A0A0P0F5L7
E	-2	SER	-	expression tag	UNP A0A0P0F5L7
E	-1	SER	-	expression tag	UNP A0A0P0F5L7
E	0	HIS	-	expression tag	UNP A0A0P0F5L7
E	1	HIS	-	expression tag	UNP A0A0P0F5L7
E	2	HIS	-	expression tag	UNP A0A0P0F5L7
E	3	HIS	-	expression tag	UNP A0A0P0F5L7
E	4	HIS	-	expression tag	UNP A0A0P0F5L7
E	5	HIS	-	expression tag	UNP A0A0P0F5L7
E	6	SER	-	expression tag	UNP A0A0P0F5L7
E	7	SER	-	expression tag	UNP A0A0P0F5L7
E	8	GLY	-	expression tag	UNP A0A0P0F5L7
E	9	PRO	-	expression tag	UNP A0A0P0F5L7
E	10	GLN	-	expression tag	UNP A0A0P0F5L7
E	11	GLN	-	expression tag	UNP A0A0P0F5L7
E	12	GLY	-	expression tag	UNP A0A0P0F5L7
E	13	LEU	-	expression tag	UNP A0A0P0F5L7
E	14	ARG	-	expression tag	UNP A0A0P0F5L7
F	-4	MET	-	initiating methionine	UNP A0A0P0F5L7
F	-3	GLY	-	expression tag	UNP A0A0P0F5L7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-2	SER	-	expression tag	UNP A0A0P0F5L7
F	-1	SER	-	expression tag	UNP A0A0P0F5L7
F	0	HIS	-	expression tag	UNP A0A0P0F5L7
F	1	HIS	-	expression tag	UNP A0A0P0F5L7
F	2	HIS	-	expression tag	UNP A0A0P0F5L7
F	3	HIS	-	expression tag	UNP A0A0P0F5L7
F	4	HIS	-	expression tag	UNP A0A0P0F5L7
F	5	HIS	-	expression tag	UNP A0A0P0F5L7
F	6	SER	-	expression tag	UNP A0A0P0F5L7
F	7	SER	-	expression tag	UNP A0A0P0F5L7
F	8	GLY	-	expression tag	UNP A0A0P0F5L7
F	9	PRO	-	expression tag	UNP A0A0P0F5L7
F	10	GLN	-	expression tag	UNP A0A0P0F5L7
F	11	GLN	-	expression tag	UNP A0A0P0F5L7
F	12	GLY	-	expression tag	UNP A0A0P0F5L7
F	13	LEU	-	expression tag	UNP A0A0P0F5L7
F	14	ARG	-	expression tag	UNP A0A0P0F5L7
G	-4	MET	-	initiating methionine	UNP A0A0P0F5L7
G	-3	GLY	-	expression tag	UNP A0A0P0F5L7
G	-2	SER	-	expression tag	UNP A0A0P0F5L7
G	-1	SER	-	expression tag	UNP A0A0P0F5L7
G	0	HIS	-	expression tag	UNP A0A0P0F5L7
G	1	HIS	-	expression tag	UNP A0A0P0F5L7
G	2	HIS	-	expression tag	UNP A0A0P0F5L7
G	3	HIS	-	expression tag	UNP A0A0P0F5L7
G	4	HIS	-	expression tag	UNP A0A0P0F5L7
G	5	HIS	-	expression tag	UNP A0A0P0F5L7
G	6	SER	-	expression tag	UNP A0A0P0F5L7
G	7	SER	-	expression tag	UNP A0A0P0F5L7
G	8	GLY	-	expression tag	UNP A0A0P0F5L7
G	9	PRO	-	expression tag	UNP A0A0P0F5L7
G	10	GLN	-	expression tag	UNP A0A0P0F5L7
G	11	GLN	-	expression tag	UNP A0A0P0F5L7
G	12	GLY	-	expression tag	UNP A0A0P0F5L7
G	13	LEU	-	expression tag	UNP A0A0P0F5L7
G	14	ARG	-	expression tag	UNP A0A0P0F5L7
H	-4	MET	-	initiating methionine	UNP A0A0P0F5L7
H	-3	GLY	-	expression tag	UNP A0A0P0F5L7
H	-2	SER	-	expression tag	UNP A0A0P0F5L7
H	-1	SER	-	expression tag	UNP A0A0P0F5L7
H	0	HIS	-	expression tag	UNP A0A0P0F5L7
H	1	HIS	-	expression tag	UNP A0A0P0F5L7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	2	HIS	-	expression tag	UNP A0A0P0F5L7
H	3	HIS	-	expression tag	UNP A0A0P0F5L7
H	4	HIS	-	expression tag	UNP A0A0P0F5L7
H	5	HIS	-	expression tag	UNP A0A0P0F5L7
H	6	SER	-	expression tag	UNP A0A0P0F5L7
H	7	SER	-	expression tag	UNP A0A0P0F5L7
H	8	GLY	-	expression tag	UNP A0A0P0F5L7
H	9	PRO	-	expression tag	UNP A0A0P0F5L7
H	10	GLN	-	expression tag	UNP A0A0P0F5L7
H	11	GLN	-	expression tag	UNP A0A0P0F5L7
H	12	GLY	-	expression tag	UNP A0A0P0F5L7
H	13	LEU	-	expression tag	UNP A0A0P0F5L7
H	14	ARG	-	expression tag	UNP A0A0P0F5L7

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	1	Total Ca 1 1	0	0
2	D	1	Total Ca 1 1	0	0
2	E	2	Total Ca 2 2	0	0
2	H	1	Total Ca 1 1	0	0
2	B	2	Total Ca 2 2	0	0
2	C	1	Total Ca 1 1	0	0
2	A	1	Total Ca 1 1	0	0
2	F	1	Total Ca 1 1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	404	Total O 404 404	0	0
3	B	399	Total O 399 399	0	0
3	C	351	Total O 351 351	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	383	Total O 383 383	0	0
3	E	350	Total O 350 350	0	0
3	F	324	Total O 324 324	0	0
3	G	289	Total O 289 289	0	0
3	H	271	Total O 271 271	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glycoside hydrolase BT_1002




- Molecule 1: Glycoside hydrolase BT_1002




- Molecule 1: Glycoside hydrolase BT_1002




- Molecule 1: Glycoside hydrolase BT_1002




Chain D:




- Molecule 1: Glycoside hydrolase BT_1002




Chain E:




- Molecule 1: Glycoside hydrolase BT 1002



Chain F:



- Molecule 1: Glycoside hydrolase BT 1002





Chain G:





- Molecule 1: Glycoside hydrolase BT_1002



4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	208.23Å 133.24Å 224.08Å 90.00° 97.67° 90.00°	Depositor
Resolution (Å)	49.16 – 2.00 48.58 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.8 (49.16-2.00) 99.8 (48.58-2.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.83 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.8.0155	Depositor
R , R_{free}	0.183 , 0.224 0.190 , 0.229	Depositor DCC
R_{free} test set	20382 reflections (5.27%)	DCC
Wilson B-factor (Å ²)	32.3	Xtriage
Anisotropy	0.718	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 38.4	EDS
L-test for twinning ²	$< L > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	41129	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.74	0/4923	0.87	9/6693 (0.1%)
1	B	0.75	0/4914	0.90	14/6681 (0.2%)
1	C	0.70	0/4937	0.89	11/6711 (0.2%)
1	D	0.68	0/4923	0.89	12/6693 (0.2%)
1	E	0.65	0/4937	0.85	11/6712 (0.2%)
1	F	0.68	0/4908	0.84	6/6673 (0.1%)
1	G	0.66	0/4923	0.84	2/6693 (0.0%)
1	H	0.63	0/4923	0.82	5/6693 (0.1%)
All	All	0.69	0/39388	0.86	70/53549 (0.1%)

There are no bond length outliers.

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	313	ARG	NE-CZ-NH2	-9.27	115.67	120.30
1	B	408	ARG	NE-CZ-NH1	7.75	124.17	120.30
1	D	313	ARG	NE-CZ-NH2	-7.66	116.47	120.30
1	C	313	ARG	NE-CZ-NH2	-7.50	116.55	120.30
1	B	313	ARG	NE-CZ-NH1	6.97	123.78	120.30
1	E	408	ARG	NE-CZ-NH1	6.78	123.69	120.30
1	E	179	ARG	NE-CZ-NH2	6.61	123.61	120.30
1	E	508	ARG	NE-CZ-NH1	6.60	123.60	120.30
1	E	508	ARG	NE-CZ-NH2	-6.37	117.11	120.30
1	B	554	ASP	CB-CG-OD2	-6.36	112.58	118.30
1	B	554	ASP	CB-CG-OD1	6.33	124.00	118.30
1	H	437	ASP	CB-CG-OD1	6.32	123.99	118.30
1	A	150	ARG	NE-CZ-NH1	6.27	123.44	120.30
1	C	508	ARG	NE-CZ-NH1	6.13	123.37	120.30
1	H	313	ARG	NE-CZ-NH2	-6.08	117.26	120.30
1	C	180	ARG	NE-CZ-NH1	5.99	123.30	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	361	ASP	CB-CG-OD1	5.96	123.66	118.30
1	E	154	ASP	CB-CG-OD1	5.93	123.64	118.30
1	A	313	ARG	NE-CZ-NH2	-5.90	117.35	120.30
1	E	313	ARG	NE-CZ-NH1	5.89	123.24	120.30
1	A	508	ARG	NE-CZ-NH1	5.86	123.23	120.30
1	F	160	ARG	NE-CZ-NH1	5.86	123.23	120.30
1	D	259	ASP	CB-CG-OD1	5.85	123.57	118.30
1	D	313	ARG	NE-CZ-NH1	5.80	123.20	120.30
1	D	150	ARG	NE-CZ-NH1	5.80	123.20	120.30
1	F	326	ARG	NE-CZ-NH1	5.79	123.19	120.30
1	A	353	ARG	NE-CZ-NH1	5.76	123.18	120.30
1	E	150	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	C	237	ARG	NE-CZ-NH1	5.52	123.06	120.30
1	A	150	ARG	NE-CZ-NH2	-5.50	117.55	120.30
1	C	221	ARG	NE-CZ-NH1	5.49	123.05	120.30
1	B	408	ARG	NE-CZ-NH2	-5.47	117.56	120.30
1	D	51	ARG	NE-CZ-NH1	5.45	123.02	120.30
1	C	160	ARG	NE-CZ-NH1	5.44	123.02	120.30
1	B	562	TYR	CB-CG-CD1	5.44	124.26	121.00
1	A	237	ARG	NE-CZ-NH1	5.42	123.01	120.30
1	B	562	TYR	CB-CG-CD2	-5.36	117.78	121.00
1	C	466	LEU	CA-CB-CG	-5.36	102.97	115.30
1	F	36	ARG	NE-CZ-NH1	5.35	122.98	120.30
1	G	408	ARG	NE-CZ-NH1	5.35	122.98	120.30
1	G	132	ARG	NE-CZ-NH2	-5.32	117.64	120.30
1	H	137	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	B	33	ASP	CB-CG-OD1	5.31	123.08	118.30
1	E	368	ARG	NE-CZ-NH2	5.31	122.95	120.30
1	H	137	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	B	160	ARG	NE-CZ-NH1	5.29	122.94	120.30
1	B	437	ASP	CB-CG-OD1	5.28	123.05	118.30
1	D	562	TYR	CB-CG-CD2	-5.27	117.84	121.00
1	D	330	LYS	CD-CE-NZ	-5.26	99.61	111.70
1	D	221	ARG	NE-CZ-NH1	5.24	122.92	120.30
1	D	180	ARG	NE-CZ-NH1	5.23	122.92	120.30
1	H	271	ARG	NE-CZ-NH1	5.22	122.91	120.30
1	B	562	TYR	CA-CB-CG	5.21	123.31	113.40
1	F	237	ARG	NE-CZ-NH1	5.18	122.89	120.30
1	E	313	ARG	NE-CZ-NH2	-5.15	117.72	120.30
1	A	326	ARG	NE-CZ-NH1	5.14	122.87	120.30
1	D	60	ARG	NE-CZ-NH2	-5.14	117.73	120.30
1	C	508	ARG	NE-CZ-NH2	-5.13	117.73	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	D	180	ARG	NE-CZ-NH2	-5.12	117.74	120.30
1	E	271	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	F	243	ASP	CB-CG-OD1	5.09	122.88	118.30
1	B	326	ARG	NE-CZ-NH1	5.08	122.84	120.30
1	A	51	ARG	NE-CZ-NH2	-5.07	117.77	120.30
1	C	221	ARG	NE-CZ-NH2	-5.06	117.77	120.30
1	C	51	ARG	NE-CZ-NH1	5.06	122.83	120.30
1	D	562	TYR	CB-CG-CD1	5.05	124.03	121.00
1	B	237	ARG	NE-CZ-NH1	5.04	122.82	120.30
1	A	51	ARG	NE-CZ-NH1	5.02	122.81	120.30
1	C	180	ARG	NE-CZ-NH2	-5.02	117.79	120.30
1	E	180	ARG	NE-CZ-NH1	5.01	122.81	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4793	0	4609	13	0
1	B	4784	0	4596	24	0
1	C	4804	0	4623	20	0
1	D	4793	0	4609	23	0
1	E	4807	0	4625	20	0
1	F	4781	0	4591	13	0
1	G	4793	0	4609	25	0
1	H	4793	0	4609	16	0
2	A	1	0	0	0	0
2	B	2	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	2	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
3	A	404	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	399	0	0	0	0
3	C	351	0	0	3	1
3	D	383	0	0	1	0
3	E	350	0	0	2	1
3	F	324	0	0	1	0
3	G	289	0	0	0	0
3	H	271	0	0	0	0
All	All	41129	0	36871	152	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (152) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:36:ARG:NH1	1:B:70:GLU:OE1	2.25	0.69
1:B:466:LEU:HD13	1:B:469:LEU:HD13	1.77	0.66
1:B:19:ALA:HB3	1:B:97:ARG:HH21	1.61	0.66
1:B:408:ARG:HD3	1:B:614:TYR:OH	1.96	0.65
1:C:255:ARG:NH1	3:C:802:HOH:O	2.31	0.63
1:E:420:LEU:HD21	1:E:450:ILE:HD12	1.82	0.62
1:C:420:LEU:HD21	1:C:450:ILE:HD12	1.86	0.58
1:E:176:VAL:HG23	3:E:2022:HOH:O	2.05	0.57
1:D:316:LYS:HA	1:D:385:ARG:O	2.06	0.56
1:A:408:ARG:HA	1:A:451:SER:O	2.07	0.55
1:A:61:VAL:HG22	1:A:65:ILE:HD11	1.88	0.55
1:F:466:LEU:HD22	1:F:492:SER:HB2	1.88	0.55
1:H:420:LEU:HD21	1:H:450:ILE:HD12	1.88	0.55
1:F:511:ALA:HA	1:F:540:GLU:O	2.06	0.55
1:F:408:ARG:HA	1:F:451:SER:O	2.08	0.54
1:C:408:ARG:HA	1:C:451:SER:O	2.08	0.54
1:E:408:ARG:HA	1:E:451:SER:O	2.07	0.54
1:D:420:LEU:HD21	1:D:450:ILE:HD12	1.89	0.54
1:D:415:ILE:HB	1:D:458:VAL:HG22	1.90	0.54
1:H:398:TYR:CD2	1:H:402:VAL:HG11	2.43	0.54
1:G:420:LEU:HD21	1:G:450:ILE:HD12	1.89	0.54
1:F:420:LEU:HD21	1:F:450:ILE:HD12	1.91	0.53
1:A:466:LEU:HD13	1:A:469:LEU:HD13	1.91	0.53
1:B:316:LYS:HA	1:B:385:ARG:O	2.08	0.52
1:F:466:LEU:HD13	1:F:469:LEU:HD13	1.92	0.52
1:D:408:ARG:HA	1:D:451:SER:O	2.09	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:562:TYR:CE1	1:H:583:LEU:HD23	2.43	0.52
1:C:61:VAL:HG22	1:C:65:ILE:HD11	1.90	0.52
1:E:398:TYR:HD2	1:E:402:VAL:HG11	1.75	0.52
1:B:258:LEU:HD13	1:B:263:GLU:HB2	1.92	0.51
1:B:408:ARG:HD3	1:B:614:TYR:CZ	2.46	0.51
1:E:466:LEU:HD13	1:E:469:LEU:HD13	1.94	0.50
1:E:466:LEU:HD22	1:E:492:SER:HB2	1.92	0.50
1:C:180:ARG:NH2	3:C:804:HOH:O	2.32	0.50
1:B:511:ALA:HA	1:B:540:GLU:O	2.12	0.50
1:D:398:TYR:CD2	1:D:402:VAL:HG11	2.46	0.50
1:C:425:PHE:O	1:C:426[B]:SER:CB	2.59	0.49
1:G:466:LEU:HD13	1:G:469:LEU:HD13	1.93	0.49
1:E:398:TYR:CD2	1:E:402:VAL:HG11	2.47	0.49
1:A:606:GLU:O	1:B:36:ARG:NH2	2.46	0.49
1:D:192:TYR:CZ	1:D:268:ILE:HD11	2.48	0.49
1:F:484:CYS:HA	1:F:515:HIS:O	2.12	0.49
1:A:511:ALA:HA	1:A:540:GLU:O	2.13	0.49
1:C:466:LEU:HD13	1:C:469:LEU:HD13	1.95	0.49
1:C:458:VAL:HG11	1:C:467:ALA:HA	1.95	0.49
1:B:518:ALA:HB2	1:B:524:VAL:HG21	1.95	0.48
1:B:562:TYR:CE1	1:B:583:LEU:HD23	2.48	0.48
1:C:466:LEU:HD22	1:C:492:SER:HB2	1.95	0.48
1:C:398:TYR:CD2	1:C:402:VAL:HG11	2.48	0.48
1:E:239:MET:HG3	1:E:553:HIS:HB3	1.95	0.48
1:D:398:TYR:HD2	1:D:402:VAL:HG11	1.77	0.48
1:D:466:LEU:HD13	1:D:469:LEU:HD13	1.96	0.48
1:E:562:TYR:CE1	1:E:583:LEU:HD23	2.49	0.48
1:H:466:LEU:HD13	1:H:469:LEU:HD13	1.95	0.48
1:G:398:TYR:HD2	1:G:402:VAL:HG11	1.79	0.48
1:B:466:LEU:HD22	1:B:492:SER:HB2	1.96	0.47
1:G:141:VAL:HG22	1:G:290:VAL:HG22	1.95	0.47
1:D:515:HIS:HA	1:D:544:HIS:O	2.14	0.47
1:G:122:TRP:CH2	1:G:284:GLN:HG3	2.50	0.47
1:B:398:TYR:CD2	1:B:402:VAL:HG11	2.50	0.47
1:G:518:ALA:HB2	1:G:524:VAL:HG21	1.97	0.47
1:H:540:GLU:HA	1:H:574:ASP:O	2.15	0.47
1:B:420:LEU:HD21	1:B:450:ILE:HD12	1.96	0.47
1:G:408:ARG:HA	1:G:451:SER:O	2.15	0.47
1:E:147:VAL:O	1:E:263:GLU:HA	2.15	0.46
1:G:576:TRP:CG	1:G:605:ARG:HG3	2.50	0.46
1:H:511:ALA:HA	1:H:540:GLU:O	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:313:ARG:NH1	1:D:315:GLU:OE2	2.48	0.46
1:C:511:ALA:HA	1:C:540:GLU:O	2.16	0.46
1:G:413:ARG:HA	1:G:456:THR:O	2.16	0.46
1:D:466:LEU:HD22	1:D:492:SER:HB2	1.98	0.46
1:A:413:ARG:HA	1:A:456:THR:O	2.15	0.46
1:H:398:TYR:HD2	1:H:402:VAL:HG11	1.79	0.45
1:C:540:GLU:HA	1:C:574:ASP:O	2.16	0.45
1:B:299:ILE:HB	1:B:373:VAL:HG13	1.98	0.45
1:G:511:ALA:HA	1:G:540:GLU:O	2.17	0.45
1:E:413:ARG:HA	1:E:456:THR:O	2.16	0.45
1:C:36:ARG:NH1	3:C:801:HOH:O	2.26	0.45
1:D:385:ARG:HA	1:D:409:GLY:O	2.17	0.45
1:A:562:TYR:CE1	1:A:583:LEU:HD23	2.51	0.45
1:E:394:THR:HA	1:E:418:ASN:O	2.17	0.45
1:E:408:ARG:HD3	1:E:614:TYR:OH	2.17	0.45
1:E:385:ARG:HA	1:E:409:GLY:O	2.17	0.45
1:A:518:ALA:HB2	1:A:524:VAL:HG21	1.99	0.45
1:B:408:ARG:HA	1:B:451:SER:O	2.16	0.45
1:E:540:GLU:HA	1:E:574:ASP:O	2.17	0.45
1:G:192:TYR:CZ	1:G:268:ILE:HD11	2.52	0.44
1:A:540:GLU:HA	1:A:574:ASP:O	2.17	0.44
1:C:425:PHE:O	1:C:426[B]:SER:HB2	2.18	0.44
1:G:540:GLU:HA	1:G:574:ASP:O	2.17	0.44
1:A:466:LEU:HD22	1:A:492:SER:HB2	2.00	0.44
1:D:334:PRO:HA	1:D:340:TYR:HA	2.00	0.44
1:D:511:ALA:HA	1:D:540:GLU:O	2.18	0.43
1:F:334:PRO:HA	1:F:340:TYR:HA	2.00	0.43
1:H:451:SER:HA	1:H:479:GLU:O	2.18	0.43
1:F:398:TYR:CD2	1:F:402:VAL:HG11	2.54	0.43
1:B:324:TRP:HB2	1:B:393:SER:HB2	2.00	0.43
1:C:178:ILE:HD13	1:C:211:VAL:HG11	2.01	0.43
1:D:458:VAL:HG11	1:D:467:ALA:HA	2.00	0.43
1:G:458:VAL:HG11	1:G:467:ALA:HA	2.00	0.43
1:C:531:GLY:O	1:C:567:SER:HA	2.18	0.43
1:F:456:THR:HA	1:F:484:CYS:O	2.18	0.43
1:F:549:PRO:HG2	1:F:552:VAL:HG13	2.01	0.43
1:H:316:LYS:HA	1:H:385:ARG:O	2.19	0.43
1:E:569:PHE:CE1	1:H:569:PHE:HB3	2.54	0.43
1:G:446:ALA:HA	1:G:474:LYS:O	2.18	0.43
1:B:542:CYS:HA	1:B:576:TRP:O	2.19	0.43
1:G:178:ILE:HD11	1:G:218:ALA:HB2	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:409:GLY:O	1:H:617:LEU:HD21	2.19	0.43
1:F:271:ARG:HG2	3:F:950:HOH:O	2.19	0.42
1:G:408:ARG:HD3	1:G:614:TYR:CZ	2.54	0.42
1:C:484:CYS:HA	1:C:515:HIS:O	2.19	0.42
1:D:602:THR:HG23	3:D:1109:HOH:O	2.19	0.42
1:E:484:CYS:HA	1:E:515:HIS:O	2.20	0.42
1:D:518:ALA:HB2	1:D:524:VAL:HG21	2.01	0.42
1:A:539:THR:HA	1:A:573:ARG:O	2.19	0.42
1:D:426[A]:SER:OG	1:D:432:THR:HA	2.19	0.42
1:G:576:TRP:CD2	1:G:605:ARG:HG3	2.54	0.42
1:B:549:PRO:HG2	1:B:552:VAL:CG1	2.50	0.42
1:G:324:TRP:HB2	1:G:393:SER:HB2	2.01	0.42
1:H:558:TRP:CE2	1:H:581:LYS:HE3	2.55	0.42
1:D:456:THR:HA	1:D:484:CYS:O	2.20	0.42
1:E:358:HIS:HE1	3:E:2038:HOH:O	2.02	0.41
1:B:83:ARG:HB2	1:B:84:PRO:HD2	2.01	0.41
1:G:233:HIS:NE2	1:G:236:PRO:O	2.53	0.41
1:F:147:VAL:O	1:F:263:GLU:HA	2.20	0.41
1:F:466:LEU:HD22	1:F:492:SER:CB	2.51	0.41
1:G:398:TYR:CD2	1:G:402:VAL:HG11	2.55	0.41
1:H:170:ILE:HD11	1:H:221:ARG:NH2	2.35	0.41
1:B:446:ALA:HA	1:B:474:LYS:O	2.20	0.41
1:D:389:ASP:HA	1:D:413:ARG:O	2.21	0.41
1:C:413:ARG:HA	1:C:456:THR:O	2.20	0.41
1:E:98:PRO:HB3	1:E:104:VAL:HG23	2.02	0.41
1:H:385:ARG:HA	1:H:409:GLY:O	2.20	0.41
1:D:540:GLU:HA	1:D:574:ASP:O	2.20	0.41
1:C:340:TYR:CZ	1:C:367:GLY:HA3	2.56	0.41
1:D:466:LEU:HD22	1:D:492:SER:CB	2.51	0.41
1:C:451:SER:HA	1:C:479:GLU:O	2.20	0.41
1:E:334:PRO:HA	1:E:340:TYR:HA	2.02	0.41
1:G:484:CYS:HA	1:G:515:HIS:O	2.21	0.40
1:B:334:PRO:HA	1:B:340:TYR:HA	2.03	0.40
1:D:324:TRP:HB2	1:D:393:SER:HB2	2.03	0.40
1:G:531:GLY:O	1:G:567:SER:HA	2.21	0.40
1:H:394:THR:HA	1:H:418:ASN:O	2.22	0.40
1:B:456:THR:HA	1:B:484:CYS:O	2.21	0.40
1:G:205:ASN:HB2	1:G:332:HIS:HB3	2.02	0.40
1:G:466:LEU:HD22	1:G:492:SER:CB	2.52	0.40
1:A:310:SER:HA	1:A:379:ASN:O	2.21	0.40
1:A:484:CYS:HA	1:A:515:HIS:O	2.21	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:239:MET:N	1:B:247:SER:OG	2.47	0.40
1:G:479:GLU:HA	1:G:510:HIS:O	2.22	0.40
1:H:334:PRO:HA	1:H:340:TYR:HA	2.02	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:978:HOH:O	3:E:2128:HOH:O[3_544]	2.16	0.04

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	599/624 (96%)	570 (95%)	26 (4%)	3 (0%)	32 26
1	B	598/624 (96%)	572 (96%)	25 (4%)	1 (0%)	51 48
1	C	601/624 (96%)	571 (95%)	23 (4%)	7 (1%)	15 8
1	D	599/624 (96%)	568 (95%)	28 (5%)	3 (0%)	32 26
1	E	601/624 (96%)	570 (95%)	27 (4%)	4 (1%)	25 18
1	F	597/624 (96%)	571 (96%)	23 (4%)	3 (0%)	32 26
1	G	599/624 (96%)	568 (95%)	25 (4%)	6 (1%)	18 10
1	H	599/624 (96%)	564 (94%)	29 (5%)	6 (1%)	18 10
All	All	4793/4992 (96%)	4554 (95%)	206 (4%)	33 (1%)	28 18

All (33) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	285	ASP
1	C	200	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	616	ASP
1	F	393	SER
1	G	393	SER
1	B	426	SER
1	C	426[A]	SER
1	C	426[B]	SER
1	D	426[A]	SER
1	D	426[B]	SER
1	E	426[A]	SER
1	E	426[B]	SER
1	G	200	MET
1	G	286	ALA
1	H	390	HIS
1	H	393	SER
1	H	426[A]	SER
1	H	426[B]	SER
1	H	616	ASP
1	A	393	SER
1	A	426[A]	SER
1	A	426[B]	SER
1	C	393	SER
1	D	393	SER
1	E	393	SER
1	F	426	SER
1	G	426[A]	SER
1	G	426[B]	SER
1	C	390	HIS
1	C	534	PRO
1	H	534	PRO
1	F	534	PRO
1	E	534	PRO

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	506/526 (96%)	501 (99%)	5 (1%)	80 84
1	B	505/526 (96%)	502 (99%)	3 (1%)	89 92
1	C	508/526 (97%)	501 (99%)	7 (1%)	71 76
1	D	506/526 (96%)	499 (99%)	7 (1%)	71 76
1	E	508/526 (97%)	504 (99%)	4 (1%)	85 88
1	F	504/526 (96%)	500 (99%)	4 (1%)	85 88
1	G	506/526 (96%)	498 (98%)	8 (2%)	68 72
1	H	506/526 (96%)	502 (99%)	4 (1%)	85 88
All	All	4049/4208 (96%)	4007 (99%)	42 (1%)	80 84

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	62	ARG
1	A	258	LEU
1	A	276	TYR
1	A	282	LYS
1	A	562	TYR
1	B	258	LEU
1	B	276	TYR
1	B	562	TYR
1	C	255	ARG
1	C	276	TYR
1	C	284	GLN
1	C	458	VAL
1	C	534	PRO
1	C	562	TYR
1	C	618	LYS
1	D	36	ARG
1	D	258	LEU
1	D	276	TYR
1	D	282	LYS
1	D	449	GLN
1	D	458	VAL
1	D	562	TYR
1	E	68	CYS
1	E	276	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	548	LYS
1	E	562	TYR
1	F	179	ARG
1	F	276	TYR
1	F	411	LEU
1	F	562	TYR
1	G	24	ILE
1	G	27	GLN
1	G	57	ASP
1	G	216	ASP
1	G	258	LEU
1	G	276	TYR
1	G	284	GLN
1	G	562	TYR
1	H	176	VAL
1	H	276	TYR
1	H	420	LEU
1	H	562	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	449	GLN
1	E	358	HIS
1	F	449	GLN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 10 ligands modelled in this entry, 10 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	600/624 (96%)	-0.28	4 (0%) 87 87	22, 31, 51, 79	0
1	B	599/624 (95%)	-0.11	10 (1%) 70 69	21, 33, 56, 85	0
1	C	601/624 (96%)	-0.20	9 (1%) 74 73	22, 34, 55, 78	0
1	D	600/624 (96%)	-0.23	7 (1%) 79 78	23, 33, 56, 74	0
1	E	602/624 (96%)	-0.29	9 (1%) 74 73	24, 37, 58, 74	0
1	F	599/624 (95%)	-0.03	24 (4%) 39 39	23, 37, 63, 81	0
1	G	600/624 (96%)	-0.07	7 (1%) 79 78	28, 40, 65, 84	0
1	H	600/624 (96%)	-0.03	16 (2%) 55 54	28, 42, 63, 89	0
All	All	4801/4992 (96%)	-0.16	86 (1%) 69 68	21, 36, 59, 89	0

All (86) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	19	ALA	6.4
1	H	286	ALA	4.8
1	E	100	ALA	4.3
1	F	19	ALA	4.2
1	F	59	GLU	4.1
1	H	287	GLY	3.7
1	D	287	GLY	3.6
1	H	101	ASP	3.6
1	H	214	ALA	3.5
1	B	179	ARG	3.4
1	D	279	GLU	3.3
1	G	62	ARG	3.2
1	F	100	ALA	3.2
1	E	17	LEU	3.2
1	C	286	ALA	3.1
1	F	121	LEU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	120	LYS	3.0
1	G	286	ALA	3.0
1	F	286	ALA	2.9
1	F	62	ARG	2.9
1	E	122	TRP	2.9
1	H	59	GLU	2.9
1	C	62	ARG	2.8
1	F	101	ASP	2.8
1	H	216	ASP	2.8
1	D	284	GLN	2.8
1	H	285	ASP	2.7
1	H	215	GLY	2.7
1	F	122	TRP	2.7
1	B	186	GLY	2.7
1	F	20	GLY	2.6
1	H	284	GLN	2.6
1	D	280	GLY	2.6
1	H	217	SER	2.6
1	E	284	GLN	2.6
1	G	59	GLU	2.5
1	H	179	ARG	2.5
1	C	215	GLY	2.5
1	F	185	LYS	2.5
1	B	284	GLN	2.5
1	F	279	GLU	2.5
1	B	279	GLU	2.5
1	E	279	GLU	2.5
1	E	280	GLY	2.5
1	C	214	ALA	2.5
1	G	122	TRP	2.5
1	A	62	ARG	2.4
1	A	19	ALA	2.4
1	H	62	ARG	2.4
1	C	18	SER	2.4
1	C	284	GLN	2.3
1	H	20	GLY	2.3
1	B	216	ASP	2.3
1	B	287	GLY	2.3
1	B	324	TRP	2.3
1	D	285	ASP	2.3
1	G	56	THR	2.3
1	F	57	ASP	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	F	285	ASP	2.3
1	E	286	ALA	2.2
1	F	214	ALA	2.2
1	F	56	THR	2.2
1	A	184	GLY	2.2
1	F	325	MET	2.2
1	H	279	GLU	2.2
1	E	62	ARG	2.2
1	B	185	LYS	2.2
1	D	286	ALA	2.2
1	F	295	ILE	2.2
1	F	119	GLY	2.2
1	F	118	GLN	2.2
1	C	287	GLY	2.2
1	C	324	TRP	2.1
1	G	279	GLU	2.1
1	F	324	TRP	2.1
1	B	62	ARG	2.1
1	D	62	ARG	2.1
1	C	216	ASP	2.1
1	H	27	GLN	2.1
1	G	20	GLY	2.1
1	E	285	ASP	2.0
1	F	616	ASP	2.0
1	F	37	PRO	2.0
1	B	286	ALA	2.0
1	F	370	ALA	2.0
1	A	185	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	CA	B	702	1/1	0.97	0.10	-0.54	51,51,51,51	0
2	CA	E	702	1/1	0.97	0.05	-1.47	54,54,54,54	0
2	CA	C	701	1/1	1.00	0.07	-1.48	35,35,35,35	0
2	CA	A	701	1/1	0.99	0.06	-1.92	34,34,34,34	0
2	CA	G	701	1/1	0.98	0.06	-2.02	43,43,43,43	0
2	CA	D	701	1/1	0.99	0.03	-2.15	36,36,36,36	0
2	CA	B	701	1/1	0.99	0.05	-2.24	40,40,40,40	0
2	CA	H	701	1/1	0.97	0.05	-2.44	42,42,42,42	0
2	CA	F	701	1/1	0.98	0.04	-2.64	41,41,41,41	0
2	CA	E	701	1/1	0.98	0.06	-3.17	39,39,39,39	0

6.5 Other polymers (i)

There are no such residues in this entry.