



# Full wwPDB/EMDatabank EM Map/Model Validation Report ⓘ

Mar 2, 2017 – 11:03 am GMT

PDB ID : 1N03  
Title : Model for Active RecA Filament  
Authors : VanLoock, M.S.; Yu, X.; Yang, S.; Lai, A.L.; Low, C.; Campbell, M.J.; Egelman, E.H.  
Deposited on : 2002-10-10  
Resolution : 20.00 Å(reported)  
Based on PDB ID : 1REA

This is a Full wwPDB/EMDatabank EM Map/Model Validation Report  
for a publicly released PDB/EMDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et. al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc29047


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*







The reported resolution of this entry is 20.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric     | Whole archive<br>(#Entries) | EM structures<br>(#Entries) |
|------------|-----------------------------|-----------------------------|
| Clashscore | 125131                      | 1336                        |

The table below summarises the geometric issues observed across the polymeric chains. The red, orange, yellow and green segments on the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

| Mol | Chain | Length | Quality of chain  |
|-----|-------|--------|---|
| 1   | A     | 352    |  81% 5% 14% |
| 1   | B     | 352    |  85% • 14%  |
| 1   | C     | 352    |  85% • 14%  |
| 1   | D     | 352    |  85% • 14%  |
| 1   | E     | 352    |  85% • 14%  |
| 1   | F     | 352    |  85% • 14%  |
| 1   | G     | 352    |  82% 5% 14% |

## 2 Entry composition [i](#)


There are 2 unique types of molecules in this entry. The entry contains 2310 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RecA protein.


| Mol | Chain | Residues | Atoms              | AltConf | Trace |
|-----|-------|----------|--------------------|---------|-------|
| 1   | A     | 303      | Total C<br>303 303 | 0       | 303   |
| 1   | B     | 303      | Total C<br>303 303 | 0       | 303   |
| 1   | C     | 303      | Total C<br>303 303 | 0       | 303   |
| 1   | D     | 303      | Total C<br>303 303 | 0       | 303   |
| 1   | E     | 303      | Total C<br>303 303 | 0       | 303   |
| 1   | F     | 303      | Total C<br>303 303 | 0       | 303   |
| 1   | G     | 303      | Total C<br>303 303 | 0       | 303   |

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ).




| Mol | Chain | Residues | Atoms       |         |        |         |        | AltConf |
|-----|-------|----------|-------------|---------|--------|---------|--------|---------|
| 2   | A     | 1        | Total<br>27 | C<br>10 | N<br>5 | O<br>10 | P<br>2 | 0       |
| 2   | B     | 1        | Total<br>27 | C<br>10 | N<br>5 | O<br>10 | P<br>2 | 0       |
| 2   | C     | 1        | Total<br>27 | C<br>10 | N<br>5 | O<br>10 | P<br>2 | 0       |
| 2   | D     | 1        | Total<br>27 | C<br>10 | N<br>5 | O<br>10 | P<br>2 | 0       |
| 2   | E     | 1        | Total<br>27 | C<br>10 | N<br>5 | O<br>10 | P<br>2 | 0       |
| 2   | F     | 1        | Total<br>27 | C<br>10 | N<br>5 | O<br>10 | P<br>2 | 0       |
| 2   | G     | 1        | Total<br>27 | C<br>10 | N<br>5 | O<br>10 | P<br>2 | 0       |






• Molecule 1: RecA protein



• Molecule 1: RecA protein



## 4 Experimental information

| Property                             | Value               | Source    |
|--------------------------------------|---------------------|-----------|
| Reconstruction method                | HELICAL             | Depositor |
| Imposed symmetry                     | POINT, Not provided | Depositor |
| Number of segments used              | Not provided        | Depositor |
| Resolution determination method      | Not provided        | Depositor |
| CTF correction method                | Not provided        | Depositor |
| Microscope                           | TECNAI 12           | Depositor |
| Voltage (kV)                         | 120                 | Depositor |
| Electron dose ( $e^-/\text{\AA}^2$ ) | Not provided        | Depositor |
| Minimum defocus (nm)                 | Not provided        | Depositor |
| Maximum defocus (nm)                 | Not provided        | Depositor |
| Magnification                        | Not provided        | Depositor |
| Image detector                       | Not provided        | Depositor |

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

There are no protein, RNA or DNA chains available to summarize Z scores of covalent bonds and angles.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1   | A     | 303   | 0        | 0        | 3       | 17           |
| 1   | B     | 303   | 0        | 0        | 4       | 0            |
| 1   | C     | 303   | 0        | 0        | 4       | 0            |
| 1   | D     | 303   | 0        | 0        | 4       | 0            |
| 1   | E     | 303   | 0        | 0        | 4       | 0            |
| 1   | F     | 303   | 0        | 0        | 4       | 0            |
| 1   | G     | 303   | 0        | 0        | 3       | 14           |
| 2   | A     | 27    | 0        | 12       | 2       | 0            |
| 2   | B     | 27    | 0        | 12       | 2       | 0            |
| 2   | C     | 27    | 0        | 12       | 2       | 0            |
| 2   | D     | 27    | 0        | 12       | 2       | 0            |
| 2   | E     | 27    | 0        | 12       | 2       | 0            |
| 2   | F     | 27    | 0        | 12       | 2       | 0            |
| 2   | G     | 27    | 0        | 12       | 2       | 3            |
| All | All   | 2310  | 0        | 84       | 20      | 17           |



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (20) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1        | Atom-2           | Interatomic distance (Å) | Clash overlap (Å) |
|---------------|------------------|--------------------------|-------------------|
| 1:F:73:THR:CA | 2:F:506:ADP:O1A  | 2.50                     | 0.60              |
| 1:G:73:THR:CA | 2:G:507:ADP:O1A  | 2.50                     | 0.60              |
| 1:B:73:THR:CA | 2:B:502:ADP:O1A  | 2.50                     | 0.60              |
| 1:C:73:THR:CA | 2:C:503:ADP:O1A  | 2.50                     | 0.60              |
| 1:E:73:THR:CA | 2:E:505:ADP:O1A  | 2.50                     | 0.60              |
| 1:A:73:THR:CA | 2:A:501:ADP:O1A  | 2.50                     | 0.60              |
| 1:D:73:THR:CA | 2:D:504:ADP:O1A  | 2.50                     | 0.59              |
| 1:C:98:ALA:CA | 1:D:217:PHE:CA   | 2.91                     | 0.49              |
| 1:B:98:ALA:CA | 1:C:217:PHE:CA   | 2.91                     | 0.49              |
| 1:D:98:ALA:CA | 1:E:217:PHE:CA   | 2.91                     | 0.49              |
| 1:A:98:ALA:CA | 1:B:217:PHE:CA   | 2.91                     | 0.49              |
| 1:E:98:ALA:CA | 1:F:217:PHE:CA   | 2.91                     | 0.48              |
| 1:F:98:ALA:CA | 1:G:217:PHE:CA   | 2.91                     | 0.48              |
| 1:D:71:GLY:CA | 2:D:504:ADP:H5'1 | 2.45                     | 0.47              |
| 1:F:71:GLY:CA | 2:F:506:ADP:H5'1 | 2.45                     | 0.47              |
| 1:C:71:GLY:CA | 2:C:503:ADP:H5'1 | 2.45                     | 0.47              |
| 1:G:71:GLY:CA | 2:G:507:ADP:H5'1 | 2.45                     | 0.46              |
| 1:A:71:GLY:CA | 2:A:501:ADP:H5'1 | 2.45                     | 0.46              |
| 1:B:71:GLY:CA | 2:B:502:ADP:H5'1 | 2.45                     | 0.46              |
| 1:E:71:GLY:CA | 2:E:505:ADP:H5'1 | 2.45                     | 0.46              |

All (17) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

| Atom-1         | Atom-2                | Interatomic distance (Å) | Clash overlap (Å) |
|----------------|-----------------------|--------------------------|-------------------|
| 1:A:127:GLU:CA | 2:G:507:ADP:C2[1_556] | 0.87                     | 1.33              |
| 1:A:58:MET:CA  | 1:G:307:ALA:CA[1_556] | 1.03                     | 1.17              |
| 1:A:127:GLU:CA | 2:G:507:ADP:N3[1_556] | 1.11                     | 1.09              |
| 1:A:52:GLY:CA  | 1:G:290:TRP:CA[1_556] | 1.27                     | 0.93              |
| 1:A:38:GLU:CA  | 1:G:308:TRP:CA[1_556] | 1.27                     | 0.93              |
| 1:A:145:SER:CA | 1:G:236:ASN:CA[1_556] | 1.44                     | 0.76              |
| 1:A:172:SER:CA | 1:G:227:ARG:CA[1_556] | 1.74                     | 0.46              |
| 1:A:192:ILE:CA | 1:G:234:GLY:CA[1_556] | 1.84                     | 0.36              |
| 1:A:253:ALA:CA | 1:G:288:GLY:CA[1_556] | 1.96                     | 0.24              |
| 1:A:56:LEU:CA  | 1:G:304:ASN:CA[1_556] | 1.98                     | 0.22              |
| 1:A:191:PHE:CA | 1:G:233:GLU:CA[1_556] | 2.00                     | 0.20              |

*Continued on next page...*

*Continued from previous page...*

| Atom-1         | Atom-2                | Interatomic distance (Å) | Clash overlap (Å) |
|----------------|-----------------------|--------------------------|-------------------|
| 1:A:179:ALA:CA | 1:G:269:ASN:CA[1_556] | 2.05                     | 0.15              |
| 1:A:193:ASN:CA | 1:G:235:GLU:CA[1_556] | 2.06                     | 0.14              |
| 1:A:57:PRO:CA  | 1:G:304:ASN:CA[1_556] | 2.10                     | 0.10              |
| 1:A:130:ASP:CA | 1:G:265:GLY:CA[1_556] | 2.10                     | 0.10              |
| 1:A:178:LEU:CA | 1:G:262:ILE:CA[1_556] | 2.13                     | 0.07              |
| 1:A:127:GLU:CA | 2:G:507:ADP:N1[1_556] | 2.13                     | 0.07              |

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

There are no protein backbone outliers to report in this entry.

### 5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected

value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths |      |             | Bond angles |      |             |
|-----|------|-------|-----|------|--------------|------|-------------|-------------|------|-------------|
|     |      |       |     |      | Counts       | RMSZ | $\# Z  > 2$ | Counts      | RMSZ | $\# Z  > 2$ |
| 2   | ADP  | A     | 501 | -    | 25,29,29     | 1.02 | 1 (4%)      | 24,45,45    | 1.17 | 2 (8%)      |
| 2   | ADP  | B     | 502 | -    | 25,29,29     | 1.01 | 1 (4%)      | 24,45,45    | 1.18 | 2 (8%)      |
| 2   | ADP  | C     | 503 | -    | 25,29,29     | 1.01 | 1 (4%)      | 24,45,45    | 1.18 | 2 (8%)      |
| 2   | ADP  | D     | 504 | -    | 25,29,29     | 1.01 | 1 (4%)      | 24,45,45    | 1.17 | 2 (8%)      |
| 2   | ADP  | E     | 505 | -    | 25,29,29     | 1.01 | 1 (4%)      | 24,45,45    | 1.18 | 2 (8%)      |
| 2   | ADP  | F     | 506 | -    | 25,29,29     | 1.01 | 1 (4%)      | 24,45,45    | 1.18 | 2 (8%)      |
| 2   | ADP  | G     | 507 | -    | 25,29,29     | 1.01 | 1 (4%)      | 24,45,45    | 1.18 | 2 (8%)      |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions   | Rings   |
|-----|------|-------|-----|------|---------|------------|---------|
| 2   | ADP  | A     | 501 | -    | -       | 0/12/32/32 | 0/3/3/3 |
| 2   | ADP  | B     | 502 | -    | -       | 0/12/32/32 | 0/3/3/3 |
| 2   | ADP  | C     | 503 | -    | -       | 0/12/32/32 | 0/3/3/3 |
| 2   | ADP  | D     | 504 | -    | -       | 0/12/32/32 | 0/3/3/3 |
| 2   | ADP  | E     | 505 | -    | -       | 0/12/32/32 | 0/3/3/3 |
| 2   | ADP  | F     | 506 | -    | -       | 0/12/32/32 | 0/3/3/3 |
| 2   | ADP  | G     | 507 | -    | -       | 0/12/32/32 | 0/3/3/3 |

All (7) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms   | Z    | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|---------|------|-------------|----------|
| 2   | C     | 503 | ADP  | O4'-C1' | 2.48 | 1.44        | 1.41     |
| 2   | G     | 507 | ADP  | O4'-C1' | 2.49 | 1.44        | 1.41     |
| 2   | F     | 506 | ADP  | O4'-C1' | 2.50 | 1.44        | 1.41     |
| 2   | A     | 501 | ADP  | O4'-C1' | 2.51 | 1.44        | 1.41     |
| 2   | D     | 504 | ADP  | O4'-C1' | 2.52 | 1.44        | 1.41     |
| 2   | E     | 505 | ADP  | O4'-C1' | 2.52 | 1.44        | 1.41     |
| 2   | B     | 502 | ADP  | O4'-C1' | 2.52 | 1.44        | 1.41     |

All (14) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms       | Z     | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-------------|-------|-------------|----------|
| 2   | G     | 507 | ADP  | O2'-C2'-C1' | -2.24 | 104.60      | 111.61   |
| 2   | E     | 505 | ADP  | O2'-C2'-C1' | -2.24 | 104.61      | 111.61   |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Atoms       | Z     | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-------------|-------|-------------|----------|
| 2   | B     | 502 | ADP  | O2'-C2'-C1' | -2.23 | 104.62      | 111.61   |
| 2   | C     | 503 | ADP  | O2'-C2'-C1' | -2.23 | 104.63      | 111.61   |
| 2   | F     | 506 | ADP  | O2'-C2'-C1' | -2.23 | 104.64      | 111.61   |
| 2   | D     | 504 | ADP  | O2'-C2'-C1' | -2.23 | 104.65      | 111.61   |
| 2   | A     | 501 | ADP  | O2'-C2'-C1' | -2.22 | 104.67      | 111.61   |
| 2   | A     | 501 | ADP  | C4-C5-N7    | 2.25  | 111.58      | 109.41   |
| 2   | D     | 504 | ADP  | C4-C5-N7    | 2.26  | 111.59      | 109.41   |
| 2   | G     | 507 | ADP  | C4-C5-N7    | 2.27  | 111.61      | 109.41   |
| 2   | F     | 506 | ADP  | C4-C5-N7    | 2.28  | 111.61      | 109.41   |
| 2   | B     | 502 | ADP  | C4-C5-N7    | 2.29  | 111.62      | 109.41   |
| 2   | C     | 503 | ADP  | C4-C5-N7    | 2.32  | 111.66      | 109.41   |
| 2   | E     | 505 | ADP  | C4-C5-N7    | 2.33  | 111.66      | 109.41   |

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

7 monomers are involved in 17 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|-----|------|---------|--------------|
| 2   | A     | 501 | ADP  | 2       | 0            |
| 2   | B     | 502 | ADP  | 2       | 0            |
| 2   | C     | 503 | ADP  | 2       | 0            |
| 2   | D     | 504 | ADP  | 2       | 0            |
| 2   | E     | 505 | ADP  | 2       | 0            |
| 2   | F     | 506 | ADP  | 2       | 0            |
| 2   | G     | 507 | ADP  | 2       | 3            |

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.