



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 05:27 pm GMT

PDB ID : 1N2X  
Title : Crystal Structure Analysis of TM0872, a Putative SAM-dependent Methyltransferase, Complexed with SAM  
Authors : Miller, D.J.; Anderson, W.F.; Midwest Center for Structural Genomics (MCSG)  
Deposited on : 2002-10-24  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	5047 (1.90-1.90)
Clashscore	112137	5731 (1.90-1.90)
Ramachandran outliers	110173	5669 (1.90-1.90)
Sidechain outliers	110143	5670 (1.90-1.90)
RSRZ outliers	101464	5100 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	
1	B	301	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 5009 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called S-adenosyl-methyltransferase mraW.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	287	Total	C	N	O	S	Se	0	5	0
			2392	1509	436	440	3	4			
1	B	278	Total	C	N	O	S	Se	0	0	0
			2204	1398	395	404	3	4			

There are 14 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	CLONING ARTIFACT	UNP Q9WZX6
A	0	HIS	-	CLONING ARTIFACT	UNP Q9WZX6
A	1	MSE	MET	MODIFIED RESIDUE	UNP Q9WZX6
A	12	MSE	MET	MODIFIED RESIDUE	UNP Q9WZX6
A	102	MSE	MET	MODIFIED RESIDUE	UNP Q9WZX6
A	128	MSE	MET	MODIFIED RESIDUE	UNP Q9WZX6
A	130	MSE	MET	MODIFIED RESIDUE	UNP Q9WZX6
B	-1	GLY	-	CLONING ARTIFACT	UNP Q9WZX6
B	0	HIS	-	CLONING ARTIFACT	UNP Q9WZX6
B	1	MSE	MET	MODIFIED RESIDUE	UNP Q9WZX6
B	12	MSE	MET	MODIFIED RESIDUE	UNP Q9WZX6
B	102	MSE	MET	MODIFIED RESIDUE	UNP Q9WZX6
B	128	MSE	MET	MODIFIED RESIDUE	UNP Q9WZX6
B	130	MSE	MET	MODIFIED RESIDUE	UNP Q9WZX6

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	O	S		0	0
			5	4	1			
2	B	1	Total	O	S		0	0
			5	4	1			

- Molecule 3 is S-ADENOSYLMETHIONINE (three-letter code: SAM) (formula:  $C_{15}H_{22}N_6O_5S$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	S	0	0
			27	15	6	5	1		
3	B	1	Total	C	N	O	S	0	0
			27	15	6	5	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	233	Total 233	O 233	0	0
4	B	116	Total 116	O 116	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: S-adenosyl-methyltransferase mraW



#### • Molecule 1: S-adenosyl-methyltransferase mraW



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	133.96Å 133.96Å 133.96Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.97 – 1.90 19.97 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.9 (19.97-1.90) 100.0 (19.97-1.90)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.04 (at 1.90Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.205 , 0.226 0.209 , 0.231	Depositor DCC
$R_{free}$ test set	3187 reflections (5.05%)	DCC
Wilson B-factor (Å <sup>2</sup> )	23.5	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 61.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.021 for l,-k,h	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	5009	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.30% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, SAM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.41	0/2421	0.63	0/3239
1	B	0.33	0/2231	0.55	1/2994 (0.0%)
All	All	0.38	0/4652	0.60	1/6233 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	272	PRO	N-CA-CB	5.43	109.81	103.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2392	0	2473	52	0
1	B	2204	0	2233	126	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
3	A	27	0	22	6	0
3	B	27	0	22	5	0
4	A	233	0	0	6	0
4	B	116	0	0	7	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	5009	0	4750	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:119:THR:OG1	1:B:121:GLU:HG2	1.69	0.92
1:B:257:ARG:HA	1:B:264:ILE:HD11	1.50	0.91
1:B:270:VAL:HB	1:B:288:LEU:HB3	1.59	0.85
1:B:40:ARG:HA	1:B:40:ARG:NH2	1.89	0.85
1:B:163:PHE:HE1	1:B:166:ARG:HH21	1.26	0.83
1:A:59:GLU:HG3	4:A:538:HOH:O	1.79	0.81
1:A:38:HIS:HD2	3:A:401:SAM:HN1	1.27	0.81
1:A:260:LYS:HE2	1:A:260:LYS:HA	1.64	0.78
1:B:80:VAL:HG11	1:B:88:LEU:HD22	1.68	0.76
1:A:269:PRO:HG3	1:A:289:ARG:CZ	2.17	0.75
1:B:226:LEU:HB3	1:B:255:THR:HG21	1.66	0.75
1:B:40:ARG:HH11	1:B:68:LEU:HA	1.50	0.74
1:B:245:HIS:CD2	1:B:247:LEU:HB3	2.23	0.74
1:A:35:GLU:O	1:A:67[A]:LYS:HE2	1.87	0.73
1:B:269:PRO:HG3	1:B:289:ARG:HH12	1.51	0.73
1:B:163:PHE:HE1	1:B:166:ARG:NH2	1.86	0.73
1:A:10:PRO:HA	4:A:733:HOH:O	1.89	0.72
1:A:245:HIS:CD2	1:A:247:LEU:HB3	2.25	0.71
1:B:265:LEU:HG	1:B:291:ALA:HA	1.73	0.70
1:B:110:GLN:HA	1:B:114:GLU:HG3	1.71	0.70
1:A:245:HIS:HB3	1:A:248:GLU:HG3	1.73	0.70
1:A:226:LEU:HB3	1:A:255:THR:HG21	1.73	0.70
1:B:269:PRO:HG3	1:B:289:ARG:HH22	1.57	0.69
1:B:245:HIS:NE2	1:B:247:LEU:HB3	2.07	0.69
1:A:269:PRO:HG3	1:A:289:ARG:NH2	2.08	0.69
1:B:213:ILE:CG2	1:B:219:LEU:HD23	2.22	0.68
1:B:95:GLU:O	1:B:96:LYS:HG3	1.94	0.68
1:B:13:VAL:O	1:B:16:VAL:HG12	1.94	0.68
1:A:119:THR:HG22	4:A:575:HOH:O	1.95	0.67
1:B:268:LYS:HD2	1:B:268:LYS:H	1.59	0.67
1:B:40:ARG:NH1	1:B:68:LEU:HA	2.10	0.67
1:B:288:LEU:HD13	1:B:289:ARG:N	2.09	0.67
1:B:50:ARG:HG2	1:B:51:ILE:H	1.60	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:40:ARG:HA	1:B:40:ARG:CZ	2.25	0.66
1:A:10:PRO:HG3	1:A:37:GLY:HA3	1.77	0.65
1:A:79[A]:LYS:HE2	4:A:515:HOH:O	1.97	0.65
1:B:119:THR:HG22	4:B:542:HOH:O	1.96	0.65
1:A:38:HIS:CD2	3:A:401:SAM:HN1	2.12	0.64
1:A:8:HIS:CE1	1:A:282:ARG:HH21	2.16	0.63
1:B:10:PRO:HB3	1:B:38:HIS:HD2	1.61	0.63
1:B:11:VAL:HG22	1:B:283:ALA:HB2	1.81	0.63
1:A:284:ARG:O	1:A:285:SER:HB2	1.99	0.63
1:B:174:ASN:HD21	1:B:185:LYS:HZ3	1.45	0.62
1:B:42:ILE:HB	1:B:51:ILE:HD11	1.81	0.62
1:A:245:HIS:NE2	1:A:247:LEU:HB3	2.15	0.62
1:B:174:ASN:HD21	1:B:185:LYS:NZ	1.98	0.62
1:B:213:ILE:HG21	1:B:219:LEU:HD23	1.81	0.61
1:A:40:ARG:O	1:A:44:GLU:HG3	2.01	0.61
1:B:92:LEU:HD13	1:B:92:LEU:O	2.00	0.61
1:B:247:LEU:HD12	1:B:250:ARG:HH12	1.66	0.60
1:B:29:LEU:CG	1:B:97:VAL:HG11	2.32	0.60
1:B:107:SER:OG	1:B:110:GLN:HG3	2.01	0.60
1:A:8:HIS:HB2	1:A:108:THR:OG1	2.01	0.59
3:A:401:SAM:HB1	4:A:705:HOH:O	2.01	0.59
1:B:10:PRO:HB3	1:B:38:HIS:CD2	2.37	0.59
1:A:83:ARG:HD2	1:A:221:ASN:HA	1.85	0.59
1:B:264:ILE:HG22	1:B:266:THR:H	1.68	0.59
1:B:29:LEU:HD21	1:B:97:VAL:HG11	1.84	0.59
1:B:102:MSE:HB2	1:B:241:VAL:HG22	1.83	0.59
1:B:16:VAL:HG22	1:B:20:LEU:HD12	1.86	0.58
1:B:87:PHE:O	1:B:91:THR:HG23	2.04	0.57
1:A:272:PRO:HA	1:A:276:GLU:OE1	2.05	0.57
1:A:38:HIS:HD2	3:A:401:SAM:N	2.01	0.57
1:B:269:PRO:HG3	1:B:289:ARG:NH1	2.19	0.57
1:B:240:VAL:HG22	1:B:290:ALA:HB2	1.85	0.56
1:A:174:ASN:HD21	1:A:185:LYS:NZ	2.03	0.56
1:B:67:LYS:C	1:B:68:LEU:HD12	2.26	0.56
1:B:54:ILE:HG22	1:B:78:PHE:HB2	1.87	0.56
1:A:185:LYS:O	1:A:189:GLU:HG3	2.06	0.55
1:B:213:ILE:HG23	1:B:219:LEU:HD23	1.88	0.55
1:B:100:ILE:HD12	1:B:233:LEU:HD21	1.87	0.55
1:B:247:LEU:HD13	1:B:250:ARG:HH22	1.72	0.55
1:B:17:ILE:HG13	1:B:18:GLU:N	2.21	0.55
1:B:223:LYS:O	1:B:227:LYS:HG3	2.07	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:108:THR:HG21	4:A:730:HOH:O	2.07	0.54
1:B:28:ILE:HB	1:B:51:ILE:HG12	1.88	0.54
1:B:64:ALA:O	1:B:68:LEU:HD13	2.08	0.54
1:B:269:PRO:HG3	1:B:289:ARG:NH2	2.23	0.53
1:B:40:ARG:NH1	1:B:68:LEU:HG	2.23	0.53
1:B:163:PHE:CE1	1:B:166:ARG:NH2	2.67	0.53
1:B:38:HIS:ND1	1:B:101:LEU:HD21	2.24	0.53
1:B:11:VAL:HG21	1:B:244:PHE:HZ	1.73	0.52
1:B:26:LYS:O	1:B:49:CYS:HA	2.09	0.52
1:B:83:ARG:NE	1:B:224:GLU:OE1	2.42	0.52
1:B:50:ARG:HG2	1:B:51:ILE:N	2.25	0.52
1:B:165:ARG:NH1	4:B:575:HOH:O	2.29	0.51
1:A:263:ARG:HB2	1:A:294:ILE:HD13	1.92	0.50
1:B:122:ARG:HG2	1:B:122:ARG:HH11	1.76	0.50
1:B:29:LEU:CD2	1:B:97:VAL:HG11	2.41	0.50
1:A:277:ILE:HG21	1:A:284:ARG:NH1	2.27	0.50
1:B:242:ILE:HG12	1:B:288:LEU:CD2	2.41	0.50
1:B:240:VAL:HG22	1:B:290:ALA:CB	2.42	0.50
1:A:106:VAL:HG12	1:A:110:GLN:HB2	1.94	0.50
1:A:223:LYS:CG	1:A:251:ILE:HD13	2.41	0.49
1:B:55:ASP:HA	3:B:402:SAM:N3	2.27	0.49
1:B:53:GLY:O	1:B:77:LEU:HA	2.12	0.49
1:B:67:LYS:O	1:B:68:LEU:HD12	2.12	0.49
1:B:169:ARG:O	1:B:173:GLU:HG3	2.12	0.49
1:B:29:LEU:HG	1:B:97:VAL:HG11	1.95	0.49
1:A:257:ARG:HA	1:A:264:ILE:HD11	1.94	0.49
1:A:256:PHE:HB3	1:A:264:ILE:HG12	1.94	0.48
1:B:46:CYS:O	1:B:46:CYS:SG	2.71	0.48
1:B:242:ILE:HG12	1:B:288:LEU:HD23	1.94	0.48
1:B:29:LEU:HD23	1:B:52:ILE:HB	1.95	0.48
1:B:15:GLU:O	1:B:18:GLU:HB3	2.13	0.48
1:B:268:LYS:HD2	1:B:268:LYS:N	2.25	0.48
1:A:245:HIS:HB3	1:A:248:GLU:CG	2.41	0.48
1:B:244:PHE:HA	1:B:285:SER:O	2.13	0.48
1:A:284:ARG:O	1:A:285:SER:CB	2.61	0.48
1:A:11:VAL:O	1:A:38:HIS:HE1	1.97	0.47
1:B:115:ASN:OD1	1:B:124:GLU:HG2	2.14	0.47
1:A:10:PRO:HG3	1:A:37:GLY:CA	2.43	0.47
1:B:40:ARG:HA	1:B:40:ARG:HH21	1.78	0.47
1:B:50:ARG:HH21	1:B:52:ILE:HD11	1.80	0.47
1:A:57:ASP:HB3	1:A:60[A]:VAL:HG22	1.96	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:71:PHE:HD2	1:B:74:ARG:HH21	1.62	0.47
1:B:94:ILE:HG22	1:B:96:LYS:H	1.79	0.47
1:B:288:LEU:C	1:B:288:LEU:HD13	2.35	0.46
1:B:38:HIS:O	1:B:42:ILE:HG13	2.15	0.46
1:B:55:ASP:OD2	3:B:402:SAM:H1'	2.16	0.46
1:A:277:ILE:HG21	1:A:284:ARG:HH11	1.81	0.46
1:B:59:GLU:HG2	1:B:62:ARG:HH21	1.81	0.46
1:B:247:LEU:CD1	1:B:250:ARG:HH22	2.29	0.46
1:B:40:ARG:HH22	1:B:43:LEU:HD12	1.80	0.45
1:B:110:GLN:HA	1:B:114:GLU:CG	2.42	0.45
1:B:16:VAL:HG13	1:B:17:ILE:N	2.31	0.45
1:B:29:LEU:CD2	1:B:52:ILE:HB	2.47	0.45
1:B:64:ALA:O	1:B:68:LEU:HB2	2.17	0.45
1:A:174:ASN:HD21	1:A:185:LYS:HZ3	1.64	0.45
1:A:273:SER:OG	1:A:276:GLU:HG3	2.17	0.45
1:B:269:PRO:CG	1:B:289:ARG:HH12	2.26	0.45
1:B:43:LEU:HD13	1:B:71:PHE:CB	2.46	0.45
1:B:233:LEU:N	1:B:233:LEU:HD22	2.31	0.45
1:B:269:PRO:CG	1:B:289:ARG:HH22	2.28	0.45
1:A:272:PRO:HB2	1:A:277:ILE:HD11	1.99	0.44
1:B:111:LEU:HD13	1:B:111:LEU:O	2.17	0.44
1:B:174:ASN:ND2	4:B:609:HOH:O	2.50	0.44
1:B:56:VAL:HG13	3:B:402:SAM:C2	2.47	0.44
1:A:223:LYS:HG3	1:A:251:ILE:HD13	1.99	0.44
1:A:8:HIS:CE1	1:A:282:ARG:HE	2.36	0.44
1:B:147:GLU:HG2	4:B:600:HOH:O	2.17	0.44
1:B:250:ARG:HB2	1:B:250:ARG:NH1	2.32	0.44
1:B:100:ILE:HB	1:B:239:ILE:HG13	1.99	0.44
1:A:200:LYS:HE3	1:A:200:LYS:O	2.18	0.43
1:B:219:LEU:O	1:B:223:LYS:HG3	2.17	0.43
1:B:40:ARG:HD3	1:B:44:GLU:OE2	2.18	0.43
1:B:51:ILE:O	1:B:75:VAL:HG23	2.19	0.43
1:A:8:HIS:NE2	1:A:282:ARG:NH2	2.56	0.43
1:B:81:SER:HA	3:B:402:SAM:N1	2.33	0.43
1:A:66:GLU:OE2	1:A:69:LYS:HE3	2.19	0.43
1:B:250:ARG:CB	1:B:250:ARG:HH11	2.32	0.43
1:B:33:VAL:O	3:B:402:SAM:HA	2.18	0.42
1:B:81:SER:C	1:B:83:ARG:H	2.21	0.42
1:B:122:ARG:NH1	1:B:122:ARG:HG2	2.34	0.42
1:B:72:SER:O	1:B:74:ARG:N	2.53	0.42
1:A:260:LYS:CA	1:A:260:LYS:HE2	2.42	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:244:PHE:CD1	1:B:286:GLY:HA2	2.54	0.42
1:B:166:ARG:NH1	4:B:580:HOH:O	2.53	0.42
1:B:217:ARG:NH1	4:B:612:HOH:O	2.53	0.41
1:B:97:VAL:HG22	1:B:232:LEU:O	2.20	0.41
1:B:289:ARG:HG3	1:B:289:ARG:HH11	1.86	0.41
1:B:29:LEU:CD1	1:B:97:VAL:HG21	2.50	0.41
1:A:35:GLU:HG3	1:A:60[B]:VAL:CG2	2.50	0.41
1:B:55:ASP:O	1:B:79:LYS:HA	2.19	0.41
1:B:74:ARG:NH1	1:B:74:ARG:HB3	2.36	0.41
1:B:263:ARG:HG3	1:B:263:ARG:HH11	1.84	0.41
1:A:20[B]:LEU:HD11	1:A:101:LEU:HB2	2.02	0.41
1:A:272:PRO:HB2	1:A:277:ILE:CD1	2.51	0.41
1:B:239:ILE:O	1:B:290:ALA:HA	2.21	0.41
1:B:54:ILE:HA	1:B:78:PHE:O	2.20	0.41
1:A:103:ASP:O	3:A:401:SAM:H5'2	2.21	0.41
1:B:15:GLU:O	1:B:19:PHE:HD2	2.04	0.41
1:A:288:LEU:C	1:A:288:LEU:HD23	2.41	0.41
1:B:169:ARG:HA	1:B:169:ARG:HD2	1.96	0.41
1:B:122:ARG:CZ	4:B:615:HOH:O	2.69	0.40
1:B:170:LYS:HA	1:B:170:LYS:HD3	1.91	0.40
1:B:145:LEU:HA	1:B:146:PRO:HD3	1.96	0.40
1:A:130:MSE:SE	3:A:401:SAM:H8	2.71	0.40
1:B:19:PHE:O	1:B:21:LYS:HG3	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	290/301 (96%)	282 (97%)	8 (3%)	0	100	100
1	B	274/301 (91%)	249 (91%)	21 (8%)	4 (2%)	12	3

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
All	All	564/602 (94%)	531 (94%)	29 (5%)	4 (1%)	25	13

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	73	ASP
1	B	272	PRO
1	B	23	GLU
1	B	235	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	263/264 (100%)	259 (98%)	4 (2%)	70	67
1	B	234/264 (89%)	228 (97%)	6 (3%)	51	43
All	All	497/528 (94%)	487 (98%)	10 (2%)	60	55

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	69	LYS
1	A	152	ARG
1	A	200	LYS
1	A	274	GLU
1	B	40	ARG
1	B	44	GLU
1	B	46	CYS
1	B	49	CYS
1	B	133	GLU
1	B	268	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	38	HIS
1	A	139	GLN
1	A	174	ASN
1	B	139	GLN
1	B	174	ASN
1	B	209	GLN
1	B	245	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	SAM	A	401	-	21,29,29	0.72	0	17,42,42	0.75	0
2	SO4	A	500	-	4,4,4	0.32	0	6,6,6	0.08	0
3	SAM	B	402	-	21,29,29	0.52	0	17,42,42	0.72	0
2	SO4	B	501	-	4,4,4	0.34	0	6,6,6	0.10	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SAM	A	401	-	-	0/8/33/33	0/3/3/3
2	SO4	A	500	-	-	0/0/0/0	0/0/0/0
3	SAM	B	402	-	-	0/8/33/33	0/3/3/3
2	SO4	B	501	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	SAM	6	0
3	B	402	SAM	5	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	283/301 (94%)	0.38	21 (7%) 15 17	11, 22, 51, 70	0
1	B	274/301 (91%)	2.36	127 (46%) 0 0	14, 70, 86, 88	0
All	All	557/602 (92%)	1.36	148 (26%) 1 1	11, 30, 84, 88	0

All (148) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	9	ILE	11.2
1	B	71	PHE	11.2
1	B	19	PHE	10.2
1	B	281	PRO	10.0
1	B	235	PRO	9.9
1	B	47	PRO	9.6
1	B	68	LEU	9.4
1	B	40	ARG	8.6
1	B	285	SER	8.3
1	B	26	LYS	8.2
1	B	73	ASP	8.1
1	B	264	ILE	8.1
1	B	262	LEU	8.0
1	B	49	CYS	7.8
1	B	265	LEU	7.7
1	B	257	ARG	7.7
1	B	24	ASP	7.6
1	B	50	ARG	7.6
1	A	9	ILE	7.1
1	B	48	GLY	6.9
1	B	237	GLY	6.8
1	B	268	LYS	6.8
1	B	87	PHE	6.6
1	B	14	ARG	6.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	76	SER	6.5
1	B	11	VAL	6.4
1	B	101	LEU	6.3
1	B	260	LYS	6.3
1	B	263	ARG	6.1
1	B	234	ASN	6.1
1	B	78	PHE	6.1
1	B	23	GLU	6.0
1	A	279	GLU	6.0
1	B	89	LEU	6.0
1	B	29	LEU	5.8
1	B	88	LEU	5.7
1	B	20	LEU	5.6
1	B	99	GLY	5.6
1	B	25	GLU	5.4
1	B	100	ILE	5.4
1	B	247	LEU	5.4
1	B	46	CYS	5.3
1	B	241	VAL	5.3
1	B	51	ILE	5.2
1	B	267	GLU	5.2
1	B	42	ILE	5.1
1	B	92	LEU	5.1
1	B	283	ALA	5.1
1	B	27	ILE	5.0
1	B	70	GLU	4.9
1	B	21	LYS	4.9
1	B	236	GLY	4.8
1	B	43	LEU	4.7
1	B	245	HIS	4.7
1	B	266	THR	4.6
1	B	91	THR	4.6
1	B	269	PRO	4.6
1	B	256	PHE	4.5
1	B	93	GLY	4.4
1	B	258	ASN	4.4
1	B	18	GLU	4.4
1	A	278	ARG	4.3
1	B	10	PRO	4.3
1	B	83	ARG	4.2
1	B	66	GLU	4.2
1	B	69	LYS	4.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	228	LYS	4.2
1	B	17	ILE	4.0
1	B	74	ARG	4.0
1	B	272	PRO	4.0
1	B	239	ILE	3.9
1	B	22	PRO	3.8
1	B	261	LYS	3.7
1	B	52	ILE	3.6
1	B	67	LYS	3.6
1	B	291	ALA	3.5
1	B	227	LYS	3.5
1	B	85	ALA	3.5
1	B	86	ASP	3.5
1	B	95	GLU	3.4
1	B	75	VAL	3.4
1	B	13	VAL	3.3
1	B	259	SER	3.3
1	A	275	GLU	3.3
1	B	28	ILE	3.3
1	B	271	ARG	3.3
1	B	94	ILE	3.2
1	A	8	HIS	3.2
1	B	97	VAL	3.2
1	B	104	LEU	3.2
1	B	246	SER	3.1
1	B	233	LEU	3.1
1	A	268	LYS	3.1
1	B	45	HIS	3.1
1	B	282	ARG	3.1
1	A	284	ARG	3.0
1	B	80	VAL	3.0
1	B	61	LEU	3.0
1	B	65	GLU	3.0
1	B	250	ARG	3.0
1	B	229	ALA	2.9
1	B	292	GLU	2.9
1	B	8	HIS	2.8
1	B	284	ARG	2.8
1	B	255	THR	2.8
1	B	62	ARG	2.8
1	B	231	ASP	2.8
1	A	274	GLU	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	240	VAL	2.7
1	B	242	ILE	2.7
1	B	64	ALA	2.7
1	B	240	VAL	2.7
1	B	224	GLU	2.7
1	B	39	SER	2.7
1	B	273	SER	2.7
1	B	96	LYS	2.6
1	B	44	GLU	2.6
1	A	10	PRO	2.5
1	B	41	ALA	2.5
1	B	122	ARG	2.5
1	B	63	ILE	2.5
1	A	294	ILE	2.5
1	B	288	LEU	2.5
1	B	225	PHE	2.5
1	B	230	GLU	2.4
1	B	84	GLU	2.4
1	A	257	ARG	2.4
1	A	241	VAL	2.3
1	A	200	LYS	2.3
1	B	270	VAL	2.3
1	B	244	PHE	2.3
1	A	239	ILE	2.3
1	A	258	ASN	2.3
1	B	133	GLU	2.3
1	A	245	HIS	2.2
1	B	252	VAL	2.2
1	B	132	LEU	2.2
1	A	227	LYS	2.1
1	B	72	SER	2.1
1	A	272	PRO	2.1
1	B	37	GLY	2.1
1	A	135	GLU	2.1
1	B	32	THR	2.1
1	B	35	GLU	2.1
1	B	98	ASP	2.0
1	A	242	ILE	2.0
1	B	103	ASP	2.0
1	B	111	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	SAM	B	402	27/27	0.79	0.20	0.17	60,62,67,67	0
3	SAM	A	401	27/27	0.96	0.08	-0.91	16,20,26,29	0
2	SO4	A	500	5/5	0.98	0.09	-	40,41,43,45	0
2	SO4	B	501	5/5	0.98	0.11	-	38,40,41,41	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.