



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 02:08 pm GMT

PDB ID : 1NBA  
Title : CRYSTAL STRUCTURE ANALYSIS, REFINEMENT AND ENZYMATIC REACTION MECHANISM OF N-CARBAMOYLSARCOSINE AMIDOHYDROLASE FROM ARTHROBACTER SP. AT 2.0 ANGSTROMS RESOLUTION  
Authors : Romao, M.J.; Turk, D.; Gomis-Ruth, F.-Z.; Huber, R.; Schumacher, G.; Mollerling, H.; Russmann, L.  
Deposited on : 1992-05-18  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	264	
1	B	264	
1	C	264	
1	D	264	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 8304 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called N-CARBAMOYLSARCOSINE AMIDOHYDROLASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	253	Total	C	N	O	S	12	0	0
			1965	1238	339	384	4			
1	B	252	Total	C	N	O	S	22	0	0
			1958	1234	338	382	4			
1	C	253	Total	C	N	O	S	51	0	0
			1965	1238	339	384	4			
1	D	253	Total	C	N	O	S	22	0	0
			1965	1238	339	384	4			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	O	S	0	0
			5	4	1		
2	D	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	107	Total	O	0	0
			107	107		
3	B	108	Total	O	0	0
			108	108		
3	C	88	Total	O	0	0
			88	88		
3	D	128	Total	O	0	0
			128	128		

### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


#### • Molecule 1: N-CARBAMOYLSARCOSINE AMIDOHYDROLASE




#### • Molecule 1: N-CARBAMOYLSARCOSINE AMIDOHYDROLASE



#### • Molecule 1: N-CARBAMOYLSARCOSINE AMIDOHYDROLASE



#### • Molecule 1: N-CARBAMOYLSARCOSINE AMIDOHYDROLASE



P242	Q249	V269	PHE	ALA	GLU	GLN	HIS
------	------	------	-----	-----	-----	-----	-----

## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	136.22Å 122.29Å 70.87Å 90.00° 91.82° 90.00°	Depositor
Resolution (Å)	(Not available) – 2.00	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-2.00)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	X-PLOR	Depositor
R, $R_{free}$	0.186 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	8304	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	20.0	wwPDB-VP

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.68	0/2012	1.39	34/2751 (1.2%)
1	B	0.68	0/2005	1.40	27/2741 (1.0%)
1	C	0.69	0/2012	1.41	29/2751 (1.1%)
1	D	0.68	0/2012	1.39	27/2751 (1.0%)
All	All	0.68	0/8041	1.40	117/10994 (1.1%)

There are no bond length outliers.

All (117) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	179	ARG	NE-CZ-NH1	13.89	127.25	120.30
1	A	179	ARG	NE-CZ-NH1	13.62	127.11	120.30
1	C	179	ARG	NE-CZ-NH1	12.77	126.68	120.30
1	C	179	ARG	NE-CZ-NH2	-12.36	114.12	120.30
1	A	37	ARG	NE-CZ-NH1	12.15	126.38	120.30
1	B	179	ARG	NE-CZ-NH2	-11.93	114.34	120.30
1	D	37	ARG	NE-CZ-NH1	10.29	125.45	120.30
1	A	179	ARG	NE-CZ-NH2	-9.92	115.34	120.30
1	D	179	ARG	NE-CZ-NH1	9.76	125.18	120.30
1	A	37	ARG	NE-CZ-NH2	-8.98	115.81	120.30
1	A	126	TRP	CD1-CG-CD2	8.60	113.18	106.30
1	C	126	TRP	CD1-CG-CD2	8.55	113.14	106.30
1	D	126	TRP	CD1-CG-CD2	8.27	112.91	106.30
1	B	37	ARG	NE-CZ-NH1	8.15	124.37	120.30
1	B	126	TRP	CD1-CG-CD2	7.98	112.68	106.30
1	B	56	TRP	CD1-CG-CD2	7.94	112.66	106.30
1	D	146	ARG	NE-CZ-NH2	-7.94	116.33	120.30
1	D	56	TRP	CD1-CG-CD2	7.92	112.63	106.30
1	D	179	ARG	NE-CZ-NH2	-7.87	116.36	120.30
1	C	56	TRP	CD1-CG-CD2	7.78	112.52	106.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	126	TRP	CE2-CD2-CG	-7.63	101.20	107.30
1	A	126	TRP	CE2-CD2-CG	-7.56	101.25	107.30
1	D	126	TRP	CE2-CD2-CG	-7.49	101.31	107.30
1	A	56	TRP	CD1-CG-CD2	7.47	112.27	106.30
1	C	111	TRP	CD1-CG-CD2	7.43	112.25	106.30
1	B	112	TYR	CB-CG-CD2	-7.42	116.55	121.00
1	B	37	ARG	NE-CZ-NH2	-7.39	116.60	120.30
1	B	126	TRP	CE2-CD2-CG	-7.39	101.39	107.30
1	C	56	TRP	CE2-CD2-CG	-7.37	101.41	107.30
1	A	209	TRP	CD1-CG-CD2	7.20	112.06	106.30
1	D	112	TYR	CB-CG-CD2	-7.17	116.70	121.00
1	A	146	ARG	NE-CZ-NH1	7.16	123.88	120.30
1	A	56	TRP	CE2-CD2-CG	-7.06	101.65	107.30
1	B	209	TRP	CD1-CG-CD2	7.03	111.92	106.30
1	C	209	TRP	CD1-CG-CD2	7.01	111.91	106.30
1	B	111	TRP	CD1-CG-CD2	6.97	111.88	106.30
1	A	209	TRP	CE2-CD2-CG	-6.95	101.74	107.30
1	B	56	TRP	CE2-CD2-CG	-6.91	101.77	107.30
1	C	37	ARG	NE-CZ-NH1	6.90	123.75	120.30
1	A	111	TRP	CE2-CD2-CG	-6.89	101.79	107.30
1	B	111	TRP	CE2-CD2-CG	-6.83	101.84	107.30
1	C	111	TRP	CE2-CD2-CG	-6.82	101.85	107.30
1	D	111	TRP	CD1-CG-CD2	6.79	111.73	106.30
1	A	111	TRP	CD1-CG-CD2	6.78	111.72	106.30
1	C	212	TYR	CB-CG-CD2	-6.76	116.94	121.00
1	D	56	TRP	CE2-CD2-CG	-6.72	101.92	107.30
1	B	209	TRP	CE2-CD2-CG	-6.69	101.95	107.30
1	D	111	TRP	CE2-CD2-CG	-6.64	101.99	107.30
1	A	118	GLU	CA-CB-CG	6.63	127.99	113.40
1	C	14	ARG	NE-CZ-NH1	6.60	123.60	120.30
1	C	146	ARG	NE-CZ-NH1	6.55	123.57	120.30
1	C	209	TRP	CE2-CD2-CG	-6.54	102.07	107.30
1	A	99	ARG	NE-CZ-NH2	-6.46	117.07	120.30
1	C	32	GLU	CA-CB-CG	6.37	127.42	113.40
1	C	112	TYR	CB-CG-CD2	-6.35	117.19	121.00
1	D	146	ARG	NE-CZ-NH1	6.35	123.47	120.30
1	B	65	CYS	CA-CB-SG	-6.28	102.70	114.00
1	A	44	ARG	NE-CZ-NH1	6.18	123.39	120.30
1	D	37	ARG	NE-CZ-NH2	-6.14	117.23	120.30
1	B	209	TRP	CA-CB-CG	6.10	125.29	113.70
1	D	209	TRP	CA-CB-CG	6.09	125.27	113.70
1	C	209	TRP	CA-CB-CG	6.08	125.24	113.70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	209	TRP	CE2-CD2-CG	-6.06	102.45	107.30
1	B	232	ASP	CB-CG-OD1	6.04	123.74	118.30
1	D	33	ARG	NE-CZ-NH1	6.01	123.31	120.30
1	B	99	ARG	NE-CZ-NH1	5.95	123.28	120.30
1	C	118	GLU	CA-CB-CG	5.95	126.49	113.40
1	A	209	TRP	CA-CB-CG	5.88	124.88	113.70
1	D	209	TRP	CD1-CG-CD2	5.87	111.00	106.30
1	C	146	ARG	NE-CZ-NH2	-5.86	117.37	120.30
1	C	56	TRP	CG-CD2-CE3	5.84	139.15	133.90
1	C	163	ARG	NE-CZ-NH1	5.79	123.20	120.30
1	D	128	GLN	CG-CD-NE2	5.79	130.60	116.70
1	A	126	TRP	CG-CD2-CE3	5.76	139.08	133.90
1	D	56	TRP	CG-CD1-NE1	-5.67	104.43	110.10
1	A	172	ALA	O-C-N	-5.66	113.64	122.70
1	A	33	ARG	NE-CZ-NH1	5.66	123.13	120.30
1	C	126	TRP	CG-CD1-NE1	-5.64	104.46	110.10
1	B	163	ARG	NE-CZ-NH1	5.63	123.12	120.30
1	A	126	TRP	CB-CG-CD1	-5.60	119.72	127.00
1	B	118	GLU	CA-CB-CG	5.58	125.69	113.40
1	A	126	TRP	CG-CD1-NE1	-5.57	104.53	110.10
1	C	184	ASP	CB-CG-OD1	5.56	123.30	118.30
1	A	99	ARG	NE-CZ-NH1	5.56	123.08	120.30
1	A	14	ARG	NE-CZ-NH2	-5.55	117.52	120.30
1	C	99	ARG	NE-CZ-NH1	5.50	123.05	120.30
1	B	56	TRP	CG-CD1-NE1	-5.45	104.65	110.10
1	B	56	TRP	CB-CG-CD1	-5.45	119.91	127.00
1	C	37	ARG	NE-CZ-NH2	-5.36	117.62	120.30
1	D	126	TRP	CG-CD1-NE1	-5.36	104.74	110.10
1	B	128	GLN	CA-CB-CG	5.35	125.18	113.40
1	D	184	ASP	CB-CG-OD1	5.34	123.11	118.30
1	B	126	TRP	CB-CG-CD1	-5.34	120.06	127.00
1	B	33	ARG	NE-CZ-NH1	5.34	122.97	120.30
1	D	97	ARG	NE-CZ-NH1	5.33	122.97	120.30
1	C	56	TRP	CB-CG-CD1	-5.33	120.08	127.00
1	A	44	ARG	NE-CZ-NH2	-5.32	117.64	120.30
1	C	126	TRP	CB-CG-CD1	-5.30	120.11	127.00
1	A	118	GLU	CB-CA-C	-5.30	99.80	110.40
1	D	128	GLN	CB-CG-CD	5.25	125.26	111.60
1	A	112	TYR	CB-CG-CD2	-5.25	117.85	121.00
1	A	56	TRP	CG-CD2-CE3	5.24	138.62	133.90
1	B	126	TRP	CG-CD1-NE1	-5.24	104.86	110.10
1	A	212	TYR	CB-CG-CD2	-5.22	117.87	121.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	56	TRP	CB-CG-CD1	-5.17	120.28	127.00
1	D	77	ARG	NE-CZ-NH1	5.16	122.88	120.30
1	A	179	ARG	CA-CB-CG	-5.15	102.06	113.40
1	A	184	ASP	CB-CG-OD1	5.15	122.94	118.30
1	A	56	TRP	CG-CD1-NE1	-5.14	104.96	110.10
1	D	126	TRP	CB-CG-CD1	-5.11	120.35	127.00
1	B	99	ARG	NE-CZ-NH2	-5.11	117.75	120.30
1	C	56	TRP	CG-CD1-NE1	-5.09	105.01	110.10
1	C	126	TRP	CG-CD2-CE3	5.07	138.46	133.90
1	B	38	ARG	NE-CZ-NH2	-5.06	117.77	120.30
1	D	212	TYR	CB-CG-CD2	-5.04	117.97	121.00
1	D	38	ARG	NE-CZ-NH1	5.02	122.81	120.30
1	A	83	ARG	NE-CZ-NH2	-5.01	117.79	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1965	0	1901	11	0
1	B	1958	0	1894	8	0
1	C	1965	0	1901	7	0
1	D	1965	0	1901	8	0
2	A	5	0	0	0	0
2	B	5	0	0	0	0
2	C	5	0	0	0	0
2	D	5	0	0	0	0
3	A	107	0	0	1	1
3	B	108	0	0	0	0
3	C	88	0	0	0	1
3	D	128	0	0	2	0
All	All	8304	0	7597	31	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (31) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:235:PRO:HG2	1:C:240:THR:HG22	1.72	0.71
1:A:39:ILE:HA	1:B:113:SER:HB3	1.80	0.64
1:B:79:ASN:O	1:B:83:ARG:HG2	2.00	0.62
1:D:79:ASN:O	1:D:83:ARG:HG2	2.00	0.62
1:A:179:ARG:HE	1:A:210:ASN:HD22	1.52	0.57
1:D:179:ARG:HE	1:D:210:ASN:HD22	1.53	0.57
1:B:179:ARG:HE	1:B:210:ASN:HD22	1.53	0.56
1:D:226:SER:HB3	3:D:454:HOH:O	2.06	0.56
1:D:44:ARG:HD3	1:D:242:PRO:HD3	1.91	0.53
1:C:195:PRO:HG3	1:C:227:VAL:HG21	1.89	0.52
1:A:235:PRO:HG2	1:A:240:THR:HG22	1.90	0.52
1:B:235:PRO:HG2	1:B:240:THR:HG22	1.94	0.50
1:A:125:TYR:HA	1:A:128:GLN:OE1	2.14	0.47
1:C:68:MET:HB3	1:C:72:ILE:HD12	1.96	0.46
1:A:166:THR:HG23	1:A:193:ILE:HD13	1.98	0.46
1:A:95:VAL:HG11	1:A:127:ALA:CB	2.47	0.45
1:B:169:VAL:O	1:B:195:PRO:HD2	2.16	0.45
1:C:179:ARG:HE	1:C:210:ASN:HD22	1.65	0.44
1:C:179:ARG:HB3	3:D:406:HOH:O	2.18	0.44
1:D:95:VAL:HG11	1:D:127:ALA:CB	2.48	0.43
1:A:55:ALA:HB2	1:A:126:TRP:HB3	2.02	0.42
1:C:146:ARG:HD2	1:D:187:ALA:HA	2.02	0.42
1:A:119:THR:CG2	1:B:252:VAL:HG23	2.50	0.42
1:B:87:VAL:HA	1:B:88:PRO:HD3	1.94	0.41
1:B:52:LEU:HD13	1:B:171:GLY:HA2	2.03	0.41
1:A:42:GLY:HA2	1:A:243:LYS:HD2	2.03	0.41
1:D:37:ARG:HB3	1:D:249:GLN:NE2	2.36	0.41
1:A:140:VAL:HG13	3:A:467:HOH:O	2.21	0.41
1:D:16:ALA:HA	1:D:208:GLN:HE22	1.86	0.40
1:A:119:THR:O	1:A:121:PRO:HD3	2.21	0.40
1:C:134:ALA:HA	1:C:135:PRO:HD3	1.93	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:501:HOH:O	3:C:487:HOH:O[4_546]	1.72	0.48

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	251/264 (95%)	240 (96%)	11 (4%)	0	100	100
1	B	250/264 (95%)	238 (95%)	12 (5%)	0	100	100
1	C	251/264 (95%)	241 (96%)	10 (4%)	0	100	100
1	D	251/264 (95%)	238 (95%)	12 (5%)	1 (0%)	38	33
All	All	1003/1056 (95%)	957 (95%)	45 (4%)	1 (0%)	55	52

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	8	PHE

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	210/219 (96%)	204 (97%)	6 (3%)	48	47
1	B	209/219 (95%)	201 (96%)	8 (4%)	38	35
1	C	210/219 (96%)	198 (94%)	12 (6%)	24	18
1	D	210/219 (96%)	203 (97%)	7 (3%)	43	41
All	All	839/876 (96%)	806 (96%)	33 (4%)	37	34

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
1	A	24	GLU
1	A	98	ASN
1	A	118	GLU
1	A	154	ASN
1	A	159	LEU
1	B	8	PHE
1	B	9	ASN
1	B	52	LEU
1	B	98	ASN
1	B	118	GLU
1	B	154	ASN
1	B	163	ARG
1	B	234	LEU
1	C	9	ASN
1	C	14	ARG
1	C	32	GLU
1	C	70	THR
1	C	80	GLU
1	C	98	ASN
1	C	113	SER
1	C	118	GLU
1	C	128	GLN
1	C	154	ASN
1	C	188	LYS
1	C	201	ASP
1	D	24	GLU
1	D	83	ARG
1	D	98	ASN
1	D	106	ASN
1	D	113	SER
1	D	128	GLN
1	D	154	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	43	ASN
1	A	54	ASN
1	A	98	ASN
1	A	154	ASN
1	A	162	ASN
1	A	210	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	154	ASN
1	B	162	ASN
1	B	210	ASN
1	C	54	ASN
1	C	154	ASN
1	C	162	ASN
1	C	210	ASN
1	C	249	GLN
1	D	54	ASN
1	D	128	GLN
1	D	154	ASN
1	D	162	ASN
1	D	208	GLN
1	D	210	ASN
1	D	249	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SO4	A	400	-	4,4,4	0.65	0	6,6,6	0.45	0
2	SO4	B	400	-	4,4,4	0.67	0	6,6,6	0.29	0
2	SO4	C	400	-	4,4,4	0.63	0	6,6,6	0.30	0
2	SO4	D	400	-	4,4,4	0.66	0	6,6,6	0.21	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SO4	A	400	-	-	0/0/0/0	0/0/0/0
2	SO4	B	400	-	-	0/0/0/0	0/0/0/0
2	SO4	C	400	-	-	0/0/0/0	0/0/0/0
2	SO4	D	400	-	-	0/0/0/0	0/0/0/0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.