



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 5, 2018 – 11:03 PM EST

PDB ID : 4NC3
Title : Crystal structure of the 5-HT_{2B} receptor solved using serial femtosecond crystallography in lipidic cubic phase.
Authors : Liu, W.; Wacker, D.; Gati, C.; Han, G.W.; James, D.; Wang, D.; Nelson, G.; Weierstall, U.; Katritch, V.; Barty, A.; Zatsepin, N.A.; Li, D.; Messerschmidt, M.; Boutet, S.; Williams, G.J.; Koglin, J.E.; Seibert, M.M.; Wang, C.; Shah, S.T.A.; Basu, S.; Fromme, R.; Kupitz, C.; Rendek, K.N.; Grotjohann, I.; Fromme, P.; Kirian, R.A.; Beyerlein, K.R.; White, T.A.; Chapman, H.N.; Caffrey, M.; Spence, J.C.H.; Stevens, R.C.; Cherezov, V.; GPCR Network (GPCR)
Deposited on : 2013-10-23
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20030736
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2583 (2.80-2.80)
Clashscore	112137	3033 (2.80-2.80)
Ramachandran outliers	110173	2983 (2.80-2.80)
Sidechain outliers	110143	2985 (2.80-2.80)
RSRZ outliers	101464	2610 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	430	<div> <div>66%</div> <div> <div></div> <div>80%</div> <div>6%</div> <div>14%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	PLM	A	1201	-	-	-	X
5	OLC	A	1204	-	-	-	X
5	OLC	A	1205	-	-	-	X
5	OLC	A	1208	-	-	-	X
6	PEG	A	1206	-	-	-	X
8	OLA	A	1210	-	-	-	X
8	OLA	A	1211	-	-	-	X
8	OLA	A	1212	-	-	-	X
9	DGA	A	1213	-	-	-	X

2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 3123 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Chimera protein of human 5-hydroxytryptamine receptor 2B and E. Coli soluble cytochrome b562.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	370	Total	C	N	O	S	0	1	0
			2839	1867	451	505	16			

There are 23 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	26	ASP	-	EXPRESSION TAG	UNP P41595
A	27	TYR	-	EXPRESSION TAG	UNP P41595
A	28	LYS	-	EXPRESSION TAG	UNP P41595
A	29	ASP	-	EXPRESSION TAG	UNP P41595
A	30	ASP	-	EXPRESSION TAG	UNP P41595
A	31	ASP	-	EXPRESSION TAG	UNP P41595
A	32	ASP	-	EXPRESSION TAG	UNP P41595
A	33	GLY	-	EXPRESSION TAG	UNP P41595
A	34	ALA	-	EXPRESSION TAG	UNP P41595
A	35	PRO	-	EXPRESSION TAG	UNP P41595
A	144	TRP	MET	engineered mutation	UNP P41595
A	1007	TRP	MET	engineered mutation	UNP P0ABE7
A	1102	ILE	HIS	engineered mutation	UNP P0ABE7
A	1106	LEU	ARG	engineered mutation	UNP P0ABE7
A	406	GLY	-	EXPRESSION TAG	UNP P41595
A	407	ARG	-	EXPRESSION TAG	UNP P41595
A	408	PRO	-	EXPRESSION TAG	UNP P41595
A	409	LEU	-	EXPRESSION TAG	UNP P41595
A	410	GLU	-	EXPRESSION TAG	UNP P41595
A	411	VAL	-	EXPRESSION TAG	UNP P41595
A	412	LEU	-	EXPRESSION TAG	UNP P41595
A	413	PHE	-	EXPRESSION TAG	UNP P41595
A	414	GLN	-	EXPRESSION TAG	UNP P41595

- Molecule 2 is PALMITIC ACID (three-letter code: PLM) (formula: C₁₆H₃₂O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			17	16	1		

- Molecule 3 is Ergotamine (three-letter code: ERM) (formula: C₃₃H₃₅N₅O₅).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			43	33	5	5		

- Molecule 4 is CHOLESTEROL (three-letter code: CLR) (formula: C₂₇H₄₆O).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			28	27	1		

- Molecule 5 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (three-letter code: OLC) (formula: C₂₁H₄₀O₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			19	15	4		
5	A	1	Total	C	O	0	0
			16	12	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			25	21	4		
5	A	1	Total	C	O	0	0
			19	15	4		

- Molecule 6 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: $C_4H_{10}O_3$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			7	4	3		

- Molecule 7 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: $C_4H_{12}NO_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	A	1	Total	C	N	O	0	0
			8	4	1	3		

- Molecule 8 is OLEIC ACID (three-letter code: OLA) (formula: $C_{18}H_{34}O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C		0	0
			10	10			
8	A	1	Total	C	O	0	0
			20	18	2		
8	A	1	Total	C	O	0	0
			19	17	2		

- Molecule 9 is DIACYL GLYCEROL (three-letter code: DGA) (formula: $C_{39}H_{76}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	A	1	Total	C	O	0	0
			26	21	5		
9	A	1	Total	C	O	0	0
			20	15	5		

- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	7	Total	O	0	0
			7	7		

4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	61.50Å 122.20Å 168.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	34.68 – 2.80 34.68 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.9 (34.68-2.80) 93.5 (34.68-2.50)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.94 (at 2.51Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8_1069)	Depositor
R, R_{free}	0.227 , 0.270 0.249 , 0.289	Depositor DCC
R_{free} test set	815 reflections (5.35%)	DCC
Wilson B-factor (Å ²)	106.8	Xtriage
Anisotropy	0.053	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , 87.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.36$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	3123	wwPDB-VP
Average B, all atoms (Å ²)	98.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.11% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OLA, OLC, DGA, ERM, TRS, PEG, PLM, CLR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.22	0/2903	0.36	0/3965

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2839	0	2823	13	0
2	A	17	0	31	0	0
3	A	43	0	35	0	0
4	A	28	0	46	1	0
5	A	79	0	111	3	0
6	A	7	0	9	0	0
7	A	8	0	12	0	0
8	A	49	0	76	0	0
9	A	46	0	56	0	0
10	A	7	0	0	0	0
All	All	3123	0	3199	16	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (16) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:CYS:SG	1:A:195:ILE:CD1	2.84	0.65
1:A:201:ASN:HB3	1:A:202:PRO:HD3	1.84	0.58
1:A:188:ILE:N	1:A:189:PRO:CD	2.70	0.55
1:A:376:ASN:HB3	1:A:377:PRO:HD3	1.92	0.52
4:A:1203:CLR:H183	4:A:1203:CLR:H212	1.91	0.51
5:A:1207:OLC:C14	5:A:1207:OLC:H18A	2.42	0.49
1:A:1007:TRP:C	1:A:1007:TRP:CD1	2.86	0.48
1:A:135:ASP:OD1	1:A:135:ASP:C	2.53	0.47
1:A:237:TYR:HA	5:A:1204:OLC:H22	1.97	0.46
1:A:201:ASN:HB3	1:A:202:PRO:CD	2.47	0.44
1:A:66:ILE:HB	1:A:67:PRO:HD3	2.00	0.44
5:A:1207:OLC:H14	5:A:1207:OLC:H18A	1.99	0.43
1:A:338:CYS:N	1:A:339:PRO:CD	2.82	0.42
1:A:228:THR:HB	1:A:229:PRO:CD	2.50	0.42
1:A:108:MET:HB2	1:A:109:PRO:HD3	2.02	0.42
1:A:190:VAL:HB	1:A:191:PRO:CD	2.50	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	365/430 (85%)	352 (96%)	13 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	293/371 (79%)	290 (99%)	3 (1%)	80 95

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	115	ILE
1	A	1018	GLU
1	A	1094	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

14 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	PLM	A	1201	1	16,16,17	0.83	1 (6%)	15,15,17	0.56	0
3	ERM	A	1202	-	47,50,50	1.35	9 (19%)	67,79,79	2.05	18 (26%)
4	CLR	A	1203	-	31,31,31	0.64	1 (3%)	48,48,48	1.64	12 (25%)
5	OLC	A	1204	-	18,18,24	1.20	2 (11%)	19,19,25	1.10	1 (5%)
5	OLC	A	1205	-	15,15,24	1.23	2 (13%)	16,16,25	1.13	1 (6%)
6	PEG	A	1206	-	6,6,6	0.59	0	5,5,5	0.25	0
5	OLC	A	1207	-	24,24,24	1.04	2 (8%)	25,25,25	1.16	2 (8%)
5	OLC	A	1208	-	18,18,24	1.19	2 (11%)	19,19,25	1.19	2 (10%)
7	TRS	A	1209	-	7,7,7	0.34	0	9,9,9	0.61	0
8	OLA	A	1210	-	9,9,19	0.95	1 (11%)	8,8,19	0.68	0
8	OLA	A	1211	-	16,19,19	0.74	1 (6%)	15,19,19	0.60	0
8	OLA	A	1212	-	15,18,19	0.75	1 (6%)	14,18,19	0.61	0
9	DGA	A	1213	-	25,25,43	0.94	2 (8%)	27,27,45	1.30	2 (7%)
9	DGA	A	1214	-	19,19,43	1.07	2 (10%)	21,21,45	1.45	2 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PLM	A	1201	1	-	0/14/14/15	0/0/0/0
3	ERM	A	1202	-	-	0/13/87/87	0/7/8/8
4	CLR	A	1203	-	-	0/10/68/68	0/4/4/4
5	OLC	A	1204	-	-	0/18/18/24	0/0/0/0
5	OLC	A	1205	-	-	0/15/15/24	0/0/0/0
6	PEG	A	1206	-	-	0/4/4/4	0/0/0/0
5	OLC	A	1207	-	-	0/24/24/24	0/0/0/0
5	OLC	A	1208	-	-	0/18/18/24	0/0/0/0
7	TRS	A	1209	-	-	0/9/9/9	0/0/0/0
8	OLA	A	1210	-	-	0/7/7/17	0/0/0/0
8	OLA	A	1211	-	-	0/15/17/17	0/0/0/0
8	OLA	A	1212	-	-	0/14/16/17	0/0/0/0
9	DGA	A	1213	-	-	0/27/27/45	0/0/0/0
9	DGA	A	1214	-	-	0/21/21/45	0/0/0/0

All (26) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1202	ERM	C12-C13	-3.83	1.35	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1201	PLM	O1-C1	-3.15	1.25	1.42
3	A	1202	ERM	C19-N4	-2.49	1.43	1.47
3	A	1202	ERM	C24-N5	-2.11	1.44	1.47
3	A	1202	ERM	C27-C19	-2.02	1.50	1.54
4	A	1203	CLR	C10-C9	-2.00	1.52	1.56
3	A	1202	ERM	C3-C4	2.02	1.57	1.53
3	A	1202	ERM	C5-N2	2.10	1.50	1.47
3	A	1202	ERM	C6-C16	2.18	1.56	1.53
5	A	1205	OLC	C2-C1	2.44	1.57	1.50
5	A	1207	OLC	C2-C1	2.47	1.57	1.50
9	A	1213	DGA	OG2-CB1	2.51	1.41	1.34
9	A	1214	DGA	OG2-CB1	2.53	1.41	1.34
9	A	1213	DGA	OG1-CA1	2.57	1.40	1.33
5	A	1208	OLC	C2-C1	2.58	1.58	1.50
5	A	1204	OLC	C2-C1	2.58	1.58	1.50
9	A	1214	DGA	OG1-CA1	2.59	1.40	1.33
3	A	1202	ERM	C11-C12	2.61	1.42	1.36
8	A	1210	OLA	C10-C9	2.78	1.47	1.28
8	A	1212	OLA	C10-C9	2.81	1.47	1.31
8	A	1211	OLA	C10-C9	2.81	1.47	1.31
5	A	1208	OLC	O20-C1	3.48	1.43	1.33
5	A	1207	OLC	O20-C1	3.49	1.43	1.33
5	A	1204	OLC	O20-C1	3.49	1.43	1.33
5	A	1205	OLC	O20-C1	3.52	1.43	1.33
3	A	1202	ERM	C9-C8	3.67	1.51	1.45

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1202	ERM	O2-C25-N4	-5.70	98.94	104.00
3	A	1202	ERM	C21-N5-C24	-3.64	105.87	111.44
4	A	1203	CLR	C16-C17-C20	-3.45	106.62	112.14
4	A	1203	CLR	C3-C4-C5	-3.42	105.92	111.98
3	A	1202	ERM	C19-N4-C18	-3.19	122.50	125.93
4	A	1203	CLR	C21-C20-C22	-3.15	105.38	110.35
3	A	1202	ERM	C23-C24-C25	-3.09	114.44	117.65
4	A	1203	CLR	C19-C10-C9	-3.05	107.91	111.68
3	A	1202	ERM	O5-C25-N4	-3.05	110.23	112.86
4	A	1203	CLR	C18-C13-C14	-2.72	106.58	111.73
3	A	1202	ERM	C10-C9-C14	-2.69	116.30	120.11
3	A	1202	ERM	O4-C20-N5	-2.41	119.37	123.00
3	A	1202	ERM	O1-C16-C6	-2.37	118.85	121.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1203	CLR	C15-C14-C8	-2.28	115.44	119.07
4	A	1203	CLR	C7-C8-C14	-2.28	107.44	110.92
5	A	1207	OLC	O20-C1-O19	-2.25	117.97	123.55
3	A	1202	ERM	C25-C24-N5	-2.12	106.52	109.01
5	A	1208	OLC	O20-C1-O19	-2.07	118.42	123.55
4	A	1203	CLR	C13-C17-C20	-2.04	116.18	119.47
4	A	1203	CLR	C13-C14-C8	-2.01	111.32	114.39
4	A	1203	CLR	C2-C1-C10	2.11	117.24	112.81
3	A	1202	ERM	C5-N2-C4	2.22	113.49	110.96
3	A	1202	ERM	C21-N5-C20	2.27	126.61	122.97
4	A	1203	CLR	C1-C10-C5	2.44	113.40	108.78
3	A	1202	ERM	C24-C25-N4	2.62	110.96	108.13
9	A	1213	DGA	OG1-CA1-CA2	2.64	119.58	111.90
5	A	1204	OLC	O20-C1-C2	2.73	119.84	111.90
5	A	1207	OLC	O20-C1-C2	2.74	119.88	111.90
9	A	1214	DGA	OG1-CA1-CA2	2.83	120.14	111.90
5	A	1208	OLC	O20-C1-C2	2.89	120.31	111.90
5	A	1205	OLC	O20-C1-C2	2.99	120.60	111.90
3	A	1202	ERM	O2-C25-C24	3.00	114.08	110.37
3	A	1202	ERM	O2-C17-C26	3.60	113.49	109.61
9	A	1213	DGA	OG2-CB1-CB2	3.85	119.54	111.55
9	A	1214	DGA	OG2-CB1-CB2	3.88	119.61	111.55
4	A	1203	CLR	C1-C2-C3	3.91	115.40	110.42
3	A	1202	ERM	C23-C24-N5	4.72	107.90	102.74
3	A	1202	ERM	C6-C16-N3	4.86	120.54	114.60
3	A	1202	ERM	C25-N4-C18	5.06	117.70	112.64
3	A	1202	ERM	C25-O2-C17	5.13	114.49	111.29

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1203	CLR	1	0
5	A	1204	OLC	1	0
5	A	1207	OLC	2	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	370/430 (86%)	3.01	282 (76%) 0 0	57, 89, 153, 196	0

All (282) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	163	ALA	11.6
1	A	161	ILE	9.4
1	A	1070	GLY	9.1
1	A	1028	ASP	8.6
1	A	201	ASN	8.5
1	A	204	ASN	8.4
1	A	1093	GLN	8.1
1	A	200	ASP	8.0
1	A	203	ASN	7.9
1	A	119	ALA	7.1
1	A	202	PRO	6.3
1	A	1024	ALA	6.2
1	A	165	GLN	6.2
1	A	1069	VAL	6.1
1	A	199	VAL	6.0
1	A	128	CYS	5.9
1	A	160	PRO	5.9
1	A	50	GLN	5.9
1	A	315	THR	5.9
1	A	1080	ASN	5.7
1	A	1073	ASP	5.6
1	A	1065	PHE	5.5
1	A	164	ASN	5.5
1	A	48	GLU	5.5
1	A	389	ASP	5.4
1	A	316	ILE	5.4
1	A	1068	LEU	5.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	49	GLU	5.1
1	A	1021	ASP	5.0
1	A	1076	LEU	4.9
1	A	1026	VAL	4.9
1	A	1103	GLN	4.8
1	A	1100	ALA	4.8
1	A	317	SER	4.7
1	A	205	ILE	4.7
1	A	392	GLY	4.7
1	A	242	HIS	4.6
1	A	1096	THR	4.5
1	A	177	THR	4.5
1	A	357	THR	4.5
1	A	140	THR	4.5
1	A	143	ILE	4.4
1	A	229	PRO	4.4
1	A	1066	ASP	4.4
1	A	397	CYS	4.4
1	A	103	VAL	4.4
1	A	1097	THR	4.4
1	A	345	ILE	4.3
1	A	1012	ASP	4.3
1	A	1030	LEU	4.3
1	A	337	TRP	4.3
1	A	176	ILE	4.3
1	A	141	ALA	4.3
1	A	1063	HIS	4.3
1	A	197	THR	4.3
1	A	1017	ILE	4.3
1	A	92	PHE	4.3
1	A	146	LEU	4.3
1	A	162	GLN	4.2
1	A	167	ASN	4.1
1	A	1033	MET	4.1
1	A	1079	ALA	4.1
1	A	175	LYS	4.0
1	A	384	ASN	4.0
1	A	96	LEU	4.0
1	A	1015	LYS	4.0
1	A	338	CYS	4.0
1	A	1084	VAL	4.0
1	A	342	ILE	4.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	331	PHE	4.0
1	A	139	SER	4.0
1	A	335	LEU	4.0
1	A	190	VAL	3.9
1	A	1062	ARG	3.9
1	A	78	ALA	3.9
1	A	1001	ALA	3.9
1	A	373	SER	3.9
1	A	115	ILE	3.9
1	A	178	VAL	3.8
1	A	147	CYS	3.8
1	A	206	THR	3.8
1	A	97	ALA	3.8
1	A	1075	ALA	3.8
1	A	396	THR	3.8
1	A	1094	LEU	3.8
1	A	1077	LYS	3.8
1	A	340	PHE	3.8
1	A	376	ASN	3.8
1	A	395	ILE	3.8
1	A	166	TYR	3.8
1	A	228	THR	3.7
1	A	70	GLY	3.7
1	A	241	ILE	3.7
1	A	346	THR	3.7
1	A	356	THR	3.7
1	A	1031	THR	3.7
1	A	1078	LEU	3.7
1	A	1014	LEU	3.7
1	A	361	LEU	3.7
1	A	172	ALA	3.7
1	A	1101	TYR	3.7
1	A	339	PRO	3.7
1	A	1007	TRP	3.6
1	A	1061	PHE	3.6
1	A	64	VAL	3.6
1	A	390	ALA	3.6
1	A	149	ILE	3.6
1	A	230	LEU	3.6
1	A	354	ASN	3.6
1	A	60	LEU	3.5
1	A	186	ILE	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	188	ILE	3.5
1	A	61	ILE	3.5
1	A	101	LEU	3.5
1	A	65	ILE	3.5
1	A	181	LEU	3.4
1	A	69	ILE	3.4
1	A	1008	GLU	3.4
1	A	352	SER	3.4
1	A	314	GLN	3.4
1	A	174	ILE	3.4
1	A	126	VAL	3.4
1	A	329	VAL	3.4
1	A	76	ILE	3.3
1	A	187	ALA	3.3
1	A	145	HIS	3.3
1	A	351	ASP	3.3
1	A	77	LEU	3.3
1	A	370	TYR	3.3
1	A	378	LEU	3.3
1	A	367	TRP	3.3
1	A	182	ILE	3.3
1	A	330	PHE	3.3
1	A	137	LEU	3.3
1	A	341	PHE	3.3
1	A	366	VAL	3.3
1	A	1022	ASN	3.3
1	A	344	ASN	3.3
1	A	1060	ASP	3.3
1	A	372	SER	3.2
1	A	400	ARG	3.2
1	A	142	SER	3.2
1	A	236	THR	3.2
1	A	1067	ILE	3.2
1	A	179	VAL	3.2
1	A	1011	ASN	3.2
1	A	332	LEU	3.2
1	A	144	TRP	3.2
1	A	219	LEU	3.2
1	A	1010	LEU	3.2
1	A	93	LEU	3.2
1	A	110	ILE	3.1
1	A	120	MET	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	226	PHE	3.1
1	A	75	VAL	3.1
1	A	102	LEU	3.1
1	A	152	ASP	3.1
1	A	124	PRO	3.1
1	A	385	LYS	3.1
1	A	1099	ASN	3.1
1	A	217	PHE	3.1
1	A	183	SER	3.0
1	A	114	THR	3.0
1	A	1005	ASP	3.0
1	A	318	ASN	3.0
1	A	113	LEU	3.0
1	A	233	MET	3.0
1	A	150	SER	3.0
1	A	227	PHE	2.9
1	A	371	VAL	2.9
1	A	90	ASN	2.9
1	A	82	GLU	2.9
1	A	189	PRO	2.9
1	A	1106	LEU	2.9
1	A	210	THR	2.9
1	A	320	GLN	2.9
1	A	1095	LYS	2.8
1	A	336	MET	2.8
1	A	377	PRO	2.8
1	A	399	TYR	2.8
1	A	1006	ASN	2.8
1	A	1032	LYS	2.8
1	A	54	LEU	2.8
1	A	343	THR	2.8
1	A	222	SER	2.7
1	A	51	GLY	2.7
1	A	1086	GLU	2.7
1	A	328	ILE	2.7
1	A	112	LEU	2.7
1	A	107	VAL	2.7
1	A	180	TRP	2.7
1	A	1002	ASP	2.7
1	A	173	PHE	2.6
1	A	362	LEU	2.6
1	A	334	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	148	ALA	2.6
1	A	1090	ALA	2.6
1	A	55	HIS	2.6
1	A	360	MET	2.6
1	A	322	ALA	2.6
1	A	347	LEU	2.6
1	A	121	TRP	2.6
1	A	1003	LEU	2.6
1	A	73	THR	2.6
1	A	129	PRO	2.5
1	A	62	LEU	2.5
1	A	123	LEU	2.5
1	A	368	ILE	2.5
1	A	74	LEU	2.5
1	A	94	MET	2.5
1	A	1089	ALA	2.5
1	A	234	ILE	2.5
1	A	136	VAL	2.5
1	A	375	VAL	2.5
1	A	130	ALA	2.5
1	A	184	ILE	2.5
1	A	1092	GLU	2.5
1	A	398	ASN	2.5
1	A	380	TYR	2.5
1	A	391	PHE	2.4
1	A	111	ALA	2.4
1	A	68	THR	2.4
1	A	91	TYR	2.4
1	A	1035	ALA	2.4
1	A	1105	TYR	2.4
1	A	353	CYS	2.4
1	A	1023	ALA	2.4
1	A	1098	ARG	2.4
1	A	109	PRO	2.4
1	A	1013	ASN	2.4
1	A	170	ALA	2.4
1	A	243	ALA	2.4
1	A	66	ILE	2.4
1	A	323	SER	2.4
1	A	1027	LYS	2.4
1	A	168	SER	2.4
1	A	1085	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1104	LYS	2.4
1	A	122	PRO	2.3
1	A	108	MET	2.3
1	A	116	MET	2.3
1	A	171	THR	2.3
1	A	99	ALA	2.3
1	A	79	VAL	2.3
1	A	125	LEU	2.3
1	A	1064	GLY	2.3
1	A	387	PHE	2.3
1	A	348	VAL	2.3
1	A	364	ILE	2.3
1	A	100	ASP	2.3
1	A	157	ILE	2.3
1	A	1081	GLU	2.3
1	A	132	LEU	2.3
1	A	133	PHE	2.3
1	A	87	TYR	2.3
1	A	1071	GLN	2.3
1	A	355	GLN	2.3
1	A	1016	VAL	2.2
1	A	1088	GLN	2.2
1	A	1087	ALA	2.2
1	A	333	PHE	2.2
1	A	225	ALA	2.2
1	A	216	ASP	2.2
1	A	53	LYS	2.2
1	A	325	VAL	2.2
1	A	393	ARG	2.1
1	A	1025	GLN	2.1
1	A	244	LEU	2.1
1	A	169	ARG	2.1
1	A	212	GLU	2.1
1	A	134	LEU	2.1
1	A	1102	ILE	2.1
1	A	59	LEU	2.1
1	A	95	SER	2.1
1	A	237	TYR	2.1
1	A	81	LEU	2.1
1	A	369	GLY	2.1
1	A	381	THR	2.0
1	A	1091	ALA	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	221	GLY	2.0
1	A	151	VAL	2.0
1	A	1059	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	OLC	A	1208	19/25	0.16	0.81	5.49	80,111,128,130	0
8	OLA	A	1212	19/20	0.72	0.92	4.99	101,119,128,128	0
8	OLA	A	1211	20/20	0.31	0.66	2.81	77,106,112,113	0
5	OLC	A	1204	19/25	0.68	0.56	2.76	58,88,106,108	0
8	OLA	A	1210	10/20	0.39	0.59	2.54	84,90,101,101	0
2	PLM	A	1201	17/18	0.56	0.54	1.30	100,105,112,113	0
6	PEG	A	1206	7/7	0.37	0.49	1.28	94,100,104,107	0
9	DGA	A	1213	26/44	0.19	0.44	0.93	108,130,145,147	0
5	OLC	A	1205	16/25	0.39	0.47	0.50	70,101,124,125	0
5	OLC	A	1207	25/25	0.46	0.39	-0.16	99,114,150,154	0
9	DGA	A	1214	20/44	0.44	0.39	-0.17	104,127,141,146	0
3	ERM	A	1202	43/43	0.70	0.33	-0.75	56,66,79,85	0
4	CLR	A	1203	28/28	0.68	0.33	-1.84	72,93,103,105	0
7	TRS	A	1209	8/8	0.07	0.58	-	133,136,137,138	0

6.5 Other polymers [i](#)

There are no such residues in this entry.