



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 04:11 pm GMT

PDB ID : 1NHG  
Title : CRYSTAL STRUCTURE ANALYSIS OF PLASMODIUM FALCIPARUM E  
NOYL-ACYL-CARRIER-PROTEIN REDUCTASE WITH TRICLOSAN  
Authors : Perozzo, R.; Kuo, M.; Sidhu, A.S.; Valiyaveetil, J.T.; Bittman, R.; Jacobs  
Jr., W.R.; Fidock, D.A.; Sacchettini, J.C.  
Deposited on : 2002-12-19  
Resolution : 2.43 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.43 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	1224 (2.46-2.42)
Ramachandran outliers	110173	1217 (2.46-2.42)
Sidechain outliers	110143	1217 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	229	
1	B	229	
2	C	60	
2	D	60	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	TCL	A	500	-	X	-	-
4	TCL	B	600	-	X	-	-

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 4700 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called enoyl-acyl carrier reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	229	Total	C	N	O	S	0	0	0
			1807	1148	309	340	10			
1	B	229	Total	C	N	O	S	0	0	0
			1807	1148	309	340	10			

- Molecule 2 is a protein called enoyl-acyl carrier reductase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	60	Total	C	N	O	S	0	0	0
			482	310	75	96	1			
2	D	60	Total	C	N	O	S	0	0	0
			482	310	75	96	1			

- Molecule 3 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula:  $C_{21}H_{27}N_7O_{14}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
3	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 4 is TRICLOSAN (three-letter code: TCL) (formula:  $C_{12}H_7Cl_3O_2$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	Cl	O	0	0
			17	12	3	2		
4	B	1	Total	C	Cl	O	0	0
			17	12	3	2		

### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: enoyl-acyl carrier reductase




- Molecule 1: enoyl-acyl carrier reductase



- Molecule 2: enoyl-acyl carrier reductase



- Molecule 2: enoyl-acyl carrier reductase



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	133.08Å 133.08Å 84.16Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.43	Depositor
% Data completeness (in resolution range)	(Not available) (30.00-2.43)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	CNS	Depositor
R, $R_{free}$	0.171 , 0.213	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4700	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TCL, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.33	0/1840	0.57	0/2477
1	B	0.32	0/1840	0.56	0/2477
2	C	0.34	0/491	0.58	0/664
2	D	0.35	0/491	0.58	0/664
All	All	0.33	0/4662	0.57	0/6282

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1807	0	1824	37	0
1	B	1807	0	1824	44	0
2	C	482	0	473	7	0
2	D	482	0	473	11	0
3	A	44	0	26	0	0
3	B	44	0	26	0	0
4	A	17	0	7	1	0
4	B	17	0	7	0	0
All	All	4700	0	4660	91	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:153:ILE:HB	1:B:157:LYS:HB2	1.58	0.86
1:A:276:GLY:HA2	1:A:325:LYS:HG2	1.59	0.84
1:A:139:MET:SD	1:A:164:MET:HE2	2.28	0.73
2:C:379:TYR:OH	2:C:425:ASP:HB3	1.88	0.72
1:B:146:LYS:HA	1:B:146:LYS:HE3	1.71	0.71
1:A:183:ASN:HA	1:A:188:ASN:HD21	1.56	0.71
1:A:174:ALA:O	1:A:177:ILE:HG22	1.92	0.70
1:B:318:ARG:HH11	1:B:318:ARG:HG2	1.56	0.70
1:A:218:ASN:HD22	1:A:219:ALA:H	1.39	0.70
1:A:276:GLY:CA	1:A:325:LYS:HG2	2.23	0.69
1:B:139:MET:SD	1:B:164:MET:HE2	2.33	0.68
1:B:184:ASN:ND2	1:B:186:ARG:H	1.93	0.66
1:A:132:PRO:HB2	1:A:133:PRO:HD3	1.77	0.66
1:A:318:ARG:HH11	1:A:318:ARG:HG2	1.61	0.66
1:B:99:ILE:HD13	1:B:125:LYS:HB2	1.77	0.64
2:D:416:GLY:O	2:D:419:ILE:HG12	1.99	0.63
1:B:325:LYS:HG3	1:B:325:LYS:OXT	1.98	0.63
1:A:105:ILE:HD12	1:A:128:PHE:CD1	2.35	0.62
1:A:184:ASN:HD22	1:A:187:TYR:HD1	1.48	0.61
1:B:252:PHE:O	1:B:256:MET:HG3	2.00	0.61
1:B:155:LYS:HD3	1:B:157:LYS:NZ	2.17	0.60
1:B:318:ARG:NH1	1:B:318:ARG:HG2	2.19	0.58
1:B:320:ALA:HB1	2:D:369:ILE:HD13	1.87	0.57
1:B:154:ASP:O	1:B:156:ASP:N	2.32	0.56
1:B:223:GLN:HE21	1:B:324:ASN:HB3	1.71	0.56
1:A:167:PHE:HD1	1:A:198:VAL:HG11	1.72	0.54
2:D:366:TYR:N	2:D:366:TYR:CD2	2.76	0.54
1:A:119:LEU:O	1:A:124:VAL:HG13	2.07	0.54
1:B:128:PHE:HB3	1:B:130:ILE:HD11	1.88	0.54
2:C:366:TYR:CD2	2:C:366:TYR:N	2.76	0.53
2:D:366:TYR:HD2	2:D:366:TYR:N	2.06	0.52
1:A:318:ARG:HG2	1:A:318:ARG:NH1	2.25	0.52
1:A:194:THR:O	1:A:198:VAL:HG13	2.09	0.52
1:A:99:ILE:HD13	1:A:125:LYS:HB2	1.92	0.52
1:A:128:PHE:HB3	1:A:130:ILE:HD11	1.92	0.52
1:A:154:ASP:C	1:A:156:ASP:H	2.13	0.52
1:B:276:GLY:CA	1:B:325:LYS:HG2	2.41	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:218:ASN:HD22	1:A:219:ALA:N	2.05	0.51
1:B:155:LYS:HB2	1:B:157:LYS:NZ	2.25	0.51
1:A:177:ILE:HD12	1:A:193:TYR:OH	2.11	0.50
2:C:366:TYR:HD2	2:C:366:TYR:N	2.08	0.50
1:A:177:ILE:HD11	1:A:182:LYS:HA	1.94	0.50
1:B:252:PHE:CD1	1:B:255:ILE:HD11	2.47	0.49
1:A:301:ARG:NH2	2:D:379:TYR:HA	2.28	0.49
1:B:212:LEU:HB3	1:B:262:ILE:HG12	1.94	0.48
1:A:301:ARG:HH21	2:D:379:TYR:C	2.17	0.48
1:B:147:PHE:O	1:B:151:MET:HG3	2.13	0.48
1:B:274:VAL:HG22	1:B:274:VAL:O	2.12	0.48
1:B:301:ARG:HH21	2:C:379:TYR:C	2.17	0.48
2:C:416:GLY:O	2:C:419:ILE:HG12	2.13	0.47
1:B:170:SER:HB3	1:B:240:LYS:HE2	1.96	0.47
1:A:124:VAL:HG22	1:A:126:ILE:HD11	1.96	0.47
1:B:126:ILE:HG21	1:B:128:PHE:HE1	1.80	0.47
1:B:325:LYS:HB3	2:D:368:PHE:HB2	1.97	0.47
1:B:276:GLY:HA3	1:B:325:LYS:HG2	1.97	0.47
2:D:377:GLU:O	2:D:383:ARG:HG3	2.15	0.46
1:A:178:ASP:O	1:A:182:LYS:HB2	2.16	0.46
1:A:170:SER:HB3	1:A:240:LYS:HE2	1.97	0.46
1:B:118:GLU:HG3	2:D:393:SER:N	2.30	0.46
1:B:155:LYS:HB2	1:B:157:LYS:HZ1	1.82	0.45
1:B:134:VAL:O	1:B:137:ILE:HG23	2.16	0.45
1:B:248:LEU:O	1:B:252:PHE:HB2	2.17	0.45
1:B:188:ASN:HA	1:B:188:ASN:HD22	1.55	0.45
1:B:153:ILE:O	1:B:155:LYS:N	2.50	0.44
1:B:258:PRO:O	1:B:259:GLN:HB2	2.17	0.44
1:B:137:ILE:HD11	1:B:141:ASN:HD21	1.83	0.43
1:A:154:ASP:O	1:A:156:ASP:N	2.52	0.43
1:A:258:PRO:O	1:A:259:GLN:HB2	2.18	0.43
1:A:266:THR:HA	1:A:285:LYS:HD2	2.00	0.43
1:A:138:PHE:HE2	1:A:164:MET:CE	2.32	0.43
1:B:183:ASN:HA	1:B:188:ASN:ND2	2.34	0.42
1:A:323:ILE:HD11	4:A:500:TCL:H131	1.99	0.42
1:B:155:LYS:HD3	1:B:157:LYS:HZ1	1.82	0.42
1:B:131:TRP:CG	1:B:133:PRO:HD2	2.55	0.42
1:B:214:HIS:O	1:B:264:SER:HA	2.19	0.42
1:A:259:GLN:HG2	1:A:304:ASN:ND2	2.35	0.42
1:B:132:PRO:HB2	1:B:133:PRO:HD3	2.00	0.42
2:D:377:GLU:OE1	2:D:385:LYS:HG2	2.20	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:154:ASP:C	1:B:156:ASP:H	2.21	0.42
1:A:177:ILE:HG23	1:A:177:ILE:O	2.20	0.41
1:A:214:HIS:O	1:A:264:SER:HA	2.21	0.41
1:B:119:LEU:O	1:B:124:VAL:HG13	2.20	0.41
1:A:203:HIS:HB2	1:A:255:ILE:HG21	2.01	0.41
1:B:301:ARG:NH2	2:C:379:TYR:HA	2.35	0.41
2:D:381:PRO:HG2	2:D:419:ILE:HD11	2.03	0.41
1:B:155:LYS:CD	1:B:157:LYS:HZ1	2.34	0.41
1:A:138:PHE:CE2	1:A:164:MET:HE1	2.56	0.40
1:B:111:TYR:CE1	1:B:315:LEU:HD22	2.57	0.40
1:A:156:ASP:O	1:A:156:ASP:OD1	2.39	0.40
1:B:306:ARG:HG2	2:C:382:LEU:HD21	2.03	0.40
1:A:169:ALA:HB1	1:A:244:SER:HB2	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	227/229 (99%)	216 (95%)	10 (4%)	1 (0%)	38	47
1	B	227/229 (99%)	216 (95%)	9 (4%)	2 (1%)	20	24
2	C	58/60 (97%)	54 (93%)	4 (7%)	0	100	100
2	D	58/60 (97%)	54 (93%)	2 (3%)	2 (3%)	4	1
All	All	570/578 (99%)	540 (95%)	25 (4%)	5 (1%)	20	24

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	154	ASP
1	B	155	LYS

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
2	D	424	ASP
1	A	155	LYS
2	D	367	THR

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	197/197 (100%)	189 (96%)	8 (4%)	35	49
1	B	197/197 (100%)	187 (95%)	10 (5%)	28	38
2	C	53/53 (100%)	50 (94%)	3 (6%)	24	32
2	D	53/53 (100%)	49 (92%)	4 (8%)	16	20
All	All	500/500 (100%)	475 (95%)	25 (5%)	28	40

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	124	VAL
1	A	162	LEU
1	A	175	ASN
1	A	201	LEU
1	A	218	ASN
1	A	227	LEU
1	A	273	VAL
1	A	274	VAL
1	B	124	VAL
1	B	146	LYS
1	B	162	LEU
1	B	177	ILE
1	B	188	ASN
1	B	218	ASN
1	B	226	LEU
1	B	227	LEU
1	B	273	VAL
1	B	274	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	C	366	TYR
2	C	383	ARG
2	C	417	LEU
2	D	366	TYR
2	D	382	LEU
2	D	383	ARG
2	D	417	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	184	ASN
1	A	188	ASN
1	A	200	ASN
1	A	218	ASN
1	A	223	GLN
1	A	228	ASN
1	A	254	ASN
1	A	302	ASN
1	A	304	ASN
1	B	141	ASN
1	B	160	ASN
1	B	184	ASN
1	B	188	ASN
1	B	200	ASN
1	B	218	ASN
1	B	223	GLN
1	B	254	ASN
1	B	259	GLN
1	B	302	ASN
2	C	384	GLN
2	D	384	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	NAD	A	450	-	41,48,48	1.34	4 (9%)	43,73,73	3.09	10 (23%)
4	TCL	A	500	-	18,18,18	4.44	14 (77%)	25,25,25	1.86	6 (24%)
3	NAD	B	550	-	41,48,48	1.32	3 (7%)	43,73,73	3.06	11 (25%)
4	TCL	B	600	-	18,18,18	4.34	14 (77%)	25,25,25	1.80	6 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAD	A	450	-	-	0/22/62/62	0/5/5/5
4	TCL	A	500	-	-	0/4/4/4	0/2/2/2
3	NAD	B	550	-	-	0/22/62/62	0/5/5/5
4	TCL	B	600	-	-	0/4/4/4	0/2/2/2

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	500	TCL	C2-CL14	-4.39	1.65	1.74
4	B	600	TCL	C2-CL14	-3.54	1.66	1.74
4	A	500	TCL	C11-CL15	-2.98	1.68	1.74
4	A	500	TCL	C9-CL16	-2.67	1.67	1.73
4	B	600	TCL	C11-CL15	-2.65	1.68	1.74
4	B	600	TCL	C9-CL16	-2.52	1.67	1.73

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	450	NAD	C2D-C1D	-2.29	1.50	1.53
4	A	500	TCL	O7-C8	2.17	1.44	1.39
4	A	500	TCL	C4-C5	2.28	1.44	1.39
4	B	600	TCL	C4-C5	2.35	1.44	1.39
4	B	600	TCL	O7-C8	2.44	1.44	1.39
3	A	450	NAD	C6N-C5N	2.60	1.44	1.38
3	B	550	NAD	C5N-C4N	2.62	1.43	1.38
3	A	450	NAD	C5N-C4N	2.72	1.44	1.38
3	B	550	NAD	C6N-C5N	2.75	1.44	1.38
4	A	500	TCL	C10-C9	3.82	1.44	1.38
4	A	500	TCL	C1-C2	4.02	1.45	1.38
4	B	600	TCL	C3-C4	4.04	1.46	1.38
4	B	600	TCL	C1-C2	4.17	1.45	1.38
4	A	500	TCL	C3-C4	4.25	1.46	1.38
4	B	600	TCL	C10-C9	4.27	1.45	1.38
4	A	500	TCL	C3-C2	4.28	1.46	1.38
4	B	600	TCL	C13-C8	4.31	1.48	1.39
4	B	600	TCL	C3-C2	4.33	1.46	1.38
4	A	500	TCL	C13-C8	4.61	1.49	1.39
3	B	550	NAD	O7N-C7N	4.83	1.34	1.24
3	A	450	NAD	O7N-C7N	4.93	1.34	1.24
4	B	600	TCL	C6-C5	5.30	1.48	1.40
4	B	600	TCL	C1-C6	5.59	1.46	1.38
4	A	500	TCL	C1-C6	5.62	1.46	1.38
4	A	500	TCL	C6-C5	6.26	1.50	1.40
4	A	500	TCL	C10-C11	8.04	1.51	1.38
4	B	600	TCL	C10-C11	8.15	1.51	1.38
4	A	500	TCL	C8-C9	8.92	1.55	1.39
4	B	600	TCL	C8-C9	9.00	1.55	1.39

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	450	NAD	C2N-C3N-C4N	-8.30	108.79	118.26
3	B	550	NAD	C2N-C3N-C4N	-8.23	108.86	118.26
3	A	450	NAD	C1B-N9A-C4A	-7.76	113.22	126.64
3	B	550	NAD	C1B-N9A-C4A	-7.59	113.52	126.64
3	B	550	NAD	O7N-C7N-N7N	-7.52	111.88	122.58
3	A	450	NAD	O7N-C7N-N7N	-7.46	111.97	122.58
3	A	450	NAD	C4D-O4D-C1D	-4.73	104.73	109.77
3	B	550	NAD	C4D-O4D-C1D	-4.15	105.35	109.77
4	A	500	TCL	C10-C11-CL15	-2.51	116.01	119.14

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	450	NAD	C5N-C6N-N1N	-2.39	116.73	120.40
3	B	550	NAD	C5N-C6N-N1N	-2.37	116.75	120.40
4	B	600	TCL	C10-C11-CL15	-2.09	116.53	119.14
3	B	550	NAD	O3B-C3B-C4B	-2.05	105.10	111.09
4	B	600	TCL	C8-O7-C5	2.00	122.83	117.98
4	B	600	TCL	O7-C8-C13	2.07	126.24	120.82
4	A	500	TCL	C8-O7-C5	2.12	123.12	117.98
4	A	500	TCL	O7-C8-C13	2.14	126.42	120.82
4	B	600	TCL	C12-C11-CL15	2.46	123.23	119.35
4	A	500	TCL	C12-C11-CL15	2.64	123.52	119.35
3	A	450	NAD	O7N-C7N-C3N	2.76	122.85	119.62
3	B	550	NAD	O7N-C7N-C3N	3.00	123.13	119.62
3	B	550	NAD	C2N-C3N-C7N	3.13	128.43	119.34
3	A	450	NAD	C2N-C3N-C7N	3.21	128.68	119.34
4	B	600	TCL	O7-C5-C6	3.35	122.97	116.24
4	A	500	TCL	O7-C5-C6	3.74	123.74	116.24
4	A	500	TCL	C13-C12-C11	5.44	125.04	119.24
4	B	600	TCL	C13-C12-C11	5.70	125.32	119.24
3	B	550	NAD	C3N-C7N-N7N	6.30	124.96	117.77
3	A	450	NAD	C3N-C7N-N7N	6.43	125.11	117.77
3	B	550	NAD	C5N-C4N-C3N	6.94	128.51	120.35
3	A	450	NAD	C5N-C4N-C3N	7.10	128.69	120.35
3	B	550	NAD	C3N-C2N-N1N	7.21	127.69	120.43
3	A	450	NAD	C3N-C2N-N1N	7.26	127.74	120.43

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	500	TCL	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.