



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 30, 2017 – 11:41 PM EDT

PDB ID : 3NKN
Title : Crystal structure of mouse autotaxin in complex with 14:0-LPA
Authors : Nishimasu, H.; Ishitani, R.; Mihara, E.; Takagi, J.; Aoki, J.; Nureki, O.
Deposited on : unknown
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4827 (1.80-1.80)
Clashscore	112137	5742 (1.80-1.80)
Ramachandran outliers	110173	5676 (1.80-1.80)
Sidechain outliers	110143	5675 (1.80-1.80)
RSRZ outliers	101464	4906 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	831	<div> <div>5%</div> <div>81%</div> <div>13%</div> <div>6%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	SCN	A	1008	-	-	-	X
11	EDO	A	1010	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
11	EDO	A	1011	-	-	-	X
11	EDO	A	1012	-	-	X	-
11	EDO	A	1013	-	-	-	X
11	EDO	A	1014	-	-	-	X
11	EDO	A	1016	-	-	-	X
11	EDO	A	1017	-	-	-	X
11	EDO	A	1020	-	-	-	X
11	EDO	A	1025	-	-	X	X
11	EDO	A	1026	-	-	X	-
11	EDO	A	1027	-	-	X	X
11	EDO	A	1029	-	-	X	-
4	MAN	A	904	-	-	-	X

2 Entry composition

There are 12 unique types of molecules in this entry. The entry contains 7189 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ectonucleotide pyrophosphatase/phosphodiesterase family member 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	782	Total	C	N	O	S	0	3	0
			6268	3981	1068	1169	50			

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	LYS	SEE REMARK 999	UNP Q9R1E6
A	?	-	VAL	SEE REMARK 999	UNP Q9R1E6
A	?	-	GLU	SEE REMARK 999	UNP Q9R1E6
A	?	-	PRO	SEE REMARK 999	UNP Q9R1E6
A	859	SER	-	EXPRESSION TAG	UNP Q9R1E6
A	860	ARG	-	EXPRESSION TAG	UNP Q9R1E6
A	861	GLU	-	EXPRESSION TAG	UNP Q9R1E6
A	862	ASN	-	EXPRESSION TAG	UNP Q9R1E6
A	863	LEU	-	EXPRESSION TAG	UNP Q9R1E6
A	864	TYR	-	EXPRESSION TAG	UNP Q9R1E6
A	865	PHE	-	EXPRESSION TAG	UNP Q9R1E6
A	866	GLN	-	EXPRESSION TAG	UNP Q9R1E6

- Molecule 2 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is BETA-D-MANNOSE (three-letter code: BMA) (formula: $C_6H_{12}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			11	6	5		

- Molecule 4 is ALPHA-D-MANNOSE (three-letter code: MAN) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			11	6	5		
4	A	1	Total	C	O	0	0
			11	6	5		
4	A	1	Total	C	O	0	0
			11	6	5		

- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	2	Total	Zn	0	0
			2	2		

- Molecule 6 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total	Ca	0	0
			1	1		


- Molecule 7 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total	Na	0	0
			1	1		

- Molecule 8 is POTASSIUM ION (three-letter code: K) (formula: K).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	1	Total	K	0	0
			1	1		

- Molecule 9 is (2R)-2-hydroxy-3-(phosphonoxy)propyl tetradecanoate (three-letter code: NKN) (formula: C₁₇H₃₅O₇P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total C O P 25 17 7 1	0	0
9	A	1	Total C 8 8	0	0

- Molecule 10 is THIOCYANATE ION (three-letter code: SCN) (formula: CNS).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	1	Total C N S 3 1 1 1	0	0
10	A	1	Total C N S 3 1 1 1	0	0

- Molecule 11 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	A	1	Total	C	O	0	0
			4	2	2		
11	A	1	Total	C	O	0	0
			4	2	2		
11	A	1	Total	C	O	0	0
			4	2	2		
11	A	1	Total	C	O	0	0
			4	2	2		
11	A	1	Total	C	O	0	0
			4	2	2		
11	A	1	Total	C	O	0	0
			4	2	2		
11	A	1	Total	C	O	0	0
			4	2	2		
11	A	1	Total	C	O	0	0
			4	2	2		
11	A	1	Total	C	O	0	0
			4	2	2		
11	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	A	1	Total C O 4 2 2	0	0
11	A	1	Total C O 4 2 2	0	0
11	A	1	Total C O 4 2 2	0	0
11	A	1	Total C O 4 2 2	0	0
11	A	1	Total C O 4 2 2	0	0
11	A	1	Total C O 4 2 2	0	0
11	A	1	Total C O 4 2 2	0	0


- Molecule 12 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	A	665	Total O 665 665	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Ectonucleotide pyrophosphatase/phosphodiesterase family member 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	61.58Å 94.62Å 75.37Å 90.00° 94.86° 90.00°	Depositor
Resolution (Å)	32.85 – 1.80 43.94 – 1.80	Depositor EDS
% Data completeness (in resolution range)	98.0 (32.85-1.80) 98.0 (43.94-1.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.78 (at 1.79Å)	Xtriage
Refinement program	PHENIX 1.6 _289	Depositor
R, R_{free}	0.184 , 0.234 0.178 , 0.227	Depositor DCC
R_{free} test set	3925 reflections (5.03%)	DCC
Wilson B-factor (Å ²)	24.8	Xtriage
Anisotropy	0.136	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 50.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	7189	wwPDB-VP
Average B, all atoms (Å ²)	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, BMA, NAG, NA, K, EDO, NKN, SCN, CA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.47	0/6458	0.59	0/8781

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6268	0	5949	98	0
2	A	84	0	74	1	0
3	A	11	0	9	0	0
4	A	33	0	28	0	0
5	A	2	0	0	0	0
6	A	1	0	0	0	0
7	A	1	0	0	0	0
8	A	1	0	0	0	0
9	A	33	0	48	2	0
10	A	6	0	0	0	0
11	A	84	0	126	36	0
12	A	665	0	0	8	0
All	All	7189	0	6234	101	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:675:PHE:H	11:A:1012:EDO:H11	1.02	1.10
1:A:835:ARG:HE	11:A:1027:EDO:H22	1.11	1.07
1:A:702:PRO:HB2	11:A:1028:EDO:H22	1.42	1.00
1:A:272:THR:HG22	1:A:274:PHE:H	1.25	0.97
1:A:424:MET:HG3	12:A:1296:HOH:O	1.67	0.95
1:A:675:PHE:N	11:A:1012:EDO:H11	1.83	0.94
1:A:495:LYS:HG2	11:A:1030:EDO:H12	1.49	0.93
1:A:852:HIS:HD2	1:A:854:TYR:CZ	1.90	0.89
1:A:835:ARG:NE	11:A:1027:EDO:H22	1.92	0.81
1:A:570:ASP:HB2	1:A:643:HIS:CD2	2.17	0.79
1:A:675:PHE:H	11:A:1012:EDO:C1	1.90	0.77
1:A:742:ARG:HH21	11:A:1021:EDO:H11	1.49	0.76
1:A:437:ASN:HD21	11:A:1025:EDO:H22	1.51	0.73
1:A:667:ASN:HB2	12:A:1524:HOH:O	1.89	0.72
1:A:835:ARG:HE	11:A:1027:EDO:C2	1.98	0.70
1:A:535:ARG:CZ	11:A:1030:EDO:H22	2.23	0.68
1:A:535:ARG:NH2	11:A:1030:EDO:H22	2.08	0.68
1:A:111:ARG:NH2	1:A:128:ASP:OD2	2.27	0.68
1:A:678:PRO:HB3	1:A:712:GLN:HB3	1.78	0.66
1:A:439:ARG:CZ	11:A:1025:EDO:H21	2.27	0.65
1:A:600:LEU:HD11	1:A:832:ASP:HB2	1.79	0.64
1:A:742:ARG:NH2	11:A:1021:EDO:H11	2.12	0.64
1:A:399:ASN:HA	12:A:1399:HOH:O	1.97	0.63
1:A:570:ASP:HB2	1:A:643:HIS:HD2	1.62	0.61
1:A:852:HIS:CD2	1:A:854:TYR:CZ	2.82	0.60
1:A:417:ASP:HB3	12:A:1510:HOH:O	2.00	0.59
1:A:437:ASN:ND2	11:A:1025:EDO:H22	2.17	0.58
1:A:541:PRO:HG2	1:A:841:TYR:CD2	2.40	0.57
1:A:222:PRO:HA	1:A:225:HIS:CE1	2.41	0.56
1:A:823:ARG:CZ	11:A:1010:EDO:H22	2.35	0.56
1:A:682:SER:OG	1:A:688:LYS:NZ	2.40	0.55
1:A:570:ASP:CB	1:A:643:HIS:CD2	2.90	0.55
1:A:77:ASN:ND2	1:A:274:PHE:O	2.41	0.54
1:A:54:THR:HG22	1:A:54:THR:O	2.08	0.54
1:A:111:ARG:HH22	1:A:128:ASP:CG	2.11	0.53
1:A:306:TYR:HB2	9:A:1006:NKN:HARA	1.89	0.53
1:A:839:ARG:HE	11:A:1029:EDO:C2	2.23	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:839:ARG:NE	11:A:1029:EDO:H21	2.25	0.52
1:A:550:PRO:HB2	1:A:607:ILE:HG12	1.92	0.51
1:A:742:ARG:HH21	11:A:1021:EDO:C1	2.20	0.51
1:A:281:HIS:ND1	11:A:1026:EDO:C2	2.73	0.51
1:A:210:PHE:CE1	1:A:243:LEU:HD22	2.45	0.51
1:A:758:PRO:HD3	11:A:1019:EDO:H22	1.93	0.50
1:A:688:LYS:HG2	1:A:692:PHE:HE1	1.76	0.50
1:A:672:SER:OG	1:A:673:TYR:N	2.44	0.50
1:A:400:LEU:O	12:A:1498:HOH:O	2.19	0.50
1:A:437:ASN:HD21	11:A:1025:EDO:C2	2.21	0.49
1:A:493:THR:HG21	1:A:515:LEU:HD23	1.93	0.49
1:A:703:ALA:N	11:A:1028:EDO:H21	2.27	0.49
1:A:281:HIS:ND1	11:A:1026:EDO:H21	2.26	0.49
1:A:77:ASN:OD1	1:A:275:TRP:HA	2.13	0.49
1:A:97:ALA:HB3	1:A:115:ASN:HA	1.95	0.49
1:A:281:HIS:CE1	11:A:1026:EDO:H12	2.48	0.49
1:A:678:PRO:HG2	1:A:681:LEU:HD12	1.95	0.48
1:A:736:TYR:OH	1:A:750:GLN:HB3	2.13	0.48
1:A:541:PRO:HG2	1:A:841:TYR:HD2	1.78	0.48
1:A:343:LYS:HA	1:A:348:HIS:CD2	2.49	0.48
1:A:490:TYR:CD1	11:A:1011:EDO:H12	2.49	0.47
1:A:839:ARG:HE	11:A:1029:EDO:H21	1.78	0.47
1:A:840:SER:OG	1:A:843:GLU:HG3	2.14	0.47
1:A:392:ILE:HD12	1:A:443:LEU:HG	1.96	0.47
11:A:1027:EDO:H11	12:A:1419:HOH:O	2.13	0.47
1:A:707:VAL:HG13	1:A:811:VAL:HG13	1.97	0.47
1:A:65:LEU:HD21	1:A:291:TRP:CE2	2.50	0.46
1:A:272:THR:CG2	1:A:274:PHE:O	2.64	0.46
1:A:206:PRO:HB3	1:A:389:LEU:HD13	1.98	0.45
1:A:326:ASN:HB3	1:A:327:PRO:HD3	1.98	0.45
1:A:210:PHE:CD1	1:A:243:LEU:HD22	2.52	0.45
1:A:590:ARG:HH22	1:A:632:SER:HB3	1.80	0.45
11:A:1027:EDO:H21	12:A:1338:HOH:O	2.17	0.44
1:A:839:ARG:HG3	11:A:1029:EDO:H21	1.99	0.44
1:A:272:THR:HG21	1:A:274:PHE:O	2.17	0.44
1:A:617:TYR:HA	1:A:624:PRO:HA	1.99	0.44
1:A:61:ARG:HD2	1:A:64:GLU:OE1	2.18	0.44
1:A:64:GLU:OE1	1:A:66:GLN:NE2	2.50	0.44
1:A:348:HIS:CD2	1:A:348:HIS:H	2.36	0.44
1:A:77:ASN:ND2	1:A:272:THR:HG21	2.33	0.44
1:A:827:HIS:HE1	12:A:906:HOH:O	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:54:THR:O	1:A:54:THR:CG2	2.66	0.43
1:A:470:PHE:C	1:A:470:PHE:CD1	2.91	0.43
1:A:564:LEU:O	1:A:661:ASN:HB2	2.18	0.43
1:A:761:THR:HA	11:A:1015:EDO:H12	2.01	0.43
1:A:74:ARG:HD3	1:A:84:SER:OG	2.18	0.43
1:A:588:GLU:O	1:A:589:GLU:C	2.55	0.43
1:A:783:PRO:HB3	11:A:1029:EDO:H12	2.01	0.43
1:A:206:PRO:HD3	1:A:434:TYR:CE1	2.54	0.43
1:A:359:HIS:CE1	1:A:474:HIS:CE1	3.06	0.43
1:A:852:HIS:CD2	1:A:854:TYR:CE1	3.07	0.42
1:A:847:LEU:HD12	11:A:1020:EDO:H11	2.02	0.42
1:A:708:TRP:CD1	11:A:1012:EDO:H12	2.54	0.42
1:A:775:GLN:HA	1:A:776:PRO:HD3	1.90	0.42
1:A:281:HIS:HE1	11:A:1026:EDO:H12	1.85	0.42
1:A:555:ILE:O	1:A:556:MET:HG3	2.20	0.42
1:A:592:LEU:HD23	1:A:614:GLU:OE1	2.20	0.42
1:A:708:TRP:O	1:A:712:GLN:HG2	2.20	0.41
2:A:898:NAG:H2	2:A:898:NAG:H83	1.91	0.41
1:A:508:LEU:HD23	1:A:508:LEU:HA	1.83	0.41
1:A:234:ASP:HA	1:A:235:PRO:HD3	1.93	0.41
1:A:254:TRP:HB2	9:A:1007:NKN:HATA	2.03	0.41
1:A:393:ARG:HA	11:A:1017:EDO:H21	2.02	0.41
1:A:678:PRO:CG	1:A:681:LEU:HD12	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	779/831 (94%)	745 (96%)	30 (4%)	4 (0%)	32 17

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	569	ASP
1	A	477	ASP
1	A	635	ALA
1	A	386	PRO

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	699/756 (92%)	688 (98%)	11 (2%)	68	58

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	66	GLN
1	A	77	ASN
1	A	161	VAL
1	A	170	VAL
1	A	232	MET
1	A	243	LEU
1	A	408	ILE
1	A	417	ASP
1	A	587	THR
1	A	590	ARG
1	A	639	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	134	GLN
1	A	337	GLN
1	A	348	HIS
1	A	374	ASN
1	A	378	ASN
1	A	643	HIS
1	A	646	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	667	ASN
1	A	802	ASN
1	A	827	HIS
1	A	852	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 40 ligands modelled in this entry, 5 are monoatomic - leaving 35 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
9	NKN	A	1006	5	24,24,24	0.61	0	27,28,28	1.70	4 (14%)
9	NKN	A	1007	-	7,7,24	0.24	0	6,6,28	0.83	0
10	SCN	A	1008	-	1,2,2	1.24	0	0,1,1	0.00	-
10	SCN	A	1009	-	1,2,2	0.95	0	0,1,1	0.00	-
11	EDO	A	1010	-	3,3,3	0.55	0	2,2,2	0.34	0
11	EDO	A	1011	-	3,3,3	0.71	0	2,2,2	0.13	0
11	EDO	A	1012	-	3,3,3	0.32	0	2,2,2	0.69	0
11	EDO	A	1013	-	3,3,3	0.52	0	2,2,2	0.46	0
11	EDO	A	1014	-	3,3,3	0.57	0	2,2,2	0.11	0
11	EDO	A	1015	-	3,3,3	0.41	0	2,2,2	0.47	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	EDO	A	1016	-	3,3,3	0.52	0	2,2,2	0.41	0
11	EDO	A	1017	-	3,3,3	0.52	0	2,2,2	0.28	0
11	EDO	A	1018	-	3,3,3	0.66	0	2,2,2	0.26	0
11	EDO	A	1019	-	3,3,3	0.44	0	2,2,2	0.59	0
11	EDO	A	1020	-	3,3,3	0.48	0	2,2,2	0.32	0
11	EDO	A	1021	-	3,3,3	0.52	0	2,2,2	0.35	0
11	EDO	A	1022	-	3,3,3	0.53	0	2,2,2	0.34	0
11	EDO	A	1023	-	3,3,3	0.49	0	2,2,2	0.66	0
11	EDO	A	1024	-	3,3,3	0.58	0	2,2,2	0.37	0
11	EDO	A	1025	-	3,3,3	0.45	0	2,2,2	0.28	0
11	EDO	A	1026	-	3,3,3	0.44	0	2,2,2	0.68	0
11	EDO	A	1027	-	3,3,3	0.52	0	2,2,2	0.20	0
11	EDO	A	1028	-	3,3,3	0.43	0	2,2,2	0.35	0
11	EDO	A	1029	-	3,3,3	0.34	0	2,2,2	0.43	0
11	EDO	A	1030	-	3,3,3	0.45	0	2,2,2	0.16	0
2	NAG	A	898	1,2	14,14,15	0.54	0	15,19,21	0.78	0
2	NAG	A	899	2	14,14,15	0.43	0	15,19,21	1.08	1 (6%)
2	NAG	A	900	1,2	14,14,15	0.66	0	15,19,21	1.36	3 (20%)
2	NAG	A	901	3,2	14,14,15	0.66	0	15,19,21	0.89	0
3	BMA	A	902	2,4	11,11,12	0.68	0	13,15,17	1.18	1 (7%)
4	MAN	A	903	3,4	11,11,12	0.61	0	13,15,17	0.75	0
4	MAN	A	904	4	11,11,12	0.61	0	13,15,17	0.96	0
4	MAN	A	905	4	11,11,12	0.52	0	13,15,17	1.23	2 (15%)
2	NAG	A	907	1,2	14,14,15	0.66	0	15,19,21	1.14	1 (6%)
2	NAG	A	908	2	14,14,15	0.75	0	15,19,21	0.97	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	NKN	A	1006	5	-	0/24/24/24	0/0/0/0
9	NKN	A	1007	-	-	0/5/5/24	0/0/0/0
10	SCN	A	1008	-	-	0/0/0/0	0/0/0/0
10	SCN	A	1009	-	-	0/0/0/0	0/0/0/0
11	EDO	A	1010	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1011	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1012	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1013	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1014	-	-	0/1/1/1	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
11	EDO	A	1015	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1016	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1017	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1018	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1019	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1020	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1021	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1022	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1023	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1024	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1025	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1026	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1027	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1028	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1029	-	-	0/1/1/1	0/0/0/0
11	EDO	A	1030	-	-	0/1/1/1	0/0/0/0
2	NAG	A	898	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	899	2	-	0/6/23/26	0/1/1/1
2	NAG	A	900	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	901	3,2	-	0/6/23/26	0/1/1/1
3	BMA	A	902	2,4	-	0/2/19/22	0/1/1/1
4	MAN	A	903	3,4	-	0/2/19/22	0/1/1/1
4	MAN	A	904	4	-	0/2/19/22	0/1/1/1
4	MAN	A	905	4	-	0/2/19/22	0/1/1/1
2	NAG	A	907	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	908	2	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	A	1006	NKN	CAI-OAJ-CAK	-4.14	104.69	117.13
9	A	1006	NKN	CAU-CAT-CAS	-2.53	101.42	114.45
4	A	905	MAN	O2-C2-C3	-2.40	105.47	110.17
2	A	900	NAG	O5-C1-C2	-2.29	108.28	111.47
3	A	902	BMA	C2-C3-C4	-2.20	107.04	110.88
2	A	907	NAG	O5-C1-C2	-2.18	108.45	111.47
2	A	900	NAG	O7-C7-C8	-2.01	118.39	122.06
9	A	1006	NKN	OAJ-CAK-CAL	2.10	118.01	111.90
2	A	908	NAG	C4-C3-C2	2.17	114.20	111.02
2	A	900	NAG	C1-C2-N2	2.33	114.46	110.49
4	A	905	MAN	O2-C2-C1	2.78	114.83	109.18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	899	NAG	C1-O5-C5	3.51	117.01	112.17
9	A	1006	NKN	OAF-PAC-OAD	4.88	120.16	106.47

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

17 monomers are involved in 39 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
9	A	1006	NKN	1	0
9	A	1007	NKN	1	0
11	A	1010	EDO	1	0
11	A	1011	EDO	1	0
11	A	1012	EDO	4	0
11	A	1015	EDO	1	0
11	A	1017	EDO	1	0
11	A	1019	EDO	1	0
11	A	1020	EDO	1	0
11	A	1021	EDO	3	0
11	A	1025	EDO	4	0
11	A	1026	EDO	4	0
11	A	1027	EDO	5	0
11	A	1028	EDO	2	0
11	A	1029	EDO	5	0
11	A	1030	EDO	3	0
2	A	898	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	782/831 (94%)	0.07	38 (4%) 30 25	13, 29, 56, 73	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	51	TRP	4.9
1	A	110	VAL	4.6
1	A	569	ASP	4.3
1	A	124	LEU	4.2
1	A	52	THR	4.1
1	A	637	VAL	4.0
1	A	587	THR	3.7
1	A	120	SER	3.7
1	A	70	PRO	3.6
1	A	56	GLY	3.6
1	A	69	GLY	3.6
1	A	71	PRO	3.6
1	A	83	SER	3.5
1	A	570	ASP	3.3
1	A	634	GLN	3.1
1	A	108	GLY	3.0
1	A	644	LEU	3.0
1	A	55	SER	3.0
1	A	458	LEU	2.7
1	A	685	PRO	2.6
1	A	125	SER	2.5
1	A	121	GLU	2.5
1	A	82	TYR	2.4
1	A	111	ARG	2.4
1	A	135	VAL	2.4
1	A	556	MET	2.3
1	A	136	VAL	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	126	ARG	2.3
1	A	640	ILE	2.3
1	A	641	PRO	2.3
1	A	558	LEU	2.3
1	A	122	ASP	2.2
1	A	77	ASN	2.2
1	A	566	CYS	2.2
1	A	139	GLY	2.2
1	A	469	PHE	2.1
1	A	119	CYS	2.1
1	A	468	CYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	MAN	A	904	11/12	0.91	0.20	4.95	31,34,40,49	0
11	EDO	A	1017	4/4	0.94	0.17	4.86	23,25,28,29	0
10	SCN	A	1008	3/3	0.94	0.19	4.17	32,32,33,39	0
11	EDO	A	1014	4/4	0.90	0.14	4.03	31,31,33,35	0
11	EDO	A	1011	4/4	0.84	0.20	3.17	26,30,30,36	0
11	EDO	A	1020	4/4	0.94	0.15	3.05	28,31,38,41	0
11	EDO	A	1010	4/4	0.92	0.17	2.71	34,34,34,36	0
11	EDO	A	1013	4/4	0.95	0.12	2.63	29,30,31,31	0
11	EDO	A	1027	4/4	0.81	0.14	2.61	41,43,45,47	0
11	EDO	A	1025	4/4	0.95	0.13	2.46	22,26,31,36	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
11	EDO	A	1016	4/4	0.92	0.12	2.44	28,29,29,31	0
11	EDO	A	1012	4/4	0.94	0.13	1.09	33,34,36,37	0
8	K	A	1005	1/1	0.89	0.13	0.94	46,46,46,46	0
10	SCN	A	1009	3/3	0.98	0.10	0.91	23,23,33,40	0
11	EDO	A	1022	4/4	0.90	0.10	0.91	34,36,36,45	0
11	EDO	A	1024	4/4	0.96	0.08	0.65	25,26,27,34	0
9	NKN	A	1007	8/25	0.95	0.12	0.44	31,33,39,41	0
9	NKN	A	1006	25/25	0.96	0.13	0.39	19,35,40,45	0
11	EDO	A	1029	4/4	0.96	0.11	0.27	22,31,32,38	0
11	EDO	A	1015	4/4	0.97	0.08	0.25	26,27,31,33	0
2	NAG	A	898	14/15	0.83	0.25	0.14	56,61,63,63	0
2	NAG	A	900	14/15	0.98	0.11	-0.01	16,18,22,22	0
2	NAG	A	907	14/15	0.94	0.09	-0.26	25,32,40,47	0
11	EDO	A	1026	4/4	0.97	0.11	-0.34	22,28,30,36	0
11	EDO	A	1019	4/4	0.98	0.09	-0.43	35,35,36,41	0
6	CA	A	1003	1/1	1.00	0.08	-0.52	22,22,22,22	0
7	NA	A	1004	1/1	0.97	0.07	-0.82	25,25,25,25	0
5	ZN	A	1002	1/1	1.00	0.09	-1.45	17,17,17,17	0
11	EDO	A	1023	4/4	0.99	0.07	-1.50	19,22,22,24	0
5	ZN	A	1001	1/1	1.00	0.09	-3.21	19,19,19,19	0
4	MAN	A	905	11/12	0.91	0.13	-	23,31,36,37	0
11	EDO	A	1028	4/4	0.96	0.19	-	32,33,34,39	0
2	NAG	A	901	14/15	0.96	0.07	-	24,28,33,38	0
3	BMA	A	902	11/12	0.90	0.13	-	37,40,46,47	0
11	EDO	A	1021	4/4	0.94	0.13	-	33,36,41,42	0
2	NAG	A	899	14/15	0.88	0.23	-	61,64,67,71	0
4	MAN	A	903	11/12	0.85	0.14	-	36,38,42,49	0
2	NAG	A	908	14/15	0.86	0.24	-	47,52,55,56	0
11	EDO	A	1030	4/4	0.96	0.16	-	33,34,35,38	0
11	EDO	A	1018	4/4	0.87	0.15	-	21,27,29,39	0

6.5 Other polymers ⓘ

There are no such residues in this entry.