



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 08:24 pm GMT

PDB ID : 1NLY
Title : Crystal structure of the traffic ATPase of the *Helicobacter pylori* type IV secretion system in complex with ATPgammaS
Authors : Savvides, S.N.; Yeo, H.J.; Beck, M.R.; Blaesing, F.; Lurz, R.; Lanka, E.; Buhrdorf, R.; Fischer, W.; Haas, R.; Waksman, G.
Deposited on : 2003-01-08
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	2583 (2.80-2.80)
Clashscore	112137	3033 (2.80-2.80)
Ramachandran outliers	110173	2983 (2.80-2.80)
Sidechain outliers	110143	2985 (2.80-2.80)
RSRZ outliers	101464	2610 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	330	<div> <div>%</div> <div> </div> <div>64% 31% . .</div> </div>
1	B	330	<div> <div>3%</div> <div> </div> <div>62% 33% . .</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SO4	B	401	-	-	X	-
5	2PE	B	403	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 5241 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called virB11 homolog.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	323	Total	C	N	O	S	Se	0	0	0
			2553	1620	436	483	8	6			
1	B	323	Total	C	N	O	S	Se	0	0	0
			2550	1617	436	483	8	6			


There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	42	MSE	MET	MODIFIED RESIDUE	UNP Q7BK04
A	82	MSE	MET	MODIFIED RESIDUE	UNP Q7BK04
A	192	MSE	MET	MODIFIED RESIDUE	UNP Q7BK04
A	239	MSE	MET	MODIFIED RESIDUE	UNP Q7BK04
A	287	MSE	MET	MODIFIED RESIDUE	UNP Q7BK04
A	312	MSE	MET	MODIFIED RESIDUE	UNP Q7BK04
B	42	MSE	MET	MODIFIED RESIDUE	UNP Q7BK04
B	82	MSE	MET	MODIFIED RESIDUE	UNP Q7BK04
B	192	MSE	MET	MODIFIED RESIDUE	UNP Q7BK04
B	239	MSE	MET	MODIFIED RESIDUE	UNP Q7BK04
B	287	MSE	MET	MODIFIED RESIDUE	UNP Q7BK04
B	312	MSE	MET	MODIFIED RESIDUE	UNP Q7BK04

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is PHOSPHOTHIOPHOSPHORIC ACID-ADENYLATE ESTER (three-letter code: AGS) (formula: C₁₀H₁₆N₅O₁₂P₃S).




Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total 31	C 10	N 5	O 12	P 3	S 1	0	0
3	B	1	Total 31	C 10	N 5	O 12	P 3	S 1	0	0

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is NONAETHYLENE GLYCOL (three-letter code: 2PE) (formula: $\text{C}_{18}\text{H}_{38}\text{O}_{10}$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			28	18	10		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	22	Total	O	0	0
			22	22		
6	B	20	Total	O	0	0
			20	20		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: virB11 homolog



• Molecule 1: virB11 homolog



4 Data and refinement statistics

Property	Value	Source
Space group	P 63 2 2	Depositor
Cell constants a, b, c, α , β , γ	110.82Å 110.82Å 230.91Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.99 – 2.80 19.99 – 2.80	Depositor EDS
% Data completeness (in resolution range)	75.4 (19.99-2.80) 88.0 (19.99-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.46 (at 2.79Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.243 , 0.304 0.261 , 0.321	Depositor DCC
R_{free} test set	883 reflections (4.70%)	DCC
Wilson B-factor (Å ²)	38.8	Xtriage
Anisotropy	0.044	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 56.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	5241	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 59.77 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.6811e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 2PE, MG, AGS, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.55	1/2596 (0.0%)	0.72	3/3490 (0.1%)
1	B	0.57	1/2593 (0.0%)	0.71	2/3486 (0.1%)
All	All	0.56	2/5189 (0.0%)	0.72	5/6976 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	226	ASN	CB-CG	-6.56	1.35	1.51
1	A	226	ASN	CB-CG	-6.45	1.36	1.51

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	250	ARG	NE-CZ-NH1	7.00	123.80	120.30
1	B	250	ARG	NE-CZ-NH1	6.68	123.64	120.30
1	A	226	ASN	CB-CA-C	-6.19	98.03	110.40
1	B	250	ARG	NE-CZ-NH2	-5.34	117.63	120.30
1	A	250	ARG	NE-CZ-NH2	-5.16	117.72	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2553	0	2517	99	0
1	B	2550	0	2509	116	0
2	A	1	0	0	0	0
3	A	31	0	12	2	0
3	B	31	0	12	2	0
4	B	5	0	0	2	0
5	B	28	0	38	5	0
6	A	22	0	0	1	0
6	B	20	0	0	1	0
All	All	5241	0	5088	212	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (212) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:401:SO4:O1	3:B:402:AGS:PG	2.03	1.15
1:B:44:ASN:HB3	1:B:61:ASN:HD22	1.35	0.89
1:A:173:ASN:OD1	1:A:268:THR:HB	1.75	0.86
1:B:173:ASN:OD1	1:B:268:THR:HB	1.76	0.86
1:B:34:GLU:HG2	1:B:35:LEU:HD12	1.55	0.85
1:B:108:LEU:HD12	1:B:112:GLU:HG3	1.60	0.82
1:B:133:ARG:HH11	1:B:133:ARG:HG3	1.44	0.82
1:B:133:ARG:NH1	1:B:133:ARG:HG3	1.96	0.79
1:A:50:TYR:CE2	1:A:52:GLY:HA2	2.21	0.75
1:A:25:LEU:HD11	1:A:109:ALA:HA	1.68	0.74
1:B:108:LEU:HD12	1:B:112:GLU:CG	2.20	0.71
1:A:256:ASP:O	1:A:260:VAL:HG23	1.90	0.71
1:B:284:LEU:HA	1:B:287:MSE:HE3	1.72	0.71
1:A:174:VAL:HG13	1:A:269:LEU:HD13	1.72	0.70
1:B:256:ASP:O	1:B:260:VAL:HG23	1.90	0.70
1:B:69:ASP:HB2	5:B:403:2PE:H22	1.74	0.69
1:B:174:VAL:HG13	1:B:269:LEU:HD13	1.73	0.68
1:B:73:ARG:NH2	5:B:403:2PE:H121	2.08	0.68
1:B:44:ASN:HB3	1:B:61:ASN:ND2	2.09	0.65
1:B:277:SER:HB3	1:B:324:GLU:OE2	1.95	0.65
1:B:237:LEU:HD11	1:B:260:VAL:HG22	1.77	0.65
1:A:291:ASN:ND2	1:A:293:ALA:HB3	2.13	0.64
1:A:156:ASN:HB2	1:A:159:GLN:NE2	2.13	0.64
1:A:277:SER:HB3	1:A:324:GLU:OE2	1.98	0.64
1:A:112:GLU:HG3	1:A:135:PRO:HD3	1.80	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:50:TYR:CE2	1:B:52:GLY:HA2	2.34	0.63
1:B:153:LEU:HG	1:B:321:GLN:NE2	2.15	0.62
1:A:156:ASN:HB2	1:A:159:GLN:HE21	1.65	0.62
1:B:108:LEU:HB2	1:B:112:GLU:HG2	1.80	0.62
1:B:291:ASN:ND2	1:B:293:ALA:HB3	2.14	0.62
1:B:325:PHE:CD2	1:B:327:ILE:HD11	2.35	0.62
1:B:223:PHE:HE2	1:B:250:ARG:NH2	1.97	0.61
1:A:145:PHE:HZ	1:A:186:THR:HG22	1.64	0.61
1:A:284:LEU:HA	1:A:287:MSE:HE3	1.82	0.60
1:B:154:LEU:HB3	1:B:156:ASN:ND2	2.16	0.60
1:A:237:LEU:HD11	1:A:260:VAL:HG22	1.82	0.60
1:A:154:LEU:HB3	1:A:156:ASN:ND2	2.17	0.60
1:B:73:ARG:HH21	5:B:403:2PE:H121	1.67	0.59
1:A:156:ASN:H	1:A:156:ASN:ND2	2.00	0.59
1:B:261:LEU:HB3	1:B:309:LEU:HD13	1.83	0.59
1:A:25:LEU:HD13	1:A:91:PHE:CE1	2.37	0.59
1:B:82:MSE:HE2	1:B:128:ILE:HD11	1.84	0.59
1:B:156:ASN:HB2	1:B:159:GLN:NE2	2.17	0.59
1:B:164:ILE:HG23	1:B:165:LYS:N	2.17	0.59
1:B:261:LEU:CB	1:B:309:LEU:HD13	2.33	0.59
1:B:176:VAL:O	1:B:271:THR:HA	2.02	0.59
1:B:66:GLN:HG2	6:B:517:HOH:O	2.02	0.58
1:B:44:ASN:CB	1:B:61:ASN:HD22	2.14	0.58
1:B:168:ILE:HD11	1:B:191:ILE:HD12	1.85	0.58
1:A:176:VAL:O	1:A:271:THR:HA	2.03	0.58
1:A:168:ILE:HD11	1:A:191:ILE:HD12	1.86	0.57
1:A:156:ASN:HA	6:A:1006:HOH:O	2.04	0.56
1:B:133:ARG:HH11	1:B:133:ARG:CG	2.16	0.56
1:B:283:ARG:O	1:B:287:MSE:HE2	2.05	0.56
1:A:204:ILE:HD11	1:A:233:LEU:HA	1.86	0.56
1:A:166:ASP:O	1:A:170:ILE:HG12	2.06	0.56
4:B:401:SO4:O1	3:B:402:AGS:O3B	0.57	0.56
1:B:21:LYS:HE2	1:B:21:LYS:N	2.21	0.56
1:B:168:ILE:CD1	1:B:191:ILE:HD12	2.36	0.56
1:B:82:MSE:CE	1:B:128:ILE:HD11	2.35	0.55
1:B:204:ILE:HD11	1:B:233:LEU:HA	1.87	0.55
1:A:104:LEU:HD23	1:A:116:ILE:HD12	1.88	0.55
1:B:283:ARG:C	1:B:287:MSE:HE2	2.27	0.55
1:A:240:ARG:HG3	1:A:240:ARG:O	2.06	0.55
1:A:164:ILE:HG23	1:A:165:LYS:N	2.21	0.55
1:A:325:PHE:CE2	1:A:327:ILE:HD11	2.42	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:237:LEU:HD11	1:B:260:VAL:CG2	2.36	0.54
1:B:25:LEU:HD11	1:B:109:ALA:HA	1.89	0.54
1:A:266:LYS:HG3	1:A:267:GLY:N	2.23	0.54
1:A:37:GLY:O	1:A:41:LYS:HG3	2.07	0.54
1:B:156:ASN:HB2	1:B:159:GLN:HE21	1.73	0.54
1:A:327:ILE:HG22	1:A:328:LYS:N	2.23	0.53
1:A:266:LYS:HG3	1:A:267:GLY:H	1.73	0.53
1:B:325:PHE:CE2	1:B:327:ILE:HD11	2.43	0.53
1:B:156:ASN:ND2	1:B:156:ASN:H	2.06	0.52
1:A:261:LEU:CB	1:A:309:LEU:HD13	2.39	0.52
1:A:223:PHE:CE2	1:A:250:ARG:NH2	2.78	0.52
1:B:226:ASN:C	1:B:226:ASN:HD22	1.98	0.52
1:A:14:LEU:HD13	1:A:18:ARG:NH2	2.24	0.52
1:A:246:LEU:O	1:A:247:GLY:C	2.48	0.51
1:A:156:ASN:HD22	1:A:156:ASN:C	2.12	0.51
1:B:266:LYS:HG3	1:B:267:GLY:N	2.26	0.51
1:A:168:ILE:CD1	1:A:191:ILE:HD12	2.41	0.51
1:A:28:LEU:HD13	1:A:87:CYS:HB3	1.91	0.51
1:A:113:ARG:NH2	3:A:402:AGS:S1G	2.84	0.50
1:A:261:LEU:HB3	1:A:309:LEU:HD13	1.91	0.50
1:B:14:LEU:HD13	1:B:18:ARG:NH2	2.25	0.50
1:B:154:LEU:HD11	1:B:322:CYS:SG	2.51	0.50
1:A:118:LEU:HD22	1:A:128:ILE:HG12	1.93	0.50
1:B:240:ARG:O	1:B:240:ARG:HG3	2.10	0.50
1:B:113:ARG:NE	1:B:206:ASP:OD2	2.45	0.50
1:A:115:GLN:HB3	1:A:131:SER:HB2	1.94	0.50
1:B:17:GLU:O	1:B:21:LYS:HG2	2.11	0.49
1:B:104:LEU:HD12	1:B:105:SER:H	1.78	0.49
1:A:80:ARG:NE	1:A:80:ARG:HA	2.28	0.49
1:B:145:PHE:HZ	1:B:186:THR:HG22	1.76	0.49
1:B:166:ASP:O	1:B:170:ILE:HG12	2.12	0.49
1:B:115:GLN:HB3	1:B:131:SER:HB2	1.94	0.49
1:B:249:LEU:HD23	1:B:270:THR:HG21	1.95	0.49
1:B:327:ILE:HG22	1:B:328:LYS:N	2.27	0.49
1:A:17:GLU:O	1:A:21:LYS:HG2	2.13	0.48
1:A:266:LYS:CG	1:A:267:GLY:H	2.26	0.48
1:A:325:PHE:HE2	1:A:327:ILE:HD11	1.78	0.48
1:A:263:SER:HB2	1:B:273:HIS:HB3	1.96	0.48
1:A:97:ASP:O	1:A:102:PRO:HA	2.12	0.48
1:B:288:SER:HB2	1:B:302:LEU:HD13	1.95	0.48
1:B:60:LYS:HD2	1:B:66:GLN:OE1	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:176:VAL:HG21	1:B:188:ILE:HG22	1.96	0.48
1:A:193:GLU:HA	1:A:214:HIS:CD2	2.49	0.48
1:B:310:ILE:N	1:B:310:ILE:HD12	2.28	0.48
1:B:193:GLU:HA	1:B:214:HIS:CD2	2.49	0.47
1:B:34:GLU:OE2	1:B:80:ARG:HD3	2.14	0.47
1:B:246:LEU:O	1:B:247:GLY:C	2.51	0.47
1:A:237:LEU:HD11	1:A:260:VAL:CG2	2.43	0.47
1:B:248:GLU:HA	1:B:271:THR:O	2.14	0.47
1:B:325:PHE:HD2	1:B:327:ILE:HD11	1.79	0.47
1:B:69:ASP:HB2	5:B:403:2PE:C2	2.44	0.47
1:A:112:GLU:HG3	1:A:135:PRO:CD	2.42	0.47
1:A:6:LEU:HD22	1:B:77:SER:OG	2.15	0.47
1:A:188:ILE:HD13	1:A:271:THR:HG23	1.97	0.47
1:A:283:ARG:O	1:A:287:MSE:HE2	2.15	0.47
1:A:156:ASN:HD22	1:A:156:ASN:N	2.11	0.47
1:B:41:LYS:HB2	5:B:403:2PE:H202	1.97	0.46
1:A:156:ASN:CB	1:A:159:GLN:NE2	2.78	0.46
1:A:280:ALA:O	1:A:284:LEU:HG	2.15	0.46
1:B:291:ASN:HD21	1:B:293:ALA:HB3	1.81	0.46
1:A:223:PHE:HE2	1:A:250:ARG:NH2	2.14	0.46
1:A:31:ALA:O	1:A:35:LEU:HD13	2.15	0.46
1:B:77:SER:O	1:B:78:LEU:C	2.52	0.46
1:A:154:LEU:HB3	1:A:156:ASN:HD21	1.81	0.45
1:A:108:LEU:HD11	1:A:132:ILE:HD13	1.99	0.45
1:B:44:ASN:CB	1:B:61:ASN:ND2	2.77	0.45
1:A:253:GLU:O	1:A:254:ALA:C	2.55	0.45
1:B:7:SER:O	1:B:11:LYS:HG3	2.17	0.45
1:A:291:ASN:HD21	1:A:293:ALA:HB3	1.81	0.45
1:A:288:SER:HB2	1:A:302:LEU:HD13	1.99	0.45
1:A:89:ALA:HB1	1:A:94:LYS:O	2.16	0.45
1:A:283:ARG:C	1:A:287:MSE:HE2	2.37	0.45
1:B:25:LEU:HD13	1:B:91:PHE:CE1	2.52	0.45
1:B:97:ASP:O	1:B:102:PRO:HA	2.16	0.45
1:B:284:LEU:HD13	1:B:306:PHE:CD2	2.51	0.45
1:A:200:ARG:HB2	1:A:217:ASN:ND2	2.32	0.45
1:A:92:LYS:HA	1:A:92:LYS:HD3	1.76	0.45
1:A:217:ASN:HB2	1:B:57:TRP:CZ3	2.52	0.45
1:A:156:ASN:ND2	1:A:156:ASN:N	2.61	0.44
1:A:176:VAL:HG21	1:A:188:ILE:HG22	1.99	0.44
1:B:44:ASN:CA	1:B:61:ASN:ND2	2.80	0.44
1:A:25:LEU:O	1:A:29:ARG:HG3	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:77:SER:O	1:A:78:LEU:C	2.55	0.44
1:B:188:ILE:HD13	1:B:271:THR:HG23	2.00	0.44
1:A:183:GLY:HA2	3:A:402:AGS:O1A	2.17	0.44
1:B:280:ALA:O	1:B:284:LEU:HG	2.17	0.44
1:A:174:VAL:CG1	1:A:269:LEU:HD13	2.45	0.44
1:B:104:LEU:HD23	1:B:116:ILE:HD12	1.99	0.44
1:B:285:ALA:HB2	1:B:303:ILE:HG13	2.00	0.44
1:B:253:GLU:O	1:B:254:ALA:C	2.54	0.43
1:A:156:ASN:HB2	1:A:159:GLN:HB3	2.00	0.43
1:A:172:LYS:HB3	1:A:311:ASP:CB	2.47	0.43
1:A:57:TRP:CZ3	1:A:67:PRO:HB3	2.53	0.43
1:B:266:LYS:HG3	1:B:267:GLY:H	1.83	0.43
1:B:164:ILE:CG2	1:B:165:LYS:N	2.80	0.43
1:B:156:ASN:N	1:B:156:ASN:HD22	2.15	0.43
1:A:188:ILE:HD13	1:A:271:THR:CG2	2.49	0.43
1:A:7:SER:O	1:A:11:LYS:HG3	2.18	0.43
1:A:249:LEU:HA	1:A:249:LEU:HD13	1.85	0.43
1:A:217:ASN:HB2	1:B:57:TRP:CE3	2.54	0.43
1:A:28:LEU:CD1	1:A:87:CYS:HB3	2.49	0.42
1:B:154:LEU:HB3	1:B:156:ASN:HD21	1.83	0.42
1:A:249:LEU:HD23	1:A:270:THR:HG21	2.00	0.42
1:A:108:LEU:CD2	1:A:114:VAL:HG21	2.50	0.42
1:A:188:ILE:HA	1:A:191:ILE:HG12	2.01	0.42
1:B:195:ILE:O	1:B:215:HIS:CE1	2.72	0.42
1:B:74:LYS:O	1:B:80:ARG:HG3	2.19	0.42
1:A:327:ILE:CG2	1:A:328:LYS:N	2.82	0.42
1:B:188:ILE:HA	1:B:191:ILE:HG12	2.02	0.42
1:B:156:ASN:C	1:B:156:ASN:HD22	2.22	0.42
1:B:22:GLU:O	1:B:22:GLU:CD	2.58	0.42
1:A:164:ILE:CG2	1:A:165:LYS:N	2.82	0.42
1:A:317:ASN:OD1	1:A:319:HIS:N	2.45	0.41
1:B:195:ILE:O	1:B:196:PRO:C	2.56	0.41
1:A:10:ASP:HB3	1:B:78:LEU:HD12	2.02	0.41
1:B:92:LYS:HD3	1:B:92:LYS:HA	1.78	0.41
1:A:91:PHE:CE2	1:A:92:LYS:HE2	2.54	0.41
1:B:257:PHE:HE1	1:B:268:THR:HG21	1.85	0.41
1:A:266:LYS:CG	1:A:267:GLY:N	2.82	0.41
1:B:310:ILE:CD1	1:B:310:ILE:N	2.82	0.41
1:A:39:PHE:HA	1:A:42:MSE:HG3	2.01	0.41
1:A:156:ASN:HD22	1:A:156:ASN:H	1.65	0.41
1:B:249:LEU:HA	1:B:249:LEU:HD13	1.81	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:195:ILE:O	1:A:196:PRO:C	2.59	0.41
1:B:21:LYS:CA	1:B:21:LYS:HE2	2.51	0.41
1:A:193:GLU:HG2	1:A:214:HIS:NE2	2.36	0.41
1:B:138:THR:HG22	1:B:139:THR:N	2.35	0.41
1:B:156:ASN:N	1:B:156:ASN:ND2	2.67	0.41
1:A:117:VAL:HG12	1:A:122:THR:HG23	2.03	0.41
1:A:145:PHE:CZ	1:A:186:THR:HG22	2.50	0.41
1:A:26:ASN:HD22	1:A:26:ASN:HA	1.60	0.41
1:B:14:LEU:O	1:B:15:GLU:C	2.58	0.41
1:B:210:ILE:HD13	1:B:245:ILE:HG21	2.03	0.41
1:B:254:ALA:HB2	1:B:287:MSE:HB3	2.03	0.41
1:B:44:ASN:HA	1:B:61:ASN:ND2	2.36	0.41
1:A:272:LEU:HD11	1:A:287:MSE:HE1	2.02	0.41
1:B:22:GLU:OE2	1:B:26:ASN:ND2	2.54	0.41
1:B:156:ASN:HD22	1:B:156:ASN:H	1.68	0.41
1:B:156:ASN:CB	1:B:159:GLN:NE2	2.84	0.40
1:B:261:LEU:HB2	1:B:309:LEU:HD13	2.03	0.40
1:B:97:ASP:OD1	1:B:101:ASN:HB2	2.22	0.40
1:B:45:ILE:HG13	1:B:134:ILE:HG13	2.04	0.40
1:B:228:THR:OG1	1:B:231:ASP:OD2	2.35	0.40
1:B:25:LEU:HG	1:B:29:ARG:HE	1.86	0.40
1:A:108:LEU:HD21	1:A:114:VAL:HG21	2.04	0.40
1:B:246:LEU:HB2	1:B:270:THR:HB	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	321/330 (97%)	291 (91%)	27 (8%)	3 (1%)	20	52
1	B	321/330 (97%)	288 (90%)	30 (9%)	3 (1%)	20	52

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	642/660 (97%)	579 (90%)	57 (9%)	6 (1%)	20 52

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	266	LYS
1	B	266	LYS
1	A	251	SER
1	B	251	SER
1	B	254	ALA
1	A	254	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	280/287 (98%)	271 (97%)	9 (3%)	44 78
1	B	279/287 (97%)	270 (97%)	9 (3%)	44 78
All	All	559/574 (97%)	541 (97%)	18 (3%)	44 78

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	SER
1	A	26	ASN
1	A	53	ASN
1	A	110	ASN
1	A	156	ASN
1	A	249	LEU
1	A	268	THR
1	A	277	SER
1	A	283	ARG
1	B	26	ASN
1	B	71	ARG
1	B	133	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	156	ASN
1	B	226	ASN
1	B	249	LEU
1	B	268	THR
1	B	277	SER
1	B	283	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	51	ASN
1	A	53	ASN
1	A	61	ASN
1	A	110	ASN
1	A	156	ASN
1	A	159	GLN
1	A	215	HIS
1	A	286	ASN
1	A	291	ASN
1	B	26	ASN
1	B	51	ASN
1	B	61	ASN
1	B	148	GLN
1	B	156	ASN
1	B	159	GLN
1	B	215	HIS
1	B	226	ASN
1	B	286	ASN
1	B	291	ASN
1	B	318	HIS
1	B	321	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 1 is monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	AGS	A	402	2	26,33,33	1.90	7 (26%)	22,52,52	1.35	2 (9%)
4	SO4	B	401	-	4,4,4	1.11	0	6,6,6	0.80	0
3	AGS	B	402	-	26,33,33	1.99	11 (42%)	22,52,52	1.35	4 (18%)
5	2PE	B	403	-	27,27,27	0.96	2 (7%)	26,26,26	1.04	1 (3%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AGS	A	402	2	-	0/17/38/38	0/3/3/3
4	SO4	B	401	-	-	0/0/0/0	0/0/0/0
3	AGS	B	402	-	-	0/17/38/38	0/3/3/3
5	2PE	B	403	-	-	0/25/25/25	0/0/0/0

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	402	AGS	O4'-C4'	-3.83	1.36	1.45
3	A	402	AGS	PG-S1G	-3.39	1.84	1.90
3	B	402	AGS	PG-S1G	-3.06	1.84	1.90
3	B	402	AGS	O5'-C5'	-2.24	1.35	1.44
3	B	402	AGS	PG-O3G	-2.06	1.48	1.55
3	B	402	AGS	PA-O2A	-2.06	1.44	1.55
5	B	403	2PE	O25-C24	2.03	1.50	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	402	AGS	O2'-C2'	2.04	1.47	1.43
3	B	402	AGS	C5-C4	2.12	1.45	1.40
3	A	402	AGS	C5-C4	2.19	1.45	1.40
5	B	403	2PE	O4-C5	2.20	1.51	1.42
3	B	402	AGS	C2-N1	2.52	1.38	1.33
3	A	402	AGS	C2-N3	2.69	1.36	1.32
3	B	402	AGS	C2'-C1'	2.80	1.58	1.53
3	B	402	AGS	C6-N6	2.90	1.46	1.34
3	A	402	AGS	C6-N6	2.91	1.46	1.34
3	B	402	AGS	C4-N3	3.17	1.40	1.35
3	A	402	AGS	C2-N1	3.22	1.39	1.33
3	B	402	AGS	C2-N3	3.83	1.38	1.32
3	A	402	AGS	C4-N3	5.26	1.43	1.35

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	402	AGS	N3-C2-N1	-2.90	126.33	128.86
3	B	402	AGS	N3-C2-N1	-2.55	126.64	128.86
3	B	402	AGS	C4'-O4'-C1'	2.38	112.30	109.77
3	B	402	AGS	O2A-PA-O1A	2.42	124.81	112.28
5	B	403	2PE	C11-O10-C9	2.85	125.65	113.30
3	B	402	AGS	C4-C5-N7	3.03	112.33	109.41
3	A	402	AGS	C4-C5-N7	3.68	112.97	109.41

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	402	AGS	2	0
4	B	401	SO4	2	0
3	B	402	AGS	2	0
5	B	403	2PE	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	317/330 (96%)	0.04	3 (0%) 84 79	14, 32, 52, 64	0
1	B	317/330 (96%)	0.20	11 (3%) 44 33	18, 39, 59, 69	0
All	All	634/660 (96%)	0.12	14 (2%) 62 52	14, 35, 56, 69	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	6	LEU	5.1
1	A	6	LEU	3.9
1	B	226	ASN	3.7
1	B	250	ARG	3.7
1	B	293	ALA	3.6
1	B	318	HIS	2.5
1	B	317	ASN	2.5
1	A	72	ASP	2.2
1	B	136	SER	2.2
1	A	226	ASN	2.2
1	B	207	THR	2.2
1	B	292	SER	2.1
1	B	11	LYS	2.1
1	B	291	ASN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	2PE	B	403	28/28	0.76	0.36	2.82	42,51,65,67	0
3	AGS	B	402	31/31	0.82	0.34	1.93	35,38,65,66	31
3	AGS	A	402	31/31	0.79	0.28	1.14	55,59,76,82	0
4	SO4	B	401	5/5	0.91	0.16	-1.26	19,24,25,26	5
2	MG	A	401	1/1	0.70	0.17	-	36,36,36,36	0

6.5 Other polymers [i](#)

There are no such residues in this entry.