



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 05:11 am GMT

PDB ID : 3NLJ
Title : Structure of neuronal nitric oxide synthase D597N/M336V/Y706A triple mutant heme domain complexed with 6-{{(3'R,4'R)-3'-[2''-(3'''-fluorophenethylamino)ethoxy] pyrrolidin-4'-yl}methyl}-4-methylpyridin-2-amine
Authors : Delker, S.L.; Li, H.; Poulos, T.L.
Deposited on : 2010-06-21
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4002 (2.20-2.20)
Clashscore	112137	4730 (2.20-2.20)
Ramachandran outliers	110173	4656 (2.20-2.20)
Sidechain outliers	110143	4657 (2.20-2.20)
RSRZ outliers	101464	4033 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	422	
1	B	422	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	ACT	A	860	-	-	-	X
5	ACT	B	861	-	-	-	X

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 7050 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Nitric oxide synthase, brain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	407	Total	C	N	O	S	0	0	0
			3305	2115	567	603	20			
1	B	411	Total	C	N	O	S	0	0	0
			3337	2134	575	608	20			

There are 6 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	336	VAL	MET	ENGINEERED MUTATION	UNP P29476
A	597	ASN	ASP	ENGINEERED MUTATION	UNP P29476
A	706	ALA	TYR	ENGINEERED MUTATION	UNP P29476
B	336	VAL	MET	ENGINEERED MUTATION	UNP P29476
B	597	ASN	ASP	ENGINEERED MUTATION	UNP P29476
B	706	ALA	TYR	ENGINEERED MUTATION	UNP P29476

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
2	B	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 3 is 5,6,7,8-TETRAHYDROBIOPTERIN (three-letter code: H4B) (formula: $C_9H_{15}N_5O_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			17	9	5	3		
3	B	1	Total	C	N	O	0	0
			17	9	5	3		

- Molecule 4 is 6-[[[(3R,4R)-4-(2-{[2-(3-FLUOROPHENYL)ETHYL]AMINO}ETHOXY)PYRROLIDIN-3-YL]METHYL]-4-METHYLPYRIDIN-2-AMINE (three-letter code: JRR) (formula: $C_{21}H_{29}FN_4O$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	F	N	O	0	0
			27	21	1	4	1		
4	B	1	Total	C	F	N	O	0	0
			27	21	1	4	1		

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	89	Total 89	O 89	0	0
6	B	137	Total 137	O 137	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Nitric oxide synthase, brain



- Molecule 1: Nitric oxide synthase, brain



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	51.80Å 111.10Å 163.87Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.97 – 2.20 40.97 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.7 (40.97-2.20) 98.6 (40.97-2.20)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.42 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.5.0089	Depositor
R, R_{free}	0.201 , 0.268 0.231 , 0.282	Depositor DCC
R_{free} test set	2425 reflections (5.03%)	DCC
Wilson B-factor (Å ²)	38.6	Xtriage
Anisotropy	0.713	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 45.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	7050	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, ACT, JRR, H4B

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.61	0/3397	0.67	0/4610
1	B	0.73	0/3429	0.74	1/4650 (0.0%)
All	All	0.67	0/6826	0.71	1/9260 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	675	ASP	CB-CG-OD1	5.22	123.00	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3305	0	3221	40	0
1	B	3337	0	3259	32	0
2	A	43	0	30	7	0
2	B	43	0	30	3	0
3	A	17	0	15	0	0
3	B	17	0	15	0	0
4	A	27	0	29	1	0
4	B	27	0	29	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	4	0	3	0	0
5	B	4	0	3	0	0
6	A	89	0	0	1	0
6	B	137	0	0	7	0
All	All	7050	0	6634	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:299:ARG:HB3	6:B:1131:HOH:O	1.65	0.96
2:A:750:HEM:HBB2	2:A:750:HEM:HHC	1.72	0.72
2:A:750:HEM:HMC2	2:A:750:HEM:HBC2	1.69	0.72
1:B:504:ILE:O	1:B:508:GLN:HG2	1.94	0.67
1:B:536:ILE:HG13	6:B:1031:HOH:O	1.95	0.66
1:A:317:HIS:O	1:A:320:SER:HB3	1.96	0.65
1:B:388:ILE:O	1:B:392:SER:HA	1.98	0.64
1:B:478:GLN:HB2	1:B:481:ARG:HG3	1.82	0.60
1:A:592:GLU:OE1	4:A:800:JRR:H16	2.03	0.59
1:B:572:LEU:HB3	1:B:579:PHE:HB2	1.84	0.58
1:A:701:THR:HG23	6:A:1079:HOH:O	2.04	0.57
1:A:380:ARG:HD3	1:A:400:GLU:OE1	2.06	0.56
1:A:659:ILE:O	1:A:663:GLU:HG3	2.07	0.55
1:B:447:LYS:HE2	6:B:1137:HOH:O	2.05	0.55
1:A:595:VAL:O	1:A:599:CYS:HB2	2.08	0.54
1:A:674:ALA:HB3	1:A:695:MET:HB3	1.88	0.54
1:B:589:MET:HA	1:B:649:VAL:O	2.07	0.54
1:A:664:ASN:OD1	1:A:667:ARG:NH2	2.39	0.53
1:B:447:LYS:HD2	1:B:540:LEU:HD11	1.91	0.52
1:B:363:ASP:HB3	1:B:372:PHE:HE1	1.74	0.52
2:A:750:HEM:CMC	2:A:750:HEM:HBC2	2.36	0.52
1:B:321:THR:N	6:B:1132:HOH:O	2.38	0.52
1:B:701:THR:HA	1:B:702:PRO:C	2.29	0.52
1:A:476:ASN:HD21	1:A:522:LEU:HA	1.75	0.52
1:A:681:PRO:HG2	1:A:688:THR:HG21	1.92	0.51
1:B:584:PHE:CD1	2:B:750:HEM:HAC	2.46	0.51
1:B:436:HIS:CD2	1:B:534:PHE:HE2	2.29	0.50
1:A:686:SER:HA	1:A:691:PHE:CG	2.46	0.50
1:A:716:TRP:N	1:A:716:TRP:CD1	2.79	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:307:GLU:HG3	6:B:1004:HOH:O	2.11	0.50
1:A:475:TRP:CZ2	1:A:531:PRO:HG3	2.46	0.50
1:B:587:TRP:H	2:B:750:HEM:HAB	1.77	0.49
1:B:642:GLN:HA	6:B:1129:HOH:O	2.12	0.49
1:A:631:VAL:HG11	1:B:628:GLN:HG2	1.93	0.49
1:A:460:THR:O	1:A:583:PRO:HD2	2.12	0.49
1:A:439:PHE:HZ	1:A:537:PRO:HD3	1.78	0.48
1:A:548:HIS:CE1	1:A:550:LYS:HB2	2.48	0.48
1:B:445:HIS:C	1:B:445:HIS:CD2	2.87	0.48
1:B:362:LEU:HD11	1:B:384:VAL:HG21	1.95	0.48
1:A:494:GLY:O	1:A:496:PRO:HD3	2.14	0.48
1:B:403:TYR:CE1	1:B:407:HIS:CE1	3.02	0.47
1:B:364:GLN:NE2	6:B:1090:HOH:O	2.47	0.47
1:B:595:VAL:O	1:B:599:CYS:HB2	2.16	0.46
1:A:445:HIS:C	1:A:445:HIS:CD2	2.89	0.46
1:A:480:ILE:HD13	1:A:541:VAL:HG13	1.98	0.46
1:A:561:TRP:CD1	1:A:593:ILE:HG12	2.50	0.46
1:B:593:ILE:HA	1:B:597:ASN:HB2	1.98	0.45
1:A:450:THR:HA	1:A:455:LEU:HD22	1.96	0.45
1:A:409:TRP:CE3	1:A:421:TRP:HA	2.52	0.45
1:A:303:VAL:HG23	1:A:312:LEU:HB2	1.98	0.45
1:A:485:TYR:HE2	1:A:512:ALA:HB1	1.82	0.45
1:B:413:SER:OG	1:B:697:ASN:ND2	2.50	0.45
1:A:523:LEU:HD22	1:A:531:PRO:HB2	1.98	0.45
1:B:680:VAL:HA	1:B:681:PRO:HD3	1.84	0.45
1:A:537:PRO:HB2	1:A:540:LEU:HG	1.98	0.45
1:A:322:LEU:HB2	1:A:699:ARG:HB2	2.00	0.45
1:A:439:PHE:CZ	1:A:443:CYS:SG	3.10	0.44
1:B:674:ALA:HB3	1:B:695:MET:HB3	1.99	0.43
1:A:403:TYR:CE1	1:A:407:HIS:CE1	3.07	0.43
2:A:750:HEM:HBA1	2:A:750:HEM:HHA	2.01	0.43
1:B:537:PRO:HA	1:B:538:PRO:HD3	1.92	0.43
1:A:362:LEU:HD11	1:A:384:VAL:HG21	2.02	0.42
1:A:350:THR:HG22	1:A:351:LYS:H	1.84	0.42
1:A:478:GLN:HB2	1:A:481:ARG:HG3	2.02	0.42
1:A:472:PHE:HA	1:A:525:GLN:O	2.20	0.42
1:A:598:TYR:O	1:A:606:ILE:HG12	2.19	0.42
1:B:302:LYS:HA	1:B:312:LEU:O	2.20	0.42
1:A:626:LYS:HB3	1:B:687:ILE:HD12	2.02	0.41
2:A:750:HEM:HBA1	2:A:750:HEM:CHA	2.50	0.41
1:B:584:PHE:CD1	2:B:750:HEM:CAC	3.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:584:PHE:CD1	2:A:750:HEM:CAC	3.04	0.41
2:A:750:HEM:HHA	2:A:750:HEM:CBA	2.51	0.40
1:B:402:ILE:O	1:B:406:LYS:HG3	2.21	0.40
1:A:330:ILE:HD11	1:B:696:LEU:HB3	2.04	0.40
1:A:473:ARG:CZ	1:A:710:PRO:HG3	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	403/422 (96%)	391 (97%)	12 (3%)	0	100	100
1	B	407/422 (96%)	394 (97%)	13 (3%)	0	100	100
All	All	810/844 (96%)	785 (97%)	25 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	362/376 (96%)	347 (96%)	15 (4%)	35	44
1	B	365/376 (97%)	352 (96%)	13 (4%)	40	50
All	All	727/752 (97%)	699 (96%)	28 (4%)	37	46

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	320	SER
1	A	321	THR
1	A	350	THR
1	A	352	ASP
1	A	360	GLU
1	A	371	ARG
1	A	445	HIS
1	A	476	ASN
1	A	527	ASN
1	A	547	ARG
1	A	555	LYS
1	A	569	ASN
1	A	620	LYS
1	A	653	SER
1	A	716	TRP
1	B	350	THR
1	B	375	LYS
1	B	476	ASN
1	B	481	ARG
1	B	507	GLN
1	B	516	ARG
1	B	540	LEU
1	B	547	ARG
1	B	552	ASP
1	B	612	LYS
1	B	620	LYS
1	B	659	ILE
1	B	686	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	454	ASN
1	A	487	GLN
1	A	527	ASN
1	A	569	ASN
1	A	605	ASN
1	A	642	GLN
1	A	697	ASN
1	B	329	HIS
1	B	364	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	385	ASN
1	B	407	HIS
1	B	425	GLN
1	B	436	HIS
1	B	454	ASN
1	B	508	GLN
1	B	527	ASN
1	B	535	GLN
1	B	601	ASN
1	B	605	ASN
1	B	642	GLN
1	B	697	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HEM	A	750	1	28,50,50	2.35	9 (32%)	17,82,82	1.65	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	H4B	A	760	-	14,18,18	0.83	0	12,26,26	2.46	7 (58%)
4	JRR	A	800	-	26,29,29	0.59	0	31,38,38	1.69	6 (19%)
5	ACT	A	860	-	1,3,3	1.37	0	0,3,3	0.00	-
2	HEM	B	750	1	28,50,50	2.38	10 (35%)	17,82,82	2.04	4 (23%)
3	H4B	B	761	-	14,18,18	1.17	2 (14%)	12,26,26	2.60	6 (50%)
4	JRR	B	800	-	26,29,29	0.61	0	31,38,38	1.81	5 (16%)
5	ACT	B	861	-	1,3,3	1.11	0	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	750	1	-	0/6/54/54	0/0/8/8
3	H4B	A	760	-	-	0/8/17/17	0/2/2/2
4	JRR	A	800	-	-	0/13/23/23	0/3/3/3
5	ACT	A	860	-	-	0/0/0/0	0/0/0/0
2	HEM	B	750	1	-	0/6/54/54	0/0/8/8
3	H4B	B	761	-	-	0/8/17/17	0/2/2/2
4	JRR	B	800	-	-	0/13/23/23	0/3/3/3
5	ACT	B	861	-	-	0/0/0/0	0/0/0/0

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	750	HEM	C3C-C2C	-6.56	1.31	1.40
2	A	750	HEM	C3B-C2B	-5.24	1.33	1.40
2	A	750	HEM	C3C-C2C	-4.76	1.34	1.40
2	B	750	HEM	C3B-C2B	-4.05	1.35	1.40
3	B	761	H4B	C4-C4A	-2.11	1.38	1.41
2	B	750	HEM	C4B-NB	2.04	1.40	1.36
2	A	750	HEM	C1B-NB	2.14	1.39	1.36
2	A	750	HEM	CMA-C3A	2.26	1.56	1.51
2	A	750	HEM	CMB-C2B	2.41	1.56	1.51
3	B	761	H4B	C4-N3	2.50	1.37	1.33
2	B	750	HEM	CMB-C2B	2.54	1.57	1.51
2	B	750	HEM	CMA-C3A	2.66	1.57	1.51
2	B	750	HEM	C3B-CAB	2.80	1.53	1.47
2	B	750	HEM	C1B-NB	3.05	1.40	1.36
2	B	750	HEM	C3C-CAC	3.06	1.53	1.47

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	750	HEM	C4D-ND	3.23	1.40	1.36
2	B	750	HEM	C4D-ND	3.29	1.40	1.36
2	A	750	HEM	C3B-CAB	3.68	1.55	1.47
2	A	750	HEM	C3C-CAC	3.71	1.55	1.47
2	B	750	HEM	C3D-C2D	4.81	1.51	1.37
2	A	750	HEM	C3D-C2D	4.95	1.52	1.37

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	750	HEM	CBD-CAD-C3D	-5.22	102.51	112.47
2	B	750	HEM	CBA-CAA-C2A	-4.34	104.19	112.48
4	A	800	JRR	C3-C4-C11	-4.21	103.99	112.81
2	A	750	HEM	CAA-CBA-CGA	-3.96	105.90	112.66
3	A	760	H4B	N3-C2-N1	-3.86	119.19	125.45
2	A	750	HEM	CBD-CAD-C3D	-3.21	106.34	112.47
4	B	800	JRR	C3A-C2A-N1A	-3.05	119.61	122.91
3	B	761	H4B	N3-C2-N1	-2.97	120.63	125.45
4	B	800	JRR	C3-C4-C11	-2.94	106.64	112.81
4	B	800	JRR	O1-C3'-C2'	-2.86	103.77	111.42
3	B	761	H4B	C6-C7-N8	-2.76	106.64	111.01
4	A	800	JRR	C3A-C2A-N1A	-2.66	120.03	122.91
3	A	760	H4B	C6-C7-N8	-2.20	107.52	111.01
2	B	750	HEM	CMA-C3A-C4A	-2.18	125.12	128.46
3	A	760	H4B	C4A-N5-C6	-2.11	115.43	121.16
3	B	761	H4B	N2-C2-N3	2.01	120.45	117.24
2	B	750	HEM	CMC-C2C-C3C	2.02	128.64	124.89
3	A	760	H4B	N2-C2-N1	2.02	120.47	117.24
4	A	800	JRR	N6A-C6A-N1A	2.04	120.07	116.64
4	A	800	JRR	C7A-C2A-N1A	2.09	120.42	117.12
4	B	800	JRR	C5'-N1'-C2'	2.44	111.07	105.40
3	A	760	H4B	C4-C4A-C8A	2.63	116.95	114.56
3	B	761	H4B	C2-N1-C8A	2.73	120.65	114.51
4	A	800	JRR	C5'-N1'-C2'	3.34	113.18	105.40
3	B	761	H4B	C4-N3-C2	3.47	121.05	116.06
3	A	760	H4B	C2-N1-C8A	3.71	122.88	114.51
3	A	760	H4B	C4-N3-C2	4.02	121.83	116.06
4	A	800	JRR	C6A-N1A-C2A	4.90	121.64	118.17
3	B	761	H4B	C4-C4A-C8A	5.72	119.74	114.56
4	B	800	JRR	C6A-N1A-C2A	6.36	122.67	118.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	750	HEM	7	0
4	A	800	JRR	1	0
2	B	750	HEM	3	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	407/422 (96%)	0.67	46 (11%) 6 5	26, 54, 96, 122	0
1	B	411/422 (97%)	0.13	11 (2%) 55 52	24, 41, 67, 81	0
All	All	818/844 (96%)	0.40	57 (6%) 17 16	24, 46, 87, 122	0

All (57) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	488	PRO	6.4
1	A	715	VAL	5.2
1	A	300	PHE	5.0
1	A	375	LYS	4.6
1	A	716	TRP	4.5
1	B	321	THR	4.5
1	A	713	THR	4.3
1	A	352	ASP	3.8
1	A	494	GLY	3.6
1	B	352	ASP	3.5
1	A	355	PHE	3.3
1	A	503	GLU	3.3
1	A	507	GLN	3.2
1	A	469	LYS	3.2
1	A	386	LYS	3.1
1	A	299	ARG	3.1
1	B	351	LYS	3.1
1	A	351	LYS	3.0
1	B	619	ARG	2.9
1	A	487	GLN	2.9
1	A	319	LYS	2.9
1	A	492	THR	2.9
1	A	322	LEU	2.9
1	A	486	LYS	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	350	THR	2.8
1	A	485	TYR	2.7
1	A	678	TRP	2.7
1	A	381	LEU	2.5
1	A	667	ARG	2.5
1	B	667	ARG	2.5
1	A	372	PHE	2.5
1	A	506	ILE	2.5
1	A	493	LEU	2.5
1	B	392	SER	2.4
1	A	554	PHE	2.4
1	A	517	PHE	2.4
1	B	353	GLN	2.4
1	A	302	LYS	2.4
1	A	588	TYR	2.4
1	A	370	LYS	2.3
1	A	608	GLU	2.3
1	A	559	LEU	2.3
1	A	683	MET	2.3
1	A	385	ASN	2.3
1	A	676	TRP	2.2
1	A	677	VAL	2.2
1	A	392	SER	2.2
1	A	388	ILE	2.1
1	A	505	CYS	2.1
1	A	504	ILE	2.1
1	B	443	CYS	2.1
1	A	489	ASP	2.1
1	B	611	ALA	2.1
1	A	442	ILE	2.1
1	B	691	PHE	2.1
1	A	500	GLN	2.0
1	A	479	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	ACT	A	860	4/4	0.91	0.23	4.37	86,87,87,87	0
5	ACT	B	861	4/4	0.93	0.21	3.48	76,76,76,76	0
4	JRR	A	800	27/27	0.83	0.27	1.72	51,67,73,76	0
4	JRR	B	800	27/27	0.90	0.22	1.51	49,56,61,62	0
2	HEM	A	750	43/43	0.96	0.20	0.58	21,37,48,52	0
3	H4B	A	760	17/17	0.91	0.20	0.31	32,35,45,46	0
2	HEM	B	750	43/43	0.97	0.14	-0.03	25,32,41,44	0
3	H4B	B	761	17/17	0.95	0.16	-0.18	23,29,36,37	0

6.5 Other polymers [i](#)

There are no such residues in this entry.