



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 15, 2017 – 06:33 PM EDT

PDB ID : 2NPA
Title : the crystal structure of the human PPARalpha ligand binding domain in complex with a α -hydroxyimino phenylpropanoic acid
Authors : Kim, K.H.; Chung, H.K.; Han, H.O.; Kim, S.H.; Koh, J.S.; Kim, G.T.
Deposited on : unknown
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4130 (2.30-2.30)
Clashscore	112137	4751 (2.30-2.30)
Ramachandran outliers	110173	4705 (2.30-2.30)
Sidechain outliers	110143	4704 (2.30-2.30)
RSRZ outliers	101464	4156 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	270	<div> <div>3%</div> <div>68%</div> <div>29%</div> <div>•</div> </div>
1	C	270	<div> <div>6%</div> <div>61%</div> <div>31%</div> <div>6%</div> <div>•</div> </div>
2	B	15	<div> <div>13%</div> <div>47%</div> <div>20%</div> <div>27%</div> <div>7%</div> </div>
2	D	15	<div> <div>7%</div> <div>27%</div> <div>40%</div> <div>33%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MMB	A	1201	-	-	-	X
3	MMB	C	2201	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4797 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peroxisome proliferator-activated receptor alpha.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	269	Total	C	N	O	S	0	0	0
			2122	1359	356	389	18			
1	C	267	Total	C	N	O	S	0	0	0
			2114	1356	352	388	18			


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	232	ALA	LYS	CONFLICT	UNP Q07869
C	232	ALA	LYS	CONFLICT	UNP Q07869

- Molecule 2 is a protein called SRC- peptide from Nuclear receptor coactivator 1.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	15	Total	C	N	O	0	0	0
			130	81	27	22			
2	D	10	Total	C	N	O	0	0	0
			86	56	18	12			

- Molecule 3 is (2R,3E)-2-{4-[(5-METHYL-2-PHENYL-1,3-OXAZOL-4-YL)METHOXY]BENZYL}-3-(PROPOXYIMINO)BUTANOIC ACID (three-letter code: MMB) (formula: C₂₅H₂₈N₂O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			32	25	2	5		
3	C	1	Total	C	N	O	0	0
			32	25	2	5		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	138	Total	O	0	0
			138	138		
4	B	9	Total	O	0	0
			9	9		
4	C	131	Total	O	0	0
			131	131		
4	D	3	Total	O	0	0
			3	3		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Peroxisome proliferator-activated receptor alpha



- Molecule 1: Peroxisome proliferator-activated receptor alpha



- Molecule 2: SRC- peptide from Nuclear receptor coactivator 1



- Molecule 2: SRC- peptide from Nuclear receptor coactivator 1





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	59.91Å 100.07Å 61.31Å 90.00° 100.14° 90.00°	Depositor
Resolution (Å)	20.00 – 2.30 19.76 – 2.30	Depositor EDS
% Data completeness (in resolution range)	91.7 (20.00-2.30) 92.4 (19.76-2.30)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.71 (at 2.30Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.220 , 0.260 0.219 , 0.260	Depositor DCC
R_{free} test set	2323 reflections (8.00%)	DCC
Wilson B-factor (Å ²)	41.0	Xtriage
Anisotropy	0.163	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 45.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.026 for l,-k,h	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	4797	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.64% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MMB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.49	0/2159	0.60	0/2913
1	C	0.51	0/2151	0.62	0/2901
2	B	0.56	0/131	0.77	0/172
2	D	0.54	0/87	0.75	0/115
All	All	0.50	0/4528	0.62	0/6101

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2122	0	2162	79	0
1	C	2114	0	2145	118	0
2	B	130	0	137	15	0
2	D	86	0	91	4	0
3	A	32	0	27	2	0
3	C	32	0	27	1	0
4	A	138	0	0	2	0
4	B	9	0	0	0	0
4	C	131	0	0	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	3	0	0	1	0
All	All	4797	0	4589	207	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (207) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:277:GLN:NE2	1:C:457:HIS:H	1.54	1.04
1:C:263:ILE:HA	1:C:266:LYS:HG3	1.42	0.97
1:C:302:LEU:HD12	1:C:303:ASN:H	1.30	0.97
1:C:388:ARG:HB2	1:C:391:LEU:HD11	1.48	0.96
2:B:688:LYS:H	2:B:688:LYS:HD3	1.28	0.95
1:C:333:ALA:HB3	4:C:2316:HOH:O	1.67	0.94
1:C:302:LEU:HD12	1:C:303:ASN:N	1.87	0.88
2:B:688:LYS:CD	2:B:688:LYS:H	1.87	0.86
1:A:203:LEU:HG	1:A:407:VAL:HG22	1.59	0.84
1:C:277:GLN:HE21	1:C:457:HIS:H	1.23	0.84
1:C:277:GLN:HE22	1:C:456:LEU:HA	1.44	0.82
1:C:209:ARG:HG2	1:C:209:ARG:HH11	1.46	0.80
1:C:393:ASN:HD22	1:C:396:HIS:HB2	1.47	0.79
2:B:688:LYS:N	2:B:688:LYS:HD3	2.01	0.76
1:A:206:LEU:HD23	1:A:407:VAL:HG21	1.69	0.74
1:C:297:PHE:HA	1:C:300:LEU:HD12	1.70	0.73
1:A:221:ASN:OD1	1:A:223:VAL:HG12	1.89	0.72
1:C:263:ILE:CA	1:C:266:LYS:HG3	2.19	0.72
1:C:206:LEU:HD23	1:C:407:VAL:HG21	1.73	0.71
1:C:427:LEU:HD12	1:C:430:MET:HE3	1.72	0.70
1:A:378:PHE:O	1:A:382:ILE:HG23	1.90	0.70
1:C:277:GLN:NE2	1:C:457:HIS:N	2.37	0.70
1:A:277:GLN:HE22	1:A:456:LEU:HA	1.59	0.68
1:C:245:GLU:HG2	1:C:249:MET:CE	2.25	0.67
1:C:263:ILE:N	1:C:263:ILE:HD13	2.10	0.67
1:C:393:ASN:ND2	1:C:396:HIS:HB2	2.09	0.67
1:C:259:VAL:HB	1:C:264:GLN:HE21	1.60	0.67
1:C:306:VAL:HG12	2:D:694:LEU:HD12	1.78	0.66
1:C:393:ASN:HD22	1:C:396:HIS:CB	2.08	0.66
1:C:412:LEU:HD11	1:C:426:LEU:HD12	1.76	0.66
1:C:259:VAL:CB	1:C:264:GLN:HE21	2.09	0.66
1:C:221:ASN:C	1:C:221:ASN:HD22	2.00	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:284:VAL:HG22	1:C:313:VAL:HG11	1.79	0.65
1:C:258:LEU:HD23	1:C:259:VAL:HG13	1.77	0.65
1:A:315:GLU:HB2	1:A:382:ILE:HD13	1.78	0.65
1:A:310:LYS:HE2	2:B:687:HIS:NE2	2.12	0.64
1:A:420:ILE:HD13	1:C:336:ASN:ND2	2.13	0.64
1:C:245:GLU:O	1:C:249:MET:HG3	1.98	0.64
1:C:336:ASN:HB2	4:C:2316:HOH:O	1.98	0.63
1:C:277:GLN:HE22	1:C:457:HIS:H	1.45	0.63
1:C:269:GLU:HG3	1:C:347:LEU:HG	1.81	0.63
1:C:387:ASP:N	1:C:387:ASP:OD1	2.30	0.63
1:C:370:LEU:HD11	1:C:426:LEU:HD21	1.80	0.63
2:B:683:LEU:HD22	2:B:684:THR:H	1.64	0.62
1:C:337:GLY:N	4:C:2316:HOH:O	2.33	0.61
1:C:258:LEU:HB2	1:C:263:ILE:HD11	1.81	0.61
1:A:284:VAL:HG22	1:A:313:VAL:HG11	1.81	0.61
1:C:245:GLU:HG2	1:C:249:MET:HE2	1.81	0.61
1:C:297:PHE:O	1:C:300:LEU:HB2	2.01	0.61
1:A:277:GLN:NE2	1:A:457:HIS:H	1.99	0.61
1:C:209:ARG:NH1	1:C:209:ARG:HG2	2.17	0.60
1:A:208:LYS:O	1:A:212:GLU:HG3	2.02	0.59
1:C:277:GLN:CG	1:C:460:LEU:HD12	2.33	0.59
1:A:359:PHE:O	1:A:363:MET:HG2	2.02	0.59
1:C:221:ASN:ND2	1:C:224:LYS:H	1.99	0.59
1:A:259:VAL:HA	1:A:264:GLN:HG2	1.84	0.58
1:A:263:ILE:HA	1:A:266:LYS:HD2	1.83	0.58
1:A:309:LEU:CD1	2:B:694:LEU:HD21	2.34	0.58
1:C:445:GLN:HA	1:C:445:GLN:OE1	2.04	0.58
1:A:309:LEU:HD11	2:B:694:LEU:HD21	1.85	0.57
1:A:247:LEU:HD22	1:A:272:ILE:HD11	1.87	0.56
1:C:311:TYR:HB2	1:C:388:ARG:HD2	1.88	0.56
1:A:321:LEU:O	1:A:325:MET:HG3	2.06	0.56
1:C:388:ARG:HB2	1:C:391:LEU:CD1	2.29	0.56
1:A:259:VAL:HG13	1:A:264:GLN:OE1	2.05	0.56
1:A:277:GLN:NE2	1:A:456:LEU:HA	2.21	0.56
1:A:267:GLU:O	1:A:271:ARG:HG3	2.05	0.56
1:C:457:HIS:CG	1:C:458:PRO:HD2	2.42	0.55
1:A:420:ILE:H	1:A:420:ILE:CD1	2.19	0.55
1:A:420:ILE:HD13	1:C:336:ASN:CG	2.26	0.55
1:C:313:VAL:O	1:C:317:ILE:HG13	2.06	0.55
1:C:396:HIS:HA	1:C:399:LYS:HD3	1.88	0.55
1:A:312:GLY:O	1:A:382:ILE:HD11	2.07	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:277:GLN:HE21	1:A:457:HIS:H	1.54	0.55
1:A:303:ASN:OD1	2:B:684:THR:HG22	2.08	0.54
1:A:300:LEU:HD21	1:A:400:MET:HE1	1.89	0.54
1:A:420:ILE:H	1:A:420:ILE:HD12	1.72	0.54
1:A:315:GLU:CB	1:A:382:ILE:HD13	2.37	0.54
1:A:268:ALA:HA	1:A:271:ARG:HE	1.73	0.54
1:A:284:VAL:HG22	1:A:313:VAL:CG1	2.38	0.54
1:C:354:ILE:HD12	3:C:2201:MMB:H291	1.90	0.54
1:C:277:GLN:HG2	1:C:460:LEU:HD12	1.89	0.53
1:A:435:GLN:O	1:A:439:GLU:HG3	2.08	0.53
1:C:263:ILE:HA	1:C:266:LYS:CG	2.29	0.53
1:C:308:LEU:HG	1:C:383:ILE:O	2.09	0.53
1:C:255:VAL:O	1:C:259:VAL:HG13	2.08	0.52
1:A:242:HIS:CE1	1:A:243:ASP:OD2	2.63	0.52
1:C:427:LEU:HA	1:C:430:MET:HE2	1.91	0.52
1:C:277:GLN:NE2	1:C:456:LEU:HA	2.19	0.52
1:A:420:ILE:HD12	1:A:420:ILE:N	2.25	0.52
1:C:245:GLU:HG2	1:C:249:MET:HE3	1.92	0.51
1:C:306:VAL:HG12	2:D:694:LEU:CD1	2.39	0.51
1:A:330:MET:HE2	1:A:359:PHE:CZ	2.44	0.51
1:C:341:ARG:NH2	1:C:356:GLU:OE2	2.40	0.51
2:B:683:LEU:O	2:B:685:GLU:N	2.44	0.51
1:C:315:GLU:HG3	1:C:437:VAL:HG21	1.93	0.51
2:D:685:GLU:C	2:D:687:HIS:H	2.13	0.51
1:C:385:CYS:HA	1:C:401:GLN:NE2	2.26	0.51
1:A:350:PRO:HB2	1:A:443:LEU:HD11	1.93	0.50
1:C:259:VAL:HA	1:C:264:GLN:HG2	1.93	0.50
1:A:263:ILE:HD13	1:A:274:HIS:CG	2.47	0.50
1:A:308:LEU:HG	1:A:383:ILE:O	2.12	0.50
1:A:308:LEU:HD13	1:A:391:LEU:HD21	1.93	0.50
1:C:259:VAL:HB	1:C:264:GLN:NE2	2.25	0.50
1:C:221:ASN:HD21	1:C:224:LYS:H	1.59	0.49
1:C:402:GLU:O	1:C:406:HIS:HB2	2.12	0.49
1:C:259:VAL:CA	1:C:264:GLN:HE21	2.25	0.49
1:C:269:GLU:HB3	1:C:351:PHE:CD2	2.47	0.49
1:A:459:LEU:C	1:A:459:LEU:HD13	2.32	0.49
1:C:217:ASN:ND2	1:C:290:PHE:HA	2.26	0.49
1:C:302:LEU:CD1	1:C:303:ASN:H	2.15	0.49
1:A:384:CYS:O	1:A:401:GLN:HB2	2.13	0.49
1:C:200:THR:HG22	1:C:203:LEU:HG	1.94	0.49
1:C:259:VAL:HA	1:C:264:GLN:HE21	1.76	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:199:GLU:HG2	1:A:203:LEU:HB3	1.93	0.49
2:B:695:GLN:NE2	2:B:695:GLN:HA	2.28	0.49
2:D:688:LYS:O	2:D:691:HIS:HB3	2.12	0.49
1:A:354:ILE:HD11	1:A:447:ILE:HD11	1.94	0.48
1:C:325:MET:HE1	4:C:2291:HOH:O	2.13	0.48
1:C:347:LEU:O	1:C:352:CYS:HB3	2.14	0.48
1:C:383:ILE:HG22	4:C:2280:HOH:O	2.13	0.48
1:C:267:GLU:CD	1:C:348:ARG:HH21	2.17	0.48
1:A:205:SER:O	1:A:209:ARG:HB2	2.13	0.48
1:C:465:ARG:HD3	4:D:698:HOH:O	2.13	0.48
1:A:311:TYR:HB2	1:A:388:ARG:HD2	1.96	0.47
1:C:427:LEU:HD12	1:C:430:MET:CE	2.43	0.47
1:C:223:VAL:HG12	1:C:224:LYS:N	2.29	0.47
1:C:343:PHE:O	1:C:347:LEU:HD13	2.14	0.47
1:A:200:THR:CG2	1:A:203:LEU:HB2	2.43	0.47
1:C:247:LEU:HD22	1:C:272:ILE:HD11	1.96	0.47
2:B:683:LEU:CD1	2:B:685:GLU:OE1	2.63	0.47
1:C:374:ASP:OD2	1:C:416:HIS:HE1	1.98	0.47
1:A:263:ILE:HG23	1:A:266:LYS:CD	2.45	0.47
1:C:394:VAL:HG22	1:C:394:VAL:O	2.14	0.47
1:C:255:VAL:HA	1:C:258:LEU:HD22	1.96	0.47
1:A:226:ARG:HD3	1:A:226:ARG:HA	1.55	0.47
1:C:297:PHE:HA	1:C:300:LEU:CD1	2.44	0.47
1:A:280:SER:O	1:A:284:VAL:HG23	2.14	0.47
1:C:258:LEU:C	1:C:258:LEU:HD23	2.35	0.47
1:C:277:GLN:NE2	1:C:456:LEU:HD12	2.30	0.47
1:C:269:GLU:HB3	1:C:351:PHE:CG	2.51	0.47
2:B:683:LEU:C	2:B:685:GLU:H	2.19	0.46
1:C:277:GLN:CD	1:C:456:LEU:HD12	2.35	0.46
1:C:357:PRO:HD3	4:C:2281:HOH:O	2.16	0.46
1:C:457:HIS:CE1	1:C:459:LEU:H	2.34	0.46
1:A:445:GLN:OE1	1:A:445:GLN:HA	2.15	0.46
1:A:274:HIS:CE1	1:A:278:CYS:SG	3.09	0.46
1:A:255:VAL:HG13	1:A:256:ALA:N	2.31	0.46
1:A:370:LEU:HD11	1:A:426:LEU:HD21	1.97	0.46
1:C:264:GLN:H	1:C:264:GLN:HG3	1.39	0.46
2:B:683:LEU:O	2:B:686:ARG:HG2	2.16	0.46
1:C:301:ASP:O	1:C:302:LEU:C	2.53	0.46
1:A:200:THR:HG23	1:A:203:LEU:HB2	1.98	0.45
1:A:420:ILE:HD11	4:A:1327:HOH:O	2.16	0.45
1:C:226:ARG:HA	1:C:226:ARG:HD3	1.56	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:283:THR:HG22	1:C:287:LEU:CD2	2.47	0.45
1:A:216:LYS:HE3	4:A:1274:HOH:O	2.16	0.45
1:C:255:VAL:HA	1:C:258:LEU:CD2	2.47	0.45
1:C:459:LEU:HD23	1:C:459:LEU:O	2.17	0.44
1:A:302:LEU:HD13	1:A:302:LEU:HA	1.86	0.44
1:A:313:VAL:O	1:A:317:ILE:HG13	2.18	0.44
1:C:457:HIS:O	1:C:461:GLN:HG3	2.17	0.44
1:C:302:LEU:CD1	1:C:303:ASN:ND2	2.81	0.44
1:A:199:GLU:HG2	1:A:203:LEU:HD23	1.99	0.44
1:C:221:ASN:C	1:C:221:ASN:ND2	2.69	0.44
1:C:302:LEU:HD11	1:C:303:ASN:ND2	2.33	0.44
1:C:255:VAL:O	1:C:258:LEU:CD2	2.66	0.44
1:C:315:GLU:HG2	1:C:433:LEU:HB3	1.99	0.44
1:A:374:ASP:OD2	1:A:416:HIS:HE1	2.01	0.43
1:A:277:GLN:HG3	3:A:1201:MMB:H323	2.00	0.43
1:C:395:GLY:O	1:C:399:LYS:HD2	2.19	0.43
1:A:263:ILE:HD11	1:A:274:HIS:CE1	2.54	0.43
1:C:321:LEU:HB3	1:C:325:MET:CE	2.49	0.43
1:A:217:ASN:ND2	1:A:289:GLU:HB3	2.33	0.43
1:C:255:VAL:HG13	1:C:256:ALA:N	2.34	0.42
1:C:263:ILE:N	1:C:263:ILE:CD1	2.78	0.42
1:C:358:LYS:HG3	1:C:436:LEU:HD21	2.01	0.42
1:A:421:PHE:O	1:A:424:PRO:HG2	2.20	0.42
1:A:223:VAL:HG13	1:A:224:LYS:N	2.34	0.42
1:C:200:THR:CG2	1:C:202:ASP:OD1	2.68	0.42
1:C:456:LEU:O	1:C:461:GLN:OE1	2.37	0.42
1:C:204:LYS:HB2	1:C:204:LYS:HE3	1.86	0.42
1:C:321:LEU:HB3	1:C:325:MET:HE1	2.01	0.42
1:C:409:ARG:HG3	1:C:423:PHE:CE2	2.55	0.42
1:A:277:GLN:HG2	1:A:460:LEU:HD12	2.02	0.41
1:C:301:ASP:O	1:C:304:ASP:N	2.53	0.41
1:A:424:PRO:HA	1:A:427:LEU:HB2	2.02	0.41
1:A:408:LEU:HD22	1:A:412:LEU:CD1	2.50	0.41
1:A:412:LEU:HD11	1:A:426:LEU:HD12	2.02	0.41
2:B:695:GLN:HE21	2:B:695:GLN:HA	1.84	0.41
1:A:354:ILE:HG21	3:A:1201:MMB:H261	2.03	0.41
1:C:243:ASP:OD1	1:C:245:GLU:N	2.54	0.41
1:C:277:GLN:HE22	1:C:456:LEU:CA	2.24	0.41
1:A:311:TYR:CB	1:A:388:ARG:HD2	2.49	0.41
1:A:263:ILE:HD13	1:A:274:HIS:ND1	2.36	0.41
1:C:313:VAL:HG12	1:C:314:TYR:N	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:388:ARG:HA	1:C:389:PRO:HD3	1.97	0.41
1:A:206:LEU:CD1	1:A:295:PRO:HG2	2.51	0.41
1:A:308:LEU:HA	1:A:308:LEU:HD12	1.94	0.41
1:A:266:LYS:HE3	1:A:453:ASP:HB3	2.02	0.41
1:C:217:ASN:HD22	1:C:290:PHE:HA	1.84	0.41
1:A:425:LYS:NZ	1:C:236:ASN:HD21	2.19	0.41
1:C:401:GLN:O	1:C:405:VAL:HB	2.21	0.40
2:B:683:LEU:C	2:B:685:GLU:N	2.75	0.40
1:A:263:ILE:CD1	1:A:274:HIS:CE1	3.04	0.40
1:A:263:ILE:HG23	1:A:266:LYS:HD2	2.03	0.40
1:A:327:LYS:HG3	1:A:328:ASP:OD1	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	267/270 (99%)	258 (97%)	9 (3%)	0	100	100
1	C	263/270 (97%)	249 (95%)	13 (5%)	1 (0%)	38	47
2	B	13/15 (87%)	8 (62%)	4 (31%)	1 (8%)	1	0
2	D	8/15 (53%)	4 (50%)	4 (50%)	0	100	100
All	All	551/570 (97%)	519 (94%)	30 (5%)	2 (0%)	38	47

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	684	THR
1	C	200	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	234/235 (100%)	226 (97%)	8 (3%)	42	57
1	C	233/235 (99%)	212 (91%)	21 (9%)	11	13
2	B	14/14 (100%)	9 (64%)	5 (36%)	0	0
2	D	9/14 (64%)	8 (89%)	1 (11%)	7	8
All	All	490/498 (98%)	455 (93%)	35 (7%)	17	22

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	209	ARG
1	A	264	GLN
1	A	308	LEU
1	A	350	PRO
1	A	382	ILE
1	A	408	LEU
1	A	427	LEU
1	A	461	GLN
2	B	683	LEU
2	B	684	THR
2	B	685	GLU
2	B	686	ARG
2	B	688	LYS
1	C	209	ARG
1	C	221	ASN
1	C	223	VAL
1	C	226	ARG
1	C	236	ASN
1	C	254	LEU
1	C	258	LEU
1	C	263	ILE
1	C	264	GLN
1	C	280	SER
1	C	287	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	302	LEU
1	C	308	LEU
1	C	342	GLU
1	C	347	LEU
1	C	387	ASP
1	C	408	LEU
1	C	427	LEU
1	C	428	GLN
1	C	453	ASP
1	C	459	LEU
2	D	690	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (27) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	217	ASN
1	A	265	ASN
1	A	274	HIS
1	A	277	GLN
1	A	299	ASN
1	A	366	ASN
1	A	413	GLN
1	A	415	ASN
1	A	442	GLN
1	A	461	GLN
2	B	691	HIS
2	B	695	GLN
1	C	217	ASN
1	C	221	ASN
1	C	236	ASN
1	C	264	GLN
1	C	274	HIS
1	C	277	GLN
1	C	303	ASN
1	C	366	ASN
1	C	393	ASN
1	C	401	GLN
1	C	413	GLN
1	C	415	ASN
1	C	416	HIS
1	C	442	GLN
1	C	461	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	MMB	A	1201	-	25,34,34	1.62	5 (20%)	27,45,45	1.70	4 (14%)
3	MMB	C	2201	-	25,34,34	1.83	8 (32%)	27,45,45	1.58	4 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MMB	A	1201	-	-	0/18/26/26	0/2/3/3
3	MMB	C	2201	-	-	0/18/26/26	0/2/3/3

All (13) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1201	MMB	O1-C26	-2.55	1.40	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	2201	MMB	C15-C14	-2.21	1.36	1.42
3	A	1201	MMB	C15-C14	-2.11	1.37	1.42
3	C	2201	MMB	C20-C19	2.14	1.43	1.38
3	A	1201	MMB	C11-C10	2.17	1.43	1.38
3	C	2201	MMB	C12-C7	2.19	1.43	1.38
3	C	2201	MMB	C21-C16	2.22	1.43	1.38
3	C	2201	MMB	C12-C11	2.41	1.43	1.38
3	A	1201	MMB	C32-C4	2.50	1.54	1.50
3	C	2201	MMB	C11-C10	2.52	1.43	1.38
3	A	1201	MMB	C2-C4	3.22	1.57	1.52
3	C	2201	MMB	C32-C4	3.46	1.55	1.50
3	C	2201	MMB	C2-C4	3.61	1.58	1.52

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	2201	MMB	C1-C2-C6	-3.99	105.00	111.69
3	A	1201	MMB	C1-C2-C6	-3.62	105.62	111.69
3	C	2201	MMB	C26-O1-N4	2.42	110.59	108.47
3	C	2201	MMB	C13-O4-C10	2.57	124.02	117.61
3	A	1201	MMB	C13-O4-C10	2.97	125.02	117.61
3	A	1201	MMB	C26-O1-N4	4.55	112.44	108.47
3	A	1201	MMB	C1-C2-C4	4.63	120.05	111.58
3	C	2201	MMB	C1-C2-C4	4.95	120.62	111.58

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1201	MMB	2	0
3	C	2201	MMB	1	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	269/270 (99%)	0.13	7 (2%) 56 63	27, 41, 66, 81	0
1	C	267/270 (98%)	0.32	16 (5%) 23 29	27, 45, 75, 102	0
2	B	15/15 (100%)	0.58	2 (13%) 4 5	37, 56, 78, 87	0
2	D	10/15 (66%)	0.93	1 (10%) 8 11	51, 64, 90, 96	0
All	All	561/570 (98%)	0.25	26 (4%) 33 40	27, 44, 74, 102	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	232	ALA	5.3
1	C	468	TYR	5.2
1	C	302	LEU	5.0
1	A	233	ALA	3.8
1	C	263	ILE	3.8
1	C	232	ALA	3.7
1	C	256	ALA	3.7
1	A	260	ALA	3.6
1	C	233	ALA	3.3
2	D	686	ARG	3.0
1	C	265	ASN	3.0
1	C	309	LEU	2.9
1	C	465	ARG	2.7
2	B	683	LEU	2.7
1	C	231	GLY	2.6
1	C	259	VAL	2.6
1	C	255	VAL	2.5
1	A	205	SER	2.4
1	A	449	LYS	2.4
1	C	234	SER	2.4
2	B	696	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	200	THR	2.2
1	A	234	SER	2.2
1	C	383	ILE	2.1
1	A	309	LEU	2.1
1	C	235	ASN	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	MMB	A	1201	32/32	0.93	0.26	2.95	43,43,43,43	0
3	MMB	C	2201	32/32	0.94	0.24	2.78	43,43,43,43	0

6.5 Other polymers [i](#)

There are no such residues in this entry.