



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 11:29 pm GMT

PDB ID : 1NQA
Title : Glyceraldehyde-3-Phosphate Dehydrogenase Mutant With Cys 149 Replaced
By Ala Complexed With Nad⁺ and D-Glyceraldehyde-3-Phosphate
Authors : Didierjean, C.; Corbier, C.; Fatih, M.; Favier, F.; Boschi-Muller, S.; Branlant,
G.; Aubry, A.
Deposited on : 2003-01-21
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4002 (2.20-2.20)
Clashscore	112137	4730 (2.20-2.20)
Ramachandran outliers	110173	4656 (2.20-2.20)
Sidechain outliers	110143	4657 (2.20-2.20)
RSRZ outliers	101464	4033 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	O	334	<div> <div>%</div> <div> <div></div> <div>79%</div> <div>19%</div> <div>.</div> </div> </div>
1	P	334	<div> <div></div> <div>84%</div> <div>15%</div> <div>.</div> </div>
1	Q	334	<div> <div>%</div> <div> <div></div> <div>83%</div> <div>16%</div> <div>.</div> </div> </div>
1	R	334	<div> <div></div> <div>82%</div> <div>17%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	G3H	O	1337	-	-	-	X
3	G3H	P	2337	-	-	-	X
3	G3H	Q	3337	-	-	-	X
3	G3H	R	4337	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 11045 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glyceraldehyde 3-phosphate dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	O	334	Total	C	N	O	S	0	0	0
			2524	1582	445	489	8			
1	P	334	Total	C	N	O	S	0	0	0
			2524	1582	445	489	8			
1	Q	334	Total	C	N	O	S	0	0	0
			2524	1582	445	489	8			
1	R	334	Total	C	N	O	S	0	0	0
			2524	1582	445	489	8			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
O	149	ALA	CYS	ENGINEERED	UNP P00362
P	149	ALA	CYS	ENGINEERED	UNP P00362
Q	149	ALA	CYS	ENGINEERED	UNP P00362
R	149	ALA	CYS	ENGINEERED	UNP P00362

- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	O	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	P	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	Q	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	R	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is GLYCERALDEHYDE-3-PHOSPHATE (three-letter code: G3H) (formula: C₃H₇O₆P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	O	1	Total	C	O	P	0	0
			10	3	6	1		
3	P	1	Total	C	O	P	0	0
			10	3	6	1		
3	Q	1	Total	C	O	P	0	0
			10	3	6	1		
3	R	1	Total	C	O	P	0	0
			10	3	6	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	O	143	Total	O	0	0
			143	143		
4	P	199	Total	O	0	0
			199	199		
4	Q	184	Total	O	0	0
			184	184		
4	R	207	Total	O	0	0
			207	207		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glyceraldehyde 3-phosphate dehydrogenase




- Molecule 1: Glyceraldehyde 3-phosphate dehydrogenase




- Molecule 1: Glyceraldehyde 3-phosphate dehydrogenase



- Molecule 1: Glyceraldehyde 3-phosphate dehydrogenase





4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	115.60Å 115.60Å 223.90Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	8.00 – 2.20 16.64 – 2.18	Depositor EDS
% Data completeness (in resolution range)	(Not available) (8.00-2.20) 95.7 (16.64-2.18)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.05 (at 2.18Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.180 , 0.214 0.179 , 0.214	Depositor DCC
R_{free} test set	8350 reflections (10.03%)	DCC
Wilson B-factor (Å ²)	21.4	Xtriage
Anisotropy	0.184	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 63.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.019 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11045	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: G3H, NAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	O	0.28	0/2560	0.59	1/3473 (0.0%)
1	P	0.30	0/2560	0.61	0/3473
1	Q	0.29	0/2560	0.62	1/3473 (0.0%)
1	R	0.30	0/2560	0.62	1/3473 (0.0%)
All	All	0.29	0/10240	0.61	3/13892 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	R	203	ILE	N-CA-C	-5.61	95.84	111.00
1	Q	203	ILE	N-CA-C	-5.56	96.00	111.00
1	O	203	ILE	N-CA-C	-5.25	96.84	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	O	2524	0	2572	44	0
1	P	2524	0	2572	37	0
1	Q	2524	0	2572	40	0
1	R	2524	0	2572	46	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	O	44	0	26	0	0
2	P	44	0	26	0	0
2	Q	44	0	26	0	0
2	R	44	0	26	0	0
3	O	10	0	5	0	0
3	P	10	0	5	1	0
3	Q	10	0	5	1	0
3	R	10	0	5	1	0
4	O	143	0	0	1	0
4	P	199	0	0	5	0
4	Q	184	0	0	2	0
4	R	207	0	0	2	0
All	All	11045	0	10412	158	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (158) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:R:329:ALA:HA	1:R:333:LEU:HD11	1.57	0.83
1:Q:329:ALA:HA	1:Q:333:LEU:HD21	1.59	0.82
1:O:329:ALA:HA	1:O:333:LEU:HD21	1.64	0.78
1:Q:301:ASP:HB3	1:R:169:ARG:HD3	1.75	0.68
1:R:159:LYS:O	1:R:163:GLU:HG3	1.97	0.65
1:O:102:ARG:HD2	1:O:123:ASN:O	1.97	0.64
1:P:186:ASP:HA	1:P:196:ALA:O	1.99	0.63
1:Q:249:GLU:OE2	1:Q:302:GLY:HA3	1.99	0.62
1:O:82:LEU:HD13	1:O:84:TRP:CZ2	2.34	0.62
4:P:2366:HOH:O	1:Q:188:PRO:HD3	2.00	0.62
1:Q:184:ILE:HG22	1:Q:185:LEU:HG	1.81	0.62
1:R:329:ALA:HA	1:R:333:LEU:CD1	2.30	0.61
1:O:155:ALA:HB3	1:O:156:PRO:HD3	1.83	0.60
1:O:144:ILE:N	1:O:144:ILE:HD12	2.16	0.60
1:R:77:ARG:HB2	1:R:77:ARG:NH1	2.15	0.60
1:Q:82:LEU:HD13	1:Q:84:TRP:CZ2	2.38	0.58
1:R:186:ASP:HA	1:R:196:ALA:O	2.02	0.58
1:Q:102:ARG:HD2	1:Q:123:ASN:O	2.03	0.58
1:O:45:LYS:HD2	1:O:46:TYR:CE2	2.39	0.58
1:Q:169:ARG:HD3	1:R:301:ASP:HB3	1.84	0.58
1:O:0:ALA:HB3	1:O:24:ASP:O	2.04	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:P:22:ASN:HB3	1:P:25:ILE:HG22	1.87	0.57
1:P:188:PRO:HD3	4:Q:2508:HOH:O	2.05	0.56
1:R:45:LYS:HE2	1:R:52:ARG:HH12	1.69	0.56
1:O:281:ARG:HG2	1:P:202:SER:OG	2.06	0.56
1:R:45:LYS:CE	1:R:52:ARG:HH12	2.19	0.56
1:R:139:LYS:HA	1:R:139:LYS:HE3	1.89	0.55
1:R:144:ILE:HD12	1:R:144:ILE:N	2.22	0.55
1:P:179:THR:OG1	1:P:231:ARG:NH2	2.39	0.55
1:O:2:LYS:HE3	1:O:28:VAL:HG11	1.90	0.54
1:O:79:PRO:HA	1:O:82:LEU:HG	1.89	0.54
1:R:90:ASP:HB3	1:R:333:LEU:HD23	1.90	0.54
1:P:187:LEU:O	1:P:196:ALA:HB1	2.07	0.54
1:Q:236:ASN:O	1:Q:237:VAL:HB	2.08	0.54
1:Q:77:ARG:NH1	1:Q:77:ARG:HB2	2.22	0.54
1:Q:159:LYS:O	1:Q:163:GLU:HG3	2.08	0.54
1:O:65:VAL:HG22	1:O:70:GLU:HG2	1.90	0.54
1:Q:169:ARG:NH2	1:R:303:LYS:HE3	2.22	0.54
1:P:155:ALA:HB3	1:P:156:PRO:HD3	1.89	0.53
1:Q:1:VAL:CG1	1:Q:25:ILE:HD13	2.38	0.53
1:R:155:ALA:HB3	1:R:156:PRO:HD3	1.90	0.53
1:R:135:ASP:OD2	1:R:136:LYS:HE3	2.09	0.53
1:O:186:ASP:HA	1:O:196:ALA:O	2.09	0.53
1:P:122:ALA:C	1:P:122(A):LYS:HD3	2.30	0.53
1:Q:144:ILE:HD12	1:Q:144:ILE:N	2.24	0.53
1:R:236:ASN:OD1	1:R:314:GLU:HG3	2.08	0.53
1:O:56:GLU:O	1:O:66:VAL:HA	2.09	0.53
1:P:139:LYS:O	1:P:139:LYS:HD2	2.09	0.53
1:O:129:VAL:HG23	1:O:217:VAL:HG11	1.91	0.52
1:P:266:GLU:HG3	1:P:267:LEU:HG	1.91	0.52
1:R:332:GLY:C	1:R:333:LEU:HD12	2.30	0.52
1:O:98:ARG:HE	1:O:98:ARG:HA	1.75	0.52
1:R:184:ILE:HG22	1:R:185:LEU:HG	1.91	0.52
1:O:138(A):PRO:HG2	1:O:139:LYS:HD2	1.91	0.52
1:O:159:LYS:O	1:O:163:GLU:HG3	2.10	0.52
1:O:208:THR:HG22	1:O:228:MET:HA	1.92	0.51
1:P:159:LYS:O	1:P:163:GLU:HG3	2.10	0.51
4:P:1591:HOH:O	1:Q:281:ARG:NH2	2.42	0.51
1:Q:187:LEU:O	1:Q:196:ALA:HB1	2.11	0.51
1:P:3:VAL:HG21	1:P:25:ILE:HG13	1.92	0.51
1:P:184:ILE:HG22	1:P:185:LEU:HG	1.91	0.51
1:Q:101:LYS:HE3	4:Q:3607:HOH:O	2.11	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:155:ALA:HB3	1:Q:156:PRO:HD3	1.94	0.50
3:P:2337:G3H:H11	4:P:2608:HOH:O	2.12	0.49
1:P:144:ILE:HD12	1:P:144:ILE:N	2.27	0.49
1:R:122:ALA:C	1:R:122(A):LYS:HD3	2.32	0.49
1:P:63:ASN:ND2	1:P:73:VAL:H	2.10	0.49
1:Q:281:ARG:HG2	1:R:202:SER:OG	2.12	0.49
1:O:236:ASN:O	1:O:237:VAL:HB	2.13	0.49
1:O:300:ILE:HD11	1:P:226:ASN:HB2	1.95	0.49
1:O:139:LYS:HD2	1:O:139:LYS:N	2.27	0.48
1:Q:56:GLU:O	1:Q:66:VAL:HA	2.13	0.48
1:R:77:ARG:HB2	1:R:77:ARG:HH11	1.77	0.48
1:R:172:MET:HG2	1:R:211:ALA:HB2	1.96	0.48
1:Q:236:ASN:OD1	1:Q:314:GLU:HG3	2.13	0.47
1:R:187:LEU:O	1:R:196:ALA:HB1	2.14	0.47
1:Q:176:HIS:HB3	1:Q:231:ARG:HD3	1.95	0.47
1:R:176:HIS:HB3	1:R:231:ARG:HD3	1.96	0.47
1:O:178:TYR:HA	1:O:182:GLN:OE1	2.14	0.47
1:O:233:PRO:HB2	1:P:233:PRO:HB2	1.97	0.47
1:P:260:LYS:O	1:P:264:GLU:HG3	2.15	0.47
1:R:63:ASN:HB3	1:R:70:GLU:HG3	1.97	0.47
1:P:122:ALA:O	1:P:122(A):LYS:HD3	2.15	0.47
1:Q:129:VAL:HG23	1:Q:217:VAL:HG11	1.97	0.47
1:P:176:HIS:O	1:P:231:ARG:HA	2.15	0.46
1:P:64:LEU:HB2	1:P:71:ILE:HB	1.96	0.46
1:R:101:LYS:HE3	1:R:104:ASP:OD2	2.15	0.46
1:O:187:LEU:O	1:O:196:ALA:HB1	2.15	0.46
1:O:333:LEU:N	1:O:333:LEU:HD22	2.29	0.46
1:Q:300:ILE:HG23	1:Q:304:MET:HB3	1.97	0.46
1:O:87:ILE:HG13	1:O:89:VAL:HG23	1.98	0.46
1:R:236:ASN:O	1:R:237:VAL:HB	2.15	0.46
1:O:11:ILE:O	1:O:15:VAL:HG23	2.16	0.46
4:P:2592:HOH:O	1:Q:185:LEU:HD22	2.15	0.46
1:P:179:THR:HG23	1:P:231:ARG:NH2	2.31	0.46
1:R:119:SER:HB2	1:R:317:TYR:HE2	1.81	0.46
1:R:333:LEU:HD12	1:R:333:LEU:N	2.31	0.45
1:P:329:ALA:HA	1:P:333:LEU:HD21	1.98	0.45
1:R:185:LEU:O	1:R:186:ASP:C	2.54	0.45
1:R:98:ARG:HA	1:R:98:ARG:NE	2.31	0.45
1:O:45:LYS:HG3	1:O:52:ARG:CZ	2.46	0.45
1:O:71:ILE:HD12	1:O:71:ILE:N	2.30	0.45
1:P:236:ASN:O	1:P:237:VAL:HB	2.14	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:P:45:LYS:NZ	1:P:52:ARG:HD3	2.31	0.45
1:Q:41:ALA:O	1:Q:45:LYS:HG3	2.17	0.45
1:P:251:THR:OG1	1:P:254:GLU:HG3	2.16	0.45
1:Q:329:ALA:HA	1:Q:333:LEU:CD2	2.39	0.45
1:Q:149:ALA:HB3	3:Q:3337:G3H:O1	2.17	0.45
1:P:62:ASN:O	1:P:73:VAL:HB	2.16	0.45
1:O:154:LEU:HD22	1:O:172:MET:CE	2.47	0.45
1:O:281:ARG:NH2	4:R:1587:HOH:O	2.49	0.45
1:Q:159:LYS:HB2	1:Q:218:LEU:HD11	1.98	0.45
1:P:22:ASN:HB3	1:P:25:ILE:CG2	2.47	0.45
1:P:185:LEU:O	1:P:186:ASP:C	2.55	0.44
1:R:102:ARG:HD2	1:R:123:ASN:O	2.16	0.44
1:R:136:LYS:HA	1:R:136:LYS:HD3	1.78	0.44
1:Q:45:LYS:HG2	1:Q:57:VAL:HB	2.00	0.44
1:R:191:LYS:HG2	4:R:4436:HOH:O	2.17	0.43
1:R:77:ARG:HH11	1:R:77:ARG:CB	2.31	0.43
1:O:138:ASP:HA	1:O:138(A):PRO:HD2	1.88	0.43
1:O:90:ASP:O	1:O:114:LYS:HB2	2.18	0.43
1:Q:333:LEU:N	1:Q:333:LEU:HD22	2.33	0.43
1:O:154:LEU:HD22	1:O:172:MET:HE2	2.00	0.43
1:Q:181:ASP:OD2	1:Q:195:ARG:NH1	2.49	0.43
1:R:208:THR:HG22	1:R:228:MET:HA	2.01	0.43
1:O:289:SER:OG	1:O:320:ARG:HD2	2.18	0.43
1:R:32:ASP:O	1:R:75:ALA:HA	2.18	0.43
1:O:305:VAL:HG22	1:O:306:LYS:N	2.34	0.42
1:P:238:SER:HB2	1:P:311:TYR:CZ	2.54	0.42
1:O:171:MET:HA	1:O:226:ASN:O	2.19	0.42
1:O:300:ILE:HD11	1:P:226:ASN:CB	2.49	0.42
1:Q:128:ILE:HD11	1:Q:137:TYR:HB2	2.01	0.42
1:R:1:VAL:HG12	1:R:24:ASP:O	2.19	0.42
1:P:79:PRO:HG2	1:P:107:LYS:CD	2.50	0.42
1:P:178:TYR:HA	1:P:182:GLN:OE1	2.20	0.42
4:O:4504:HOH:O	1:R:188:PRO:HD3	2.18	0.42
1:O:260:LYS:O	1:O:264:GLU:HG3	2.20	0.42
1:R:174:THR:HG23	1:R:174:THR:O	2.20	0.42
1:Q:202:SER:OG	1:R:281:ARG:HG2	2.20	0.42
1:O:263:ALA:O	1:O:268:LYS:HA	2.19	0.42
1:Q:64:LEU:HG	1:Q:73:VAL:CG2	2.49	0.42
1:P:212:LYS:HE3	4:P:1606:HOH:O	2.20	0.41
1:R:249:GLU:OE2	1:R:303:LYS:HG3	2.20	0.41
1:P:213:ALA:O	1:P:216:LEU:HB2	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:Q:266:GLU:HG2	1:Q:267:LEU:HG	2.03	0.41
1:O:176:HIS:HB3	1:O:231:ARG:HD3	2.03	0.41
1:Q:190:HIS:HB3	1:Q:196:ALA:HB2	2.03	0.41
1:O:240:VAL:HG23	1:O:311:TYR:CE1	2.56	0.41
1:P:242:LEU:O	1:P:306:LYS:HA	2.21	0.41
1:Q:256:ASN:HA	1:Q:256:ASN:HD22	1.64	0.41
1:R:126:ILE:HD13	1:R:128:ILE:HD11	2.02	0.41
1:R:176:HIS:NE2	3:R:4337:G3H:C1	2.84	0.40
1:Q:176:HIS:O	1:Q:231:ARG:HA	2.22	0.40
1:R:22:ASN:HA	1:R:23:PRO:HD2	1.95	0.40
1:O:25:ILE:HG13	1:O:322:VAL:HG13	2.01	0.40
1:O:320:ARG:NE	1:O:320:ARG:HA	2.36	0.40
1:P:79:PRO:HG2	1:P:107:LYS:HD2	2.04	0.40
1:Q:245:GLU:HG3	1:R:245:GLU:OE1	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	O	332/334 (99%)	312 (94%)	18 (5%)	2 (1%)	28	29
1	P	332/334 (99%)	314 (95%)	16 (5%)	2 (1%)	28	29
1	Q	332/334 (99%)	313 (94%)	16 (5%)	3 (1%)	20	18
1	R	332/334 (99%)	316 (95%)	14 (4%)	2 (1%)	28	29
All	All	1328/1336 (99%)	1255 (94%)	64 (5%)	9 (1%)	25	24

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	O	186	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	O	237	VAL
1	P	186	ASP
1	P	237	VAL
1	Q	237	VAL
1	Q	302	GLY
1	R	186	ASP
1	R	237	VAL
1	Q	198	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	O	271/271 (100%)	266 (98%)	5 (2%)	64	77
1	P	271/271 (100%)	269 (99%)	2 (1%)	87	93
1	Q	271/271 (100%)	269 (99%)	2 (1%)	87	93
1	R	271/271 (100%)	267 (98%)	4 (2%)	70	82
All	All	1084/1084 (100%)	1071 (99%)	13 (1%)	75	86

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	O	52	ARG
1	O	98	ARG
1	O	135	ASP
1	O	172	MET
1	O	246	LEU
1	P	172	MET
1	P	246	LEU
1	Q	172	MET
1	Q	246	LEU
1	R	70	GLU
1	R	139	LYS
1	R	212	LYS
1	R	246	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	O	38	ASN
1	O	123	ASN
1	O	146	ASN
1	O	164	GLN
1	O	256	ASN
1	P	38	ASN
1	P	63	ASN
1	P	81	ASN
1	P	146	ASN
1	P	164	GLN
1	P	256	ASN
1	Q	62	ASN
1	Q	63	ASN
1	Q	81	ASN
1	Q	146	ASN
1	Q	152	ASN
1	Q	164	GLN
1	Q	256	ASN
1	R	38	ASN
1	R	60	ASN
1	R	81	ASN
1	R	146	ASN
1	R	256	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	NAD	O	1336	-	41,48,48	1.02	3 (7%)	43,73,73	1.94	4 (9%)
3	G3H	O	1337	-	9,9,9	1.15	0	10,12,12	1.56	3 (30%)
2	NAD	P	2336	-	41,48,48	1.10	4 (9%)	43,73,73	2.07	6 (13%)
3	G3H	P	2337	-	9,9,9	1.37	1 (11%)	10,12,12	1.75	3 (30%)
2	NAD	Q	3336	-	41,48,48	1.10	3 (7%)	43,73,73	2.05	3 (6%)
3	G3H	Q	3337	-	9,9,9	1.44	2 (22%)	10,12,12	1.76	3 (30%)
2	NAD	R	4336	-	41,48,48	1.06	3 (7%)	43,73,73	1.94	5 (11%)
3	G3H	R	4337	-	9,9,9	1.38	1 (11%)	10,12,12	1.61	3 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	O	1336	-	-	0/22/62/62	0/5/5/5
3	G3H	O	1337	-	-	0/6/8/8	0/0/0/0
2	NAD	P	2336	-	-	0/22/62/62	0/5/5/5
3	G3H	P	2337	-	-	0/6/8/8	0/0/0/0
2	NAD	Q	3336	-	-	0/22/62/62	0/5/5/5
3	G3H	Q	3337	-	-	0/6/8/8	0/0/0/0
2	NAD	R	4336	-	-	0/22/62/62	0/5/5/5
3	G3H	R	4337	-	-	0/6/8/8	0/0/0/0

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	P	2336	NAD	C5A-N7A	-2.11	1.32	1.39
2	O	1336	NAD	C5A-N7A	-2.02	1.32	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	Q	3337	G3H	P-O1P	2.11	1.67	1.60
2	R	4336	NAD	O4D-C1D	2.17	1.44	1.41
2	P	2336	NAD	O4B-C1B	2.21	1.44	1.41
3	R	4337	G3H	C3-C2	2.21	1.54	1.51
3	P	2337	G3H	C3-C2	2.37	1.55	1.51
2	R	4336	NAD	O4B-C1B	2.45	1.44	1.41
2	Q	3336	NAD	O4B-C1B	2.51	1.44	1.41
3	Q	3337	G3H	C3-C2	2.54	1.55	1.51
2	O	1336	NAD	C6N-N1N	2.67	1.42	1.35
2	Q	3336	NAD	C6N-N1N	2.79	1.42	1.35
2	O	1336	NAD	O4D-C1D	2.83	1.45	1.41
2	Q	3336	NAD	O4D-C1D	2.94	1.45	1.41
2	P	2336	NAD	C6N-N1N	3.00	1.43	1.35
2	R	4336	NAD	C6N-N1N	3.02	1.43	1.35
2	P	2336	NAD	O4D-C1D	3.25	1.45	1.41

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	2336	NAD	N3A-C2A-N1A	-11.32	119.00	128.86
2	Q	3336	NAD	N3A-C2A-N1A	-11.20	119.11	128.86
2	O	1336	NAD	N3A-C2A-N1A	-10.63	119.60	128.86
2	R	4336	NAD	N3A-C2A-N1A	-10.45	119.76	128.86
3	Q	3337	G3H	O2-C2-C1	-2.97	102.89	109.02
3	P	2337	G3H	O2-C2-C1	-2.71	103.43	109.02
3	R	4337	G3H	O2-C2-C1	-2.60	103.67	109.02
3	O	1337	G3H	O2-C2-C1	-2.34	104.20	109.02
2	R	4336	NAD	C1B-N9A-C4A	-2.27	122.71	126.64
3	Q	3337	G3H	O1-C1-C2	-2.27	119.63	125.06
2	P	2336	NAD	C1B-N9A-C4A	-2.21	122.83	126.64
3	P	2337	G3H	O1-C1-C2	-2.19	119.83	125.06
3	R	4337	G3H	O1-C1-C2	-2.15	119.93	125.06
3	O	1337	G3H	O1-C1-C2	-2.14	119.94	125.06
2	P	2336	NAD	O2D-C2D-C3D	2.02	118.30	111.83
2	P	2336	NAD	C5N-C4N-C3N	2.07	122.78	120.35
2	O	1336	NAD	O2D-C2D-C3D	2.08	118.51	111.83
3	O	1337	G3H	P-O1P-C3	2.16	124.24	118.30
2	R	4336	NAD	C2A-N1A-C6A	2.29	122.77	118.77
2	R	4336	NAD	C5N-C4N-C3N	2.43	123.20	120.35
2	Q	3336	NAD	C2A-N1A-C6A	2.48	123.11	118.77
2	O	1336	NAD	C2A-N1A-C6A	2.48	123.12	118.77
3	R	4337	G3H	P-O1P-C3	2.86	126.18	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	O	1336	NAD	C4A-C5A-N7A	2.87	112.19	109.41
2	R	4336	NAD	C4A-C5A-N7A	2.89	112.20	109.41
2	P	2336	NAD	C2A-N1A-C6A	2.90	123.84	118.77
3	Q	3337	G3H	P-O1P-C3	3.02	126.62	118.30
2	P	2336	NAD	C4A-C5A-N7A	3.07	112.37	109.41
2	Q	3336	NAD	C4A-C5A-N7A	3.14	112.45	109.41
3	P	2337	G3H	P-O1P-C3	3.26	127.28	118.30

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	P	2337	G3H	1	0
3	Q	3337	G3H	1	0
3	R	4337	G3H	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	O	334/334 (100%)	-0.48	3 (0%) 84 83	12, 25, 43, 49	0
1	P	334/334 (100%)	-0.72	1 (0%) 93 93	10, 18, 32, 39	0
1	Q	334/334 (100%)	-0.63	2 (0%) 89 88	11, 21, 39, 46	0
1	R	334/334 (100%)	-0.73	1 (0%) 93 93	10, 18, 34, 42	0
All	All	1336/1336 (100%)	-0.64	7 (0%) 90 90	10, 21, 38, 49	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	O	0	ALA	3.8
1	Q	0	ALA	2.9
1	Q	23	PRO	2.8
1	O	69	LYS	2.6
1	P	191	LYS	2.1
1	O	79	PRO	2.1
1	R	54	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	G3H	R	4337	10/10	0.79	0.32	16.52	37,45,48,49	0
3	G3H	Q	3337	10/10	0.72	0.27	10.36	31,43,50,51	0
3	G3H	P	2337	10/10	0.68	0.32	8.29	33,46,53,55	0
3	G3H	O	1337	10/10	0.83	0.22	7.60	37,48,50,51	0
2	NAD	R	4336	44/44	0.98	0.07	-0.28	11,14,15,17	0
2	NAD	Q	3336	44/44	0.98	0.08	-0.40	16,18,21,22	0
2	NAD	P	2336	44/44	0.98	0.06	-0.66	12,14,16,18	0
2	NAD	O	1336	44/44	0.97	0.07	-0.75	11,18,22,25	0

6.5 Other polymers [i](#)

There are no such residues in this entry.