



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 12:33 am GMT

PDB ID : 1NRN
Title : CRYSTALLOGRAPHIC STRUCTURES OF THROMBIN COMPLEXED
WITH THROMBIN RECEPTOR PEPTIDES: EXISTENCE OF EX-
PECTED AND NOVEL BINDING MODES
Authors : Tulinsky, A.; Mathews, I.I.
Deposited on : 1994-01-18
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	1099 (3.12-3.08)
Ramachandran outliers	110173	1057 (3.12-3.08)
Sidechain outliers	110143	1057 (3.12-3.08)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	L	36	
2	H	259	
3	R	23	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2515 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALPHA-THROMBIN (SMALL SUBUNIT).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	29	Total	C	N	O	S	0	0	0
			240	149	41	49	1			

- Molecule 2 is a protein called ALPHA-THROMBIN (LARGE SUBUNIT).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	247	Total	C	N	O	S	0	0	0
			1999	1276	355	354	14			

- Molecule 3 is a protein called RECEPTOR BASED PEPTIDE NRS.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	R	19	Total	C	N	O	0	0	0
			171	113	29	29			

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	H	85	Total	O	0	0
			85	85		
4	L	14	Total	O	0	0
			14	14		
4	R	6	Total	O	0	0
			6	6		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


• Molecule 1: ALPHA-THROMBIN (SMALL SUBUNIT)

Chain L: 



• Molecule 2: ALPHA-THROMBIN (LARGE SUBUNIT)

Chain H: 



• Molecule 3: RECEPTOR BASED PEPTIDE NRS

Chain R: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	129.80Å 51.90Å 63.30Å 90.00° 101.00° 90.00°	Depositor
Resolution (Å)	7.00 – 3.10	Depositor
% Data completeness (in resolution range)	(Not available) (7.00-3.10)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, R_{free}	0.179 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	2515	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	L	1.11	0/242	1.38	4/321 (1.2%)
2	H	1.01	0/2050	1.34	24/2768 (0.9%)
3	R	1.11	0/178	1.53	2/242 (0.8%)
All	All	1.03	0/2470	1.36	30/3331 (0.9%)

There are no bond length outliers.

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	233	ARG	NE-CZ-NH1	7.88	124.24	120.30
2	H	35	ARG	NE-CZ-NH2	7.59	124.09	120.30
2	H	50	ARG	NE-CZ-NH2	7.47	124.04	120.30
2	H	93	ARG	NE-CZ-NH2	7.47	124.03	120.30
2	H	67	ARG	NE-CZ-NH2	7.39	124.00	120.30
2	H	97	ARG	NE-CZ-NH2	7.39	124.00	120.30
2	H	126	ARG	NE-CZ-NH2	7.37	123.98	120.30
2	H	73	ARG	NE-CZ-NH2	7.36	123.98	120.30
2	H	75	ARG	NE-CZ-NH2	7.31	123.96	120.30
2	H	187	ARG	NE-CZ-NH2	7.30	123.95	120.30
1	L	4	ARG	NE-CZ-NH2	7.25	123.92	120.30
1	L	14(D)	ARG	NE-CZ-NH2	7.22	123.91	120.30
2	H	77(A)	ARG	NE-CZ-NH2	7.07	123.83	120.30
2	H	175	ARG	NE-CZ-NH2	6.98	123.79	120.30
2	H	137	ARG	NE-CZ-NH2	6.96	123.78	120.30
1	L	15	ARG	NE-CZ-NH2	6.81	123.70	120.30
2	H	101	ARG	NE-CZ-NH2	6.77	123.69	120.30
3	R	41	ARG	NE-CZ-NH2	6.38	123.49	120.30
2	H	206	ARG	NE-CZ-NH2	6.33	123.47	120.30
2	H	32	MET	CG-SD-CE	6.24	110.19	100.20
2	H	84	MET	CG-SD-CE	6.01	109.81	100.20
2	H	180	MET	CG-SD-CE	5.98	109.77	100.20
2	H	106	MET	CG-SD-CE	5.96	109.75	100.20
2	H	210	MET	CG-SD-CE	5.80	109.48	100.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	1(A)	ASP	CB-CA-C	5.79	121.97	110.40
2	H	201	MET	CG-SD-CE	5.69	109.30	100.20
2	H	173	ARG	NE-CZ-NH2	5.60	123.10	120.30
2	H	221(A)	ARG	NE-CZ-NH2	5.45	123.03	120.30
2	H	99	LEU	O-C-N	5.45	131.42	122.70
3	R	46	ARG	NE-CZ-NH2	5.18	122.89	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	240	0	240	24	0
2	H	1999	0	1986	135	0
3	R	171	0	160	34	0
4	H	85	0	0	0	0
4	L	14	0	0	0	0
4	R	6	0	0	0	0
All	All	2515	0	2386	180	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 38.

All (180) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:R:53:GLU:HG2	3:R:54:PRO:CD	1.85	1.07
2:H:47:ILE:HG21	2:H:53:LEU:HD12	1.35	1.06
2:H:68:ILE:HD12	2:H:112:VAL:HG11	1.37	1.04
2:H:76:TYR:CZ	2:H:77(A):ARG:HA	1.95	1.01
3:R:53:GLU:CG	3:R:54:PRO:HD2	1.92	1.00
3:R:53:GLU:HG2	3:R:54:PRO:HD2	1.00	0.99
1:L:14(D):ARG:O	1:L:14(H):GLU:HG3	1.63	0.97
2:H:59:LEU:HD13	2:H:88:ILE:HD13	1.51	0.93

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:41:LEU:HD21	2:H:60(H):PHE:CE2	2.04	0.92
3:R:39:ASP:HB3	3:R:40:PRO:HD2	1.55	0.86
2:H:47:ILE:HG21	2:H:53:LEU:CD1	2.04	0.86
3:R:52:TYR:CD1	3:R:52:TYR:N	2.48	0.81
3:R:50:ASP:O	3:R:51:LYS:HE2	1.83	0.79
2:H:57:HIS:HD1	2:H:99:LEU:HD13	1.47	0.78
2:H:24:ILE:CG2	2:H:117:TYR:HE2	1.97	0.78
2:H:35:ARG:O	2:H:38:GLN:HA	1.84	0.77
2:H:91:HIS:CD2	2:H:92:PRO:HD2	2.20	0.77
2:H:185:LYS:HB3	2:H:186:PRO:HD2	1.65	0.76
2:H:76:TYR:CE2	2:H:77(A):ARG:HA	2.20	0.76
2:H:108:LEU:HD12	2:H:112:VAL:HG21	1.65	0.75
2:H:221:ASP:O	2:H:221:ASP:CG	2.24	0.74
2:H:174:ILE:HD11	3:R:38:LEU:HD13	1.71	0.73
2:H:60(D):TRP:CD2	3:R:53:GLU:HG3	2.24	0.73
2:H:60(D):TRP:CE3	3:R:53:GLU:HG3	2.24	0.73
1:L:14(D):ARG:O	1:L:14(H):GLU:CG	2.36	0.71
2:H:221:ASP:O	2:H:221:ASP:OD1	2.09	0.69
2:H:47:ILE:HD13	2:H:53:LEU:HD12	1.73	0.69
2:H:35:ARG:HG2	2:H:37:PRO:O	1.94	0.68
2:H:34:PHE:CZ	2:H:38:GLN:HB3	2.29	0.67
2:H:60(I):THR:HG22	2:H:62:ASN:H	1.59	0.67
2:H:60(I):THR:CG2	2:H:62:ASN:HD22	2.07	0.67
3:R:47:ASN:H	3:R:48:PRO:HD2	1.60	0.67
2:H:60(A):TYR:HH	3:R:38:LEU:N	1.93	0.66
2:H:36(A):SER:HA	2:H:37:PRO:C	2.15	0.66
2:H:81:LYS:CE	2:H:118:ILE:HD12	2.26	0.66
2:H:114:PHE:HB3	2:H:118:ILE:O	1.96	0.66
2:H:68:ILE:HD12	2:H:112:VAL:CG1	2.21	0.66
3:R:39:ASP:HB3	3:R:40:PRO:CD	2.26	0.65
3:R:52:TYR:HD1	3:R:52:TYR:N	1.92	0.65
2:H:60(I):THR:HG22	2:H:62:ASN:HD22	1.61	0.65
2:H:81:LYS:CE	2:H:118:ILE:CD1	2.75	0.65
3:R:41:ARG:HD3	3:R:54:PRO:HG3	1.80	0.64
2:H:136:GLY:HA3	2:H:199:PHE:CZ	2.34	0.63
2:H:60(B):PRO:HG2	2:H:96:TRP:CE2	2.34	0.62
2:H:108:LEU:HD12	2:H:112:VAL:CG2	2.29	0.62
2:H:134:TYR:HD1	2:H:134:TYR:N	1.97	0.62
2:H:17:VAL:O	2:H:188:GLY:HA2	1.99	0.62
2:H:60(B):PRO:HG2	2:H:96:TRP:CD2	2.35	0.61
2:H:105:LEU:HD13	2:H:241:VAL:CG2	2.29	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:60(I):THR:CG2	2:H:61:GLU:N	2.64	0.60
3:R:39:ASP:CB	3:R:40:PRO:HD2	2.27	0.59
2:H:134:TYR:CD1	2:H:134:TYR:N	2.69	0.58
1:L:14(G):LEU:C	1:L:14(G):LEU:HD23	2.24	0.58
1:L:3:LEU:HD23	1:L:9:LYS:HG3	1.85	0.58
3:R:39:ASP:CB	3:R:40:PRO:CD	2.81	0.57
2:H:57:HIS:CD2	2:H:57:HIS:C	2.77	0.57
3:R:49:ASN:O	3:R:49:ASN:ND2	2.37	0.57
2:H:73:ARG:HB2	2:H:141:TRP:CD1	2.40	0.57
2:H:52:VAL:O	2:H:105:LEU:HA	2.05	0.56
2:H:22:ALA:CB	2:H:155:LEU:HD23	2.34	0.56
2:H:164:GLU:HB2	2:H:166:PRO:HD2	1.88	0.56
1:L:14(E):GLU:O	1:L:14(E):GLU:HG2	2.03	0.56
2:H:60(I):THR:CG2	2:H:62:ASN:ND2	2.68	0.56
2:H:105:LEU:HD13	2:H:241:VAL:HG21	1.87	0.55
2:H:160:LEU:HD22	2:H:184:GLY:HA2	1.89	0.55
2:H:81:LYS:NZ	2:H:118:ILE:HD12	2.22	0.54
2:H:60(B):PRO:HG2	2:H:96:TRP:CE3	2.43	0.54
3:R:43:PHE:CD1	3:R:44:LEU:HD23	2.42	0.54
2:H:182:CYS:HA	2:H:226:GLY:O	2.07	0.54
2:H:185:LYS:HB3	2:H:186:PRO:CD	2.37	0.53
2:H:62:ASN:C	2:H:64:LEU:H	2.11	0.53
3:R:47:ASN:N	3:R:48:PRO:HD2	2.23	0.53
2:H:47:ILE:CG2	2:H:53:LEU:HD12	2.25	0.53
2:H:85:LEU:HD22	2:H:106:MET:HB3	1.89	0.53
3:R:47:ASN:HB2	3:R:48:PRO:HD3	1.90	0.53
2:H:36(A):SER:HA	2:H:38:GLN:N	2.24	0.53
2:H:60(B):PRO:HG2	2:H:96:TRP:CZ2	2.43	0.53
2:H:60(I):THR:HG22	2:H:62:ASN:ND2	2.25	0.52
2:H:216:GLY:H	3:R:40:PRO:HA	1.74	0.52
2:H:197:GLY:O	2:H:213:VAL:HG23	2.09	0.52
3:R:47:ASN:CB	3:R:48:PRO:HD3	2.40	0.52
1:L:8:GLU:HG3	2:H:205:ASN:OD1	2.10	0.52
2:H:57:HIS:HE1	2:H:214:SER:O	1.92	0.51
2:H:60(B):PRO:C	2:H:60(D):TRP:H	2.12	0.51
2:H:107:LYS:O	2:H:108:LEU:C	2.48	0.51
2:H:174:ILE:HG21	2:H:215:TRP:CH2	2.46	0.51
2:H:221(A):ARG:HG2	2:H:222:ASP:N	2.26	0.51
1:L:14(K):ILE:HD12	1:L:14(K):ILE:C	2.31	0.51
2:H:60(B):PRO:O	2:H:60(D):TRP:N	2.44	0.51
1:L:14(D):ARG:O	1:L:14(H):GLU:CD	2.49	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:185:LYS:CB	2:H:186:PRO:HD2	2.38	0.50
2:H:60(B):PRO:HG2	2:H:96:TRP:CZ3	2.46	0.50
2:H:60(B):PRO:HG2	2:H:96:TRP:CH2	2.47	0.49
3:R:47:ASN:N	3:R:48:PRO:CD	2.75	0.49
1:L:14(G):LEU:O	1:L:14(G):LEU:HD23	2.12	0.49
2:H:21:ASP:OD1	2:H:21:ASP:N	2.45	0.49
2:H:144:LEU:HG	2:H:152:PRO:HD3	1.94	0.49
2:H:216:GLY:N	3:R:40:PRO:HA	2.27	0.49
1:L:1:CYS:C	2:H:122:CYS:SG	2.91	0.49
1:L:6:LEU:O	1:L:7:PHE:CD1	2.66	0.48
1:L:6:LEU:C	1:L:7:PHE:CD1	2.87	0.48
2:H:60(B):PRO:CG	2:H:96:TRP:CE2	2.96	0.48
3:R:52:TYR:HD1	3:R:52:TYR:H	1.57	0.48
2:H:211:GLY:HA2	2:H:231:VAL:HG23	1.94	0.48
2:H:186(A):ASP:O	2:H:186(B):GLU:C	2.51	0.48
2:H:165:ARG:N	2:H:166:PRO:HD2	2.27	0.48
3:R:51:LYS:HA	3:R:52:TYR:HD1	1.78	0.48
2:H:81:LYS:HE2	2:H:118:ILE:CD1	2.43	0.48
2:H:16:ILE:HD13	2:H:194:ASP:OD2	2.13	0.48
2:H:22:ALA:HB2	2:H:155:LEU:HD23	1.96	0.47
2:H:81:LYS:HE3	2:H:118:ILE:CD1	2.44	0.47
3:R:41:ARG:CD	3:R:54:PRO:HG3	2.43	0.47
2:H:117:TYR:CD1	2:H:117:TYR:N	2.82	0.47
2:H:24:ILE:HG22	2:H:117:TYR:HE2	1.76	0.47
1:L:14(D):ARG:HG3	1:L:14(H):GLU:OE2	2.14	0.47
2:H:42:CYS:HB3	2:H:195:SER:O	2.14	0.47
2:H:60(I):THR:HG22	2:H:61:GLU:N	2.29	0.47
2:H:163:VAL:HG23	2:H:183:ALA:HA	1.96	0.47
3:R:43:PHE:HD1	3:R:44:LEU:HD23	1.79	0.47
2:H:24:ILE:HG22	2:H:117:TYR:CE2	2.50	0.47
2:H:61:GLU:OE1	2:H:61:GLU:N	2.48	0.46
2:H:33:LEU:O	2:H:41:LEU:HB2	2.16	0.46
1:L:14(K):ILE:O	1:L:14(L):ASP:HB3	2.16	0.46
1:L:4:ARG:HH12	2:H:137:ARG:NH2	2.14	0.46
1:L:14(E):GLU:CG	1:L:14(E):GLU:O	2.64	0.45
2:H:165:ARG:N	2:H:166:PRO:CD	2.78	0.45
2:H:41:LEU:HD21	2:H:60(H):PHE:CD2	2.49	0.45
2:H:174:ILE:HG21	2:H:215:TRP:CZ2	2.52	0.45
3:R:51:LYS:HA	3:R:52:TYR:CD1	2.52	0.45
2:H:186(A):ASP:O	2:H:186(C):GLY:N	2.48	0.45
1:L:4:ARG:HH12	2:H:137:ARG:HH22	1.64	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:36(A):SER:CA	2:H:37:PRO:C	2.85	0.45
2:H:59:LEU:HD13	2:H:88:ILE:CD1	2.34	0.45
2:H:24:ILE:CD1	2:H:71:HIS:CD2	3.01	0.44
3:R:47:ASN:H	3:R:48:PRO:CD	2.29	0.44
2:H:184(A):TYR:HD1	2:H:186(B):GLU:OE2	2.00	0.44
1:L:7:PHE:HE2	1:L:14:ASP:HA	1.82	0.44
2:H:105:LEU:HD12	2:H:237:TRP:CH2	2.52	0.44
2:H:16:ILE:N	2:H:194:ASP:OD2	2.50	0.44
2:H:126:ARG:HH11	2:H:126:ARG:HG2	1.82	0.43
2:H:34:PHE:HZ	2:H:38:GLN:HB3	1.78	0.43
2:H:54:THR:HG21	2:H:106:MET:CE	2.48	0.43
2:H:185:LYS:CB	2:H:186:PRO:CD	2.94	0.43
2:H:174:ILE:CD1	3:R:38:LEU:HD13	2.44	0.43
2:H:205:ASN:O	2:H:205:ASN:CG	2.57	0.43
1:L:1:CYS:O	2:H:122:CYS:SG	2.77	0.43
2:H:60(B):PRO:C	2:H:60(D):TRP:N	2.72	0.42
2:H:81:LYS:HB2	2:H:81:LYS:HE2	1.47	0.42
2:H:60(I):THR:HG21	2:H:62:ASN:HD22	1.82	0.42
2:H:106:MET:O	2:H:108:LEU:N	2.53	0.42
1:L:14(F):LEU:HD23	2:H:207:TRP:CH2	2.55	0.42
2:H:35:ARG:HB3	2:H:39:GLU:N	2.35	0.42
3:R:51:LYS:HG3	3:R:52:TYR:H	1.85	0.42
2:H:103:ILE:HG12	2:H:237:TRP:CZ3	2.55	0.42
2:H:24:ILE:HG23	2:H:117:TYR:HE2	1.81	0.42
1:L:14(B):THR:C	1:L:14(D):ARG:H	2.21	0.42
1:L:14(K):ILE:O	1:L:14(L):ASP:CB	2.66	0.42
2:H:41:LEU:HD21	2:H:60(H):PHE:HE2	1.74	0.42
2:H:86:GLU:HB2	2:H:109:LYS:HA	2.02	0.42
2:H:105:LEU:HD13	2:H:241:VAL:HG22	1.99	0.42
2:H:57:HIS:HD2	2:H:57:HIS:C	2.23	0.42
1:L:6:LEU:C	1:L:7:PHE:HD1	2.23	0.42
2:H:136:GLY:O	2:H:159:ASN:HA	2.20	0.41
1:L:14(F):LEU:HD12	1:L:14(F):LEU:HA	1.85	0.41
2:H:53:LEU:CD2	2:H:212:ILE:HD11	2.51	0.41
2:H:134:TYR:O	2:H:162:ILE:HG13	2.20	0.41
2:H:163:VAL:HB	2:H:182:CYS:SG	2.61	0.41
2:H:165:ARG:HB2	2:H:166:PRO:HD3	2.02	0.41
2:H:203:SER:HB3	2:H:204(B):ASN:ND2	2.35	0.41
2:H:229:THR:CG2	2:H:234:LEU:HD12	2.51	0.41
3:R:46:ARG:HD2	3:R:46:ARG:HA	1.82	0.41
2:H:103:ILE:HG13	2:H:104:ALA:N	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:204(B):ASN:HD22	2:H:205:ASN:N	2.19	0.41
2:H:60(I):THR:HG23	2:H:61:GLU:H	1.85	0.41
3:R:47:ASN:CB	3:R:48:PRO:CD	2.98	0.41
2:H:33:LEU:HD11	2:H:106:MET:CE	2.51	0.41
2:H:164:GLU:HG2	2:H:164:GLU:H	1.58	0.40
2:H:174:ILE:HG22	2:H:176:ILE:HD13	2.03	0.40
2:H:33:LEU:HD11	2:H:106:MET:HE3	2.04	0.40
2:H:164:GLU:C	2:H:166:PRO:HD2	2.41	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	27/36 (75%)	23 (85%)	4 (15%)	0	100	100
2	H	243/259 (94%)	219 (90%)	18 (7%)	6 (2%)	6	31
3	R	17/23 (74%)	9 (53%)	7 (41%)	1 (6%)	2	12
All	All	287/318 (90%)	251 (88%)	29 (10%)	7 (2%)	7	32

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	H	150	GLY
2	H	77(A)	ARG
2	H	107	LYS
2	H	186(B)	GLU
2	H	50	ARG
2	H	98	ASN
3	R	54	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	27/31 (87%)	21 (78%)	6 (22%)	1	4
2	H	216/225 (96%)	159 (74%)	57 (26%)	0	1
3	R	19/23 (83%)	8 (42%)	11 (58%)	0	0
All	All	262/279 (94%)	188 (72%)	74 (28%)	0	1

All (74) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	1(A)	ASP
1	L	3	LEU
1	L	8	GLU
1	L	10	LYS
1	L	14(A)	LYS
1	L	14(D)	ARG
2	H	20	SER
2	H	21	ASP
2	H	23	GLU
2	H	27	SER
2	H	28	PRO
2	H	35	ARG
2	H	36	LYS
2	H	41	LEU
2	H	50	ARG
2	H	53	LEU
2	H	57	HIS
2	H	60(F)	LYS
2	H	61	GLU
2	H	62	ASN
2	H	64	LEU
2	H	66	VAL
2	H	68	ILE
2	H	75	ARG
2	H	77(A)	ARG
2	H	78	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	H	79	ILE
2	H	81	LYS
2	H	82	ILE
2	H	94	TYR
2	H	97(A)	GLU
2	H	109	LYS
2	H	114	PHE
2	H	115	SER
2	H	125	ASP
2	H	126	ARG
2	H	127	GLU
2	H	129(B)	SER
2	H	138	VAL
2	H	139	THR
2	H	154	VAL
2	H	164	GLU
2	H	170	ASP
2	H	172	THR
2	H	173	ARG
2	H	174	ILE
2	H	175	ARG
2	H	182	CYS
2	H	186(A)	ASP
2	H	186(B)	GLU
2	H	187	ARG
2	H	192	GLU
2	H	195	SER
2	H	203	SER
2	H	204(B)	ASN
2	H	205	ASN
2	H	217	GLU
2	H	221	ASP
2	H	221(A)	ARG
2	H	233	ARG
2	H	235	LYS
2	H	239	GLN
2	H	241	VAL
3	R	38	LEU
3	R	39	ASP
3	R	41	ARG
3	R	42	SER
3	R	43	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	R	45	LEU
3	R	46	ARG
3	R	49	ASN
3	R	50	ASP
3	R	52	TYR
3	R	55	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
2	H	62	ASN
2	H	91	HIS
2	H	159	ASN
2	H	204(B)	ASN
2	H	239	GLN
3	R	49	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.