



Full wwPDB NMR Structure Validation Report ⓘ

Dec 7, 2017 – 09:06 AM EST

PDB ID : 5NWM
Title : Insight into the molecular recognition mechanism of the coactivator NCoA1 by STAT6
Authors : Russo, L.; Becker, S.; Griesinger, C.
Deposited on : unknown

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : rb-20030345
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 87%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	125131	11601
Ramachandran outliers	121729	10391
Sidechain outliers	121581	10367

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	132	
2	B	32	

2 Ensemble composition and analysis ⓘ

This entry contains 20 models. Model 10 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *minimized average structure*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:260-A:303, A:307-A:348, A:356-A:366 (97)	0.19	10

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters and 2 single-model clusters were found.

Cluster number	Models
1	1, 3, 4, 7, 9, 10, 11, 13, 14, 16, 17, 18, 19
2	8, 12, 15
3	2, 6
Single-model clusters	5; 20

3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2523 atoms, of which 1247 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Nuclear receptor coactivator 1.

Mol	Chain	Residues	Atoms						Trace
1	A	132	Total	C	H	N	O	S	0
			2041	641	1008	185	197	10	

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	254	GLY	-	expression tag	UNP Q15788
A	255	HIS	-	expression tag	UNP Q15788
A	256	MET	-	expression tag	UNP Q15788
A	343	ARG	LYS	engineered mutation	UNP Q15788

- Molecule 2 is a protein called Signal transducer and activator of transcription 6.


Mol	Chain	Residues	Atoms					Trace
2	B	32	Total	C	H	N	O	0
			482	157	239	36	50	

4 Residue-property plots [i](#)


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Nuclear receptor coactivator 1



- Molecule 2: Signal transducer and activator of transcription 6




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: Nuclear receptor coactivator 1



- Molecule 2: Signal transducer and activator of transcription 6


Chain B:  100%



4.2.2 Score per residue for model 2


- Molecule 1: Nuclear receptor coactivator 1

Chain A:  36% 28% 9% 27%



- Molecule 2: Signal transducer and activator of transcription 6


Chain B:  100%



4.2.3 Score per residue for model 3


- Molecule 1: Nuclear receptor coactivator 1

Chain A:  41% 31% 0% 27%




- Molecule 2: Signal transducer and activator of transcription 6

Chain B:  100%




4.2.4 Score per residue for model 4

- Molecule 1: Nuclear receptor coactivator 1




- Molecule 2: Signal transducer and activator of transcription 6




4.2.5 Score per residue for model 5

- Molecule 1: Nuclear receptor coactivator 1




- Molecule 2: Signal transducer and activator of transcription 6




4.2.6 Score per residue for model 6

- Molecule 1: Nuclear receptor coactivator 1



- Molecule 2: Signal transducer and activator of transcription 6


Chain B:  100%



4.2.7 Score per residue for model 7


- Molecule 1: Nuclear receptor coactivator 1

Chain A:  38% 32% 27%



- Molecule 2: Signal transducer and activator of transcription 6


Chain B:  100%



4.2.8 Score per residue for model 8

- Molecule 1: Nuclear receptor coactivator 1

Chain A:  35% 33% 6% 27%




- Molecule 2: Signal transducer and activator of transcription 6

Chain B:  100%




4.2.9 Score per residue for model 9

- Molecule 1: Nuclear receptor coactivator 1




- Molecule 2: Signal transducer and activator of transcription 6




4.2.10 Score per residue for model 10 (medoid)

- Molecule 1: Nuclear receptor coactivator 1




- Molecule 2: Signal transducer and activator of transcription 6




4.2.11 Score per residue for model 11

- Molecule 1: Nuclear receptor coactivator 1



- Molecule 2: Signal transducer and activator of transcription 6


Chain B:  100%



4.2.12 Score per residue for model 12


- Molecule 1: Nuclear receptor coactivator 1

Chain A:  39% 28% 7% 27%



- Molecule 2: Signal transducer and activator of transcription 6


Chain B:  100%



4.2.13 Score per residue for model 13


- Molecule 1: Nuclear receptor coactivator 1

Chain A:  37% 32% 5% 27%




- Molecule 2: Signal transducer and activator of transcription 6

Chain B:  100%




4.2.14 Score per residue for model 14

- Molecule 1: Nuclear receptor coactivator 1




- Molecule 2: Signal transducer and activator of transcription 6




4.2.15 Score per residue for model 15

- Molecule 1: Nuclear receptor coactivator 1




- Molecule 2: Signal transducer and activator of transcription 6




4.2.16 Score per residue for model 16

- Molecule 1: Nuclear receptor coactivator 1




- Molecule 2: Signal transducer and activator of transcription 6




4.2.17 Score per residue for model 17

- Molecule 1: Nuclear receptor coactivator 1




- Molecule 2: Signal transducer and activator of transcription 6




4.2.18 Score per residue for model 18

- Molecule 1: Nuclear receptor coactivator 1




- Molecule 2: Signal transducer and activator of transcription 6




4.2.19 Score per residue for model 19

- Molecule 1: Nuclear receptor coactivator 1




- Molecule 2: Signal transducer and activator of transcription 6



4.2.20 Score per residue for model 20

- Molecule 1: Nuclear receptor coactivator 1



- Molecule 2: Signal transducer and activator of transcription 6

5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	refinement	
CYANA	structure calculation	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	5nwm_cs.cif
Number of chemical shift lists	1
Total number of shifts	1881
Number of shifts mapped to atoms	1881
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	87%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality

6.1 Standard geometry

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	775	772	772	21±6
2	B	0	0	0	0±0
All	All	15500	15440	15440	413

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:332:LEU:HD11	1:A:338:LEU:HD21	0.86	1.44	7	2
1:A:291:LEU:HD21	1:A:364:ILE:HD13	0.81	1.50	19	1
1:A:313:LEU:HD11	1:A:325:SER:N	0.70	2.02	18	2
1:A:299:PHE:CE1	1:A:342:THR:HG21	0.68	2.23	9	5
1:A:299:PHE:CZ	1:A:342:THR:HG21	0.67	2.24	5	5
1:A:263:MET:O	1:A:275:ILE:HG23	0.66	1.91	6	14
1:A:291:LEU:HD22	1:A:332:LEU:HD21	0.66	1.67	2	1
1:A:314:PHE:CE2	1:A:358:ILE:HD13	0.65	2.27	15	2
1:A:332:LEU:CD1	1:A:338:LEU:HD21	0.64	2.21	7	5
1:A:277:THR:HB	1:A:280:LEU:HD23	0.64	1.68	5	1
1:A:313:LEU:HD21	1:A:325:SER:N	0.64	2.07	7	12
1:A:291:LEU:CD2	1:A:332:LEU:HD21	0.64	2.22	2	1
1:A:266:GLN:HG3	1:A:272:ILE:HD13	0.64	1.68	19	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:291:LEU:HD21	1:A:364:ILE:CD1	0.64	2.23	13	4
1:A:267:ASP:HB2	1:A:273:ILE:HD11	0.64	1.70	4	2
1:A:291:LEU:HD13	1:A:338:LEU:HD21	0.63	1.69	19	1
1:A:291:LEU:HD21	1:A:364:ILE:HD11	0.63	1.68	12	2
1:A:299:PHE:CE2	1:A:342:THR:HG21	0.63	2.29	10	11
1:A:280:LEU:HD13	1:A:288:TRP:CB	0.62	2.25	5	1
1:A:265:LYS:HD2	1:A:273:ILE:HD11	0.62	1.70	20	3
1:A:317:VAL:HG23	1:A:322:THR:HA	0.61	1.71	18	13
1:A:316:GLU:HG2	1:A:323:ALA:HB2	0.61	1.73	18	6
1:A:265:LYS:CD	1:A:273:ILE:HD11	0.61	2.26	10	4
1:A:332:LEU:HD11	1:A:338:LEU:HD12	0.61	1.73	8	5
1:A:272:ILE:HG21	1:A:275:ILE:HD11	0.61	1.72	10	2
1:A:332:LEU:HG	1:A:338:LEU:HD11	0.61	1.72	13	2
1:A:314:PHE:CD1	1:A:314:PHE:C	0.60	2.74	1	1
1:A:291:LEU:O	1:A:291:LEU:HD22	0.60	1.96	5	1
1:A:262:PHE:CE1	1:A:364:ILE:HD11	0.59	2.32	5	2
1:A:265:LYS:HG2	1:A:273:ILE:HD11	0.59	1.74	6	6
1:A:266:GLN:NE2	1:A:358:ILE:HD13	0.59	2.12	20	1
1:A:313:LEU:HD12	1:A:325:SER:OG	0.59	1.98	2	1
1:A:288:TRP:O	1:A:292:VAL:HG23	0.59	1.98	7	20
1:A:332:LEU:HD11	1:A:338:LEU:HD23	0.58	1.75	5	1
1:A:277:THR:HB	1:A:280:LEU:HD12	0.58	1.74	18	7
1:A:313:LEU:HD22	1:A:342:THR:HG23	0.58	1.76	20	1
1:A:313:LEU:HD21	1:A:324:SER:HA	0.58	1.73	20	2
1:A:314:PHE:CZ	1:A:358:ILE:HD13	0.58	2.34	2	3
1:A:319:THR:HG23	1:A:320:ARG:HG2	0.57	1.74	17	6
1:A:291:LEU:HD21	1:A:364:ILE:CG2	0.57	2.29	15	1
1:A:346:LEU:O	1:A:346:LEU:HD23	0.57	1.99	14	2
1:A:346:LEU:HD21	1:A:348:TYR:CD2	0.57	2.35	3	6
1:A:291:LEU:HD13	1:A:291:LEU:C	0.57	2.20	5	1
1:A:291:LEU:HD11	1:A:364:ILE:CD1	0.56	2.29	7	1
1:A:263:MET:HG2	1:A:361:ILE:HG22	0.56	1.77	5	5
1:A:338:LEU:HD22	1:A:366:ARG:HA	0.56	1.76	11	2
1:A:332:LEU:HD11	1:A:338:LEU:HD11	0.56	1.77	16	2
1:A:313:LEU:HD21	1:A:325:SER:H	0.56	1.61	14	6
1:A:264:THR:HG23	1:A:362:HIS:CE1	0.56	2.36	16	1
1:A:265:LYS:CG	1:A:273:ILE:HD11	0.55	2.32	16	2
1:A:346:LEU:HD23	1:A:346:LEU:O	0.55	2.00	10	6
1:A:322:THR:HG23	1:A:345:LYS:HG3	0.55	1.78	5	2
1:A:336:THR:HG22	1:A:338:LEU:HD21	0.55	1.78	2	1
1:A:343:ARG:CD	1:A:361:ILE:HD11	0.55	2.31	3	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:280:LEU:HD13	1:A:288:TRP:HB3	0.55	1.76	5	1
1:A:326:PRO:O	1:A:328:TYR:CE1	0.55	2.60	2	2
1:A:346:LEU:HD23	1:A:346:LEU:C	0.55	2.23	10	6
1:A:280:LEU:HD13	1:A:288:TRP:HB2	0.54	1.79	18	8
1:A:273:ILE:HD12	1:A:274:SER:HB3	0.54	1.77	20	2
1:A:267:ASP:CA	1:A:273:ILE:HD11	0.54	2.31	2	4
1:A:346:LEU:C	1:A:346:LEU:HD23	0.54	2.23	15	3
1:A:332:LEU:HD12	1:A:336:THR:HB	0.54	1.79	5	5
1:A:280:LEU:C	1:A:280:LEU:HD12	0.53	2.24	5	1
1:A:330:PHE:CE2	1:A:338:LEU:HD13	0.53	2.38	13	1
1:A:314:PHE:CE1	1:A:358:ILE:HG21	0.53	2.38	8	1
1:A:260:GLU:HB3	1:A:364:ILE:HD12	0.53	1.78	16	5
1:A:346:LEU:HA	1:A:358:ILE:HD13	0.53	1.79	11	3
1:A:264:THR:HG22	1:A:275:ILE:HG12	0.53	1.79	15	3
1:A:332:LEU:HD11	1:A:338:LEU:CD1	0.53	2.34	12	7
1:A:262:PHE:CD1	1:A:292:VAL:HG22	0.52	2.38	6	1
1:A:291:LEU:HD11	1:A:364:ILE:HD12	0.52	1.81	14	2
1:A:336:THR:CG2	1:A:338:LEU:HD21	0.52	2.35	2	2
1:A:291:LEU:HD23	1:A:291:LEU:O	0.52	2.05	16	1
1:A:291:LEU:HD23	1:A:332:LEU:HD21	0.52	1.82	20	1
1:A:291:LEU:HD21	1:A:364:ILE:HG21	0.51	1.81	15	1
1:A:266:GLN:CD	1:A:270:GLY:HA2	0.51	2.26	20	1
1:A:291:LEU:HD23	1:A:338:LEU:HD21	0.51	1.81	5	1
1:A:291:LEU:HD21	1:A:364:ILE:HD12	0.51	1.82	3	1
1:A:328:TYR:O	1:A:339:SER:HA	0.50	2.07	18	20
1:A:291:LEU:HD21	1:A:364:ILE:HG13	0.50	1.83	14	2
1:A:272:ILE:CG2	1:A:275:ILE:HD11	0.50	2.36	10	2
1:A:313:LEU:HD13	1:A:344:CYS:SG	0.50	2.47	2	1
1:A:341:HIS:CD2	1:A:341:HIS:N	0.50	2.80	15	2
1:A:317:VAL:O	1:A:321:GLY:HA2	0.49	2.07	16	8
1:A:313:LEU:HD11	1:A:324:SER:C	0.49	2.28	18	1
1:A:266:GLN:HG2	1:A:267:ASP:O	0.49	2.07	20	1
1:A:260:GLU:CB	1:A:364:ILE:HD12	0.49	2.38	16	1
1:A:313:LEU:HD23	1:A:344:CYS:HB2	0.49	1.85	6	1
1:A:317:VAL:HG23	1:A:322:THR:CA	0.49	2.38	18	4
1:A:291:LEU:CD2	1:A:364:ILE:HD13	0.49	2.32	19	1
1:A:337:MET:O	1:A:338:LEU:HD23	0.48	2.08	20	5
1:A:313:LEU:HD22	1:A:344:CYS:SG	0.48	2.48	19	1
1:A:332:LEU:CG	1:A:338:LEU:HD11	0.48	2.37	13	1
1:A:313:LEU:HD21	1:A:324:SER:CA	0.48	2.39	20	1
1:A:313:LEU:HD22	1:A:344:CYS:HB2	0.48	1.84	2	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:292:VAL:HG12	1:A:296:ILE:HD12	0.47	1.86	2	4
1:A:314:PHE:HA	1:A:317:VAL:HG12	0.47	1.86	18	3
1:A:325:SER:HB2	1:A:342:THR:HG22	0.47	1.87	20	1
1:A:346:LEU:HD12	1:A:348:TYR:CE1	0.47	2.44	16	1
1:A:313:LEU:HD11	1:A:324:SER:HA	0.46	1.87	2	1
1:A:323:ALA:HB3	1:A:344:CYS:SG	0.46	2.51	16	1
1:A:325:SER:CB	1:A:326:PRO:HD2	0.46	2.41	18	5
1:A:299:PHE:CZ	1:A:313:LEU:HD22	0.46	2.46	12	2
1:A:313:LEU:HD21	1:A:323:ALA:C	0.45	2.31	2	1
1:A:266:GLN:HA	1:A:271:LYS:O	0.45	2.11	11	12
1:A:264:THR:CG2	1:A:362:HIS:CE1	0.45	3.00	16	1
1:A:314:PHE:O	1:A:317:VAL:HG12	0.45	2.12	7	2
1:A:273:ILE:HD12	1:A:274:SER:HB2	0.45	1.88	1	1
1:A:315:GLN:HE21	1:A:316:GLU:N	0.45	2.10	2	1
1:A:346:LEU:HD13	1:A:347:CYS:N	0.45	2.27	16	1
1:A:325:SER:O	1:A:341:HIS:CD2	0.45	2.69	18	1
1:A:316:GLU:CG	1:A:323:ALA:HB2	0.45	2.42	15	3
1:A:291:LEU:O	1:A:291:LEU:HD12	0.44	2.12	19	1
1:A:277:THR:HG22	1:A:280:LEU:HD12	0.44	1.90	16	1
1:A:291:LEU:CD2	1:A:364:ILE:HD12	0.44	2.42	1	1
1:A:280:LEU:HD22	1:A:288:TRP:HB2	0.44	1.89	5	1
1:A:312:GLN:HA	1:A:315:GLN:OE1	0.43	2.13	1	1
1:A:341:HIS:CD2	1:A:342:THR:N	0.43	2.86	18	1
1:A:341:HIS:CD2	1:A:363:ILE:HG23	0.43	2.49	15	1
1:A:332:LEU:HD11	1:A:338:LEU:CD2	0.43	2.43	19	1
1:A:291:LEU:C	1:A:291:LEU:HD13	0.43	2.33	20	2
1:A:318:MET:HA	1:A:346:LEU:HD23	0.43	1.90	8	1
1:A:336:THR:HG22	1:A:338:LEU:CD2	0.43	2.43	2	2
1:A:325:SER:HB2	1:A:326:PRO:HD2	0.43	1.90	16	2
1:A:340:ALA:HB1	1:A:363:ILE:O	0.43	2.13	8	4
1:A:280:LEU:HD11	1:A:292:VAL:HG21	0.43	1.90	6	1
1:A:265:LYS:HD3	1:A:273:ILE:HD11	0.43	1.88	16	2
1:A:267:ASP:N	1:A:273:ILE:HD11	0.43	2.27	2	3
1:A:315:GLN:O	1:A:319:THR:HG22	0.43	2.13	4	2
1:A:345:LYS:CD	1:A:345:LYS:O	0.42	2.67	16	1
1:A:291:LEU:HG	1:A:364:ILE:HD13	0.42	1.90	2	1
1:A:262:PHE:HE1	1:A:364:ILE:HD11	0.42	1.75	15	1
1:A:291:LEU:HD11	1:A:364:ILE:CG2	0.42	2.44	17	1
1:A:291:LEU:HD21	1:A:338:LEU:HD11	0.42	1.91	1	1
1:A:330:PHE:CD1	1:A:330:PHE:N	0.42	2.88	1	2
1:A:346:LEU:HD21	1:A:348:TYR:CE2	0.42	2.49	3	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:291:LEU:O	1:A:291:LEU:HD13	0.42	2.15	2	1
1:A:330:PHE:CZ	1:A:338:LEU:HD11	0.41	2.50	5	1
1:A:299:PHE:CE1	1:A:310:ALA:HA	0.41	2.51	9	1
1:A:338:LEU:HD22	1:A:366:ARG:CG	0.41	2.45	18	1
1:A:313:LEU:CD2	1:A:342:THR:HG23	0.41	2.46	9	1
1:A:280:LEU:HD21	1:A:364:ILE:HD11	0.41	1.91	16	1
1:A:313:LEU:HD22	1:A:342:THR:CG2	0.41	2.44	20	1
1:A:312:GLN:O	1:A:315:GLN:HG3	0.41	2.16	2	1
1:A:267:ASP:HB2	1:A:273:ILE:CD1	0.41	2.43	4	1
1:A:346:LEU:C	1:A:346:LEU:HD13	0.40	2.37	16	1
1:A:266:GLN:CG	1:A:272:ILE:HD13	0.40	2.44	19	1
1:A:313:LEU:O	1:A:317:VAL:HG12	0.40	2.17	12	1
1:A:358:ILE:O	1:A:358:ILE:HG22	0.40	2.17	20	1
1:A:343:ARG:HG3	1:A:361:ILE:HD11	0.40	1.92	1	1
1:A:299:PHE:CE1	1:A:313:LEU:HD13	0.40	2.51	6	1
1:A:330:PHE:N	1:A:330:PHE:CD1	0.40	2.90	13	1
1:A:299:PHE:CE1	1:A:313:LEU:HD22	0.40	2.51	14	1
1:A:313:LEU:HD21	1:A:323:ALA:O	0.40	2.16	19	1
1:A:317:VAL:HG21	1:A:344:CYS:HB3	0.40	1.92	18	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	97/132 (73%)	96±1 (99±1%)	1±1 (1±1%)	0±0 (0±0%)	100	100
2	B	0	-	-	-	-	-
All	All	1940/3280 (59%)	1912 (99%)	28 (1%)	0 (0%)	100	100

There are no Ramachandran outliers.

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR

entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	85/115 (74%)	62±3 (72±3%)	23±3 (28±3%)	2 21
2	B	0	-	-	-
All	All	1700/2840 (60%)	1231 (72%)	469 (28%)	2 21

All 62 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	345	LYS	20
1	A	297	TYR	20
1	A	279	SER	19
1	A	314	PHE	18
1	A	328	TYR	18
1	A	309	TYR	18
1	A	366	ARG	17
1	A	341	HIS	15
1	A	308	SER	15
1	A	303	GLN	14
1	A	315	GLN	12
1	A	281	ARG	12
1	A	312	GLN	11
1	A	294	LYS	11
1	A	329	ARG	11
1	A	348	TYR	11
1	A	274	SER	10
1	A	285	ARG	10
1	A	333	ASN	9
1	A	337	MET	9
1	A	327	SER	9
1	A	289	GLU	9
1	A	330	PHE	9
1	A	317	VAL	8
1	A	338	LEU	8
1	A	346	LEU	8
1	A	358	ILE	8
1	A	325	SER	8
1	A	339	SER	7
1	A	318	MET	7
1	A	267	ASP	7
1	A	334	ASP	7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	263	MET	7
1	A	290	ASP	7
1	A	278	SER	6
1	A	291	LEU	6
1	A	265	LYS	6
1	A	268	THR	5
1	A	260	GLU	4
1	A	313	LEU	4
1	A	311	ARG	4
1	A	271	LYS	4
1	A	273	ILE	4
1	A	269	THR	4
1	A	359	MET	3
1	A	363	ILE	3
1	A	293	ARG	3
1	A	331	ILE	3
1	A	301	GLN	2
1	A	320	ARG	2
1	A	276	ASP	2
1	A	262	PHE	2
1	A	361	ILE	2
1	A	261	SER	2
1	A	300	PHE	2
1	A	342	THR	1
1	A	264	THR	1
1	A	324	SER	1
1	A	316	GLU	1
1	A	343	ARG	1
1	A	322	THR	1
1	A	295	CYS	1

6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 87% for the well-defined parts and 85% for the entire structure.

7.1 Chemical shift list 1

File name: 5nwm_cs.cif

Chemical shift list name: *CS_NCoA1_STAT6_FINAL.str*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1881
Number of shifts mapped to atoms	1881
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	9

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	157	0.01 ± 0.09	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	143	0.32 ± 0.14	None needed (< 0.5 ppm)
$^{13}\text{C}'$	133	0.13 ± 0.08	None needed (< 0.5 ppm)
^{15}N	145	-0.06 ± 0.26	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 87%, i.e. 1067 atoms were assigned a chemical shift out of a possible 1223. 8 out of 8 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	468/477 (98%)	190/190 (100%)	185/194 (95%)	93/93 (100%)
Sidechain	514/632 (81%)	320/375 (85%)	188/223 (84%)	6/34 (18%)

Continued on next page...

Continued from previous page...

	Total	¹H	¹³C	¹⁵N
Aromatic	85/114 (75%)	50/60 (83%)	30/49 (61%)	5/5 (100%)
Overall	1067/1223 (87%)	560/625 (90%)	403/466 (86%)	104/132 (79%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 85%, i.e. 1681 atoms were assigned a chemical shift out of a possible 1988. 14 out of 16 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹H	¹³C	¹⁵N
Backbone	737/796 (93%)	302/316 (96%)	290/328 (88%)	145/152 (95%)
Sidechain	833/1042 (80%)	521/619 (84%)	301/376 (80%)	11/47 (23%)
Aromatic	111/150 (74%)	62/79 (78%)	41/62 (66%)	8/9 (89%)
Overall	1681/1988 (85%)	885/1014 (87%)	632/766 (83%)	164/208 (79%)

7.1.4 Statistically unusual chemical shifts ⓘ


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	271	LYS	CD	39.73	34.86 – 23.06	9.1
1	A	311	ARG	CD	35.84	47.57 – 38.77	-8.3
1	A	310	ALA	HB2	-0.43	2.61 – 0.11	-7.1
1	A	310	ALA	HB3	-0.43	2.61 – 0.11	-7.1
1	A	310	ALA	HB1	-0.43	2.61 – 0.11	-7.1
1	A	289	GLU	HG3	0.78	3.31 – 1.21	-7.1
1	A	288	TRP	CZ2	124.06	121.76 – 106.66	6.5
1	A	313	LEU	CD2	13.17	32.60 – 15.60	-6.4
1	A	309	TYR	CE1	124.26	124.14 – 111.74	5.1

7.1.5 Random Coil Index (RCI) plots ⓘ

The images below report *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



Random coil index (RCI) for chain B:

