



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 04:02 am GMT

PDB ID : 1NX0
Title : Structure of Calpain Domain 6 in Complex with Calpastatin DIC
Authors : Todd, B.; Moore, D.; Deivanayagam, C.C.S.; Lin, G.-D.; Chattopadhyay, D.;
Maki, M.; Wang, K.K.W.; Narayana, S.V.L.
Deposited on : 2003-02-07
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.






Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	4751 (2.30-2.30)
Ramachandran outliers	110173	4705 (2.30-2.30)
Sidechain outliers	110143	4704 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	173	 64% 32% .
1	B	173	 57% 38% 6%
2	C	12	 58% 42%
2	D	12	 42% 33% 17% 8%
3	E	5	 20% 80%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 3145 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Calcium-dependent protease, small subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	173	Total	C	N	O	S	0	0	0
			1395	881	237	267	10			
1	B	173	Total	C	N	O	S	0	0	0
			1395	881	237	267	10			

- Molecule 2 is a protein called Calpastatin.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	12	Total	C	N	O	0	0	0
			87	52	12	23			
2	D	11	Total	C	N	O	0	0	0
			80	49	11	20			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	612	SER	CYS	CONFLICT	UNP P49342
D	712	SER	CYS	CONFLICT	UNP P49342

- Molecule 3 is a protein called Small molecule inhibitor.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	E	5	Total	C	N	O	0	0	0
			32	21	6	5			

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	3	Total	Ca	0	0
			3	3		
4	A	3	Total	Ca	0	0
			3	3		

- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	88	Total 88	O 88	0	0
5	B	47	Total 47	O 47	0	0
5	C	10	Total 10	O 10	0	0
5	D	1	Total 1	O 1	0	0
5	E	4	Total 4	O 4	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Calcium-dependent protease, small subunit



- Molecule 1: Calcium-dependent protease, small subunit




- Molecule 2: Calpastatin



- Molecule 2: Calpastatin



- Molecule 3: Small molecule inhibitor



A801
A802
A803
A804
A805

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	53.78Å 83.30Å 92.15Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	100.00 – 2.30	Depositor
% Data completeness (in resolution range)	(Not available) (100.00-2.30)	Depositor
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 0.9	Depositor
R, R_{free}	0.218 , 0.261	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3145	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	0/1422	0.57	0/1911
1	B	0.34	0/1422	0.54	0/1911
2	C	0.42	0/87	0.52	0/116
2	D	0.37	0/80	0.66	0/108
3	E	0.45	0/31	1.40	1/40 (2.5%)
All	All	0.36	0/3042	0.57	1/4086 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	E	803	ALA	N-CA-C	5.47	125.77	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1395	0	1345	63	0
1	B	1395	0	1346	85	0
2	C	87	0	74	5	0
2	D	80	0	69	10	0
3	E	32	0	38	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	3	0	0	0	0
4	B	3	0	0	0	0
5	A	88	0	0	0	0
5	B	47	0	0	3	0
5	C	10	0	0	0	0
5	D	1	0	0	0	0
5	E	4	0	0	1	0
All	All	3145	0	2872	136	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (136) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:254:VAL:HG23	1:A:258:GLU:HB2	1.55	0.88
1:B:431:ASP:OD2	1:B:477:LYS:HE2	1.83	0.79
1:B:555:ASN:ND2	1:B:558:GLU:H	1.81	0.78
1:B:555:ASN:HD21	1:B:558:GLU:H	1.32	0.76
1:A:237:MET:HE1	1:B:563:THR:HG21	1.68	0.75
1:B:398:GLN:HE22	1:B:401:ARG:NH2	1.85	0.75
1:B:398:GLN:HE22	1:B:401:ARG:HH21	1.34	0.74
1:A:208:TYR:O	1:A:212:ILE:HG12	1.90	0.72
1:A:244:LEU:HD23	1:A:252:ILE:HD12	1.71	0.71
1:B:421:ILE:O	1:B:425:VAL:HG23	1.91	0.71
1:A:235:ASP:OD1	3:E:801:ALA:HB2	1.89	0.71
1:A:261:GLN:NE2	1:B:507:LEU:HD22	2.07	0.69
1:A:261:GLN:HG3	1:B:510:MET:SD	2.33	0.69
1:A:201:PHE:CE2	3:E:801:ALA:HA	2.28	0.69
1:B:473:GLN:HE22	1:B:477:LYS:HD2	1.57	0.69
1:A:261:GLN:HE22	1:B:507:LEU:HD22	1.58	0.68
1:A:133:LYS:HE3	1:A:186:THR:CG2	2.24	0.68
1:A:254:VAL:CG2	1:A:258:GLU:HB2	2.24	0.68
2:D:706:LEU:HA	2:D:709:ASP:OD1	1.94	0.67
1:B:481:VAL:HG23	1:B:482:ASP:N	2.10	0.67
1:A:237:MET:CE	1:B:563:THR:HG21	2.23	0.67
1:B:489:SER:HA	1:B:492:LEU:HD12	1.78	0.65
1:B:432:LEU:HD21	1:B:477:LYS:HE3	1.78	0.64
1:A:187:ILE:HG22	1:A:192:LEU:HG	1.79	0.64
1:A:210:MET:CE	1:A:213:ARG:HH11	2.12	0.63
1:A:189:SER:HA	1:A:192:LEU:HD12	1.81	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:467:ASN:HA	1:B:470:LYS:HE2	1.82	0.61
1:A:202:HIS:HE1	5:E:1076:HOH:O	1.84	0.61
1:A:133:LYS:O	1:A:223:ASP:HB2	2.01	0.59
1:B:398:GLN:NE2	1:B:401:ARG:NH2	2.50	0.59
1:A:94:GLU:HG2	1:A:95:GLU:H	1.67	0.58
1:B:423:ASN:HA	1:B:426:VAL:HG22	1.85	0.58
1:A:246:LYS:HG3	1:A:247:ASP:H	1.67	0.58
1:A:204:ASN:HD21	1:B:557:GLN:NE2	2.02	0.58
1:B:555:ASN:HD22	1:B:555:ASN:C	2.07	0.58
1:B:549:THR:HG23	1:B:551:GLN:H	1.68	0.58
1:B:503:LEU:HD21	1:B:534:LEU:HD21	1.86	0.57
1:A:202:HIS:O	3:E:804:ILE:HB	2.04	0.57
1:A:259:TRP:CZ2	1:B:537:MET:HE1	2.40	0.57
1:A:241:PHE:CE1	1:A:252:ILE:HG12	2.40	0.57
1:B:466:TRP:CE2	2:D:706:LEU:HD22	2.41	0.56
1:B:449:MET:HE3	1:B:465:LEU:HA	1.86	0.56
1:B:473:GLN:HE22	1:B:477:LYS:CD	2.17	0.56
1:B:554:VAL:HG23	1:B:558:GLU:CB	2.36	0.56
1:A:173:GLN:HG3	2:C:610:PHE:CE2	2.41	0.56
1:A:107:ALA:HB3	1:A:111:MET:HE1	1.88	0.55
1:B:481:VAL:HG23	1:B:482:ASP:H	1.71	0.55
1:B:554:VAL:HG23	1:B:558:GLU:HB2	1.87	0.55
1:A:94:GLU:HG2	1:A:95:GLU:N	2.22	0.55
1:B:508:TYR:CZ	1:B:512:ILE:HD11	2.43	0.54
1:A:126:VAL:HG11	1:A:137:PHE:HE1	1.72	0.54
1:B:492:LEU:N	1:B:493:PRO:HD2	2.23	0.54
1:A:263:THR:HG21	1:B:537:MET:CE	2.38	0.53
1:B:548:GLY:C	1:B:550:GLY:H	2.10	0.53
1:B:545:ASP:CG	1:B:548:GLY:HA2	2.30	0.52
2:D:710:PHE:CD1	2:D:710:PHE:O	2.63	0.52
1:B:538:PHE:O	1:B:542:LYS:HG3	2.09	0.51
1:B:477:LYS:NZ	2:D:711:THR:C	2.63	0.51
2:C:611:THR:O	2:C:612:SER:HB3	2.10	0.51
1:B:473:GLN:NE2	1:B:477:LYS:CE	2.74	0.51
2:D:710:PHE:HD1	2:D:710:PHE:O	1.93	0.51
1:B:548:GLY:C	1:B:550:GLY:N	2.63	0.50
1:A:173:GLN:HG3	2:C:610:PHE:CD2	2.46	0.50
1:A:237:MET:HE3	1:B:559:TRP:CZ2	2.46	0.50
1:B:456:LYS:HE2	5:B:1083:HOH:O	2.11	0.50
1:B:459:PHE:CZ	1:B:463:LYS:HD3	2.47	0.50
1:B:466:TRP:HE1	2:D:709:ASP:CG	2.15	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:192:LEU:HD13	1:A:212:ILE:CD1	2.43	0.49
1:A:122:LEU:O	1:A:126:VAL:HG13	2.12	0.49
1:B:440:ASP:OD1	1:B:440:ASP:N	2.44	0.48
1:B:488:GLY:O	1:B:492:LEU:HG	2.14	0.48
1:B:402:LEU:O	1:B:402:LEU:HD23	2.13	0.48
1:A:237:MET:CE	1:B:559:TRP:CZ2	2.96	0.48
1:B:481:VAL:CG2	1:B:482:ASP:N	2.77	0.48
1:B:476:TYR:OH	1:B:486:THR:HA	2.14	0.48
1:A:200:GLY:O	3:E:802:LYS:HG3	2.12	0.48
1:B:555:ASN:ND2	1:B:555:ASN:C	2.67	0.48
1:A:210:MET:CE	1:B:453:THR:HB	2.44	0.47
1:A:98:GLN:HA	1:A:101:ARG:NH1	2.29	0.47
1:B:477:LYS:HZ3	2:D:711:THR:C	2.16	0.47
1:A:210:MET:SD	1:B:561:GLN:OE1	2.73	0.47
1:A:255:ASN:OD1	1:A:257:GLN:N	2.47	0.47
1:A:197:GLU:HA	1:A:201:PHE:O	2.15	0.47
1:B:407:ALA:HB1	1:B:412:GLU:N	2.29	0.47
1:B:508:TYR:OH	1:B:512:ILE:HD11	2.14	0.47
1:B:554:VAL:CG2	1:B:558:GLU:HB2	2.45	0.47
1:A:120:ASN:O	1:A:124:LYS:HG3	2.14	0.47
1:B:468:ASN:O	1:B:471:LYS:HG2	2.15	0.47
1:A:133:LYS:HE3	1:A:186:THR:HG23	1.93	0.47
1:A:248:GLY:O	1:A:249:THR:C	2.52	0.47
1:A:100:ARG:HA	1:A:159:PHE:CE1	2.50	0.46
1:A:149:MET:HE3	1:A:232:VAL:HG13	1.97	0.46
1:B:398:GLN:NE2	1:B:398:GLN:HA	2.30	0.46
1:A:254:VAL:HG23	1:A:258:GLU:CB	2.39	0.45
1:B:402:LEU:C	1:B:402:LEU:HD23	2.37	0.45
1:A:150:ASP:OD2	1:A:153:THR:HA	2.17	0.44
1:B:504:ASN:C	1:B:505:GLU:HG2	2.37	0.44
1:A:133:LYS:HE3	1:A:186:THR:HG21	2.00	0.44
1:B:501:PHE:HB3	1:B:503:LEU:HD21	1.99	0.44
1:A:211:ILE:HD12	1:A:230:CYS:SG	2.57	0.44
1:B:517:ASP:OD1	1:B:521:ASN:HB2	2.18	0.44
1:A:253:GLN:HA	1:B:552:ILE:O	2.18	0.43
1:B:560:LEU:O	1:B:564:MET:HB2	2.18	0.43
1:B:477:LYS:HG2	5:B:1154:HOH:O	2.18	0.43
2:C:606:LEU:O	2:C:609:ASP:HB2	2.19	0.43
1:B:468:ASN:HA	1:B:468:ASN:HD22	1.65	0.43
1:A:170:LYS:HG3	2:C:609:ASP:HB3	2.00	0.43
1:A:228:ILE:O	1:A:232:VAL:HG23	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123:ASN:HA	1:A:126:VAL:HG22	2.00	0.43
1:B:492:LEU:HD21	1:B:522:MET:HB3	2.00	0.43
1:B:503:LEU:H	1:B:503:LEU:HG	1.74	0.43
1:B:419:MET:HE2	5:B:1134:HOH:O	2.19	0.42
1:B:547:ASP:OD1	1:B:547:ASP:O	2.36	0.42
1:A:183:ARG:HG3	1:A:183:ARG:HH11	1.85	0.42
1:B:518:GLU:H	1:B:518:GLU:CD	2.23	0.42
1:A:253:GLN:CD	1:B:551:GLN:HE21	2.23	0.42
2:D:703:ILE:O	2:D:707:SER:N	2.45	0.42
1:A:149:MET:CE	1:A:232:VAL:HG13	2.49	0.42
1:B:481:VAL:CG2	1:B:482:ASP:H	2.32	0.42
1:A:249:THR:OG1	1:A:250:GLY:N	2.51	0.42
1:B:466:TRP:NE1	2:D:709:ASP:OD1	2.47	0.42
2:D:710:PHE:CD1	2:D:710:PHE:C	2.94	0.41
1:B:553:GLN:HE21	1:B:553:GLN:HB3	1.61	0.41
1:A:98:GLN:HG3	1:A:101:ARG:HH12	1.86	0.41
1:A:259:TRP:CZ2	1:B:537:MET:CE	3.04	0.41
1:A:140:ASP:CG	1:B:440:ASP:OD2	2.59	0.41
1:B:431:ASP:O	1:B:485:GLY:HA2	2.20	0.41
1:B:517:ASP:C	1:B:517:ASP:OD2	2.59	0.41
1:A:210:MET:HE3	1:B:453:THR:HB	2.03	0.41
1:B:499:ALA:HB3	1:B:501:PHE:HD1	1.86	0.41
1:A:197:GLU:OE2	1:A:202:HIS:HD2	2.04	0.40
1:B:492:LEU:HD13	1:B:512:ILE:CD1	2.51	0.40
1:A:210:MET:HG3	1:B:561:GLN:OE1	2.21	0.40
1:B:428:ARG:HG3	1:B:428:ARG:HH11	1.86	0.40
1:B:547:ASP:CG	1:B:547:ASP:O	2.60	0.40
1:A:263:THR:HG21	1:B:537:MET:HE3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	171/173 (99%)	162 (95%)	6 (4%)	3 (2%)	10	9
1	B	171/173 (99%)	157 (92%)	12 (7%)	2 (1%)	15	16
2	C	10/12 (83%)	10 (100%)	0	0	100	100
2	D	9/12 (75%)	9 (100%)	0	0	100	100
3	E	3/5 (60%)	0	3 (100%)	0	100	100
All	All	364/375 (97%)	338 (93%)	21 (6%)	5 (1%)	13	13

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	246	LYS
1	A	249	THR
1	B	409	ASP
1	A	245	ASP
1	B	546	LYS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	150/150 (100%)	143 (95%)	7 (5%)	30	41
1	B	150/150 (100%)	137 (91%)	13 (9%)	12	14
2	C	10/10 (100%)	10 (100%)	0	100	100
2	D	9/10 (90%)	7 (78%)	2 (22%)	1	1
3	E	2/2 (100%)	2 (100%)	0	100	100
All	All	321/322 (100%)	299 (93%)	22 (7%)	18	23

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	140	ASP
1	A	148	VAL
1	A	207	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	247	ASP
1	A	251	GLN
1	A	257	GLN
1	A	261	GLN
1	B	410	ASP
1	B	440	ASP
1	B	448	VAL
1	B	456	LYS
1	B	460	GLU
1	B	482	ASP
1	B	503	LEU
1	B	504	ASN
1	B	507	LEU
1	B	545	ASP
1	B	546	LYS
1	B	553	GLN
1	B	555	ASN
2	D	710	PHE
2	D	711	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	168	ASN
1	A	202	HIS
1	A	226	ASN
1	A	251	GLN
1	A	257	GLN
1	B	398	GLN
1	B	468	ASN
1	B	473	GLN
1	B	504	ASN
1	B	526	ASN
1	B	551	GLN
1	B	553	GLN
1	B	555	ASN
1	B	557	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 6 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.