



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 26, 2017 – 01:31 PM EDT

PDB ID : 1O29
Title : Crystal structure of Thymidylate Synthase Complementing Protein (TM0449) from *Thermotoga maritima* with FAD and FdUMP at 2.0 Å resolution
Authors : Mathews, I.I.; Deacon, A.M.; Canaves, J.M.; McMullan, D.; Lesley, S.A.; Agarwalla, S.; Kuhn, P.; Joint Center for Structural Genomics (JCSG)
Deposited on : unknown
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	6609 (2.00-2.00)
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)
RSRZ outliers	101464	6696 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	232	<div> <div>4%</div> <div> <div></div> <div>65%</div> <div>26%</div> <div>7%</div> </div> </div>
1	B	232	<div> <div>6%</div> <div> <div></div> <div>71%</div> <div>22%</div> <div>5%</div> </div> </div>
1	C	232	<div> <div>3%</div> <div> <div></div> <div>76%</div> <div>16%</div> <div>7%</div> </div> </div>
1	D	232	<div> <div>7%</div> <div> <div></div> <div>66%</div> <div>25%</div> <div>7%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	FAD	A	815	X	-	-	-
3	FAD	B	810	X	-	-	-
3	FAD	C	805	X	-	-	-
3	FAD	D	800	X	-	-	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 7990 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thymidylate synthase thyX.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	216	Total	C	N	O	S	0	0	0
			1809	1177	310	316	6			
1	B	220	Total	C	N	O	S	0	0	0
			1841	1197	314	324	6			
1	C	216	Total	C	N	O	S	0	0	0
			1813	1180	310	318	5			
1	D	215	Total	C	N	O	S	0	0	0
			1803	1173	307	317	6			

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-11	MET	-	LEADER SEQUENCE	UNP Q9WYT0
A	-10	GLY	-	LEADER SEQUENCE	UNP Q9WYT0
A	-9	SER	-	LEADER SEQUENCE	UNP Q9WYT0
A	-8	ASP	-	LEADER SEQUENCE	UNP Q9WYT0
A	-7	LYS	-	LEADER SEQUENCE	UNP Q9WYT0
A	-6	ILE	-	LEADER SEQUENCE	UNP Q9WYT0
A	-5	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
A	-4	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
A	-3	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
A	-2	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
A	-1	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
A	0	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
B	-11	MET	-	LEADER SEQUENCE	UNP Q9WYT0
B	-10	GLY	-	LEADER SEQUENCE	UNP Q9WYT0
B	-9	SER	-	LEADER SEQUENCE	UNP Q9WYT0
B	-8	ASP	-	LEADER SEQUENCE	UNP Q9WYT0
B	-7	LYS	-	LEADER SEQUENCE	UNP Q9WYT0
B	-6	ILE	-	LEADER SEQUENCE	UNP Q9WYT0
B	-5	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
B	-4	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
B	-3	HIS	-	LEADER SEQUENCE	UNP Q9WYT0

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
B	-1	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
B	0	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-11	MET	-	LEADER SEQUENCE	UNP Q9WYT0
C	-10	GLY	-	LEADER SEQUENCE	UNP Q9WYT0
C	-9	SER	-	LEADER SEQUENCE	UNP Q9WYT0
C	-8	ASP	-	LEADER SEQUENCE	UNP Q9WYT0
C	-7	LYS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-6	ILE	-	LEADER SEQUENCE	UNP Q9WYT0
C	-5	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-4	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-3	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-2	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	-1	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
C	0	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-11	MET	-	LEADER SEQUENCE	UNP Q9WYT0
D	-10	GLY	-	LEADER SEQUENCE	UNP Q9WYT0
D	-9	SER	-	LEADER SEQUENCE	UNP Q9WYT0
D	-8	ASP	-	LEADER SEQUENCE	UNP Q9WYT0
D	-7	LYS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-6	ILE	-	LEADER SEQUENCE	UNP Q9WYT0
D	-5	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-4	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-3	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-2	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	-1	HIS	-	LEADER SEQUENCE	UNP Q9WYT0
D	0	HIS	-	LEADER SEQUENCE	UNP Q9WYT0

- Molecule 2 is 5-FLUORO-2'-DEOXYURIDINE-5'-MONOPHOSPHATE (three-letter code: UFP) (formula: C₉H₁₂FN₂O₈P).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total 21	C 9	F 1	N 2	O 8	P 1	0	0
2	B	1	Total 21	C 9	F 1	N 2	O 8	P 1	0	0
2	C	1	Total 21	C 9	F 1	N 2	O 8	P 1	0	0
2	D	1	Total 21	C 9	F 1	N 2	O 8	P 1	0	0

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $\text{C}_{27}\text{H}_{33}\text{N}_9\text{O}_{15}\text{P}_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	111	Total	O	0	0
			111	111		
4	B	97	Total	O	0	0
			97	97		
4	C	116	Total	O	0	0
			116	116		
4	D	104	Total	O	0	0
			104	104		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Thymidylate synthase thyX



- Molecule 1: Thymidylate synthase thyX




- Molecule 1: Thymidylate synthase thyX



- Molecule 1: Thymidylate synthase thyX





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	54.64Å 116.95Å 141.93Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.00 45.13 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.0 (20.00-2.00) 99.2 (45.13-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.04 (at 1.89Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.194 , 0.232 0.193 , 0.230	Depositor DCC
R_{free} test set	3147 reflections (5.35%)	DCC
Wilson B-factor (Å ²)	25.6	Xtriage
Anisotropy	0.246	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 52.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7990	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.38% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: UFP, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.34	0/1859	0.57	0/2514
1	B	0.33	0/1890	0.57	0/2554
1	C	0.34	0/1861	0.57	0/2514
1	D	0.33	0/1851	0.56	0/2502
All	All	0.34	0/7461	0.57	0/10084

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1809	0	1801	52	0
1	B	1841	0	1839	47	0
1	C	1813	0	1811	39	0
1	D	1803	0	1794	51	0
2	A	21	0	10	1	0
2	B	21	0	10	2	0
2	C	21	0	10	2	0
2	D	21	0	10	1	0
3	A	53	0	30	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	53	0	30	1	0
3	C	53	0	30	2	0
3	D	53	0	30	1	0
4	A	111	0	0	1	0
4	B	97	0	0	4	0
4	C	116	0	0	2	0
4	D	104	0	0	3	0
All	All	7990	0	7405	177	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (177) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:174:ARG:HH12	2:D:818:UFP:HN3	1.09	0.99
1:A:17:MET:HB2	1:B:17:MET:HB2	1.46	0.97
2:A:803:UFP:HN3	1:D:174:ARG:HH12	1.11	0.94
1:B:174:ARG:HH12	2:C:813:UFP:HN3	1.09	0.90
2:B:808:UFP:HN3	1:C:174:ARG:HH12	1.12	0.89
1:C:17:MET:HB2	1:D:17:MET:HB2	1.58	0.85
1:A:116:GLU:O	1:A:120:GLU:HG2	1.78	0.84
1:D:112:THR:HG23	1:D:113:ILE:HG23	1.61	0.82
1:A:28:ARG:HG2	1:A:34:GLY:O	1.86	0.76
1:B:195:LYS:NZ	1:B:220:VAL:HG12	2.03	0.72
1:D:131:ARG:O	1:D:135:GLU:HG3	1.89	0.71
1:C:195:LYS:NZ	1:C:220:VAL:HG12	2.08	0.69
1:C:94:LEU:HD13	1:C:154:LEU:HD21	1.75	0.69
1:B:192:ARG:HD3	1:B:192:ARG:C	2.14	0.67
1:C:87:LEU:HA	1:D:30:SER:HA	1.75	0.66
1:D:94:LEU:HD13	1:D:154:LEU:HD21	1.77	0.66
1:C:167:LEU:HD21	1:C:190:ILE:HG21	1.78	0.66
1:C:122:ILE:O	1:C:125:ILE:HD13	1.96	0.65
1:C:19:ASN:HB2	4:C:425:HOH:O	1.98	0.64
1:C:167:LEU:HD21	1:C:190:ILE:CG2	2.29	0.63
1:B:19:ASN:HB2	4:B:493:HOH:O	1.98	0.62
1:A:167:LEU:HD11	1:A:190:ILE:CG2	2.30	0.62
1:B:117:ARG:HD2	1:B:121:LYS:HE2	1.82	0.62
1:A:25:ARG:HE	1:A:35:LEU:HD11	1.65	0.62
1:B:207:LYS:HE3	1:B:208:TYR:CE1	2.35	0.61
1:B:195:LYS:HZ2	1:B:220:VAL:HG12	1.66	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2:LYS:HE3	1:B:10:PHE:CG	2.36	0.61
1:D:85:ASN:ND2	4:D:458:HOH:O	2.34	0.60
1:A:167:LEU:HD11	1:A:190:ILE:HG21	1.84	0.59
1:A:143:ARG:HG3	4:A:469:HOH:O	2.02	0.59
1:C:159:PHE:CE1	1:D:29:VAL:HG21	2.39	0.57
1:D:104:GLU:H	1:D:104:GLU:CD	2.07	0.57
1:A:163:ASN:HD22	1:A:163:ASN:C	2.07	0.57
1:C:117:ARG:NH2	1:C:121:LYS:HZ2	2.03	0.57
1:A:113:ILE:HG12	1:D:139:SER:OG	2.05	0.57
1:B:37:ASP:OD2	1:B:39:GLU:HB3	2.05	0.56
1:A:163:ASN:ND2	1:A:166:SER:H	2.03	0.56
1:A:142:PRO:HG3	1:D:109:TYR:CE2	2.40	0.56
1:D:12:GLU:CG	1:D:65:HIS:HB3	2.36	0.56
1:A:114:PRO:HD2	1:A:117:ARG:HG3	1.88	0.55
1:D:13:LEU:HD11	1:D:16:VAL:CG2	2.37	0.55
1:D:38:GLU:HG3	1:D:200:TRP:CH2	2.42	0.55
1:D:116:GLU:H	1:D:116:GLU:CD	2.11	0.55
1:C:137:ILE:HD11	1:C:143:ARG:HA	1.89	0.54
1:B:94:LEU:HD13	1:B:154:LEU:HD21	1.90	0.54
1:A:55:THR:OG1	1:A:56:PRO:HD3	2.07	0.54
1:B:175:ALA:HA	1:B:214:ILE:HD11	1.90	0.54
1:B:195:LYS:HZ3	1:B:220:VAL:HG12	1.71	0.54
1:A:136:LEU:O	1:A:139:SER:HB3	2.08	0.53
1:D:143:ARG:HG3	4:D:395:HOH:O	2.09	0.53
1:C:117:ARG:HH21	1:C:121:LYS:NZ	2.08	0.52
1:D:28:ARG:HH11	1:D:28:ARG:HG3	1.74	0.52
1:C:117:ARG:NH2	1:C:121:LYS:NZ	2.57	0.52
1:D:42:ARG:HH21	1:D:203:GLU:CD	2.12	0.52
1:C:195:LYS:HZ3	1:C:220:VAL:HG12	1.75	0.51
1:B:219:GLN:O	1:B:220:VAL:HG22	2.10	0.51
1:C:122:ILE:HA	1:C:125:ILE:CD1	2.41	0.51
1:D:134:LEU:O	1:D:138:GLU:HG3	2.11	0.51
1:B:37:ASP:OD1	1:B:40:ARG:HB2	2.10	0.51
1:A:104:GLU:O	1:A:107:GLU:HB2	2.11	0.51
1:B:38:GLU:HG3	1:B:200:TRP:CH2	2.46	0.50
1:B:28:ARG:HG3	1:B:28:ARG:HH11	1.75	0.50
1:C:216:LYS:NZ	1:C:216:LYS:HB2	2.27	0.50
1:D:47:TYR:HA	1:D:50:LYS:HZ3	1.76	0.50
1:C:38:GLU:HG3	1:C:39:GLU:N	2.26	0.50
1:A:38:GLU:HG3	1:A:200:TRP:CH2	2.47	0.49
1:B:50:LYS:HE2	1:B:208:TYR:CE2	2.47	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:39:GLU:HB2	4:B:444:HOH:O	2.11	0.49
1:A:94:LEU:HD13	1:A:154:LEU:HD21	1.95	0.49
1:B:13:LEU:HD11	1:B:16:VAL:HG22	1.95	0.49
1:A:31:PHE:O	1:A:33:MET:HG3	2.11	0.49
1:C:151:PRO:HB2	1:C:153:ASN:OD1	2.13	0.49
1:A:210:TYR:CE2	1:A:215:LEU:HB2	2.48	0.49
1:C:125:ILE:H	1:C:125:ILE:HD13	1.78	0.48
1:D:213:ASP:OD1	1:D:214:ILE:HG23	2.13	0.48
1:D:210:TYR:CE2	1:D:215:LEU:HB2	2.47	0.48
1:B:21:LEU:O	1:B:25:ARG:HG3	2.14	0.48
1:D:12:GLU:HG3	1:D:65:HIS:HB3	1.96	0.48
1:C:216:LYS:HZ2	1:C:216:LYS:HB2	1.79	0.48
1:A:125:ILE:HG21	1:D:149:VAL:HB	1.95	0.47
1:B:145:VAL:O	1:B:148:ILE:HG12	2.15	0.47
1:D:127:ASP:HB3	1:D:131:ARG:NH1	2.29	0.47
1:A:31:PHE:HA	1:B:92:SER:OG	2.14	0.47
1:B:125:ILE:HD11	1:C:132:THR:OG1	2.15	0.47
1:D:106:LEU:HD11	1:D:118:VAL:HG11	1.97	0.47
1:A:28:ARG:NH2	1:A:36:LYS:HD2	2.29	0.47
1:D:104:GLU:N	1:D:104:GLU:CD	2.67	0.47
1:A:90:ARG:CB	1:A:144:GLU:HB3	2.45	0.46
1:B:149:VAL:HB	1:C:125:ILE:HG13	1.97	0.46
1:A:87:LEU:HA	1:B:29:VAL:O	2.16	0.46
1:B:20:ASP:HB3	1:B:45:ILE:CD1	2.45	0.46
1:D:203:GLU:HG2	1:D:207:LYS:HE2	1.96	0.46
1:D:50:LYS:HB3	1:D:50:LYS:HZ3	1.80	0.46
1:B:207:LYS:HE3	1:B:208:TYR:CZ	2.50	0.46
1:D:50:LYS:HB3	1:D:50:LYS:NZ	2.31	0.46
1:C:125:ILE:HG12	1:C:126:VAL:N	2.31	0.46
1:A:145:VAL:O	1:A:148:ILE:HG12	2.15	0.46
1:A:104:GLU:OE1	1:A:104:GLU:N	2.44	0.46
1:C:116:GLU:CD	1:C:116:GLU:H	2.19	0.46
1:D:62:PHE:O	1:D:161:THR:HA	2.14	0.46
1:C:62:PHE:O	1:C:161:THR:HA	2.16	0.46
1:D:181:TRP:O	1:D:184:GLN:HB2	2.15	0.46
1:C:122:ILE:O	1:C:125:ILE:CD1	2.64	0.46
1:D:90:ARG:HB2	1:D:144:GLU:HB3	1.98	0.46
1:A:74:ARG:HA	4:D:622:HOH:O	2.16	0.45
1:B:210:TYR:CE2	1:B:215:LEU:HB2	2.51	0.45
1:D:47:TYR:HA	1:D:50:LYS:NZ	2.31	0.45
1:A:87:LEU:HD23	1:A:88:SER:N	2.31	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96:TYR:CD2	1:A:96:TYR:C	2.90	0.45
1:C:218:VAL:HG12	1:C:219:GLN:N	2.31	0.45
1:D:147:ARG:HD2	1:D:148:ILE:N	2.32	0.45
1:B:57:PHE:O	1:B:164:ALA:HB3	2.16	0.45
1:D:29:VAL:O	1:D:29:VAL:HG12	2.16	0.45
1:A:96:TYR:HD2	1:A:96:TYR:C	2.21	0.45
1:B:25:ARG:NH2	4:B:643:HOH:O	2.49	0.45
1:B:13:LEU:HD21	1:B:16:VAL:CG2	2.47	0.45
1:C:117:ARG:CZ	1:C:121:LYS:HZ2	2.30	0.45
1:C:94:LEU:HD13	1:C:154:LEU:CD2	2.43	0.45
1:A:25:ARG:HG3	1:A:35:LEU:HD21	1.98	0.44
1:B:167:LEU:HD23	1:B:167:LEU:C	2.37	0.44
1:B:192:ARG:HD3	1:B:192:ARG:O	2.17	0.44
1:B:24:VAL:HG13	1:B:44:LEU:HD23	1.99	0.44
1:B:5:ILE:HG22	1:B:6:LEU:HG	1.99	0.44
1:A:122:ILE:O	1:A:125:ILE:HG22	2.18	0.44
1:A:62:PHE:O	1:A:161:THR:HA	2.17	0.44
1:D:176:ASP:OD2	1:D:178:HIS:HD2	2.01	0.44
1:C:131:ARG:NH1	4:C:590:HOH:O	2.50	0.44
1:D:217:GLU:OE1	1:D:217:GLU:HA	2.16	0.44
1:A:26:ALA:O	1:A:29:VAL:HG12	2.17	0.44
1:A:38:GLU:HG3	1:A:200:TRP:HH2	1.83	0.43
1:C:3:ILE:HD11	1:C:192:ARG:HD2	2.00	0.43
1:A:90:ARG:HB3	1:A:144:GLU:HB3	2.01	0.43
1:D:55:THR:N	1:D:56:PRO:CD	2.82	0.43
1:A:192:ARG:HH11	1:A:192:ARG:HG3	1.84	0.43
1:A:40:ARG:HH11	1:A:40:ARG:HG3	1.83	0.43
1:C:90:ARG:HB2	1:C:144:GLU:HB3	1.99	0.43
1:A:85:ASN:HD22	1:B:59:HIS:CD2	2.37	0.43
1:D:40:ARG:HH11	1:D:40:ARG:HG2	1.83	0.43
1:A:4:ASP:O	1:A:5:ILE:HD13	2.19	0.43
1:B:118:VAL:O	1:B:122:ILE:HG13	2.19	0.43
1:C:192:ARG:NH1	1:C:220:VAL:CG2	2.82	0.43
1:C:42:ARG:HG2	1:C:42:ARG:HH11	1.84	0.43
3:A:815:FAD:H4B	3:C:805:FAD:O2B	2.19	0.43
1:C:192:ARG:NH1	1:C:220:VAL:HG21	2.33	0.42
1:B:40:ARG:HH11	1:B:40:ARG:HG3	1.84	0.42
1:A:3:ILE:HD13	1:A:192:ARG:HD2	2.01	0.42
1:A:50:LYS:HE2	1:A:208:TYR:CE2	2.55	0.42
1:A:37:ASP:CG	1:A:40:ARG:HH11	2.23	0.42
1:C:94:LEU:HD12	1:C:150:LEU:HD12	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:55:THR:OG1	1:D:56:PRO:HD3	2.19	0.42
1:A:130:TYR:CE2	1:A:134:LEU:HD11	2.55	0.42
1:A:192:ARG:NH1	1:A:192:ARG:HG3	2.35	0.41
1:D:38:GLU:HG3	1:D:200:TRP:CZ2	2.55	0.41
1:A:176:ASP:OD2	1:A:178:HIS:HD2	2.03	0.41
1:B:85:ASN:ND2	4:B:452:HOH:O	2.52	0.41
1:D:116:GLU:O	1:D:120:GLU:HG3	2.21	0.41
3:B:810:FAD:O2B	3:D:800:FAD:H4B	2.20	0.41
1:B:199:PRO:O	1:B:203:GLU:HG2	2.21	0.41
1:A:153:ASN:HB3	1:D:148:ILE:HB	2.01	0.41
2:B:808:UFP:HN3	1:C:174:ARG:NH1	1.96	0.41
1:A:10:PHE:CD2	1:A:10:PHE:C	2.93	0.41
1:B:174:ARG:NH1	2:C:813:UFP:HN3	1.93	0.41
1:B:128:LYS:NZ	1:C:128:LYS:HD3	2.35	0.41
1:D:145:VAL:O	1:D:148:ILE:HG12	2.21	0.41
1:A:130:TYR:O	1:A:133:TYR:HB3	2.21	0.41
1:D:69:PRO:HG3	1:D:99:TYR:HB2	2.02	0.41
1:B:106:LEU:HD12	1:B:106:LEU:N	2.36	0.40
1:B:167:LEU:HD23	1:B:167:LEU:O	2.21	0.40
1:D:13:LEU:HD11	1:D:16:VAL:HG23	2.02	0.40
1:D:90:ARG:CB	1:D:144:GLU:HB3	2.51	0.40
1:D:104:GLU:O	1:D:107:GLU:HB2	2.21	0.40
1:A:163:ASN:HD21	3:C:805:FAD:H2A	1.85	0.40
1:D:57:PHE:O	1:D:164:ALA:HB3	2.21	0.40
1:B:175:ALA:CA	1:B:214:ILE:HD11	2.51	0.40
1:B:218:VAL:HG12	1:B:219:GLN:N	2.36	0.40
1:D:171:LEU:O	1:D:175:ALA:HB3	2.22	0.40
1:A:114:PRO:HA	1:A:115:PRO:HD3	2.00	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	214/232 (92%)	209 (98%)	5 (2%)	0	100	100
1	B	218/232 (94%)	212 (97%)	6 (3%)	0	100	100
1	C	212/232 (91%)	204 (96%)	8 (4%)	0	100	100
1	D	211/232 (91%)	205 (97%)	6 (3%)	0	100	100
All	All	855/928 (92%)	830 (97%)	25 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	192/207 (93%)	185 (96%)	7 (4%)	40	38
1	B	196/207 (95%)	190 (97%)	6 (3%)	45	44
1	C	193/207 (93%)	186 (96%)	7 (4%)	40	38
1	D	192/207 (93%)	188 (98%)	4 (2%)	59	62
All	All	773/828 (93%)	749 (97%)	24 (3%)	45	44

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	ARG
1	A	44	LEU
1	A	90	ARG
1	A	96	TYR
1	A	107	GLU
1	A	147	ARG
1	A	163	ASN
1	B	2	LYS
1	B	40	ARG
1	B	117	ARG
1	B	147	ARG
1	B	192	ARG
1	B	196	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	38	GLU
1	C	90	ARG
1	C	96	TYR
1	C	125	ILE
1	C	147	ARG
1	C	196	GLU
1	C	216	LYS
1	D	44	LEU
1	D	127	ASP
1	D	131	ARG
1	D	147	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	163	ASN
1	A	178	HIS
1	B	85	ASN
1	B	185	GLN
1	C	185	GLN
1	C	219	GLN
1	D	178	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	UFP	A	803	-	17,22,22	2.83	8 (47%)	23,33,33	3.93	9 (39%)
3	FAD	A	815	-	51,58,58	2.99	22 (43%)	54,89,89	2.73	16 (29%)
2	UFP	B	808	-	17,22,22	2.80	8 (47%)	23,33,33	3.91	8 (34%)
3	FAD	B	810	-	51,58,58	3.00	23 (45%)	54,89,89	2.77	16 (29%)
3	FAD	C	805	-	51,58,58	2.92	22 (43%)	54,89,89	2.71	16 (29%)
2	UFP	C	813	-	17,22,22	2.88	9 (52%)	23,33,33	3.87	9 (39%)
3	FAD	D	800	-	51,58,58	3.01	22 (43%)	54,89,89	2.71	16 (29%)
2	UFP	D	818	-	17,22,22	2.86	8 (47%)	23,33,33	3.90	8 (34%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	UFP	A	803	-	-	0/6/22/22	0/2/2/2
3	FAD	A	815	-	1/1/9/9	0/28/50/50	0/6/6/6
2	UFP	B	808	-	-	0/6/22/22	0/2/2/2
3	FAD	B	810	-	1/1/9/9	0/28/50/50	0/6/6/6
3	FAD	C	805	-	1/1/9/9	0/28/50/50	0/6/6/6
2	UFP	C	813	-	-	0/6/22/22	0/2/2/2
3	FAD	D	800	-	1/1/9/9	0/28/50/50	0/6/6/6
2	UFP	D	818	-	-	0/6/22/22	0/2/2/2

All (122) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	815	FAD	C8A-N7A	-4.96	1.25	1.34
3	B	810	FAD	C8A-N7A	-4.84	1.25	1.34
3	D	800	FAD	C8A-N7A	-4.73	1.25	1.34
3	C	805	FAD	C8A-N7A	-4.67	1.25	1.34
2	B	808	UFP	P-O2P	-2.47	1.44	1.54
2	A	803	UFP	P-O2P	-2.35	1.45	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	818	UFP	P-O2P	-2.25	1.45	1.54
2	C	813	UFP	P-O2P	-2.10	1.46	1.54
3	A	815	FAD	PA-O5B	-2.09	1.50	1.59
3	B	810	FAD	P-O5'	-2.04	1.50	1.59
3	B	810	FAD	PA-O5B	-2.03	1.50	1.59
3	C	805	FAD	C5B-C4B	2.00	1.57	1.51
3	C	805	FAD	O5B-C5B	2.02	1.52	1.44
3	A	815	FAD	C1'-N10	2.02	1.50	1.48
2	C	813	UFP	C2'-C3'	2.07	1.58	1.52
2	D	818	UFP	C5'-C4'	2.11	1.58	1.51
2	C	813	UFP	C5'-C4'	2.15	1.58	1.51
3	D	800	FAD	O5B-C5B	2.16	1.53	1.44
3	D	800	FAD	C5B-C4B	2.24	1.58	1.51
3	B	810	FAD	C5B-C4B	2.25	1.58	1.51
2	B	808	UFP	C2'-C3'	2.30	1.59	1.52
2	A	803	UFP	C2-N3	2.34	1.42	1.38
2	D	818	UFP	C2-N3	2.36	1.42	1.38
2	B	808	UFP	O4'-C4'	2.38	1.50	1.45
2	C	813	UFP	O4'-C4'	2.39	1.50	1.45
2	A	803	UFP	C5'-C4'	2.44	1.59	1.51
3	B	810	FAD	C9-C8	2.53	1.44	1.37
2	D	818	UFP	O4'-C4'	2.53	1.50	1.45
3	C	805	FAD	C9-C8	2.53	1.44	1.37
2	A	803	UFP	C2'-C1'	2.53	1.59	1.52
2	D	818	UFP	C2'-C1'	2.56	1.59	1.52
2	B	808	UFP	C2-N3	2.57	1.43	1.38
3	D	800	FAD	C9-C8	2.59	1.44	1.37
2	A	803	UFP	O4'-C4'	2.71	1.51	1.45
3	B	810	FAD	C5A-C4A	2.72	1.46	1.40
3	A	815	FAD	C9-C8	2.73	1.45	1.37
2	B	808	UFP	C2'-C1'	2.73	1.59	1.52
3	A	815	FAD	C2-N3	2.79	1.43	1.38
3	C	805	FAD	O4B-C1B	2.83	1.45	1.41
2	C	813	UFP	C2'-C1'	2.86	1.60	1.52
3	B	810	FAD	C2-N3	2.89	1.43	1.38
2	C	813	UFP	C2-N3	2.90	1.43	1.38
3	B	810	FAD	O4B-C1B	2.94	1.45	1.41
3	D	800	FAD	C5A-C4A	2.94	1.47	1.40
3	C	805	FAD	C2-N3	2.99	1.44	1.38
3	C	805	FAD	C5A-C4A	3.06	1.47	1.40
3	A	815	FAD	C5A-C4A	3.14	1.47	1.40
2	B	808	UFP	O4'-C1'	3.14	1.49	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	805	FAD	C6-C5X	3.17	1.46	1.41
3	D	800	FAD	C2-N3	3.18	1.44	1.38
2	D	818	UFP	O4'-C1'	3.31	1.49	1.42
2	C	813	UFP	O4'-C1'	3.37	1.50	1.42
3	A	815	FAD	O4B-C1B	3.37	1.45	1.41
3	A	815	FAD	C6-C5X	3.39	1.46	1.41
3	B	810	FAD	C9-C9A	3.43	1.48	1.40
3	D	800	FAD	C2A-N1A	3.45	1.40	1.33
3	D	800	FAD	C6-C5X	3.46	1.47	1.41
3	A	815	FAD	C2A-N1A	3.48	1.40	1.33
3	C	805	FAD	C2A-N3A	3.52	1.38	1.32
2	A	803	UFP	O4'-C1'	3.52	1.50	1.42
3	D	800	FAD	O4B-C1B	3.58	1.46	1.41
3	B	810	FAD	C6-C5X	3.58	1.47	1.41
3	C	805	FAD	C6-C7	3.66	1.47	1.37
3	B	810	FAD	C2A-N1A	3.68	1.40	1.33
3	C	805	FAD	C9-C9A	3.68	1.48	1.40
3	C	805	FAD	C2A-N1A	3.70	1.40	1.33
3	A	815	FAD	C2A-N3A	3.82	1.38	1.32
3	A	815	FAD	C6-C7	3.89	1.48	1.37
3	D	800	FAD	C9-C9A	3.90	1.49	1.40
3	A	815	FAD	C9-C9A	3.92	1.49	1.40
3	C	805	FAD	C5X-N5	3.96	1.41	1.35
3	B	810	FAD	C2A-N3A	3.97	1.38	1.32
3	C	805	FAD	C4-C4X	3.99	1.48	1.41
3	D	800	FAD	C6-C7	4.01	1.48	1.37
3	B	810	FAD	C4-C4X	4.07	1.49	1.41
3	D	800	FAD	C2A-N3A	4.12	1.39	1.32
3	B	810	FAD	C6-C7	4.14	1.48	1.37
3	D	800	FAD	C4-C4X	4.21	1.49	1.41
3	B	810	FAD	C8-C7	4.25	1.51	1.41
3	D	800	FAD	C8-C7	4.25	1.51	1.41
3	A	815	FAD	C8-C7	4.26	1.51	1.41
3	C	805	FAD	C8-C7	4.33	1.51	1.41
3	D	800	FAD	C5X-N5	4.34	1.42	1.35
3	A	815	FAD	C4-C4X	4.34	1.49	1.41
3	A	815	FAD	C5X-N5	4.35	1.42	1.35
3	B	810	FAD	C5X-N5	4.40	1.42	1.35
3	C	805	FAD	C4X-C10	4.69	1.49	1.41
3	B	810	FAD	C9A-C5X	4.72	1.52	1.42
3	D	800	FAD	C9A-C5X	4.77	1.52	1.42
3	C	805	FAD	C9A-C5X	4.77	1.52	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	810	FAD	C4X-C10	4.79	1.49	1.41
3	B	810	FAD	C2B-C1B	4.80	1.61	1.53
3	C	805	FAD	C2B-C1B	4.82	1.61	1.53
3	D	800	FAD	C2B-C1B	4.82	1.61	1.53
3	A	815	FAD	C9A-C5X	4.89	1.52	1.42
3	D	800	FAD	C4X-C10	4.90	1.49	1.41
3	A	815	FAD	C4X-C10	4.94	1.49	1.41
3	A	815	FAD	C2B-C1B	5.14	1.61	1.53
3	C	805	FAD	C10-N1	6.09	1.41	1.33
3	C	805	FAD	C4X-N5	6.09	1.42	1.33
3	A	815	FAD	C10-N1	6.19	1.41	1.33
3	B	810	FAD	C4X-N5	6.21	1.42	1.33
3	D	800	FAD	C10-N1	6.22	1.42	1.33
3	A	815	FAD	C4A-N3A	6.23	1.44	1.35
3	D	800	FAD	C4X-N5	6.26	1.42	1.33
3	A	815	FAD	C4-N3	6.28	1.44	1.33
3	A	815	FAD	C4X-N5	6.30	1.42	1.33
2	B	808	UFP	C4-C5	6.33	1.46	1.38
2	A	803	UFP	C4-N3	6.36	1.44	1.33
3	B	810	FAD	C10-N1	6.36	1.42	1.33
2	A	803	UFP	C4-C5	6.37	1.46	1.38
3	C	805	FAD	C4A-N3A	6.41	1.45	1.35
3	D	800	FAD	C4A-N3A	6.44	1.45	1.35
2	B	808	UFP	C4-N3	6.46	1.44	1.33
2	C	813	UFP	C4-N3	6.53	1.44	1.33
2	D	818	UFP	C4-N3	6.57	1.44	1.33
3	D	800	FAD	C4-N3	6.65	1.45	1.33
2	C	813	UFP	C4-C5	6.65	1.46	1.38
3	B	810	FAD	C4-N3	6.66	1.45	1.33
3	C	805	FAD	C4-N3	6.70	1.45	1.33
2	D	818	UFP	C4-C5	6.73	1.46	1.38
3	B	810	FAD	C4A-N3A	6.88	1.45	1.35

All (98) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	805	FAD	C4B-O4B-C1B	-9.79	99.34	109.77
3	A	815	FAD	C4B-O4B-C1B	-9.60	99.55	109.77
3	B	810	FAD	C4B-O4B-C1B	-9.58	99.57	109.77
3	D	800	FAD	C4B-O4B-C1B	-9.27	99.90	109.77
3	B	810	FAD	N3A-C2A-N1A	-6.85	122.89	128.86
3	D	800	FAD	N3A-C2A-N1A	-6.52	123.18	128.86

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	815	FAD	N3A-C2A-N1A	-6.31	123.36	128.86
3	C	805	FAD	N3A-C2A-N1A	-6.27	123.40	128.86
2	C	813	UFP	C2'-C1'-N1	-6.08	99.87	114.23
2	D	818	UFP	C2'-C1'-N1	-6.08	99.87	114.23
2	C	813	UFP	C5-C4-N3	-6.04	116.02	122.39
2	B	808	UFP	C5-C4-N3	-5.95	116.11	122.39
2	B	808	UFP	C2'-C1'-N1	-5.95	100.18	114.23
2	D	818	UFP	C5-C4-N3	-5.93	116.14	122.39
2	A	803	UFP	C5-C4-N3	-5.80	116.27	122.39
2	A	803	UFP	C2'-C1'-N1	-5.74	100.67	114.23
3	A	815	FAD	C4X-C4-N3	-4.31	117.34	123.48
3	C	805	FAD	C4X-C4-N3	-4.27	117.40	123.48
3	D	800	FAD	C4X-C4-N3	-4.25	117.43	123.48
3	B	810	FAD	C4X-C4-N3	-4.19	117.52	123.48
3	B	810	FAD	C4-C4X-C10	-3.92	116.79	119.96
3	B	810	FAD	C1'-N10-C10	-3.91	114.49	118.50
3	A	815	FAD	C4-C4X-C10	-3.82	116.87	119.96
3	D	800	FAD	C4-C4X-C10	-3.76	116.92	119.96
3	D	800	FAD	C1'-N10-C10	-3.73	114.67	118.50
3	A	815	FAD	C1'-N10-C10	-3.56	114.85	118.50
3	C	805	FAD	C4X-C10-N10	-3.53	118.07	120.52
3	C	805	FAD	C4-C4X-C10	-3.51	117.13	119.96
3	C	805	FAD	C1'-N10-C10	-3.48	114.94	118.50
3	B	810	FAD	C4X-C10-N10	-3.45	118.12	120.52
3	D	800	FAD	C4A-C5A-N7A	-3.44	106.08	109.41
3	D	800	FAD	C4X-C10-N10	-3.34	118.20	120.52
3	A	815	FAD	C4A-C5A-N7A	-3.31	106.21	109.41
3	C	805	FAD	C4A-C5A-N7A	-3.30	106.22	109.41
3	A	815	FAD	C4X-C10-N10	-3.19	118.30	120.52
3	B	810	FAD	C4A-C5A-N7A	-3.14	106.38	109.41
3	D	800	FAD	C5B-C4B-C3B	-2.81	104.57	115.29
3	C	805	FAD	C5B-C4B-C3B	-2.73	104.90	115.29
3	A	815	FAD	C5B-C4B-C3B	-2.69	105.04	115.29
3	B	810	FAD	C5B-C4B-C3B	-2.64	105.24	115.29
2	A	803	UFP	O4'-C4'-C3'	-2.10	100.65	105.68
2	B	808	UFP	O4'-C4'-C3'	-2.05	100.75	105.68
2	C	813	UFP	O4'-C4'-C3'	-2.00	100.87	105.68
2	A	803	UFP	C2'-C3'-C4'	2.08	107.17	102.73
2	B	808	UFP	P-O5'-C5'	2.14	124.20	118.30
3	D	800	FAD	C2A-N1A-C6A	2.16	122.55	118.77
2	D	818	UFP	C2'-C3'-C4'	2.16	107.34	102.73
3	A	815	FAD	C2A-N1A-C6A	2.18	122.58	118.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	810	FAD	C2A-N1A-C6A	2.18	122.58	118.77
2	C	813	UFP	C2'-C3'-C4'	2.18	107.39	102.73
2	D	818	UFP	C4'-O4'-C1'	2.21	114.82	109.42
2	A	803	UFP	C4'-O4'-C1'	2.22	114.86	109.42
3	C	805	FAD	C2A-N1A-C6A	2.25	122.70	118.77
2	C	813	UFP	C4'-O4'-C1'	2.42	115.34	109.42
2	B	808	UFP	C4'-O4'-C1'	2.43	115.36	109.42
2	D	818	UFP	P-O5'-C5'	2.49	125.17	118.30
3	B	810	FAD	O4B-C4B-C3B	2.62	110.38	105.17
3	A	815	FAD	O3B-C3B-C4B	2.63	118.78	111.09
3	A	815	FAD	O4B-C4B-C3B	2.67	110.47	105.17
3	D	800	FAD	O4B-C4B-C3B	2.67	110.48	105.17
2	A	803	UFP	P-O5'-C5'	2.69	125.70	118.30
3	C	805	FAD	O3B-C3B-C4B	2.69	118.95	111.09
3	C	805	FAD	O4B-C4B-C3B	2.70	110.53	105.17
3	B	810	FAD	O3B-C3B-C4B	2.71	119.00	111.09
2	C	813	UFP	P-O5'-C5'	2.74	125.83	118.30
3	D	800	FAD	O3B-C3B-C4B	2.84	119.38	111.09
2	B	808	UFP	C5-C6-N1	2.90	126.11	121.06
2	D	818	UFP	C5-C6-N1	2.93	126.16	121.06
2	A	803	UFP	C5-C6-N1	2.96	126.22	121.06
2	C	813	UFP	C5-C6-N1	3.13	126.51	121.06
3	A	815	FAD	C4X-N5-C5X	3.41	120.36	116.76
3	B	810	FAD	C4X-N5-C5X	3.42	120.38	116.76
3	D	800	FAD	C4X-N5-C5X	3.44	120.39	116.76
3	C	805	FAD	C4X-N5-C5X	3.49	120.44	116.76
3	C	805	FAD	C4-C4X-N5	3.77	122.81	118.68
3	B	810	FAD	C4-C4X-N5	4.01	123.07	118.68
3	A	815	FAD	C4-C4X-N5	4.04	123.11	118.68
3	D	800	FAD	C4-C4X-N5	4.04	123.11	118.68
3	C	805	FAD	C1'-N10-C9A	4.18	122.18	118.35
3	A	815	FAD	C1'-N10-C9A	4.46	122.44	118.35
3	D	800	FAD	C1'-N10-C9A	4.51	122.48	118.35
3	B	810	FAD	C1'-N10-C9A	4.60	122.56	118.35
3	D	800	FAD	O2B-C2B-C1B	5.24	128.01	111.61
3	A	815	FAD	O2B-C2B-C1B	5.33	128.30	111.61
3	C	805	FAD	O2B-C2B-C1B	5.38	128.44	111.61
3	B	810	FAD	O2B-C2B-C1B	5.41	128.53	111.61
2	D	818	UFP	O4'-C1'-N1	5.88	117.69	107.78
2	C	813	UFP	O4'-C1'-N1	5.91	117.73	107.78
2	B	808	UFP	O4'-C1'-N1	5.94	117.79	107.78
2	A	803	UFP	O4'-C1'-N1	6.01	117.92	107.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	805	FAD	C4-N3-C2	8.29	122.41	115.16
3	D	800	FAD	C4-N3-C2	8.54	122.62	115.16
3	B	810	FAD	C4-N3-C2	8.64	122.72	115.16
3	A	815	FAD	C4-N3-C2	8.79	122.85	115.16
2	C	813	UFP	C4-N3-C2	13.99	127.40	115.16
2	D	818	UFP	C4-N3-C2	14.41	127.76	115.16
2	B	808	UFP	C4-N3-C2	14.48	127.83	115.16
2	A	803	UFP	C4-N3-C2	14.67	127.99	115.16

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	D	800	FAD	C1B
3	C	805	FAD	C1B
3	B	810	FAD	C1B
3	A	815	FAD	C1B

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	803	UFP	1	0
3	A	815	FAD	1	0
2	B	808	UFP	2	0
3	B	810	FAD	1	0
3	C	805	FAD	2	0
2	C	813	UFP	2	0
3	D	800	FAD	1	0
2	D	818	UFP	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	216/232 (93%)	0.10	9 (4%) 37 37	15, 27, 58, 66	0
1	B	220/232 (94%)	0.19	14 (6%) 20 20	15, 30, 64, 67	0
1	C	216/232 (93%)	-0.05	8 (3%) 42 43	16, 26, 55, 65	0
1	D	215/232 (92%)	0.18	16 (7%) 15 15	15, 28, 58, 66	0
All	All	867/928 (93%)	0.10	47 (5%) 26 26	15, 28, 59, 67	0

All (47) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	218	VAL	5.7
1	C	220	VAL	4.4
1	A	110	LYS	4.2
1	B	40	ARG	4.1
1	B	38	GLU	4.1
1	B	107	GLU	3.8
1	B	111	THR	3.5
1	D	31	PHE	3.5
1	D	32	ASP	3.4
1	D	40	ARG	3.2
1	A	117	ARG	3.2
1	C	104	GLU	3.2
1	B	112	THR	3.1
1	B	35	LEU	3.1
1	C	219	GLN	3.1
1	D	217	GLU	3.1
1	B	36	LYS	3.0
1	A	112	THR	3.0
1	D	216	LYS	3.0
1	A	40	ARG	3.0
1	D	33	MET	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	110	LYS	2.8
1	D	140	GLY	2.8
1	D	109	TYR	2.8
1	D	110	LYS	2.7
1	C	107	GLU	2.6
1	C	111	THR	2.6
1	A	113	ILE	2.6
1	D	106	LEU	2.6
1	D	29	VAL	2.6
1	D	96	TYR	2.5
1	B	37	ASP	2.5
1	C	138	GLU	2.5
1	A	34	GLY	2.5
1	A	107	GLU	2.3
1	D	138	GLU	2.3
1	A	37	ASP	2.3
1	C	218	VAL	2.3
1	D	37	ASP	2.3
1	B	1	MET	2.3
1	C	31	PHE	2.3
1	A	36	LYS	2.2
1	D	107	GLU	2.2
1	B	218	VAL	2.1
1	B	31	PHE	2.1
1	B	81	ILE	2.0
1	B	39	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors

of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	UFP	B	808	21/21	0.96	0.12	0.22	18,20,22,24	0
3	FAD	C	805	53/53	0.97	0.12	-0.19	16,21,25,26	0
2	UFP	C	813	21/21	0.95	0.12	-0.26	20,23,28,29	0
3	FAD	B	810	53/53	0.95	0.14	-0.28	17,23,27,30	0
3	FAD	D	800	53/53	0.95	0.13	-0.33	18,23,28,29	0
3	FAD	A	815	53/53	0.96	0.12	-0.54	17,21,24,25	0
2	UFP	D	818	21/21	0.96	0.10	-0.61	19,23,25,27	0
2	UFP	A	803	21/21	0.97	0.10	-0.76	21,23,25,29	0

6.5 Other polymers [i](#)

There are no such residues in this entry.