



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 01:14 am GMT

PDB ID : 3O3N
Title : (R)-2-hydroxyisocaproyl-CoA dehydratase in complex with its substrate (R)-2-hydroxyisocaproyl-CoA
Authors : Knauer, S.H.; Buckel, W.; Dobbek, H.
Deposited on : 2010-07-25
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4130 (2.30-2.30)
Clashscore	112137	4751 (2.30-2.30)
Ramachandran outliers	110173	4705 (2.30-2.30)
Sidechain outliers	110143	4704 (2.30-2.30)
RSRZ outliers	101464	4156 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	408	<div> <div>2%</div> <div> <div></div> <div>73%</div> <div>24%</div> <div>••</div> </div> </div>
1	C	408	<div> <div>%</div> <div> <div></div> <div>77%</div> <div>20%</div> <div>••</div> </div> </div>
2	B	385	<div> <div>2%</div> <div> <div></div> <div>70%</div> <div>27%</div> <div>•</div> </div> </div>
2	D	385	<div> <div>%</div> <div> <div></div> <div>74%</div> <div>23%</div> <div>••</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	IRC	A	410	-	-	-	X
4	IRC	C	410	-	-	-	X

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 13651 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called alpha-subunit 2-hydroxyisocaproyl-CoA dehydratase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	399	Total	C	N	O	S	0	1	0
			3177	2014	524	610	29			
1	C	401	Total	C	N	O	S	0	2	0
			3202	2029	529	614	30			

- Molecule 2 is a protein called beta-subunit 2-hydroxyacyl-CoA dehydratase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	374	Total	C	N	O	S	0	0	0
			2960	1877	492	568	23			
2	D	374	Total	C	N	O	S	0	0	0
			2960	1877	492	568	23			

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
B	376	SER	-	EXPRESSION TAG	UNP Q5U923
B	377	ALA	-	EXPRESSION TAG	UNP Q5U923
B	378	TRP	-	EXPRESSION TAG	UNP Q5U923
B	379	SER	-	EXPRESSION TAG	UNP Q5U923
B	380	HIS	-	EXPRESSION TAG	UNP Q5U923
B	381	PRO	-	EXPRESSION TAG	UNP Q5U923
B	382	GLN	-	EXPRESSION TAG	UNP Q5U923
B	383	PHE	-	EXPRESSION TAG	UNP Q5U923
B	384	GLU	-	EXPRESSION TAG	UNP Q5U923
B	385	LYS	-	EXPRESSION TAG	UNP Q5U923
D	376	SER	-	EXPRESSION TAG	UNP Q5U923
D	377	ALA	-	EXPRESSION TAG	UNP Q5U923
D	378	TRP	-	EXPRESSION TAG	UNP Q5U923
D	379	SER	-	EXPRESSION TAG	UNP Q5U923
D	380	HIS	-	EXPRESSION TAG	UNP Q5U923
D	381	PRO	-	EXPRESSION TAG	UNP Q5U923

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	382	GLN	-	EXPRESSION TAG	UNP Q5U923
D	383	PHE	-	EXPRESSION TAG	UNP Q5U923
D	384	GLU	-	EXPRESSION TAG	UNP Q5U923
D	385	LYS	-	EXPRESSION TAG	UNP Q5U923

- Molecule 3 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Fe	S	0	0
			8	4	4		
3	B	1	Total	Fe	S	0	0
			8	4	4		
3	C	1	Total	Fe	S	0	0
			8	4	4		
3	D	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 4 is S-[2-[3-[[[(2R)-4-[[[(2R,3S,4R,5R)-5-(6-AMINOPURIN-9-YL)-4-HYDROXY-3-PHOSPHONOOXY-OXOLAN-2-YL]METHOXY-HYDROXY-PHOSPHORYL]OXY-HYDROXY-PHOSPHORYL]OXY-2-HYDROXY-3,3-DIMETHYL-BUTANOYL]AMINO]PROPANOYLAMINO]ETHYL] (2R)-2-HYDROXY-4-METHYL-PENTANETHIOATE (three-letter code: IRC) (formula: C₂₇H₄₆N₇O₁₈P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	S	0	0
			56	27	7	18	3	1		
4	C	1	Total	C	N	O	P	S	0	0
			56	27	7	18	3	1		

- Molecule 5 is HYDROSULFURIC ACID (three-letter code: H2S) (formula: H₂S).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	S	0	0
			1	1		
5	D	1	Total	S	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	286	Total 286	O 286	0	0
6	B	309	Total 309	O 309	0	0
6	C	303	Total 303	O 303	0	0
6	D	308	Total 308	O 308	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: alpha-subunit 2-hydroxyisocaproyl-CoA dehydratase




- Molecule 1: alpha-subunit 2-hydroxyisocaproyl-CoA dehydratase




- Molecule 2: beta-subunit 2-hydroxyacyl-CoA dehydratase





• Molecule 2: beta-subunit 2-hydroxyacyl-CoA dehydratase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	70.65Å 126.68Å 177.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.30 29.14 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.4 (30.00-2.30) 99.5 (29.14-2.30)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.71 (at 2.31Å)	Xtriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.228 , 0.283 0.210 , 0.269	Depositor DCC
R_{free} test set	3519 reflections (5.20%)	DCC
Wilson B-factor (Å ²)	28.2	Xtriage
Anisotropy	0.658	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 70.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	13651	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 42.83 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 1.9254e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SF4, IRC, H2S

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/3240	0.56	0/4367
1	C	0.35	0/3265	0.55	0/4399
2	B	0.32	0/3012	0.56	0/4059
2	D	0.32	0/3012	0.55	0/4059
All	All	0.33	0/12529	0.55	0/16884

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3177	0	3111	76	0
1	C	3202	0	3138	74	0
2	B	2960	0	2979	82	0
2	D	2960	0	2979	76	0
3	A	8	0	0	0	0
3	B	8	0	0	1	0
3	C	8	0	0	0	0
3	D	8	0	0	1	0
4	A	56	0	42	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	C	56	0	41	5	0
5	B	1	0	0	1	0
5	D	1	0	0	0	0
6	A	286	0	0	5	0
6	B	309	0	0	13	0
6	C	303	0	0	11	0
6	D	308	0	0	7	0
All	All	13651	0	12290	304	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (304) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:52:LEU:HD13	1:C:104:MET:HG3	1.50	0.91
2:D:5:LEU:HD23	2:D:8:MET:HE3	1.54	0.90
2:B:83:LEU:HD21	2:B:112:ALA:HB1	1.62	0.81
2:B:5:LEU:HD23	2:B:8:MET:HE3	1.62	0.80
2:D:83:LEU:HD21	2:D:112:ALA:HB1	1.65	0.78
2:B:189:LYS:HE2	2:B:189:LYS:HA	1.65	0.77
2:B:1:MET:HG2	2:B:218:LYS:HE2	1.66	0.77
1:C:24:LYS:HE3	1:C:24:LYS:HA	1.65	0.76
2:B:4:ILE:HD11	2:B:211:LEU:HB3	1.67	0.76
1:A:204:SER:HB3	1:A:206:PRO:O	1.87	0.75
2:B:5:LEU:HD23	2:B:8:MET:CE	2.18	0.74
2:D:237:ILE:HD11	2:D:325:CYS:SG	2.29	0.73
2:B:84:LYS:HD3	6:B:1009:HOH:O	1.88	0.71
2:B:191:SER:HA	2:B:245:LEU:HD13	1.73	0.71
2:D:5:LEU:HD23	2:D:8:MET:CE	2.20	0.71
1:A:180:PHE:O	1:A:184:MET:HG3	1.91	0.71
2:D:241:SER:O	2:D:244:ILE:HG22	1.90	0.70
2:B:309:VAL:HG11	2:B:344:ILE:HD13	1.76	0.67
1:C:346:CYS:SG	1:C:349[A]:MET:HG3	2.34	0.67
1:A:57:GLN:O	1:A:61:VAL:HG23	1.95	0.67
2:B:222:MET:HB3	6:B:552:HOH:O	1.95	0.67
2:D:332:TYR:HB3	2:D:333:PRO:HD3	1.77	0.66
1:A:271:ILE:O	1:A:275:MET:HG3	1.95	0.66
2:D:148:GLU:HG2	2:D:155:ILE:HG13	1.77	0.66
1:C:219:ALA:HB2	4:C:410:IRC:HN8P	1.58	0.66
2:D:192:ILE:O	2:D:196:VAL:HG23	1.96	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:49:LEU:HD21	1:C:171:SER:HB3	1.78	0.66
2:B:36:VAL:HG12	2:B:37:TYR:CD2	2.31	0.66
2:B:4:ILE:CD1	2:B:211:LEU:HB3	2.26	0.65
1:C:223[A]:CYS:HB2	6:C:604:HOH:O	1.97	0.65
2:B:156:GLU:HG2	6:B:605:HOH:O	1.96	0.64
2:D:189:LYS:HE3	6:D:436:HOH:O	1.97	0.64
2:D:362:ARG:O	2:D:366:GLN:HG3	1.96	0.64
2:B:321:MET:HG3	2:B:348:TYR:CE1	2.32	0.64
2:B:332:TYR:HB3	2:B:333:PRO:HD3	1.79	0.64
2:B:8:MET:O	2:B:11:VAL:HG12	1.98	0.64
2:D:352:ASP:O	2:D:355:THR:HG22	1.98	0.64
2:B:184:HIS:HA	2:B:225:GLU:HG2	1.80	0.64
1:C:198:MET:HE2	1:C:214:LEU:HG	1.79	0.63
2:D:189:LYS:HD2	2:D:249:GLU:HG3	1.81	0.63
2:D:309:VAL:HA	2:D:314:ILE:HD12	1.80	0.63
2:B:80:GLU:HG3	2:B:84:LYS:HE2	1.79	0.63
1:A:47:PHE:HB2	1:A:49:LEU:HD22	1.81	0.63
2:B:169:GLU:OE2	2:B:172:LYS:HE2	1.99	0.62
1:C:215:PHE:HB3	1:C:268:TRP:HH2	1.63	0.62
2:B:144:LYS:O	2:B:148:GLU:HG3	2.00	0.62
1:C:47:PHE:HB2	1:C:49:LEU:HD23	1.80	0.62
2:B:362:ARG:O	2:B:366:GLN:HG3	2.00	0.62
1:A:193:LEU:HD12	1:A:238:ILE:CD1	2.30	0.61
1:A:24:LYS:HG3	6:A:679:HOH:O	2.00	0.61
2:B:276:ASP:O	2:B:280:ARG:HG3	2.00	0.61
2:B:184:HIS:HA	2:B:225:GLU:CG	2.31	0.61
1:A:69:GLU:HG3	6:A:654:HOH:O	2.00	0.61
1:A:56:ASN:HD22	4:A:410:IRC:H6PA	1.66	0.61
2:B:5:LEU:HA	2:B:8:MET:CE	2.30	0.61
2:D:6:SER:O	2:D:10:GLU:HG2	2.01	0.61
2:D:264:THR:O	2:D:268:ARG:HB2	2.01	0.60
2:B:366:GLN:O	2:B:370:GLU:HG3	2.01	0.60
1:C:198:MET:HE2	1:C:214:LEU:CG	2.32	0.60
2:D:261:ALA:HA	2:D:265:ARG:HD2	1.84	0.60
1:A:234:PHE:O	1:A:238:ILE:HG13	2.02	0.59
1:A:215:PHE:HB3	1:A:268:TRP:HH2	1.67	0.59
2:B:139:GLU:O	2:B:143:VAL:HG23	2.02	0.59
1:C:267:CYS:H	1:C:274:LYS:NZ	2.00	0.59
2:D:5:LEU:HA	2:D:8:MET:CE	2.32	0.59
1:A:223[A]:CYS:HB2	6:A:806:HOH:O	2.02	0.59
1:A:56:ASN:ND2	4:A:410:IRC:HEPB	2.18	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:237:ILE:HD13	3:D:386:SF4:S2	2.43	0.58
1:C:267:CYS:H	1:C:274:LYS:HZ3	1.51	0.58
1:C:34:TRP:CE2	1:C:107:PRO:HD3	2.39	0.58
2:B:9:LYS:HE2	2:B:13:GLU:CD	2.24	0.58
2:B:309:VAL:HG13	2:B:314:ILE:HB	1.84	0.58
1:A:204:SER:OG	1:A:208:PRO:HD3	2.03	0.58
2:B:323:LYS:HE2	2:B:324:PHE:CE2	2.39	0.58
1:C:218:MET:O	1:C:222:VAL:HG23	2.03	0.58
2:D:15:PRO:O	2:D:19:VAL:HG23	2.04	0.58
2:D:39:PRO:HG3	2:D:140:TYR:CE1	2.39	0.58
2:D:267:PHE:HB3	6:D:411:HOH:O	2.05	0.57
1:A:193:LEU:HD12	1:A:238:ILE:HD11	1.87	0.57
1:A:209:MET:HE1	1:A:214:LEU:N	2.19	0.57
1:C:313:MET:SD	1:C:315:ASN:HB2	2.44	0.57
1:A:215:PHE:HB3	1:A:268:TRP:CH2	2.39	0.56
2:D:309:VAL:HG13	2:D:314:ILE:HB	1.87	0.56
1:A:263:GLU:OE2	1:A:349:MET:HE3	2.05	0.56
1:C:15:LEU:HB3	6:C:818:HOH:O	2.05	0.56
1:A:69:GLU:O	1:A:73:ILE:HG13	2.06	0.56
2:B:261:ALA:HA	2:B:265:ARG:HD2	1.86	0.56
2:B:39:PRO:HG3	2:B:140:TYR:CE1	2.40	0.56
1:C:40:PRO:HA	1:C:310:TYR:CZ	2.42	0.55
2:B:325:CYS:O	2:B:329:GLU:HG3	2.05	0.55
2:D:180:VAL:HG21	2:D:216:ILE:HG23	1.88	0.55
2:B:19:VAL:O	2:B:23:LYS:HG3	2.07	0.55
1:A:152:ARG:O	1:A:156:ILE:HG13	2.07	0.55
2:B:326:ASP:CG	2:B:327:PRO:HD3	2.27	0.55
1:C:83:LEU:HD21	2:D:329:GLU:HB2	1.87	0.55
1:A:218:MET:O	1:A:222:VAL:HG23	2.07	0.54
1:A:326:ARG:HH21	1:A:349:MET:HE3	1.72	0.54
2:B:179:GLU:O	2:B:183:LYS:HG2	2.08	0.54
1:A:390:ILE:O	1:A:394:VAL:HG23	2.08	0.54
2:B:233:LEU:C	2:B:233:LEU:HD23	2.28	0.54
2:B:5:LEU:HA	2:B:8:MET:HE2	1.90	0.54
2:D:237:ILE:HD12	2:D:322:MET:HB3	1.89	0.54
2:D:4:ILE:HG22	2:D:8:MET:CE	2.37	0.54
1:A:34:TRP:CE2	1:A:107:PRO:HD3	2.43	0.53
2:D:111:SER:HB3	6:D:412:HOH:O	2.08	0.53
2:D:216:ILE:HG22	2:D:220:ASN:ND2	2.24	0.53
1:A:313:MET:SD	1:A:315:ASN:HB2	2.49	0.53
2:D:326:ASP:CG	2:D:327:PRO:HD3	2.29	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:277:THR:O	1:A:280:LYS:HG2	2.08	0.53
2:D:38:CYS:HB2	6:D:405:HOH:O	2.09	0.53
2:D:214:ASP:O	2:D:218:LYS:HG2	2.09	0.53
1:A:326:ARG:NH2	1:A:349:MET:HE3	2.24	0.53
2:B:35:PRO:HB3	5:B:387:H2S:S	2.48	0.53
1:C:200:LEU:N	1:C:201:PRO:CD	2.72	0.53
2:D:5:LEU:HA	2:D:8:MET:HE3	1.90	0.53
1:A:77:LYS:HD2	1:A:95:GLU:HG2	1.90	0.52
1:A:40:PRO:HA	1:A:310:TYR:CZ	2.45	0.52
2:B:102:LEU:HG	3:B:386:SF4:S2	2.50	0.52
1:A:326:ARG:NH2	1:A:349:MET:CE	2.73	0.52
1:A:270:TYR:CE2	1:A:381:PHE:HB3	2.45	0.52
2:D:206:GLU:HG2	2:D:207:GLU:N	2.25	0.51
1:A:57:GLN:HG3	1:A:104:MET:SD	2.51	0.51
2:B:249:GLU:HB2	6:B:740:HOH:O	2.10	0.51
1:C:280:LYS:HD3	6:C:1395:HOH:O	2.11	0.51
1:A:38:VAL:HG12	1:A:38:VAL:O	2.10	0.51
2:D:262:GLN:O	2:D:262:GLN:HG2	2.10	0.51
1:A:11:ILE:HG23	1:A:220:VAL:HG11	1.92	0.51
2:D:7:LYS:O	2:D:7:LYS:HD3	2.11	0.51
1:C:215:PHE:HB3	1:C:268:TRP:CH2	2.45	0.51
2:D:186:ASN:O	2:D:189:LYS:NZ	2.42	0.51
2:B:186:ASN:O	2:B:189:LYS:HE3	2.12	0.50
2:B:303:SER:HA	6:B:779:HOH:O	2.11	0.50
1:A:403:LEU:HD12	1:A:403:LEU:N	2.27	0.50
2:D:236:GLY:O	2:D:260:LEU:HA	2.12	0.50
2:B:307:ASP:O	2:B:311:LYS:HG3	2.12	0.50
2:D:374:LEU:N	2:D:374:LEU:HD12	2.26	0.50
2:D:233:LEU:C	2:D:233:LEU:HD23	2.32	0.50
2:D:216:ILE:HG22	2:D:220:ASN:HD21	1.77	0.50
2:B:347:LEU:HD22	2:B:368:PHE:HB2	1.94	0.49
2:D:184:HIS:HA	2:D:225:GLU:HG3	1.94	0.49
1:C:84:CYS:SG	1:C:86:TYR:HB2	2.53	0.49
1:C:202:ALA:HB1	1:C:332:GLU:O	2.11	0.49
1:A:8:ARG:HH12	1:A:216:THR:HG21	1.78	0.49
2:D:89:GLU:HB2	6:D:442:HOH:O	2.13	0.49
1:A:278:LEU:CD2	1:A:390:ILE:HG12	2.43	0.49
2:B:233:LEU:HA	2:B:257:ALA:O	2.13	0.48
2:B:34:PHE:HB2	2:B:94:ILE:O	2.13	0.48
1:C:34:TRP:CD1	1:C:107:PRO:HB3	2.48	0.48
2:B:134:LYS:HG2	6:B:694:HOH:O	2.12	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:31:ILE:HB	2:B:43:ILE:HD13	1.96	0.48
1:A:152:ARG:HH11	1:A:152:ARG:HG3	1.78	0.48
1:A:293:ALA:HB2	1:A:314:PHE:CE2	2.47	0.48
1:A:53:TYR:CE2	1:A:223[A]:CYS:HA	2.48	0.48
1:C:53:TYR:CE2	1:C:223[A]:CYS:HA	2.48	0.48
2:D:370:GLU:O	2:D:374:LEU:HD13	2.14	0.48
2:B:99:CYS:O	2:B:103:ILE:HG13	2.13	0.48
2:B:236:GLY:O	2:B:260:LEU:HA	2.13	0.48
1:A:57:GLN:HE22	1:A:61:VAL:HG21	1.79	0.48
2:D:208:HIS:O	2:D:212:VAL:HG23	2.14	0.48
1:C:184:MET:CE	1:C:301:ASN:HA	2.44	0.47
2:D:237:ILE:CD1	2:D:322:MET:HB3	2.44	0.47
2:D:243:ASP:O	2:D:247:ILE:HG13	2.13	0.47
2:B:187:THR:N	2:B:225:GLU:OE2	2.47	0.47
1:C:299:GLU:HB2	1:C:302:ASP:HB3	1.96	0.47
2:D:4:ILE:HG22	2:D:8:MET:HE2	1.94	0.47
1:A:241:LEU:O	1:A:245:MET:HG3	2.14	0.47
2:B:189:LYS:HE2	2:B:189:LYS:CA	2.42	0.47
2:B:100:ASP:HB2	6:B:666:HOH:O	2.14	0.47
1:C:34:TRP:CZ2	1:C:107:PRO:HD3	2.48	0.47
1:C:152:ARG:O	1:C:156:ILE:HG13	2.14	0.47
1:C:214:LEU:HD23	1:C:214:LEU:C	2.35	0.47
2:D:72:CYS:SG	2:D:75:MET:HB2	2.54	0.47
1:A:181:GLU:HG2	1:A:185:LYS:HE3	1.96	0.47
2:B:5:LEU:HA	2:B:8:MET:HE3	1.97	0.47
1:A:178:LYS:HB3	1:A:178:LYS:NZ	2.29	0.46
1:A:142:PHE:HA	1:A:316:ASN:OD1	2.15	0.46
1:A:294:TRP:CZ2	4:A:410:IRC:HI6	2.50	0.46
1:C:179:LYS:O	1:C:183:VAL:HG23	2.15	0.46
1:C:299:GLU:HB2	1:C:302:ASP:CB	2.45	0.46
1:C:244:ASN:HB3	1:C:249:LYS:O	2.15	0.46
1:A:225:ARG:HH11	1:A:225:ARG:HB2	1.80	0.46
1:A:34:TRP:CZ2	1:A:107:PRO:HD3	2.50	0.46
2:D:11:VAL:HG23	2:D:12:VAL:N	2.29	0.46
2:B:35:PRO:HG2	2:B:75:MET:HE3	1.98	0.46
2:D:307:ASP:O	2:D:311:LYS:HG3	2.15	0.46
2:D:5:LEU:HA	2:D:8:MET:HE2	1.97	0.46
2:B:334:LEU:HD13	6:B:454:HOH:O	2.15	0.46
1:A:262:MET:HA	1:A:339:PHE:O	2.16	0.46
2:B:95:ILE:HD13	2:B:105:LEU:CD2	2.45	0.46
1:C:4:LYS:HE3	6:C:1177:HOH:O	2.14	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:233:LEU:HB2	2:D:314:ILE:HD13	1.98	0.45
2:D:244:ILE:HG23	2:D:245:LEU:N	2.30	0.45
2:B:373:SER:O	2:B:374:LEU:HB2	2.16	0.45
1:C:198:MET:HE2	1:C:214:LEU:CB	2.46	0.45
1:A:236:LEU:O	1:A:240:GLU:HG3	2.16	0.45
1:A:77:LYS:HD2	1:A:95:GLU:CG	2.45	0.45
1:A:6:GLU:HB3	6:A:490:HOH:O	2.15	0.45
1:C:11:ILE:HG23	1:C:220:VAL:CG2	2.46	0.45
1:C:56:ASN:ND2	4:C:410:IRC:HEPB	2.32	0.45
2:B:4:ILE:HG13	2:B:8:MET:CE	2.47	0.45
1:A:48:ASP:OD1	1:A:179:LYS:NZ	2.45	0.45
2:B:267:PHE:HB3	6:B:675:HOH:O	2.16	0.45
1:A:189:GLU:OE1	1:A:189:GLU:HA	2.17	0.45
1:C:359:ARG:NH2	2:D:111:SER:OG	2.49	0.45
2:B:336:ARG:O	2:B:340:GLU:HG3	2.17	0.45
2:B:14:ASN:N	2:B:15:PRO:HD3	2.33	0.44
2:B:15:PRO:O	2:B:19:VAL:HG23	2.17	0.44
2:D:43:ILE:HB	2:D:50:PRO:HG3	1.99	0.44
2:B:238:LEU:C	2:B:238:LEU:HD12	2.37	0.44
2:B:146:GLU:O	2:B:150:ILE:HG13	2.17	0.44
1:A:220:VAL:CG2	1:A:221:ILE:N	2.80	0.44
2:B:186:ASN:ND2	2:B:226:VAL:O	2.48	0.44
1:A:83:LEU:HD22	2:B:330:TYR:CE1	2.52	0.44
1:C:47:PHE:CB	1:C:49:LEU:HD23	2.48	0.44
2:D:360:GLN:O	2:D:364:ARG:HG3	2.18	0.44
2:B:148:GLU:HG2	2:B:155:ILE:HG13	2.00	0.43
2:B:241:SER:O	2:B:244:ILE:HG22	2.18	0.43
1:C:293:ALA:HB2	1:C:314:PHE:CE2	2.52	0.43
1:C:359:ARG:O	1:C:363:GLU:HG3	2.18	0.43
1:C:46:VAL:HG22	6:C:463:HOH:O	2.18	0.43
2:D:96:PRO:HA	2:D:121:LEU:O	2.18	0.43
2:D:125:GLN:HG2	6:D:509:HOH:O	2.18	0.43
1:A:7:ALA:HA	1:A:236:LEU:HD23	1.99	0.43
2:B:276:ASP:HB3	2:B:279:GLU:HB3	2.00	0.43
1:C:155:TYR:O	1:C:159:GLN:HG3	2.18	0.43
1:C:264:GLY:HA2	6:C:474:HOH:O	2.17	0.43
1:C:352:ILE:C	1:C:352:ILE:HD12	2.39	0.43
1:C:47:PHE:CB	1:C:49:LEU:CD2	2.97	0.43
1:C:215:PHE:CD2	1:C:266:PRO:HG2	2.53	0.43
1:C:293:ALA:HB2	1:C:314:PHE:HE2	1.83	0.43
1:C:351:LEU:CD2	2:D:68:PRO:HD2	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243:ASP:O	1:A:247:THR:HG23	2.18	0.43
2:B:106:GLY:HA3	6:B:419:HOH:O	2.18	0.43
1:C:184:MET:HE3	1:C:301:ASN:HA	2.01	0.43
1:C:236:LEU:O	1:C:240:GLU:HG3	2.19	0.43
1:C:56:ASN:CG	4:C:410:IRC:HEPB	2.39	0.43
2:D:66:TYR:HB2	2:D:79:LEU:HD21	2.00	0.43
2:B:299:LYS:HD3	2:B:334:LEU:HD23	2.01	0.43
1:C:8:ARG:HH22	1:C:251:SER:HB3	1.82	0.43
1:A:260:ILE:O	1:A:285:MET:HA	2.19	0.42
1:C:47:PHE:HB3	1:C:49:LEU:CD2	2.49	0.42
2:D:244:ILE:CG2	2:D:245:LEU:N	2.82	0.42
2:D:4:ILE:O	2:D:8:MET:HE2	2.19	0.42
1:A:194:TRP:CH2	1:A:218:MET:HA	2.54	0.42
2:B:347:LEU:HD22	2:B:368:PHE:CB	2.49	0.42
2:B:36:VAL:HG12	2:B:37:TYR:CE2	2.54	0.42
2:B:374:LEU:HD13	2:B:374:LEU:C	2.40	0.42
2:D:10:GLU:HB3	6:D:773:HOH:O	2.18	0.42
2:D:357:ASN:OD1	2:D:359:GLU:HG2	2.19	0.42
2:D:46:ALA:HB2	2:D:155:ILE:CD1	2.49	0.42
1:C:185:LYS:NZ	6:C:469:HOH:O	2.53	0.42
1:C:253:ARG:NH1	1:C:253:ARG:HG2	2.35	0.42
1:C:38:VAL:HG12	1:C:38:VAL:O	2.20	0.42
1:A:336:ASP:O	1:A:367:PRO:HD2	2.20	0.42
1:A:65:LYS:HE2	6:A:617:HOH:O	2.19	0.42
2:B:300:LYS:HA	6:B:548:HOH:O	2.20	0.42
1:C:182:GLU:O	1:C:186:ILE:HG13	2.20	0.42
2:D:126:ASN:HB3	2:D:129:LEU:HD12	2.02	0.42
2:D:154:GLU:HG2	2:D:155:ILE:N	2.34	0.42
1:A:194:TRP:HE3	1:A:234:PHE:CZ	2.37	0.42
1:A:258:TYR:OH	1:A:398:GLU:HB2	2.19	0.42
1:A:57:GLN:NE2	1:A:61:VAL:CG2	2.83	0.42
2:D:212:VAL:O	2:D:216:ILE:HG13	2.20	0.42
1:A:13:ASP:O	1:A:17:GLU:HB2	2.20	0.42
1:C:278:LEU:CD2	1:C:390:ILE:HG12	2.50	0.42
1:C:289:VAL:HG22	6:C:422:HOH:O	2.19	0.42
1:C:290:TYR:N	1:C:291:PRO:CD	2.83	0.42
2:B:360:GLN:O	2:B:364:ARG:HG3	2.20	0.42
1:C:223[B]:CYS:HB3	6:C:604:HOH:O	2.19	0.42
1:A:181:GLU:O	1:A:185:LYS:HG3	2.19	0.41
1:A:209:MET:HE3	1:A:213:ASP:HB2	2.02	0.41
2:D:189:LYS:HB2	2:D:192:ILE:HG12	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:35:PRO:HG2	2:B:75:MET:CE	2.50	0.41
1:A:204:SER:OG	1:A:245:MET:HG2	2.21	0.41
2:B:373:SER:HB2	6:B:1193:HOH:O	2.20	0.41
2:D:83:LEU:CD2	2:D:112:ALA:HB1	2.42	0.41
1:A:35:SER:HB2	1:A:111:LEU:HB2	2.02	0.41
2:B:66:TYR:CZ	2:B:112:ALA:HB2	2.55	0.41
1:C:401:LYS:HE2	6:C:1344:HOH:O	2.19	0.41
2:D:374:LEU:N	2:D:374:LEU:CD1	2.84	0.41
1:A:11:ILE:HG23	1:A:220:VAL:CG1	2.51	0.41
1:A:293:ALA:HB3	1:A:294:TRP:CE3	2.56	0.41
1:A:313:MET:HE2	1:A:314:PHE:CD1	2.56	0.41
1:A:289:VAL:HG12	1:A:314:PHE:CE2	2.55	0.41
1:C:152:ARG:HG3	1:C:152:ARG:HH11	1.85	0.41
2:D:119:ILE:HG12	2:D:146:GLU:HG2	2.03	0.41
1:C:86:TYR:CZ	1:C:375:GLN:HG3	2.56	0.41
2:D:188:ILE:HD11	2:D:219:LEU:HD11	2.02	0.41
2:B:263:GLU:HA	6:B:549:HOH:O	2.21	0.41
2:D:326:ASP:OD1	2:D:327:PRO:HD3	2.20	0.41
1:C:218:MET:O	1:C:221:ILE:HG22	2.20	0.41
1:C:234:PHE:O	1:C:238:ILE:HG13	2.20	0.41
1:C:255:GLU:HA	6:C:1198:HOH:O	2.20	0.41
2:D:374:LEU:H	2:D:374:LEU:CD1	2.34	0.41
2:B:29:LYS:O	2:B:48:MET:HB3	2.20	0.40
1:A:267:CYS:H	1:A:274:LYS:NZ	2.18	0.40
1:A:391:GLN:O	1:A:395:GLU:HG3	2.21	0.40
1:C:239:GLU:O	1:C:243:ASP:HB2	2.21	0.40
1:C:34:TRP:CG	1:C:107:PRO:HB3	2.56	0.40
2:D:1:MET:HB2	2:D:2:GLU:H	1.65	0.40
1:C:238:ILE:O	1:C:242:GLU:HG3	2.22	0.40
1:C:265:ILE:HD11	4:C:410:IRC:OI2	2.21	0.40
1:C:299:GLU:O	1:C:302:ASP:HB3	2.22	0.40
1:C:56:ASN:HD22	4:C:410:IRC:H6PA	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	398/408 (98%)	378 (95%)	18 (4%)	2 (0%)	32	39
1	C	401/408 (98%)	386 (96%)	15 (4%)	0	100	100
2	B	372/385 (97%)	355 (95%)	16 (4%)	1 (0%)	44	55
2	D	372/385 (97%)	360 (97%)	12 (3%)	0	100	100
All	All	1543/1586 (97%)	1479 (96%)	61 (4%)	3 (0%)	51	63

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	204	SER
2	B	36	VAL
1	A	296	LEU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	341/348 (98%)	335 (98%)	6 (2%)	64	79
1	C	344/348 (99%)	339 (98%)	5 (2%)	70	83
2	B	327/336 (97%)	326 (100%)	1 (0%)	94	97
2	D	327/336 (97%)	325 (99%)	2 (1%)	89	95
All	All	1339/1368 (98%)	1325 (99%)	14 (1%)	80	90

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	49	LEU
1	A	64	LYS
1	A	135	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	313	MET
1	A	328	ASP
1	A	345	SER
2	B	371	MET
1	C	13	ASP
1	C	24	LYS
1	C	42	GLU
1	C	253	ARG
1	C	301	ASN
2	D	1	MET
2	D	243	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	18	GLN
1	A	21	ASN
1	A	56	ASN
1	A	150	GLN
1	A	353	GLN
1	A	385	GLN
2	B	16	ASN
2	B	108	ASN
2	B	252	ASN
2	B	356	GLN
2	B	366	GLN
1	C	21	ASN
1	C	56	ASN
1	C	150	GLN
1	C	301	ASN
1	C	404	ASN
2	D	57	GLN
2	D	65	GLN
2	D	108	ASN
2	D	220	ASN
2	D	252	ASN
2	D	266	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 2 are modelled with single atom - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SF4	A	409	1,4	0,12,12	0.00	-	0,24,24	0.00	-
4	IRC	A	410	3	51,58,58	2.19	12 (23%)	58,86,86	4.79	18 (31%)
3	SF4	B	386	2,5	0,12,12	0.00	-	0,24,24	0.00	-
3	SF4	C	409	1,4	0,12,12	0.00	-	0,24,24	0.00	-
4	IRC	C	410	3	51,58,58	2.07	10 (19%)	58,86,86	5.61	17 (29%)
3	SF4	D	386	2,5	0,12,12	0.00	-	0,24,24	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SF4	A	409	1,4	-	0/0/48/48	0/6/5/5
4	IRC	A	410	3	-	1/53/75/75	0/3/3/3
3	SF4	B	386	2,5	-	0/0/48/48	0/6/5/5
3	SF4	C	409	1,4	-	0/0/48/48	0/6/5/5
4	IRC	C	410	3	-	0/53/75/75	0/3/3/3
3	SF4	D	386	2,5	-	0/0/48/48	0/6/5/5

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	410	IRC	O4B-C1B	2.12	1.44	1.41
4	A	410	IRC	OI1-CI1	2.40	1.24	1.21
4	A	410	IRC	C2B-C3B	2.65	1.58	1.53
4	A	410	IRC	P2A-O6A	2.81	1.71	1.59
4	C	410	IRC	C2A-N3A	2.89	1.37	1.32
4	C	410	IRC	P2A-O6A	2.89	1.71	1.59
4	A	410	IRC	C2B-C1B	2.96	1.58	1.53
4	C	410	IRC	C2A-N1A	3.18	1.39	1.33
4	A	410	IRC	C2A-N1A	3.25	1.40	1.33
4	C	410	IRC	O4B-C1B	3.27	1.45	1.41
4	A	410	IRC	C2A-N3A	3.29	1.37	1.32
4	A	410	IRC	CCP-CBP	3.34	1.57	1.52
4	A	410	IRC	C9P-N8P	3.44	1.40	1.33
4	C	410	IRC	OI1-CI1	3.49	1.26	1.21
4	C	410	IRC	C9P-N8P	3.74	1.41	1.33
4	C	410	IRC	CCP-CBP	3.96	1.57	1.52
4	C	410	IRC	C5A-C4A	4.07	1.49	1.40
4	A	410	IRC	C4A-N3A	4.23	1.41	1.35
4	A	410	IRC	C5A-C4A	4.32	1.50	1.40
4	C	410	IRC	C4A-N3A	4.68	1.42	1.35
4	C	410	IRC	P3B-O3B	8.02	1.73	1.59
4	A	410	IRC	P3B-O3B	9.89	1.76	1.59

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	410	IRC	O5P-C5P-C6P	-15.41	93.06	122.01
4	C	410	IRC	O5P-C5P-C6P	-11.38	100.62	122.01
4	A	410	IRC	O3B-P3B-O9A	-9.49	72.06	109.26
4	C	410	IRC	O3B-P3B-O9A	-9.41	72.37	109.26
4	C	410	IRC	O7A-P3B-O9A	-5.85	87.63	110.50
4	A	410	IRC	O7A-P3B-O9A	-5.74	88.02	110.50
4	A	410	IRC	O8A-P3B-O9A	-5.14	90.39	110.50
4	C	410	IRC	O8A-P3B-O9A	-5.01	90.90	110.50
4	A	410	IRC	C2P-C3P-N4P	-4.37	102.85	112.49
4	C	410	IRC	OI1-CI1-S1P	-2.36	120.40	123.72
4	A	410	IRC	CI6-CI4-CI3	-2.12	103.21	111.09
4	C	410	IRC	C7P-N8P-C9P	2.07	126.45	122.59
4	A	410	IRC	C3B-C2B-C1B	2.08	104.61	99.95
4	C	410	IRC	C3B-C2B-C1B	2.15	104.79	99.95
4	A	410	IRC	C4B-O4B-C1B	2.19	112.10	109.77
4	A	410	IRC	CDP-CBP-CCP	2.59	112.18	108.37
4	A	410	IRC	OAP-CAP-CBP	3.01	117.33	110.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	410	IRC	O7A-P3B-O3B	3.10	120.09	106.00
4	C	410	IRC	CEP-CBP-CAP	3.10	114.20	108.82
4	A	410	IRC	O7A-P3B-O3B	3.11	120.14	106.00
4	C	410	IRC	C2P-S1P-CI1	3.55	113.20	101.80
4	A	410	IRC	O8A-P3B-O7A	3.58	122.07	107.61
4	C	410	IRC	O8A-P3B-O7A	3.70	122.53	107.61
4	C	410	IRC	OAP-CAP-CBP	4.17	120.08	110.25
4	C	410	IRC	C6P-C5P-N4P	4.53	124.30	116.49
4	A	410	IRC	C2P-S1P-CI1	5.39	119.08	101.80
4	A	410	IRC	O6A-CCP-CBP	5.99	120.18	110.55
4	C	410	IRC	O6A-CCP-CBP	6.22	120.55	110.55
4	C	410	IRC	O5P-C5P-N4P	6.34	135.08	122.97
4	A	410	IRC	C3P-N4P-C5P	6.96	136.22	122.84
4	A	410	IRC	C6P-C5P-N4P	7.17	128.85	116.49
4	A	410	IRC	O5P-C5P-N4P	7.92	138.09	122.97
4	C	410	IRC	C3P-N4P-C5P	17.04	155.57	122.84
4	A	410	IRC	C7P-C6P-C5P	24.51	151.65	112.22
4	C	410	IRC	C7P-C6P-C5P	32.36	164.27	112.22

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	410	IRC	CAP-C9P-N8P-C7P

There are no ring outliers.

4 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	410	IRC	3	0
3	B	386	SF4	1	0
4	C	410	IRC	5	0
3	D	386	SF4	1	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	399/408 (97%)	-0.15	8 (2%) 65 72	14, 35, 59, 86	0
1	C	401/408 (98%)	-0.20	5 (1%) 79 82	14, 32, 53, 81	0
2	B	374/385 (97%)	-0.11	7 (1%) 67 73	17, 34, 59, 90	0
2	D	374/385 (97%)	-0.22	5 (1%) 77 81	17, 31, 55, 88	0
All	All	1548/1586 (97%)	-0.17	25 (1%) 72 77	14, 33, 57, 90	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	374	LEU	4.9
2	B	1	MET	4.8
2	B	221	ALA	4.3
1	A	254	GLY	3.4
1	C	4	LYS	3.3
1	C	402	LYS	3.2
2	D	221	ALA	3.0
2	D	36	VAL	3.0
1	A	10	VAL	3.0
2	B	36	VAL	3.0
1	A	206	PRO	2.8
1	C	403	LEU	2.7
1	C	401	LYS	2.6
2	D	371	MET	2.5
2	D	35	PRO	2.4
1	A	172	GLY	2.4
1	A	253	ARG	2.4
1	A	204	SER	2.4
1	A	9	VAL	2.4
2	D	215	LEU	2.3
2	B	356	GLN	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	357	ASN	2.2
1	A	236	LEU	2.1
1	C	404	ASN	2.1
2	B	35	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	IRC	C	410	56/56	0.54	0.48	14.40	36,90,99,100	56
4	IRC	A	410	56/56	0.50	0.50	13.78	37,93,105,105	56
3	SF4	C	409	8/8	0.93	0.12	-0.25	23,29,32,36	0
3	SF4	B	386	8/8	0.97	0.09	-0.73	20,25,27,28	0
3	SF4	A	409	8/8	0.95	0.10	-1.03	27,30,34,34	0
5	H2S	B	387	1/1	0.97	0.09	-1.12	28,28,28,28	0
5	H2S	D	387	1/1	0.99	0.08	-1.17	21,21,21,21	0
3	SF4	D	386	8/8	0.97	0.08	-1.27	17,23,25,27	0

6.5 Other polymers [i](#)

There are no such residues in this entry.