



# wwPDB X-ray Structure Validation Summary Report i

Nov 16, 2017 – 10:11 AM EST

PDB ID : 5O5L  
Title : X-ray structure of a bacterial adenylyl cyclase soluble domain, solved at cryogenic temperature  
Authors : Vercellino, I.; Korkhov, V.M.  
Deposited on : unknown  
Resolution : 2.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20030345  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20030345


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	2259 (2.70-2.70)
Clashscore	112137	2590 (2.70-2.70)
Ramachandran outliers	110173	2550 (2.70-2.70)
Sidechain outliers	110143	2550 (2.70-2.70)
RSRZ outliers	101464	2275 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

*Continued from previous page...*



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SO4	B	503	-	-	-	X
4	SO4	E	502	-	-	-	X

## 2 Entry composition [\(i\)](#)

There are 5 unique types of molecules in this entry. The entry contains 19781 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Adenylate cyclase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	224	Total 1720	C 1079	N 306	O 325	S 10	0	0	0
1	B	224	Total 1733	C 1089	N 307	O 327	S 10	0	0	0
1	C	224	Total 1733	C 1089	N 307	O 327	S 10	0	0	0
1	D	224	Total 1733	C 1089	N 307	O 327	S 10	0	0	0
1	E	224	Total 1733	C 1089	N 307	O 327	S 10	0	0	0
1	F	224	Total 1733	C 1089	N 307	O 327	S 10	0	0	0
1	G	224	Total 1733	C 1089	N 307	O 327	S 10	0	0	0
1	H	224	Total 1733	C 1089	N 307	O 327	S 10	0	0	0
1	I	224	Total 1733	C 1089	N 307	O 327	S 10	0	0	0
1	J	224	Total 1733	C 1089	N 307	O 327	S 10	0	0	0
1	K	224	Total 1733	C 1089	N 307	O 327	S 10	0	0	0

There are 308 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	176	MET	-	initiating methionine	UNP X8CHM4
A	177	GLY	-	expression tag	UNP X8CHM4
A	178	HIS	-	expression tag	UNP X8CHM4
A	179	HIS	-	expression tag	UNP X8CHM4
A	180	HIS	-	expression tag	UNP X8CHM4
A	181	HIS	-	expression tag	UNP X8CHM4
A	182	HIS	-	expression tag	UNP X8CHM4

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	183	HIS	-	expression tag	UNP X8CHM4
A	184	HIS	-	expression tag	UNP X8CHM4
A	185	HIS	-	expression tag	UNP X8CHM4
A	186	HIS	-	expression tag	UNP X8CHM4
A	187	HIS	-	expression tag	UNP X8CHM4
A	188	SER	-	expression tag	UNP X8CHM4
A	189	SER	-	expression tag	UNP X8CHM4
A	190	GLY	-	expression tag	UNP X8CHM4
A	191	LEU	-	expression tag	UNP X8CHM4
A	192	GLU	-	expression tag	UNP X8CHM4
A	193	VAL	-	expression tag	UNP X8CHM4
A	194	LEU	-	expression tag	UNP X8CHM4
A	195	PHE	-	expression tag	UNP X8CHM4
A	196	GLN	-	expression tag	UNP X8CHM4
A	197	GLY	-	expression tag	UNP X8CHM4
A	198	PRO	-	expression tag	UNP X8CHM4
A	199	SER	-	expression tag	UNP X8CHM4
A	200	GLY	-	expression tag	UNP X8CHM4
A	201	HIS	-	expression tag	UNP X8CHM4
A	202	MET	-	expression tag	UNP X8CHM4
A	342	PRO	ALA	conflict	UNP X8CHM4
B	176	MET	-	initiating methionine	UNP X8CHM4
B	177	GLY	-	expression tag	UNP X8CHM4
B	178	HIS	-	expression tag	UNP X8CHM4
B	179	HIS	-	expression tag	UNP X8CHM4
B	180	HIS	-	expression tag	UNP X8CHM4
B	181	HIS	-	expression tag	UNP X8CHM4
B	182	HIS	-	expression tag	UNP X8CHM4
B	183	HIS	-	expression tag	UNP X8CHM4
B	184	HIS	-	expression tag	UNP X8CHM4
B	185	HIS	-	expression tag	UNP X8CHM4
B	186	HIS	-	expression tag	UNP X8CHM4
B	187	HIS	-	expression tag	UNP X8CHM4
B	188	SER	-	expression tag	UNP X8CHM4
B	189	SER	-	expression tag	UNP X8CHM4
B	190	GLY	-	expression tag	UNP X8CHM4
B	191	LEU	-	expression tag	UNP X8CHM4
B	192	GLU	-	expression tag	UNP X8CHM4
B	193	VAL	-	expression tag	UNP X8CHM4
B	194	LEU	-	expression tag	UNP X8CHM4
B	195	PHE	-	expression tag	UNP X8CHM4
B	196	GLN	-	expression tag	UNP X8CHM4

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	197	GLY	-	expression tag	UNP X8CHM4
B	198	PRO	-	expression tag	UNP X8CHM4
B	199	SER	-	expression tag	UNP X8CHM4
B	200	GLY	-	expression tag	UNP X8CHM4
B	201	HIS	-	expression tag	UNP X8CHM4
B	202	MET	-	expression tag	UNP X8CHM4
B	342	PRO	ALA	conflict	UNP X8CHM4
C	176	MET	-	initiating methionine	UNP X8CHM4
C	177	GLY	-	expression tag	UNP X8CHM4
C	178	HIS	-	expression tag	UNP X8CHM4
C	179	HIS	-	expression tag	UNP X8CHM4
C	180	HIS	-	expression tag	UNP X8CHM4
C	181	HIS	-	expression tag	UNP X8CHM4
C	182	HIS	-	expression tag	UNP X8CHM4
C	183	HIS	-	expression tag	UNP X8CHM4
C	184	HIS	-	expression tag	UNP X8CHM4
C	185	HIS	-	expression tag	UNP X8CHM4
C	186	HIS	-	expression tag	UNP X8CHM4
C	187	HIS	-	expression tag	UNP X8CHM4
C	188	SER	-	expression tag	UNP X8CHM4
C	189	SER	-	expression tag	UNP X8CHM4
C	190	GLY	-	expression tag	UNP X8CHM4
C	191	LEU	-	expression tag	UNP X8CHM4
C	192	GLU	-	expression tag	UNP X8CHM4
C	193	VAL	-	expression tag	UNP X8CHM4
C	194	LEU	-	expression tag	UNP X8CHM4
C	195	PHE	-	expression tag	UNP X8CHM4
C	196	GLN	-	expression tag	UNP X8CHM4
C	197	GLY	-	expression tag	UNP X8CHM4
C	198	PRO	-	expression tag	UNP X8CHM4
C	199	SER	-	expression tag	UNP X8CHM4
C	200	GLY	-	expression tag	UNP X8CHM4
C	201	HIS	-	expression tag	UNP X8CHM4
C	202	MET	-	expression tag	UNP X8CHM4
C	342	PRO	ALA	conflict	UNP X8CHM4
D	176	MET	-	initiating methionine	UNP X8CHM4
D	177	GLY	-	expression tag	UNP X8CHM4
D	178	HIS	-	expression tag	UNP X8CHM4
D	179	HIS	-	expression tag	UNP X8CHM4
D	180	HIS	-	expression tag	UNP X8CHM4
D	181	HIS	-	expression tag	UNP X8CHM4
D	182	HIS	-	expression tag	UNP X8CHM4

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	183	HIS	-	expression tag	UNP X8CHM4
D	184	HIS	-	expression tag	UNP X8CHM4
D	185	HIS	-	expression tag	UNP X8CHM4
D	186	HIS	-	expression tag	UNP X8CHM4
D	187	HIS	-	expression tag	UNP X8CHM4
D	188	SER	-	expression tag	UNP X8CHM4
D	189	SER	-	expression tag	UNP X8CHM4
D	190	GLY	-	expression tag	UNP X8CHM4
D	191	LEU	-	expression tag	UNP X8CHM4
D	192	GLU	-	expression tag	UNP X8CHM4
D	193	VAL	-	expression tag	UNP X8CHM4
D	194	LEU	-	expression tag	UNP X8CHM4
D	195	PHE	-	expression tag	UNP X8CHM4
D	196	GLN	-	expression tag	UNP X8CHM4
D	197	GLY	-	expression tag	UNP X8CHM4
D	198	PRO	-	expression tag	UNP X8CHM4
D	199	SER	-	expression tag	UNP X8CHM4
D	200	GLY	-	expression tag	UNP X8CHM4
D	201	HIS	-	expression tag	UNP X8CHM4
D	202	MET	-	expression tag	UNP X8CHM4
D	342	PRO	ALA	conflict	UNP X8CHM4
E	176	MET	-	initiating methionine	UNP X8CHM4
E	177	GLY	-	expression tag	UNP X8CHM4
E	178	HIS	-	expression tag	UNP X8CHM4
E	179	HIS	-	expression tag	UNP X8CHM4
E	180	HIS	-	expression tag	UNP X8CHM4
E	181	HIS	-	expression tag	UNP X8CHM4
E	182	HIS	-	expression tag	UNP X8CHM4
E	183	HIS	-	expression tag	UNP X8CHM4
E	184	HIS	-	expression tag	UNP X8CHM4
E	185	HIS	-	expression tag	UNP X8CHM4
E	186	HIS	-	expression tag	UNP X8CHM4
E	187	HIS	-	expression tag	UNP X8CHM4
E	188	SER	-	expression tag	UNP X8CHM4
E	189	SER	-	expression tag	UNP X8CHM4
E	190	GLY	-	expression tag	UNP X8CHM4
E	191	LEU	-	expression tag	UNP X8CHM4
E	192	GLU	-	expression tag	UNP X8CHM4
E	193	VAL	-	expression tag	UNP X8CHM4
E	194	LEU	-	expression tag	UNP X8CHM4
E	195	PHE	-	expression tag	UNP X8CHM4
E	196	GLN	-	expression tag	UNP X8CHM4

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	197	GLY	-	expression tag	UNP X8CHM4
E	198	PRO	-	expression tag	UNP X8CHM4
E	199	SER	-	expression tag	UNP X8CHM4
E	200	GLY	-	expression tag	UNP X8CHM4
E	201	HIS	-	expression tag	UNP X8CHM4
E	202	MET	-	expression tag	UNP X8CHM4
E	342	PRO	ALA	conflict	UNP X8CHM4
F	176	MET	-	initiating methionine	UNP X8CHM4
F	177	GLY	-	expression tag	UNP X8CHM4
F	178	HIS	-	expression tag	UNP X8CHM4
F	179	HIS	-	expression tag	UNP X8CHM4
F	180	HIS	-	expression tag	UNP X8CHM4
F	181	HIS	-	expression tag	UNP X8CHM4
F	182	HIS	-	expression tag	UNP X8CHM4
F	183	HIS	-	expression tag	UNP X8CHM4
F	184	HIS	-	expression tag	UNP X8CHM4
F	185	HIS	-	expression tag	UNP X8CHM4
F	186	HIS	-	expression tag	UNP X8CHM4
F	187	HIS	-	expression tag	UNP X8CHM4
F	188	SER	-	expression tag	UNP X8CHM4
F	189	SER	-	expression tag	UNP X8CHM4
F	190	GLY	-	expression tag	UNP X8CHM4
F	191	LEU	-	expression tag	UNP X8CHM4
F	192	GLU	-	expression tag	UNP X8CHM4
F	193	VAL	-	expression tag	UNP X8CHM4
F	194	LEU	-	expression tag	UNP X8CHM4
F	195	PHE	-	expression tag	UNP X8CHM4
F	196	GLN	-	expression tag	UNP X8CHM4
F	197	GLY	-	expression tag	UNP X8CHM4
F	198	PRO	-	expression tag	UNP X8CHM4
F	199	SER	-	expression tag	UNP X8CHM4
F	200	GLY	-	expression tag	UNP X8CHM4
F	201	HIS	-	expression tag	UNP X8CHM4
F	202	MET	-	expression tag	UNP X8CHM4
F	342	PRO	ALA	conflict	UNP X8CHM4
G	176	MET	-	initiating methionine	UNP X8CHM4
G	177	GLY	-	expression tag	UNP X8CHM4
G	178	HIS	-	expression tag	UNP X8CHM4
G	179	HIS	-	expression tag	UNP X8CHM4
G	180	HIS	-	expression tag	UNP X8CHM4
G	181	HIS	-	expression tag	UNP X8CHM4
G	182	HIS	-	expression tag	UNP X8CHM4

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
G	183	HIS	-	expression tag	UNP X8CHM4
G	184	HIS	-	expression tag	UNP X8CHM4
G	185	HIS	-	expression tag	UNP X8CHM4
G	186	HIS	-	expression tag	UNP X8CHM4
G	187	HIS	-	expression tag	UNP X8CHM4
G	188	SER	-	expression tag	UNP X8CHM4
G	189	SER	-	expression tag	UNP X8CHM4
G	190	GLY	-	expression tag	UNP X8CHM4
G	191	LEU	-	expression tag	UNP X8CHM4
G	192	GLU	-	expression tag	UNP X8CHM4
G	193	VAL	-	expression tag	UNP X8CHM4
G	194	LEU	-	expression tag	UNP X8CHM4
G	195	PHE	-	expression tag	UNP X8CHM4
G	196	GLN	-	expression tag	UNP X8CHM4
G	197	GLY	-	expression tag	UNP X8CHM4
G	198	PRO	-	expression tag	UNP X8CHM4
G	199	SER	-	expression tag	UNP X8CHM4
G	200	GLY	-	expression tag	UNP X8CHM4
G	201	HIS	-	expression tag	UNP X8CHM4
G	202	MET	-	expression tag	UNP X8CHM4
G	342	PRO	ALA	conflict	UNP X8CHM4
H	176	MET	-	initiating methionine	UNP X8CHM4
H	177	GLY	-	expression tag	UNP X8CHM4
H	178	HIS	-	expression tag	UNP X8CHM4
H	179	HIS	-	expression tag	UNP X8CHM4
H	180	HIS	-	expression tag	UNP X8CHM4
H	181	HIS	-	expression tag	UNP X8CHM4
H	182	HIS	-	expression tag	UNP X8CHM4
H	183	HIS	-	expression tag	UNP X8CHM4
H	184	HIS	-	expression tag	UNP X8CHM4
H	185	HIS	-	expression tag	UNP X8CHM4
H	186	HIS	-	expression tag	UNP X8CHM4
H	187	HIS	-	expression tag	UNP X8CHM4
H	188	SER	-	expression tag	UNP X8CHM4
H	189	SER	-	expression tag	UNP X8CHM4
H	190	GLY	-	expression tag	UNP X8CHM4
H	191	LEU	-	expression tag	UNP X8CHM4
H	192	GLU	-	expression tag	UNP X8CHM4
H	193	VAL	-	expression tag	UNP X8CHM4
H	194	LEU	-	expression tag	UNP X8CHM4
H	195	PHE	-	expression tag	UNP X8CHM4
H	196	GLN	-	expression tag	UNP X8CHM4

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
H	197	GLY	-	expression tag	UNP X8CHM4
H	198	PRO	-	expression tag	UNP X8CHM4
H	199	SER	-	expression tag	UNP X8CHM4
H	200	GLY	-	expression tag	UNP X8CHM4
H	201	HIS	-	expression tag	UNP X8CHM4
H	202	MET	-	expression tag	UNP X8CHM4
H	342	PRO	ALA	conflict	UNP X8CHM4
I	176	MET	-	initiating methionine	UNP X8CHM4
I	177	GLY	-	expression tag	UNP X8CHM4
I	178	HIS	-	expression tag	UNP X8CHM4
I	179	HIS	-	expression tag	UNP X8CHM4
I	180	HIS	-	expression tag	UNP X8CHM4
I	181	HIS	-	expression tag	UNP X8CHM4
I	182	HIS	-	expression tag	UNP X8CHM4
I	183	HIS	-	expression tag	UNP X8CHM4
I	184	HIS	-	expression tag	UNP X8CHM4
I	185	HIS	-	expression tag	UNP X8CHM4
I	186	HIS	-	expression tag	UNP X8CHM4
I	187	HIS	-	expression tag	UNP X8CHM4
I	188	SER	-	expression tag	UNP X8CHM4
I	189	SER	-	expression tag	UNP X8CHM4
I	190	GLY	-	expression tag	UNP X8CHM4
I	191	LEU	-	expression tag	UNP X8CHM4
I	192	GLU	-	expression tag	UNP X8CHM4
I	193	VAL	-	expression tag	UNP X8CHM4
I	194	LEU	-	expression tag	UNP X8CHM4
I	195	PHE	-	expression tag	UNP X8CHM4
I	196	GLN	-	expression tag	UNP X8CHM4
I	197	GLY	-	expression tag	UNP X8CHM4
I	198	PRO	-	expression tag	UNP X8CHM4
I	199	SER	-	expression tag	UNP X8CHM4
I	200	GLY	-	expression tag	UNP X8CHM4
I	201	HIS	-	expression tag	UNP X8CHM4
I	202	MET	-	expression tag	UNP X8CHM4
I	342	PRO	ALA	conflict	UNP X8CHM4
J	176	MET	-	initiating methionine	UNP X8CHM4
J	177	GLY	-	expression tag	UNP X8CHM4
J	178	HIS	-	expression tag	UNP X8CHM4
J	179	HIS	-	expression tag	UNP X8CHM4
J	180	HIS	-	expression tag	UNP X8CHM4
J	181	HIS	-	expression tag	UNP X8CHM4
J	182	HIS	-	expression tag	UNP X8CHM4

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
J	183	HIS	-	expression tag	UNP X8CHM4
J	184	HIS	-	expression tag	UNP X8CHM4
J	185	HIS	-	expression tag	UNP X8CHM4
J	186	HIS	-	expression tag	UNP X8CHM4
J	187	HIS	-	expression tag	UNP X8CHM4
J	188	SER	-	expression tag	UNP X8CHM4
J	189	SER	-	expression tag	UNP X8CHM4
J	190	GLY	-	expression tag	UNP X8CHM4
J	191	LEU	-	expression tag	UNP X8CHM4
J	192	GLU	-	expression tag	UNP X8CHM4
J	193	VAL	-	expression tag	UNP X8CHM4
J	194	LEU	-	expression tag	UNP X8CHM4
J	195	PHE	-	expression tag	UNP X8CHM4
J	196	GLN	-	expression tag	UNP X8CHM4
J	197	GLY	-	expression tag	UNP X8CHM4
J	198	PRO	-	expression tag	UNP X8CHM4
J	199	SER	-	expression tag	UNP X8CHM4
J	200	GLY	-	expression tag	UNP X8CHM4
J	201	HIS	-	expression tag	UNP X8CHM4
J	202	MET	-	expression tag	UNP X8CHM4
J	342	PRO	ALA	conflict	UNP X8CHM4
K	176	MET	-	initiating methionine	UNP X8CHM4
K	177	GLY	-	expression tag	UNP X8CHM4
K	178	HIS	-	expression tag	UNP X8CHM4
K	179	HIS	-	expression tag	UNP X8CHM4
K	180	HIS	-	expression tag	UNP X8CHM4
K	181	HIS	-	expression tag	UNP X8CHM4
K	182	HIS	-	expression tag	UNP X8CHM4
K	183	HIS	-	expression tag	UNP X8CHM4
K	184	HIS	-	expression tag	UNP X8CHM4
K	185	HIS	-	expression tag	UNP X8CHM4
K	186	HIS	-	expression tag	UNP X8CHM4
K	187	HIS	-	expression tag	UNP X8CHM4
K	188	SER	-	expression tag	UNP X8CHM4
K	189	SER	-	expression tag	UNP X8CHM4
K	190	GLY	-	expression tag	UNP X8CHM4
K	191	LEU	-	expression tag	UNP X8CHM4
K	192	GLU	-	expression tag	UNP X8CHM4
K	193	VAL	-	expression tag	UNP X8CHM4
K	194	LEU	-	expression tag	UNP X8CHM4
K	195	PHE	-	expression tag	UNP X8CHM4
K	196	GLN	-	expression tag	UNP X8CHM4

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
K	197	GLY	-	expression tag	UNP X8CHM4
K	198	PRO	-	expression tag	UNP X8CHM4
K	199	SER	-	expression tag	UNP X8CHM4
K	200	GLY	-	expression tag	UNP X8CHM4
K	201	HIS	-	expression tag	UNP X8CHM4
K	202	MET	-	expression tag	UNP X8CHM4
K	342	PRO	ALA	conflict	UNP X8CHM4

- Molecule 2 is 3'-O-(N-METHYLANTHRAANILOYL)-GUANOSINE-5'-TRIPHOSPHATE (three-letter code: ONM) (formula: C<sub>18</sub>H<sub>23</sub>N<sub>6</sub>O<sub>15</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			42	18	6	15	3		
2	B	1	Total	C	N	O	P	0	0
			42	18	6	15	3		
2	C	1	Total	C	N	O	P	0	0
			42	18	6	15	3		
2	D	1	Total	C	N	O	P	0	0
			42	18	6	15	3		
2	E	1	Total	C	N	O	P	0	0
			42	18	6	15	3		
2	F	1	Total	C	N	O	P	0	0
			42	18	6	15	3		
2	G	1	Total	C	N	O	P	0	0
			42	18	6	15	3		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	H	1	Total	C	N	O	P	0	0
			42	18	6	15	3		
2	I	1	Total	C	N	O	P	0	0
			42	18	6	15	3		
2	J	1	Total	C	N	O	P	0	0
			42	18	6	15	3		
2	K	1	Total	C	N	O	P	0	0
			42	18	6	15	3		

- Molecule 3 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	G	2	Total	Mn	0	0
			2	2		
3	J	2	Total	Mn	0	0
			2	2		
3	D	2	Total	Mn	0	0
			2	2		
3	K	2	Total	Mn	0	0
			2	2		
3	E	2	Total	Mn	0	0
			2	2		
3	H	2	Total	Mn	0	0
			2	2		
3	B	2	Total	Mn	0	0
			2	2		
3	I	2	Total	Mn	0	0
			2	2		
3	C	2	Total	Mn	0	0
			2	2		
3	A	2	Total	Mn	0	0
			2	2		
3	F	2	Total	Mn	0	0
			2	2		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0
4	D	1	Total O S 5 4 1	0	0
4	E	1	Total O S 5 4 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	53	Total O 53 53	0	0
5	B	60	Total O 60 60	0	0
5	C	66	Total O 66 66	0	0
5	D	37	Total O 37 37	0	0
5	E	1	Total O 1 1	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Adenylate cyclase



- Molecule 1: Adenylate cyclase



- Molecule 1: Adenylate cyclase




- Molecule 1: Adenylate cyclase







- Molecule 1: Adenylate cyclase






- Molecule 1: Adenylate cyclase






- Molecule 1: Adenylate cyclase






- Molecule 1: Adenylate cyclase




- Molecule 1: Adenylate cyclase



- ### • Molecule 1: Adenylate cyclase





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	144.48 Å    84.12 Å    310.75 Å 90.00°    103.87°    90.00°	Depositor
Resolution (Å)	49.38 – 2.70 49.38 – 2.70	Depositor EDS
% Data completeness (in resolution range)	98.5 (49.38-2.70) 98.6 (49.38-2.70)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	1.70 (at 2.69 Å)	Xtriage
Refinement program	BUSTER 2.10.2	Depositor
$R$ , $R_{free}$	0.265 , 0.289 0.285 , 0.314	Depositor DCC
$R_{free}$ test set	4918 reflections (5.00%)	DCC
Wilson B-factor (Å <sup>2</sup> )	76.9	Xtriage
Anisotropy	0.126	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 83.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.014 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	19781	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	135.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.99% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, SO4, ONM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.51	0/1751	0.76	0/2366
1	B	0.49	0/1764	0.78	1/2382 (0.0%)
1	C	0.48	0/1764	0.70	1/2382 (0.0%)
1	D	0.44	0/1764	0.65	0/2382
1	E	0.40	0/1764	0.63	0/2382
1	F	0.40	0/1764	0.62	0/2382
1	G	0.41	0/1764	0.64	0/2382
1	H	0.41	0/1764	0.63	0/2382
1	I	0.41	0/1764	0.64	0/2382
1	J	0.39	0/1764	0.62	0/2382
1	K	0.38	0/1764	0.62	0/2382
All	All	0.43	0/19391	0.66	2/26186 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	C	297	VAL	N-CA-CB	6.59	126.01	111.50
1	B	297	VAL	N-CA-CB	5.25	123.04	111.50

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1720	0	1693	24	0
1	B	1733	0	1724	28	0
1	C	1733	0	1724	24	0
1	D	1733	0	1724	16	0
1	E	1733	0	1724	20	0
1	F	1733	0	1724	18	0
1	G	1733	0	1724	19	0
1	H	1733	0	1724	24	0
1	I	1733	0	1724	28	0
1	J	1733	0	1724	22	0
1	K	1733	0	1724	13	0
2	A	42	0	19	0	0
2	B	42	0	19	0	0
2	C	42	0	19	1	0
2	D	42	0	19	0	0
2	E	42	0	19	1	0
2	F	42	0	19	2	0
2	G	42	0	19	2	0
2	H	42	0	19	1	0
2	I	42	0	19	2	0
2	J	42	0	19	1	0
2	K	42	0	19	1	0
3	A	2	0	0	0	0
3	B	2	0	0	0	0
3	C	2	0	0	0	0
3	D	2	0	0	0	0
3	E	2	0	0	0	0
3	F	2	0	0	0	0
3	G	2	0	0	0	0
3	H	2	0	0	0	0
3	I	2	0	0	0	0
3	J	2	0	0	0	0
3	K	2	0	0	0	0
4	A	5	0	0	0	0
4	B	10	0	0	0	0
4	C	5	0	0	0	0
4	D	5	0	0	0	0
4	E	5	0	0	0	0
5	A	53	0	0	0	0
5	B	60	0	0	0	0
5	C	66	0	0	0	0
5	D	37	0	0	0	0
5	E	1	0	0	0	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	19781	0	19142	199	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 199 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:269:PRO:HB2	1:D:353:VAL:HG21	1.48	0.93
1:B:227:LEU:HD22	1:B:231:ILE:HD11	1.54	0.90
1:G:299:GLY:HA2	1:H:367:TRP:HE1	1.42	0.83
1:A:353:VAL:HG21	1:B:269:PRO:HB2	1.65	0.77
1:C:269:PRO:HB2	1:D:353:VAL:CG2	2.14	0.76

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	222/254 (87%)	215 (97%)	6 (3%)	1 (0%)	32 60
1	B	222/254 (87%)	218 (98%)	3 (1%)	1 (0%)	32 60
1	C	222/254 (87%)	218 (98%)	4 (2%)	0	100 100
1	D	222/254 (87%)	218 (98%)	4 (2%)	0	100 100
1	E	222/254 (87%)	219 (99%)	3 (1%)	0	100 100
1	F	222/254 (87%)	219 (99%)	3 (1%)	0	100 100
1	G	222/254 (87%)	218 (98%)	4 (2%)	0	100 100
1	H	222/254 (87%)	218 (98%)	4 (2%)	0	100 100
1	I	222/254 (87%)	216 (97%)	6 (3%)	0	100 100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	J	222/254 (87%)	219 (99%)	3 (1%)	0	100	100
1	K	222/254 (87%)	219 (99%)	3 (1%)	0	100	100
All	All	2442/2794 (87%)	2397 (98%)	43 (2%)	2 (0%)	55	82

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	397	LYS
1	A	427	ASP

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	177/207 (86%)	155 (88%)	22 (12%)	5	13
1	B	181/207 (87%)	156 (86%)	25 (14%)	4	10
1	C	181/207 (87%)	160 (88%)	21 (12%)	6	15
1	D	181/207 (87%)	160 (88%)	21 (12%)	6	15
1	E	181/207 (87%)	160 (88%)	21 (12%)	6	15
1	F	181/207 (87%)	159 (88%)	22 (12%)	6	13
1	G	181/207 (87%)	158 (87%)	23 (13%)	5	12
1	H	181/207 (87%)	160 (88%)	21 (12%)	6	15
1	I	181/207 (87%)	154 (85%)	27 (15%)	3	9
1	J	181/207 (87%)	159 (88%)	22 (12%)	6	13
1	K	181/207 (87%)	159 (88%)	22 (12%)	6	13
All	All	1987/2277 (87%)	1740 (88%)	247 (12%)	5	13

5 of 247 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	F	222	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	G	252	VAL
1	K	222	LEU
1	F	252	VAL
1	F	387	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	F	403	GLN
1	I	387	GLN
1	G	387	GLN
1	F	225	ASN
1	I	225	ASN

### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry (i)

Of 39 ligands modelled in this entry, 22 are monoatomic - leaving 17 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	ONM	A	501	3	38,45,45	0.90	2 (5%)	43,69,69	1.82	4 (9%)
4	SO4	A	504	-	4,4,4	0.32	0	6,6,6	0.19	0
4	SO4	B	501	-	4,4,4	0.25	0	6,6,6	0.16	0
2	ONM	B	502	3	38,45,45	0.86	2 (5%)	43,69,69	1.89	6 (13%)
4	SO4	B	503	-	4,4,4	0.19	0	6,6,6	0.10	0
2	ONM	C	501	3	38,45,45	0.83	2 (5%)	43,69,69	1.81	4 (9%)
4	SO4	C	502	-	4,4,4	0.22	0	6,6,6	0.31	0
4	SO4	D	501	-	4,4,4	0.24	0	6,6,6	0.15	0
2	ONM	D	502	3	38,45,45	0.90	2 (5%)	43,69,69	1.87	5 (11%)
2	ONM	E	501	3	38,45,45	0.78	2 (5%)	43,69,69	1.81	4 (9%)
4	SO4	E	502	-	4,4,4	0.21	0	6,6,6	0.09	0
2	ONM	F	501	3	38,45,45	0.72	1 (2%)	43,69,69	1.73	4 (9%)
2	ONM	G	503	3	38,45,45	0.78	2 (5%)	43,69,69	1.77	4 (9%)
2	ONM	H	501	3	38,45,45	0.86	2 (5%)	43,69,69	1.84	4 (9%)
2	ONM	I	503	3	38,45,45	0.79	1 (2%)	43,69,69	1.80	4 (9%)
2	ONM	J	501	3	38,45,45	0.78	1 (2%)	43,69,69	1.78	4 (9%)
2	ONM	K	501	3	38,45,45	0.76	1 (2%)	43,69,69	1.76	4 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ONM	A	501	3	-	0/28/48/48	0/4/4/4
4	SO4	A	504	-	-	0/0/0/0	0/0/0/0
4	SO4	B	501	-	-	0/0/0/0	0/0/0/0
2	ONM	B	502	3	-	0/28/48/48	0/4/4/4
4	SO4	B	503	-	-	0/0/0/0	0/0/0/0
2	ONM	C	501	3	-	0/28/48/48	0/4/4/4
4	SO4	C	502	-	-	0/0/0/0	0/0/0/0
4	SO4	D	501	-	-	0/0/0/0	0/0/0/0
2	ONM	D	502	3	-	0/28/48/48	0/4/4/4
2	ONM	E	501	3	-	0/28/48/48	0/4/4/4
4	SO4	E	502	-	-	0/0/0/0	0/0/0/0
2	ONM	F	501	3	-	0/28/48/48	0/4/4/4
2	ONM	G	503	3	-	0/28/48/48	0/4/4/4
2	ONM	H	501	3	-	0/28/48/48	0/4/4/4
2	ONM	I	503	3	-	0/28/48/48	0/4/4/4
2	ONM	J	501	3	-	0/28/48/48	0/4/4/4

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ONM	K	501	3	-	0/28/48/48	0/4/4/4

The worst 5 of 18 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	503	ONM	C6-C5	2.01	1.45	1.41
2	C	501	ONM	C6-C5	2.07	1.45	1.41
2	E	501	ONM	C6-C5	2.17	1.45	1.41
2	D	502	ONM	C6-C5	2.33	1.45	1.41
2	B	502	ONM	C6-C5	2.36	1.45	1.41

The worst 5 of 47 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	501	ONM	C5-C6-N1	-7.97	112.13	123.48
2	H	501	ONM	C5-C6-N1	-7.94	112.17	123.48
2	B	502	ONM	C5-C6-N1	-7.93	112.19	123.48
2	D	502	ONM	C5-C6-N1	-7.90	112.24	123.48
2	C	501	ONM	C5-C6-N1	-7.83	112.34	123.48

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	501	ONM	1	0
2	E	501	ONM	1	0
2	F	501	ONM	2	0
2	G	503	ONM	2	0
2	H	501	ONM	1	0
2	I	503	ONM	2	0
2	J	501	ONM	1	0
2	K	501	ONM	1	0

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	224/254 (88%)	-0.02	3 (1%) 77 78	40, 68, 113, 178	0
1	B	224/254 (88%)	0.09	2 (0%) 84 85	42, 69, 113, 184	0
1	C	224/254 (88%)	0.47	8 (3%) 43 42	45, 73, 138, 216	0
1	D	224/254 (88%)	0.39	10 (4%) 34 32	47, 86, 151, 209	0
1	E	224/254 (88%)	1.31	55 (24%) 1 1	73, 123, 223, 256	0
1	F	224/254 (88%)	2.63	110 (49%) 0 0	97, 163, 256, 272	0
1	G	224/254 (88%)	2.50	110 (49%) 0 0	105, 158, 215, 243	0
1	H	224/254 (88%)	2.65	113 (50%) 0 0	108, 149, 222, 249	0
1	I	224/254 (88%)	2.68	121 (54%) 0 0	104, 154, 209, 240	0
1	J	224/254 (88%)	3.31	144 (64%) 0 0	119, 186, 233, 256	0
1	K	224/254 (88%)	3.54	137 (61%) 0 0	153, 203, 242, 258	0
All	All	2464/2794 (88%)	1.78	813 (32%) 0 0	40, 135, 233, 272	0

The worst 5 of 813 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	K	383	VAL	17.5
1	K	265	SER	15.8
1	F	427	ASP	14.5
1	H	412	GLY	14.5
1	K	359	SER	13.3

### 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	SO4	B	503	5/5	0.94	0.34	6.31	123,128,130,131	0
4	SO4	E	502	5/5	0.82	0.34	3.68	170,171,172,177	0
4	SO4	B	501	5/5	0.95	0.23	1.00	100,106,109,110	0
4	SO4	C	502	5/5	0.98	0.23	0.36	94,99,103,104	0
2	ONM	C	501	42/42	0.97	0.22	-0.12	53,61,72,75	0
2	ONM	A	501	42/42	0.95	0.18	-0.22	40,55,72,80	1
2	ONM	G	503	42/42	0.73	0.27	-0.45	129,176,200,203	0
4	SO4	A	504	5/5	0.89	0.16	-0.62	119,120,122,125	0
2	ONM	J	501	42/42	0.86	0.27	-0.67	114,159,185,187	1
2	ONM	D	502	42/42	0.98	0.19	-0.68	42,53,73,79	1
2	ONM	B	502	42/42	0.97	0.17	-0.74	49,56,64,71	1
2	ONM	F	501	42/42	0.90	0.19	-0.75	101,112,157,166	0
2	ONM	E	501	42/42	0.83	0.20	-0.83	120,139,150,155	1
2	ONM	K	501	42/42	0.73	0.26	-0.93	193,216,224,226	1
2	ONM	H	501	42/42	0.84	0.24	-0.98	117,129,163,169	1
2	ONM	I	503	42/42	0.76	0.27	-1.06	116,130,160,165	0
3	MN	C	503	1/1	0.98	0.16	-1.20	53,53,53,53	0
3	MN	J	503	1/1	0.88	0.09	-1.23	118,118,118,118	0
3	MN	F	503	1/1	0.89	0.12	-1.67	128,128,128,128	0
4	SO4	D	501	5/5	0.96	0.10	-1.91	126,128,130,131	0
3	MN	K	502	1/1	0.88	0.04	-2.04	174,174,174,174	0
3	MN	D	503	1/1	0.97	0.10	-2.16	61,61,61,61	0
3	MN	I	501	1/1	0.94	0.16	-2.31	97,97,97,97	0
3	MN	A	502	1/1	0.99	0.04	-2.85	59,59,59,59	0
3	MN	H	502	1/1	0.98	0.10	-3.06	127,127,127,127	0
3	MN	E	503	1/1	0.80	0.04	-4.35	134,134,134,134	0
3	MN	B	504	1/1	0.99	0.06	-5.00	58,58,58,58	0
3	MN	I	502	1/1	0.33	1.53	-	96,96,96,96	1
3	MN	K	503	1/1	0.89	0.16	-	103,103,103,103	1
3	MN	G	502	1/1	0.82	0.08	-	161,161,161,161	0

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	MN	H	503	1/1	0.86	0.25	-	94,94,94,94	1
3	MN	D	504	1/1	0.97	0.16	-	100,100,100,100	0
3	MN	J	502	1/1	0.83	0.17	-	128,128,128,128	0
3	MN	A	503	1/1	0.95	0.08	-	82,82,82,82	0
3	MN	G	501	1/1	0.88	0.18	-	90,90,90,90	1
3	MN	F	502	1/1	0.96	0.56	-	93,93,93,93	1
3	MN	E	504	1/1	0.73	0.12	-	162,162,162,162	0
3	MN	B	505	1/1	0.75	0.23	-	54,54,54,54	1
3	MN	C	504	1/1	0.58	1.29	-	78,78,78,78	1

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.