



Full wwPDB X-ray Structure Validation Report i

Feb 13, 2017 – 10:59 pm GMT

PDB ID : 3O7L
Title : Crystal Structure of phospholamban (1-19):PKA C-subunit:AMP-PNP:Mg2+ complex
Authors : Cheng, C.Y.; Taylor, S.S.
Deposited on : 2010-07-30
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	3033 (2.80-2.80)
Ramachandran outliers	110173	2983 (2.80-2.80)
Sidechain outliers	110143	2985 (2.80-2.80)
RSRZ outliers	101464	2610 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	PEG	B	353	-	-	X	X

2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 5231 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP-dependent protein kinase catalytic subunit alpha.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
1	B	327	2470	1602	411	449	1	7	20	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	173	ILE	LEU	CONFLICT	UNP P05132
B	211	ILE	LEU	CONFLICT	UNP P05132

- Molecule 2 is a protein called cAMP-dependent protein kinase catalytic subunit alpha.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
2	D	335	2594	1687	428	470	2	7	27	0	0


- Molecule 3 is a protein called Cardiac phospholamban.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O					
3	I	15	110	67	24	19			0	0	0

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Mg		
4	B	2	2	2	0	0

- Molecule 5 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
5	B	1	7	4	3	0	0

- Molecule 6 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C₁₀H₁₇N₆O₁₂P₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
6	B	1	27	10	6	9	2	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	B	12	Total O 12 12	0	0
7	D	9	Total O 9 9	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cAMP-dependent protein kinase catalytic subunit alpha



- Molecule 2: cAMP-dependent protein kinase catalytic subunit alpha



- Molecule 3: Cardiac phospholamban



4 Data and refinement statistics i

Property	Value	Source
Space group	P 61	Depositor
Cell constants a, b, c, α , β , γ	92.19Å 92.19Å 192.19Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	39.09 – 2.80 41.56 – 2.12	Depositor EDS
% Data completeness (in resolution range)	99.5 (39.09-2.80) 73.8 (41.56-2.12)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	0.06	Depositor
$< I/\sigma(I) >$ ¹	1.16 (at 2.12Å)	Xtriage
Refinement program	PHENIX (phenix.refine)	Depositor
R , R_{free}	0.216 , 0.287 0.224 , (Not available)	Depositor DCC
R_{free} test set	No test flags present.	DCC
Wilson B-factor (Å ²)	33.3	Xtriage
Anisotropy	0.083	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 59.3	EDS
L-test for twinning ²	$< L > = 0.50$, $< L^2 > = 0.34$	Xtriage
Estimated twinning fraction	0.074 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	5231	wwPDB-VP
Average B, all atoms (Å ²)	55.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, MG, PEG, ANP, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	B	0.34	0/2519	0.50	0/3430
2	D	0.32	0/2639	0.50	0/3581
3	I	0.32	0/110	0.46	0/147
All	All	0.33	0/5268	0.50	0/7158

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	2470	0	2255	92	0
2	D	2594	0	2413	66	0
3	I	110	0	104	3	0
4	B	2	0	0	0	0
5	B	7	0	10	6	0
6	B	27	0	12	1	0
7	B	12	0	0	1	0
7	D	9	0	0	0	0
All	All	5231	0	4794	155	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 16.

All (155) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:75:ASP:N	5:B:353:PEG:O4	1.97	0.95
1:B:212:SER:HB3	2:D:81:LYS:NZ	1.87	0.88
2:D:33:PRO:HA	2:D:96:GLN:NE2	1.89	0.88
2:D:165:ARG:NH1	2:D:197:TPO:O2P	2.06	0.87
2:D:131:HIS:HD2	2:D:174:ILE:HD12	1.43	0.82
2:D:118:MET:HB3	2:D:120:MET:CE	2.11	0.81
2:D:80:VAL:HG22	2:D:85:ILE:HD11	1.63	0.81
1:B:75:ASP:H	5:B:353:PEG:HO4	1.30	0.78
2:D:242:GLN:N	2:D:242:GLN:HE21	1.81	0.78
2:D:242:GLN:HE21	2:D:242:GLN:H	1.32	0.78
1:B:177:GLN:N	1:B:177:GLN:HE21	1.81	0.77
1:B:55:GLY:HA2	5:B:353:PEG:H42	1.66	0.77
1:B:147:ALA:O	1:B:151:VAL:HG23	1.85	0.77
1:B:212:SER:HB3	2:D:81:LYS:HZ2	1.52	0.74
2:D:131:HIS:CD2	2:D:174:ILE:HD12	2.23	0.73
1:B:212:SER:HB3	2:D:81:LYS:HZ1	1.56	0.70
1:B:80:VAL:HG22	1:B:85:ILE:HD11	1.75	0.68
2:D:118:MET:HB3	2:D:120:MET:HE3	1.77	0.67
1:B:168:LYS:HD3	1:B:201:THR:HG21	1.76	0.66
1:B:76:LYS:HG3	1:B:115:ASN:HA	1.79	0.65
1:B:303:ILE:O	1:B:307:GLN:HG3	1.97	0.65
1:B:146:TYR:HB3	1:B:180:ILE:HD11	1.80	0.63
1:B:73:ILE:HG13	1:B:73:ILE:O	1.98	0.63
2:D:297:PHE:HD1	2:D:300:THR:HG21	1.62	0.63
1:B:104:VAL:HG21	1:B:183:THR:HG23	1.81	0.62
2:D:226:VAL:HG13	2:D:237:PRO:HD2	1.81	0.62
1:B:75:ASP:HA	1:B:115:ASN:HB3	1.83	0.61
1:B:198:LEU:HA	1:B:209:ILE:HD11	1.82	0.61
2:D:103:LEU:HD22	2:D:185:PHE:HZ	1.65	0.61
1:B:86:GLU:O	1:B:90:ASN:HB2	1.99	0.61
2:D:62:HIS:CD2	2:D:65:SER:H	2.19	0.60
1:B:276:ASP:OD2	1:B:278:THR:HG22	2.01	0.60
1:B:84:GLN:O	1:B:88:THR:HG23	2.02	0.60
1:B:55:GLY:N	5:B:353:PEG:HO1	1.98	0.60
1:B:55:GLY:HA2	5:B:353:PEG:C4	2.31	0.59
2:D:92:LYS:HG3	2:D:93:ARG:N	2.18	0.59
1:B:75:ASP:N	5:B:353:PEG:HO4	1.92	0.58
1:B:177:GLN:H	1:B:177:GLN:HE21	1.51	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:268:LEU:HD22	2:D:272:LEU:HD22	1.84	0.58
1:B:125:GLY:HA3	1:B:174:ILE:O	2.04	0.58
2:D:62:HIS:HD2	2:D:65:SER:H	1.53	0.57
2:D:35:GLN:HG2	2:D:350:PHE:O	2.05	0.57
1:B:198:LEU:HA	1:B:209:ILE:CD1	2.35	0.56
1:B:32:THR:N	1:B:33:PRO:HD3	2.19	0.56
2:D:73:ILE:HD12	2:D:117:TYR:CE1	2.40	0.56
1:B:74:LEU:O	1:B:115:ASN:HB2	2.06	0.56
1:B:239:PHE:O	1:B:249:LYS:HE3	2.07	0.55
2:D:30:TRP:CZ3	2:D:93:ARG:HG3	2.40	0.55
1:B:158:HIS:HE1	1:B:220:ASP:OD2	1.90	0.55
2:D:137:ARG:C	2:D:138:PHE:HD1	2.09	0.55
2:D:227:LEU:HD22	2:D:231:MET:HG3	1.88	0.54
2:D:297:PHE:O	2:D:300:THR:HG23	2.07	0.54
1:B:122:TYR:CE2	1:B:124:ALA:HB2	2.42	0.53
1:B:271:ASN:HB3	1:B:281:PHE:CD1	2.43	0.53
2:D:266:LYS:O	2:D:270:ARG:HG3	2.07	0.53
2:D:244:ILE:HD13	3:I:16:ALA:HB2	1.90	0.53
2:D:314:PHE:C	2:D:315:ILE:HG12	2.30	0.53
1:B:162:LEU:HD23	1:B:190:ARG:HA	1.90	0.53
2:D:76:LYS:HG3	2:D:116:LEU:HG	1.91	0.53
1:B:36:ASN:HA	1:B:109:SER:O	2.10	0.52
2:D:74:LEU:HB2	2:D:116:LEU:HB2	1.93	0.51
2:D:75:ASP:O	2:D:79:VAL:HG23	2.10	0.51
2:D:230:GLU:OE2	2:D:236:PRO:HD3	2.10	0.51
1:B:207:PRO:O	1:B:211:ILE:HB	2.11	0.50
2:D:26:PHE:CD2	2:D:160:LEU:HG	2.46	0.50
1:B:230:GLU:HA	1:B:235:TYR:O	2.12	0.50
2:D:236:PRO:HG2	2:D:239:PHE:HB2	1.94	0.49
2:D:128:MET:CE	2:D:180:ILE:HD11	2.42	0.49
1:B:239:PHE:CZ	3:I:15:SER:HB3	2.47	0.49
1:B:91:GLU:HB3	1:B:185:PHE:O	2.12	0.49
1:B:177:GLN:H	1:B:177:GLN:NE2	2.10	0.49
1:B:295:LYS:H	1:B:295:LYS:CE	2.25	0.49
1:B:239:PHE:CE1	3:I:15:SER:HB3	2.48	0.49
1:B:276:ASP:CG	1:B:278:THR:HG22	2.33	0.49
2:D:158:HIS:HE1	2:D:220:ASP:OD2	1.95	0.49
1:B:158:HIS:CG	1:B:217:LYS:HD2	2.48	0.48
1:B:158:HIS:CE1	1:B:217:LYS:HB2	2.49	0.48
2:D:44:ASP:OD2	2:D:63:LYS:HE2	2.14	0.48
1:B:115:ASN:ND2	1:B:117:TYR:CZ	2.81	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:123:VAL:HB	1:B:173:ILE:HG21	1.96	0.48
1:B:90:ASN:ND2	1:B:188:ALA:O	2.47	0.48
2:D:100:PHE:HB3	2:D:103:LEU:HD12	1.96	0.48
1:B:104:VAL:HG21	1:B:183:THR:CG2	2.44	0.47
1:B:17:GLU:O	1:B:20:ALA:HB3	2.14	0.47
1:B:71:MET:HG3	1:B:119:VAL:HG22	1.95	0.47
2:D:305:ILE:HG13	2:D:310:VAL:HG21	1.96	0.47
1:B:156:TYR:O	1:B:160:LEU:HD22	2.13	0.47
2:D:27:LEU:HA	2:D:27:LEU:HD23	1.74	0.47
1:B:48:THR:HB	1:B:332:GLU:OE2	2.15	0.47
1:B:100:PHE:CG	1:B:101:PRO:HD2	2.51	0.46
1:B:301:ASP:OD1	1:B:303:ILE:HG23	2.15	0.46
1:B:146:TYR:CB	1:B:180:ILE:HD11	2.44	0.46
1:B:115:ASN:ND2	1:B:117:TYR:OH	2.46	0.46
1:B:175:ASP:C	1:B:175:ASP:OD1	2.54	0.46
1:B:177:GLN:N	1:B:177:GLN:NE2	2.57	0.46
1:B:289:ASN:O	1:B:293:ASN:HB2	2.15	0.46
1:B:116:LEU:HD23	7:B:365:HOH:O	2.15	0.45
1:B:36:ASN:HA	1:B:110:PHE:HB3	1.98	0.45
2:D:100:PHE:CG	2:D:101:PRO:HD2	2.52	0.45
2:D:312:ALA:HA	2:D:313:PRO:HD3	1.81	0.45
2:D:91:GLU:HG3	2:D:185:PHE:C	2.38	0.45
1:B:205:LEU:HD22	1:B:209:ILE:HG12	1.98	0.45
1:B:305:ILE:HG13	1:B:310:VAL:HG21	1.98	0.45
2:D:286:ASN:O	2:D:289:ASN:HB2	2.17	0.45
2:D:35:GLN:HG2	2:D:350:PHE:C	2.36	0.44
1:B:112:ASP:CB	1:B:117:TYR:CE1	3.00	0.44
2:D:103:LEU:HD22	2:D:185:PHE:CZ	2.49	0.44
1:B:167:LEU:O	1:B:168:LYS:HB3	2.17	0.44
2:D:209:ILE:HG12	2:D:215:TYR:CD1	2.53	0.43
1:B:138:PHE:HB3	1:B:142:HIS:HB3	2.00	0.43
2:D:109:SER:O	2:D:110:PHE:HB3	2.18	0.43
2:D:160:LEU:O	2:D:161:ASP:HB2	2.19	0.43
1:B:88:THR:C	1:B:90:ASN:N	2.72	0.43
1:B:112:ASP:H	1:B:117:TYR:HE1	1.66	0.43
1:B:175:ASP:OD2	1:B:308:ARG:NH2	2.52	0.43
2:D:162:LEU:HD23	2:D:190:ARG:HA	2.01	0.43
2:D:71:MET:CE	2:D:73:ILE:HD11	2.48	0.43
1:B:74:LEU:HB2	1:B:116:LEU:HB2	2.01	0.42
1:B:265:LEU:HD13	1:B:296:TRP:CE2	2.54	0.42
1:B:198:LEU:HD12	1:B:209:ILE:HD11	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:246:ILE:O	1:B:250:ILE:HG13	2.19	0.42
2:D:322:GLY:HA3	2:D:323:ASP:HA	1.87	0.42
2:D:60:VAL:HG22	2:D:69:TYR:O	2.20	0.42
2:D:138:PHE:HB2	2:D:231:MET:O	2.20	0.42
1:B:140:GLU:N	1:B:141:PRO:CD	2.82	0.42
1:B:303:ILE:O	1:B:307:GLN:CG	2.67	0.42
1:B:163:ILE:HG23	1:B:217:LYS:HA	2.02	0.42
2:D:113:ASN:HB3	2:D:340:ASN:O	2.20	0.42
2:D:201:THR:HA	2:D:202:PRO:HD3	1.87	0.42
1:B:139:SER:OG	1:B:141:PRO:HD2	2.20	0.41
1:B:248:GLU:HA	1:B:251:VAL:HG22	2.02	0.41
1:B:74:LEU:O	1:B:115:ASN:CB	2.67	0.41
2:D:258:PRO:HD2	2:D:261:PHE:CE2	2.55	0.41
1:B:226:VAL:HG13	1:B:237:PRO:HD2	2.01	0.41
1:B:74:LEU:O	1:B:116:LEU:N	2.53	0.41
2:D:61:LYS:HG3	2:D:68:HIS:CE1	2.55	0.41
2:D:167:LEU:HD12	2:D:168:LYS:H	1.86	0.41
1:B:347:PHE:O	1:B:348:THR:C	2.59	0.41
1:B:90:ASN:O	1:B:91:GLU:C	2.59	0.41
2:D:342:LYS:O	2:D:343:CYS:C	2.59	0.41
1:B:174:ILE:CG2	1:B:178:GLY:HA2	2.51	0.41
2:D:129:PHE:HB2	2:D:169:PRO:HB2	2.03	0.41
2:D:104:VAL:HA	2:D:181:GLN:OE1	2.20	0.41
1:B:100:PHE:CD2	1:B:101:PRO:HD2	2.55	0.41
1:B:208:GLU:HG2	1:B:277:LEU:HD11	2.03	0.41
1:B:337:VAL:HG12	1:B:338:SER:N	2.36	0.41
1:B:120:MET:HE2	6:B:354:ANP:HN61	1.86	0.40
1:B:112:ASP:CB	1:B:117:TYR:HE1	2.34	0.40
2:D:138:PHE:N	2:D:138:PHE:CD1	2.89	0.40
1:B:242:GLN:HE21	1:B:242:GLN:HB3	1.69	0.40
2:D:267:ASP:HB3	2:D:294:HIS:HE2	1.87	0.40
2:D:75:ASP:CG	2:D:78:LYS:HG3	2.41	0.40
1:B:47:LYS:HE3	1:B:324:THR:OG1	2.21	0.40
1:B:95:LEU:HD23	1:B:95:LEU:HA	1.81	0.40
2:D:35:GLN:HG2	2:D:350:PHE:OXT	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	B	320/350 (91%)	292 (91%)	26 (8%)	2 (1%)	28 62
2	D	329/350 (94%)	299 (91%)	27 (8%)	3 (1%)	20 52
3	I	13/15 (87%)	11 (85%)	2 (15%)	0	100 100
All	All	662/715 (93%)	602 (91%)	55 (8%)	5 (1%)	22 55

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	45	ARG
1	B	63	LYS
2	D	36	ASN
2	D	110	PHE
2	D	343	CYS

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	B	230/304 (76%)	209 (91%)	21 (9%)	11 31
2	D	248/303 (82%)	222 (90%)	26 (10%)	8 23
3	I	9/13 (69%)	8 (89%)	1 (11%)	7 21
All	All	487/620 (78%)	439 (90%)	48 (10%)	9 26

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	27	LEU
1	B	51	THR
1	B	59	LEU
1	B	73	ILE
1	B	95	LEU
1	B	115	ASN
1	B	130	SER
1	B	177	GLN
1	B	201	THR
1	B	209	ILE
1	B	211	ILE
1	B	248	GLU
1	B	269	LEU
1	B	272	LEU
1	B	278	THR
1	B	288	VAL
1	B	295	LYS
1	B	303	ILE
1	B	305	ILE
1	B	307	GLN
1	B	319	LYS
2	D	25	ASP
2	D	32	THR
2	D	56	ARG
2	D	59	LEU
2	D	61	LYS
2	D	86	GLU
2	D	92	LYS
2	D	96	GLN
2	D	105	LYS
2	D	106	LEU
2	D	127	GLU
2	D	137	ARG
2	D	160	LEU
2	D	191	VAL
2	D	201	THR
2	D	227	LEU
2	D	242	GLN
2	D	259	SER
2	D	268	LEU
2	D	269	LEU
2	D	272	LEU
2	D	275	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	D	300	THR
2	D	303	ILE
2	D	305	ILE
2	D	345	LYS
3	I	13	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	67	ASN
1	B	115	ASN
1	B	158	HIS
1	B	176	GLN
1	B	177	GLN
1	B	242	GLN
2	D	62	HIS
2	D	84	GLN
2	D	87	HIS
2	D	131	HIS
2	D	158	HIS
2	D	242	GLN
2	D	271	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPO	B	197	1	9,10,11	1.41	2 (22%)	10,14,16	1.13	1 (10%)
2	TPO	D	197	2	9,10,11	1.06	0	10,14,16	2.29	1 (10%)
2	SEP	D	338	2	9,9,10	1.52	2 (22%)	9,12,14	1.68	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	B	197	1	-	0/8/11/13	0/0/0/0
2	TPO	D	197	2	-	0/8/11/13	0/0/0/0
2	SEP	D	338	2	-	0/5/8/10	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	197	TPO	CB-CA	-2.30	1.49	1.53
2	D	338	SEP	CA-C	2.04	1.52	1.50
1	B	197	TPO	CA-C	2.82	1.53	1.50
2	D	338	SEP	P-O1P	3.07	1.61	1.50

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	338	SEP	P-OG-CB	-2.50	111.41	118.30
1	B	197	TPO	CG2-CB-CA	-2.01	109.48	113.22
2	D	338	SEP	OG-CB-CA	3.22	111.35	108.17
2	D	197	TPO	C-CA-N	6.54	123.06	109.86

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	D	197	TPO	1	0

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	PEG	B	353	-	6,6,6	1.89	2 (33%)	5,5,5	2.71	2 (40%)
6	ANP	B	354	4	24,29,33	5.08	12 (50%)	22,45,52	2.98	13 (59%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	PEG	B	353	-	-	0/4/4/4	0/0/0/0
6	ANP	B	354	4	-	0/9/32/38	0/3/3/3

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	354	ANP	C2'-C1'	-5.32	1.45	1.53
6	B	354	ANP	C3'-C4'	2.01	1.58	1.53
6	B	354	ANP	C8-N7	2.04	1.38	1.34
5	B	353	PEG	C3-C4	2.10	1.60	1.49
6	B	354	ANP	C6-N6	2.12	1.42	1.34
5	B	353	PEG	O4-C4	2.31	1.54	1.42
6	B	354	ANP	O3'-C3'	2.64	1.49	1.43
6	B	354	ANP	C2-N1	2.71	1.39	1.33
6	B	354	ANP	C5-C4	3.87	1.49	1.40
6	B	354	ANP	C4-N3	4.51	1.42	1.35
6	B	354	ANP	PB-O2B	5.74	1.72	1.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	354	ANP	PA-O2A	7.26	1.91	1.55
6	B	354	ANP	PB-O3A	10.44	1.72	1.59
6	B	354	ANP	PB-O1B	17.77	1.66	1.46

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	B	354	ANP	O2'-C2'-C1'	-6.36	91.71	111.61
6	B	354	ANP	O5'-C5'-C4'	-5.70	88.78	109.00
5	B	353	PEG	O2-C2-C1	-5.37	85.35	110.15
6	B	354	ANP	PA-O3A-PB	-3.91	119.80	132.39
6	B	354	ANP	O3'-C3'-C4'	-3.85	99.84	111.09
6	B	354	ANP	C1'-N9-C4	-3.45	120.67	126.64
6	B	354	ANP	O2A-PA-O5'	-3.33	92.41	108.14
6	B	354	ANP	O2B-PB-O1B	-2.53	103.52	110.17
5	B	353	PEG	O1-C1-C2	-2.44	97.90	111.89
6	B	354	ANP	C4-C5-N7	-2.20	107.29	109.41
6	B	354	ANP	C4'-O4'-C1'	2.12	112.02	109.77
6	B	354	ANP	O2A-PA-O1A	2.39	124.67	112.28
6	B	354	ANP	O4'-C4'-C5'	2.51	117.87	109.40
6	B	354	ANP	C2'-C3'-C4'	2.52	107.52	102.62
6	B	354	ANP	O5'-PA-O1A	4.57	127.67	109.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	353	PEG	6	0
6	B	354	ANP	1	0

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	B	326/350 (93%)	-0.85	0 [100] [100]	35, 53, 96, 117	7 (2%)
2	D	333/350 (95%)	-1.00	0 [100] [100]	34, 54, 76, 94	11 (3%)
3	I	15/15 (100%)	-0.70	0 [100] [100]	43, 51, 68, 77	0
All	All	674/715 (94%)	-0.92	0 [100] [100]	34, 54, 88, 117	18 (2%)

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
1	TPO	B	197	11/12	0.82	0.16	-	29,41,49,61	0
2	TPO	D	197	11/12	0.89	0.15	-	33,33,47,52	0
2	SEP	D	338	10/11	0.91	0.12	-	41,61,71,91	0

6.3 Carbohydrates i

There are no carbohydrates in this entry.

6.4 Ligands i

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	PEG	B	353	7/7	0.94	0.27	2.12	2,2,2,2	0
6	ANP	B	354	27/31	0.94	0.18	1.19	2,2,2,2	0
4	MG	B	352	1/1	0.93	0.14	-	2,2,2,2	0
4	MG	B	351	1/1	0.97	0.12	-	2,2,2,2	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.