



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 02:36 am GMT

PDB ID : 4OBV  
Title : Ruminococcus gnavus tryptophan decarboxylase RUMGNA\_01526 (alpha-FMT)  
Authors : Fraser, J.S.; Van Benschoten, A.H.  
Deposited on : 2014-01-07  
Resolution : 2.84 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.84 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	3466 (2.88-2.80)
Clashscore	112137	3975 (2.88-2.80)
Ramachandran outliers	110173	3902 (2.88-2.80)
Sidechain outliers	110143	3905 (2.88-2.80)
RSRZ outliers	101464	3501 (2.88-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	490	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 19%, green 77%, grey 3%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>77%</span> <span>19%</span> <span>• •</span> </div> </div>
1	B	490	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 17%, green 79%, grey 2%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>79%</span> <span>17%</span> <span>•</span> </div> </div>
1	C	490	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 2%, orange 1%, yellow 18%, green 78%, grey 1%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>2%</span> <span>78%</span> <span>18%</span> <span>•</span> </div> </div>
1	D	490	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 16%, green 80%, grey 2%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>80%</span> <span>16%</span> <span>•</span> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	2SU	B	501	-	-	-	X

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 15042 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pyridoxal-dependent decarboxylase domain protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	D	469	Total	C	N	O	S	0	1	0
			3697	2351	627	701	18			
1	C	471	Total	C	N	O	S	5	2	0
			3726	2370	633	705	18			
1	B	470	Total	C	N	O	S	5	3	0
			3720	2367	633	702	18			
1	A	471	Total	C	N	O	S	5	1	0
			3719	2365	631	705	18			

- Molecule 2 is ALPHA-(FLUOROMETHYL)-D-TRYPTOPHAN (three-letter code: 2SU) (formula:  $C_{12}H_{13}FN_2O_2$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	D	1	Total	C	F	N	O	0
			17	12	1	2	2	0
2	C	1	Total	C	F	N	O	0
			17	12	1	2	2	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	B	1	Total	C	F	N	O	0	0
			17	12	1	2	2		
2	A	1	Total	C	F	N	O	0	0
			17	12	1	2	2		

- Molecule 3 is {5-HYDROXY-4-[(1E)-4-(1H-INDOL-3-YL)-3-OXOBUT-1-EN-1-YL]-6-METHYLPYRIDIN-3-YL}METHYL DIHYDROGEN PHOSPHATE (three-letter code: 3SO) (formula: C<sub>19</sub>H<sub>19</sub>N<sub>2</sub>O<sub>6</sub>P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	D	1	Total	C	N	O	P	0	0
			28	19	2	6	1		
3	B	1	Total	C	N	O	P	0	0
			28	19	2	6	1		
3	A	1	Total	C	N	O	P	0	0
			28	19	2	6	1		
3	A	1	Total	C	N	O	P	0	0
			28	19	2	6	1		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Pyridoxal-dependent decarboxylase domain protein



- Molecule 1: Pyridoxal-dependent decarboxylase domain protein





- Molecule 1: Pyridoxal-dependent decarboxylase domain protein





• Molecule 1: Pyridoxal-dependent decarboxylase domain protein



ALA

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	135.03Å 135.03Å 249.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	52.44 – 2.84 52.44 – 2.84	Depositor EDS
% Data completeness (in resolution range)	99.9 (52.44-2.84) 100.0 (52.44-2.84)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.70 (at 2.86Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_1260)	Depositor
R, $R_{free}$	0.210 , 0.242 0.208 , 0.241	Depositor DCC
$R_{free}$ test set	1999 reflections (3.62%)	DCC
Wilson B-factor (Å <sup>2</sup> )	54.8	Xtriage
Anisotropy	0.185	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 33.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	15042	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.78% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 2SU, 3SO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.20	0/3804	0.38	0/5156
1	B	0.20	0/3813	0.38	0/5170
1	C	0.20	0/3815	0.38	0/5171
1	D	0.21	0/3782	0.38	0/5129
All	All	0.20	0/15214	0.38	0/20626

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3719	0	3686	73	0
1	B	3720	0	3683	61	0
1	C	3726	0	3693	70	0
1	D	3697	0	3656	58	0
2	A	17	0	12	1	0
2	B	17	0	12	3	0
2	C	17	0	12	2	0
2	D	17	0	12	2	0
3	A	56	0	35	6	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	28	0	17	3	0
3	D	28	0	16	3	0
All	All	15042	0	14834	239	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (239) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:356:THR:CG2	3:A:501:3SO:O11	1.64	1.41
1:A:356:THR:HG23	3:A:501:3SO:O11	0.92	1.08
1:C:16:THR:N	1:C:19:ILE:HG13	1.71	1.05
1:A:16:THR:O	1:A:17:GLU:HG3	1.62	0.99
1:C:417:PRO:HG2	1:C:420:LEU:HD12	1.53	0.90
1:A:356:THR:HG21	3:A:501:3SO:O11	1.78	0.81
1:D:125:LYS:HD2	1:D:339:LEU:HA	1.63	0.81
1:C:335:TYR:HD2	1:C:336:LEU:HD13	1.48	0.79
1:A:336:LEU:HA	1:A:337:LYS:HB3	1.65	0.78
1:D:16:THR:HB	1:D:19:ILE:HB	1.66	0.78
1:D:335:TYR:HD2	1:D:336:LEU:HD13	1.47	0.77
1:D:122:GLY:HA2	1:D:348:THR:HB	1.69	0.75
1:A:16:THR:O	1:A:17:GLU:CG	2.35	0.74
1:A:336:LEU:HA	1:A:337:LYS:CB	2.18	0.73
1:B:125:LYS:HD2	1:B:339:LEU:HA	1.71	0.73
1:C:118:ASN:HB3	1:A:91:ASN:HD21	1.53	0.72
1:D:375:LEU:HD21	1:B:19:ILE:HD11	1.71	0.72
1:C:91:ASN:HD21	1:A:118:ASN:HB3	1.54	0.72
1:B:122:GLY:HA2	1:B:348:THR:HB	1.74	0.70
1:C:122:GLY:HA2	1:C:348:THR:OG1	1.94	0.68
1:C:303:ASP:OD2	1:C:306:LYS:NZ	2.27	0.67
1:A:122:GLY:HA2	1:A:348:THR:OG1	1.95	0.66
1:D:285:PRO:HA	1:D:288:LYS:HE3	1.77	0.66
1:A:16:THR:C	1:A:17:GLU:CG	2.65	0.65
1:D:118:ASN:HB3	1:B:91:ASN:HD21	1.62	0.64
1:C:420:LEU:HD22	1:C:424:GLU:HB3	1.78	0.64
1:A:134:GLU:OE1	1:A:357:ARG:NH2	2.29	0.64
1:C:485:THR:O	1:C:489:LYS:NZ	2.30	0.63
1:D:16:THR:HG22	1:D:17:GLU:H	1.63	0.63
1:A:16:THR:O	1:A:18:TYR:N	2.30	0.63
1:A:285:PRO:HA	1:A:288:LYS:HE3	1.82	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:62:GLN:HA	1:C:64:LYS:NZ	2.16	0.61
1:C:309:PHE:CG	2:C:501:2SU:H12	2.35	0.61
1:A:278:GLY:O	1:A:291:LEU:HD11	1.99	0.61
1:C:16:THR:N	1:C:19:ILE:CG1	2.56	0.61
1:B:309:PHE:CG	2:B:501:2SU:H12	2.35	0.61
1:B:278:GLY:O	1:B:291:LEU:HD11	2.01	0.61
1:C:339:LEU:HD11	1:A:98:PHE:CZ	2.36	0.60
1:D:248:THR:HG22	1:D:250:ASN:H	1.65	0.59
1:D:329:PHE:CG	1:D:352:GLY:HA3	2.36	0.59
1:B:329:PHE:CG	1:B:352:GLY:HA3	2.38	0.59
1:B:325:LEU:HB3	1:B:351:ILE:HG23	1.85	0.59
1:B:253:SER:HA	1:B:407:GLN:NE2	2.20	0.57
1:D:21:ASN:OD1	1:D:24:GLN:NE2	2.33	0.57
1:A:207:SER:O	1:A:210:ARG:NH1	2.33	0.56
1:D:359:ALA:HB1	1:D:362:LEU:HD13	1.85	0.56
1:A:477:ASP:O	1:A:481:ARG:HG2	2.05	0.56
1:C:375:LEU:HD21	1:A:19:ILE:HD11	1.87	0.56
1:A:329:PHE:CG	1:A:352:GLY:HA3	2.40	0.56
1:D:309:PHE:CG	2:D:501:2SU:H12	2.40	0.56
1:D:303:ASP:OD2	1:D:306:LYS:NZ	2.39	0.56
1:D:253:SER:HA	1:D:407:GLN:NE2	2.22	0.55
1:A:58:ASP:O	1:A:62:GLN:HG2	2.07	0.55
1:D:356:THR:HB	3:B:502:3SO:O12	2.07	0.55
1:B:325:LEU:HD13	1:B:351:ILE:CG2	2.37	0.55
1:B:248:THR:HG22	1:B:250:ASN:H	1.71	0.55
1:C:161:MET:HE1	1:C:353:MET:SD	2.47	0.55
1:A:16:THR:N	1:A:19:ILE:HB	2.23	0.54
1:B:20:LEU:HD21	1:B:72:VAL:HG11	1.88	0.54
1:D:278:GLY:O	1:D:291:LEU:HD11	2.07	0.54
1:D:368:LEU:HD23	1:D:376:ILE:HD12	1.89	0.54
1:D:16:THR:HG21	1:D:19:ILE:HG12	1.89	0.54
1:A:248:THR:HG22	1:A:250:ASN:H	1.73	0.54
1:B:344:ASP:OD1	1:B:344:ASP:N	2.41	0.54
1:D:356:THR:CB	3:B:502:3SO:O12	2.56	0.54
1:D:16:THR:HB	1:D:19:ILE:CB	2.37	0.54
1:A:359:ALA:HB1	1:A:362:LEU:HD13	1.89	0.54
1:D:375:LEU:HD21	1:B:19:ILE:CD1	2.37	0.53
1:D:21:ASN:HD22	1:D:23:THR:H	1.57	0.53
1:D:478:GLN:O	1:D:482:GLU:HG3	2.09	0.53
1:D:91:ASN:HD21	1:B:118:ASN:HB3	1.73	0.53
1:B:368:LEU:HD23	1:B:376:ILE:HD12	1.90	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:421:THR:HG23	1:B:424:GLU:H	1.74	0.52
1:C:112:ILE:HG23	1:A:112:ILE:HD11	1.90	0.52
1:C:278:GLY:O	1:C:291:LEU:HD11	2.09	0.52
1:A:307:TRP:CE2	1:A:380:ILE:HG23	2.45	0.51
1:D:99:VAL:O	3:D:502:3SO:H11	2.09	0.51
1:A:309:PHE:CG	2:A:502:2SU:H12	2.45	0.51
1:D:339:LEU:HD11	1:B:98:PHE:CZ	2.45	0.51
1:A:253:SER:HA	1:A:407:GLN:NE2	2.26	0.51
1:D:19:ILE:HD11	1:B:375:LEU:HD21	1.93	0.51
1:C:329:PHE:CG	1:C:352:GLY:HA3	2.45	0.51
1:D:105:SER:HB2	1:B:25:LEU:HD22	1.93	0.51
1:C:112:ILE:HG23	1:A:112:ILE:CD1	2.41	0.51
1:A:304:ALA:HA	1:A:308:LEU:HB2	1.93	0.51
1:C:356:THR:HB	3:A:503:3SO:O10	2.11	0.51
1:C:430:GLU:HG3	1:C:453:THR:HG21	1.93	0.51
1:C:446:THR:H	1:A:337:LYS:HZ2	1.59	0.50
1:C:285:PRO:HA	1:C:288:LYS:HE3	1.94	0.50
1:A:336:LEU:HB2	1:A:338:ASP:H	1.76	0.50
1:B:307:TRP:CE2	1:B:380:ILE:HG23	2.47	0.50
1:C:488:LYS:O	1:C:489:LYS:HD2	2.10	0.50
1:C:112:ILE:HG12	1:A:112:ILE:HD13	1.94	0.50
1:B:42:GLU:O	1:B:46:GLN:HG2	2.12	0.50
1:C:304:ALA:HA	1:C:308:LEU:HB2	1.93	0.50
1:C:325:LEU:HB3	1:C:351:ILE:HG23	1.94	0.50
1:C:410:MET:SD	1:C:456:ARG:NH2	2.81	0.49
1:A:446:THR:HG22	1:A:455:LEU:HD23	1.94	0.49
1:C:21:ASN:HD21	1:C:24:GLN:HG3	1.77	0.49
1:C:20:LEU:HD21	1:C:72:VAL:HG11	1.94	0.49
1:C:356:THR:CB	3:A:503:3SO:O10	2.60	0.49
1:A:326:PHE:O	1:A:330:HIS:HB3	2.12	0.49
1:A:413:PHE:O	1:A:454:VAL:HG13	2.12	0.49
1:D:176:THR:O	1:D:180:LEU:HB3	2.13	0.49
1:D:430:GLU:HG3	1:D:453:THR:HG21	1.95	0.49
1:D:16:THR:HG22	1:D:17:GLU:N	2.27	0.49
1:B:335:TYR:HD2	1:B:336:LEU:HG	1.78	0.49
1:B:249:THR:OG1	3:B:502:3SO:O01	2.28	0.49
1:A:94:ARG:HA	1:A:96:PHE:CZ	2.48	0.48
1:B:413:PHE:O	1:B:454:VAL:HG13	2.13	0.48
1:D:312:TYR:HA	1:D:313:GLY:HA2	1.56	0.48
1:A:412:ASN:HB3	1:A:454:VAL:HG11	1.95	0.48
1:C:62:GLN:HA	1:C:64:LYS:HZ3	1.78	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:THR:C	1:A:17:GLU:HG2	2.33	0.48
1:A:20:LEU:HD23	1:A:25:LEU:HA	1.94	0.48
1:D:412:ASN:HB3	1:D:454:VAL:HG11	1.96	0.48
1:C:312:TYR:HA	1:C:313:GLY:HA2	1.57	0.48
1:D:94:ARG:HA	1:D:96:PHE:CZ	2.49	0.48
1:B:176:THR:O	1:B:180:LEU:HB3	2.14	0.48
1:B:246:ALA:HB1	1:B:291:LEU:HD22	1.96	0.48
1:B:282:LEU:HG	1:B:291:LEU:HD12	1.95	0.48
1:D:335:TYR:O	1:D:336:LEU:HB2	2.15	0.47
1:A:215:ASN:HD21	1:A:219:GLN:HB2	1.79	0.47
1:B:285:PRO:HA	1:B:288:LYS:HE3	1.97	0.47
1:B:285:PRO:HD2	1:B:381:GLU:OE2	2.14	0.47
1:A:340:GLU:HG2	1:A:344:ASP:HB2	1.95	0.47
1:C:368:LEU:HD23	1:C:376:ILE:HD12	1.96	0.47
1:A:254:ILE:HD11	1:A:408:MET:HE1	1.97	0.47
1:A:176:THR:O	1:A:180:LEU:HB3	2.14	0.47
1:D:349:TRP:CB	1:D:355:LEU:HD12	2.45	0.46
1:A:335:TYR:C	1:A:336:LEU:HD23	2.35	0.46
1:C:176:THR:O	1:C:180:LEU:HB3	2.16	0.46
1:C:42:GLU:O	1:C:46:GLN:HG2	2.16	0.46
1:B:309:PHE:CD1	2:B:501:2SU:H12	2.50	0.46
1:C:246:ALA:HB1	1:C:291:LEU:HD22	1.98	0.46
1:C:417:PRO:CG	1:C:420:LEU:HD12	2.36	0.46
1:A:121:ALA:HB3	1:A:357:ARG:O	2.16	0.46
1:B:305:HIS:ND1	1:B:314:CYS:N	2.52	0.46
1:C:29:ILE:O	1:C:33:VAL:HG23	2.14	0.46
1:B:430:GLU:HG3	1:B:453:THR:HG21	1.96	0.46
1:C:437:LEU:HD23	1:C:443:ALA:HA	1.98	0.46
1:D:304:ALA:HA	1:D:308:LEU:HB2	1.97	0.46
1:B:304:ALA:HA	1:B:308:LEU:HB2	1.97	0.45
1:B:90:ALA:HA	1:B:95:PHE:CG	2.52	0.45
1:C:461:HIS:CE1	1:C:463:GLU:HB2	2.51	0.45
1:C:326:PHE:O	1:C:330:HIS:HB3	2.17	0.45
1:C:412:ASN:HB3	1:C:454:VAL:HG11	1.99	0.45
1:A:26:GLU:O	1:A:30:LYS:HG3	2.17	0.45
1:C:62:GLN:HA	1:C:64:LYS:HZ2	1.81	0.45
1:A:400:TRP:CH2	1:A:415:TYR:HB2	2.52	0.45
1:B:312:TYR:HA	1:B:313:GLY:HA2	1.56	0.45
1:C:21:ASN:HD21	1:C:24:GLN:CD	2.19	0.45
1:A:282:LEU:HG	1:A:291:LEU:HD12	1.99	0.45
1:D:16:THR:CB	1:D:19:ILE:HB	2.43	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:280:SER:CB	1:D:307:TRP:HB3	2.46	0.45
1:C:21:ASN:OD1	1:C:24:GLN:N	2.42	0.45
1:D:467:GLU:N	1:D:467:GLU:OE1	2.41	0.45
1:A:312:TYR:HA	1:A:313:GLY:HA2	1.56	0.44
1:C:446:THR:N	1:A:337:LYS:HZ2	2.15	0.44
1:C:446:THR:H	1:A:337:LYS:NZ	2.14	0.44
1:A:254:ILE:HD13	1:A:291:LEU:HD23	1.98	0.44
1:C:26:GLU:OE2	1:A:34:HIS:ND1	2.39	0.44
1:D:395:ASN:N	1:D:396:PRO:HD2	2.33	0.44
1:A:84:TYR:O	1:A:87:ARG:NH1	2.49	0.44
1:D:248:THR:HG22	1:D:250:ASN:N	2.33	0.44
1:A:304:ALA:HB3	1:A:314:CYS:O	2.18	0.44
1:C:87:ARG:HD2	1:A:119:ILE:HG12	2.00	0.44
1:D:446:THR:HG22	1:D:455:LEU:HD23	1.99	0.43
1:D:48:VAL:HG21	1:D:442:ALA:HA	1.99	0.43
1:A:479:TYR:O	1:A:483:ILE:HG13	2.17	0.43
1:C:349:TRP:CB	1:C:355:LEU:HD12	2.47	0.43
1:D:90:ALA:HA	1:D:95:PHE:CG	2.53	0.43
3:D:502:3SO:H14	1:B:336:LEU:HD21	2.00	0.43
1:B:475:LEU:HG	1:B:479:TYR:CE2	2.54	0.43
1:B:280:SER:HB2	1:B:307:TRP:HB3	2.01	0.43
1:C:437:LEU:CD2	1:C:443:ALA:HA	2.48	0.43
1:D:282:LEU:HG	1:D:291:LEU:HD12	2.00	0.43
1:D:326:PHE:O	1:D:330:HIS:HB3	2.19	0.43
1:C:465:THR:HG23	1:C:468:ASP:H	1.83	0.43
1:A:349:TRP:CB	1:A:355:LEU:HD12	2.49	0.43
1:C:325:LEU:HD13	1:C:351:ILE:CG2	2.48	0.43
1:A:47:PRO:HA	1:A:440:GLY:O	2.18	0.43
1:A:131:ASN:O	1:A:135:GLN:HG2	2.18	0.43
1:C:351:ILE:HG22	1:C:351:ILE:O	2.18	0.42
1:A:254:ILE:HD11	1:A:408:MET:CE	2.49	0.42
1:D:469:MET:O	1:D:473:ILE:HG12	2.19	0.42
1:A:20:LEU:HD11	1:A:72:VAL:HB	2.01	0.42
1:B:186:TYR:CD2	1:B:210:ARG:HB2	2.54	0.42
1:D:434:HIS:O	1:D:438:GLU:HG2	2.20	0.42
1:C:462:PRO:HG2	2:C:501:2SU:C11	2.50	0.42
1:A:359:ALA:CB	1:A:362:LEU:HD22	2.49	0.42
1:B:131:ASN:O	1:B:135:GLN:HG2	2.20	0.42
1:C:207:SER:O	1:C:210:ARG:NH1	2.43	0.42
1:A:395:ASN:N	1:A:396:PRO:HD2	2.35	0.42
1:B:334:GLU:HG2	1:B:335:TYR:H	1.84	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:359:ALA:HB1	1:C:362:LEU:HD13	2.00	0.42
1:B:164:ILE:HG22	1:B:353:MET:HE3	2.02	0.42
1:B:351:ILE:HG22	1:B:351:ILE:O	2.19	0.42
1:C:99:VAL:HG11	1:C:306:LYS:HD3	2.02	0.42
1:D:99:VAL:HB	3:D:502:3SO:H10	2.01	0.42
1:B:16:THR:C	1:B:18:TYR:H	2.23	0.42
1:B:462:PRO:HG2	2:B:501:2SU:C15	2.49	0.42
1:C:21:ASN:HD21	1:C:24:GLN:CG	2.32	0.42
1:C:304:ALA:CA	1:C:308:LEU:HB2	2.50	0.42
1:A:249:THR:OG1	3:A:503:3SO:O01	2.29	0.42
1:B:197:LYS:HA	1:B:200:ARG:NH1	2.34	0.42
1:C:382:HIS:O	1:C:386:LEU:HG	2.20	0.42
1:A:339:LEU:N	1:A:339:LEU:HD23	2.35	0.41
1:D:19:ILE:CD1	1:B:375:LEU:HD21	2.51	0.41
1:D:164:ILE:HG22	1:D:353:MET:HE3	2.02	0.41
1:A:284:SER:O	1:A:288:LYS:HB3	2.20	0.41
1:B:207:SER:O	1:B:210:ARG:NH1	2.52	0.41
1:B:334:GLU:HG2	1:B:335:TYR:N	2.35	0.41
1:B:415:TYR:HD2	1:B:428:LEU:HD21	1.86	0.41
1:C:352:GLY:HA2	1:C:353:MET:HA	1.76	0.41
2:D:501:2SU:C09	2:D:501:2SU:H3	2.31	0.41
1:B:164:ILE:HG22	1:B:353:MET:CE	2.50	0.41
1:C:449:LEU:HD12	1:C:449:LEU:HA	1.96	0.41
1:D:117:TYR:HD1	1:B:87:ARG:NH1	2.19	0.41
1:D:284:SER:O	1:D:288:LYS:HB3	2.20	0.41
1:A:297:ALA:O	1:A:320:LYS:HE3	2.21	0.41
1:B:159:GLY:HA2	1:B:162:ALA:HB3	2.02	0.41
1:C:131:ASN:O	1:C:135:GLN:HG2	2.21	0.41
1:B:303:ASP:HB2	1:B:306:LYS:HD2	2.02	0.40
1:C:119:ILE:HG12	1:A:87:ARG:HD2	2.03	0.40
1:A:430:GLU:HG3	1:A:453:THR:HG21	2.03	0.40
1:B:125:LYS:HB2	1:B:339:LEU:HD22	2.02	0.40
1:C:282:LEU:HG	1:C:291:LEU:HD12	2.04	0.40
1:C:395:ASN:N	1:C:396:PRO:HD2	2.36	0.40
1:B:304:ALA:HB3	1:B:314:CYS:O	2.21	0.40
1:C:286:LYS:HD3	1:C:287:TYR:CZ	2.56	0.40
1:C:280:SER:CB	1:C:307:TRP:HB3	2.50	0.40
1:D:254:ILE:HD11	1:D:408:MET:CE	2.51	0.40
1:A:461:HIS:HA	1:A:462:PRO:HD3	1.86	0.40
1:B:147:PHE:HB3	1:B:151:PRO:HG3	2.04	0.40
1:B:280:SER:CB	1:B:307:TRP:HB3	2.51	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:371:LEU:HD22	1:B:19:ILE:HD13	2.03	0.40
1:A:336:LEU:HB2	1:A:338:ASP:HB2	2.03	0.40
1:D:362:LEU:HD23	1:B:84:TYR:CZ	2.57	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	468/490 (96%)	441 (94%)	26 (6%)	1 (0%)	51	81
1	B	469/490 (96%)	448 (96%)	20 (4%)	1 (0%)	51	81
1	C	469/490 (96%)	445 (95%)	24 (5%)	0	100	100
1	D	466/490 (95%)	444 (95%)	22 (5%)	0	100	100
All	All	1872/1960 (96%)	1778 (95%)	92 (5%)	2 (0%)	55	84

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	17	GLU
1	B	256	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	406/422 (96%)	400 (98%)	6 (2%)	70	90
1	B	406/422 (96%)	403 (99%)	3 (1%)	87	96
1	C	407/422 (96%)	404 (99%)	3 (1%)	87	96
1	D	403/422 (96%)	400 (99%)	3 (1%)	87	96
All	All	1622/1688 (96%)	1607 (99%)	15 (1%)	82	94

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	149	GLU
1	D	307	TRP
1	D	334	GLU
1	C	154	VAL
1	C	307	TRP
1	C	472	THR
1	B	154	VAL
1	B	307	TRP
1	B	349	TRP
1	A	23	THR
1	A	154	VAL
1	A	307	TRP
1	A	335	TYR
1	A	336	LEU
1	A	351	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	91	ASN
1	C	41	HIS
1	C	91	ASN
1	B	41	HIS
1	A	41	HIS
1	A	91	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	3SO	A	501	-	29,30,30	1.88	4 (13%)	33,43,43	2.22	16 (48%)
2	2SU	A	502	-	11,18,18	3.43	5 (45%)	12,26,26	1.10	1 (8%)
3	3SO	A	503	-	29,30,30	2.21	8 (27%)	33,43,43	2.31	11 (33%)
2	2SU	B	501	-	11,18,18	3.41	5 (45%)	12,26,26	1.17	1 (8%)
3	3SO	B	502	-	29,30,30	3.05	10 (34%)	33,43,43	2.13	9 (27%)
2	2SU	C	501	-	11,18,18	3.42	5 (45%)	12,26,26	1.14	1 (8%)
2	2SU	D	501	-	11,18,18	3.41	5 (45%)	12,26,26	1.13	1 (8%)
3	3SO	D	502	-	29,30,30	1.96	8 (27%)	33,43,43	2.02	14 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	3SO	A	501	-	-	0/15/15/15	0/3/3/3
2	2SU	A	502	-	-	0/3/14/14	0/2/2/2
3	3SO	A	503	-	-	0/15/15/15	0/3/3/3
2	2SU	B	501	-	-	0/3/14/14	0/2/2/2
3	3SO	B	502	-	-	0/15/15/15	0/3/3/3

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	2SU	C	501	-	-	0/3/14/14	0/2/2/2
2	2SU	D	501	-	-	0/3/14/14	0/2/2/2
3	3SO	D	502	-	-	0/15/15/15	0/3/3/3

All (50) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	502	3SO	C02-C03	-12.85	1.31	1.40
3	A	503	3SO	C02-C03	-7.27	1.35	1.40
3	D	502	3SO	C02-C03	-4.96	1.37	1.40
3	D	502	3SO	O08-C07	-4.52	1.27	1.44
3	B	502	3SO	O08-C07	-4.47	1.27	1.44
3	A	503	3SO	O08-C07	-4.43	1.27	1.44
3	A	501	3SO	C02-C03	-4.24	1.37	1.40
3	A	501	3SO	O08-C07	-4.16	1.28	1.44
3	B	502	3SO	C13-C06	-3.92	1.36	1.42
3	D	502	3SO	C13-C06	-2.75	1.38	1.42
3	B	502	3SO	C28-C03	-2.62	1.45	1.50
3	B	502	3SO	C17-C18	-2.55	1.45	1.52
3	D	502	3SO	C17-C18	-2.51	1.45	1.52
3	A	503	3SO	O01-C02	-2.48	1.31	1.37
3	A	503	3SO	C28-C03	-2.39	1.46	1.50
3	B	502	3SO	C22-C21	-2.38	1.36	1.42
3	B	502	3SO	O01-C02	-2.34	1.31	1.37
3	D	502	3SO	O01-C02	-2.25	1.31	1.37
3	A	501	3SO	O01-C02	-2.23	1.31	1.37
3	B	502	3SO	C23-C22	-2.11	1.37	1.42
3	D	502	3SO	C22-C21	-2.05	1.37	1.42
3	A	503	3SO	C22-C21	-2.05	1.37	1.42
3	A	503	3SO	C07-C06	2.10	1.56	1.50
3	B	502	3SO	C07-C06	2.16	1.57	1.50
3	A	503	3SO	C13-C14	2.21	1.52	1.47
3	D	502	3SO	C07-C06	2.42	1.57	1.50
2	D	501	2SU	C16-C17	3.30	1.46	1.38
2	C	501	2SU	C16-C17	3.30	1.46	1.38
2	B	501	2SU	C16-C17	3.32	1.46	1.38
2	A	502	2SU	C16-C17	3.33	1.46	1.38
3	D	502	3SO	P09-O08	3.70	1.72	1.60
3	B	502	3SO	P09-O08	4.12	1.73	1.60
2	B	501	2SU	C17-C15	4.73	1.47	1.36
2	A	502	2SU	C16-C14	4.77	1.47	1.36
2	D	501	2SU	C16-C14	4.77	1.47	1.36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	501	2SU	C16-C14	4.77	1.47	1.36
2	B	501	2SU	C16-C14	4.78	1.47	1.36
2	A	502	2SU	C17-C15	4.79	1.47	1.36
2	D	501	2SU	C17-C15	4.79	1.47	1.36
2	C	501	2SU	C17-C15	4.79	1.47	1.36
2	B	501	2SU	C14-C09	5.14	1.52	1.42
2	D	501	2SU	C14-C09	5.16	1.53	1.42
2	A	502	2SU	C14-C09	5.20	1.53	1.42
2	C	501	2SU	C14-C09	5.21	1.53	1.42
3	A	503	3SO	P09-O08	5.24	1.77	1.60
3	A	501	3SO	P09-O08	6.04	1.79	1.60
2	D	501	2SU	C15-C11	6.24	1.53	1.41
2	B	501	2SU	C15-C11	6.27	1.53	1.41
2	C	501	2SU	C15-C11	6.28	1.53	1.41
2	A	502	2SU	C15-C11	6.33	1.53	1.41

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	501	3SO	O12-P09-O08	-4.80	93.95	106.73
3	B	502	3SO	O08-P09-O10	-4.79	93.04	106.47
3	A	503	3SO	C02-C13-C06	-4.57	114.76	118.24
3	A	503	3SO	O12-P09-O08	-4.48	94.81	106.73
3	B	502	3SO	C07-C06-C05	-4.10	112.27	119.33
3	D	502	3SO	O12-P09-O08	-3.95	96.21	106.73
3	A	501	3SO	C07-C06-C05	-3.92	112.59	119.33
3	A	503	3SO	C07-C06-C05	-3.67	113.01	119.33
3	A	501	3SO	C02-C13-C06	-3.33	115.71	118.24
3	B	502	3SO	C06-C05-N04	-3.07	118.68	123.87
3	D	502	3SO	C02-C13-C06	-3.06	115.91	118.24
2	B	501	2SU	C06-C07-C08	-2.83	109.87	115.61
3	A	503	3SO	C06-C05-N04	-2.74	119.23	123.87
2	C	501	2SU	C06-C07-C08	-2.74	110.06	115.61
3	B	502	3SO	O12-P09-O08	-2.70	99.56	106.73
3	D	502	3SO	C23-C22-C21	-2.67	114.62	118.17
3	A	501	3SO	O08-P09-O10	-2.64	99.07	106.47
2	D	501	2SU	C06-C07-C08	-2.55	110.44	115.61
3	D	502	3SO	C06-C05-N04	-2.55	119.56	123.87
3	D	502	3SO	O08-P09-O10	-2.54	99.34	106.47
3	D	502	3SO	C07-C06-C05	-2.50	115.04	119.33
3	A	501	3SO	C06-C05-N04	-2.48	119.66	123.87
2	A	502	2SU	C06-C07-C08	-2.45	110.63	115.61

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	501	3SO	C13-C14-C15	-2.41	124.04	128.92
3	A	503	3SO	O11-P09-O08	-2.40	100.35	106.73
3	A	501	3SO	O11-P09-O08	-2.36	100.45	106.73
3	A	501	3SO	C23-C22-C21	-2.18	115.27	118.17
3	D	502	3SO	O11-P09-O08	-2.01	101.38	106.73
3	A	503	3SO	C07-C06-C13	2.02	125.19	121.66
3	A	501	3SO	O11-P09-O12	2.11	116.14	107.61
3	D	502	3SO	C24-C23-C22	2.16	123.95	120.88
3	B	502	3SO	C14-C15-C16	2.25	131.40	124.15
3	A	503	3SO	O11-P09-O10	2.28	119.43	110.50
3	D	502	3SO	C14-C15-C16	2.31	131.61	124.15
3	D	502	3SO	O11-P09-O12	2.32	116.98	107.61
3	A	501	3SO	C17-C18-C22	2.38	131.17	126.50
3	A	503	3SO	C17-C18-C22	2.40	131.20	126.50
3	D	502	3SO	O11-P09-O10	2.42	119.98	110.50
3	A	501	3SO	O11-P09-O10	2.46	120.14	110.50
3	A	501	3SO	C07-C06-C13	2.47	125.98	121.66
3	A	501	3SO	C14-C15-C16	2.57	132.43	124.15
3	A	501	3SO	C28-C03-C02	2.68	124.16	120.96
3	D	502	3SO	C17-C18-C22	2.71	131.80	126.50
3	B	502	3SO	C07-C06-C13	2.74	126.44	121.66
3	A	503	3SO	O11-P09-O12	2.92	119.39	107.61
3	A	501	3SO	C18-C17-C16	3.26	118.87	114.29
3	D	502	3SO	C18-C17-C16	3.34	118.99	114.29
3	B	502	3SO	O11-P09-O12	3.36	121.16	107.61
3	B	502	3SO	C18-C17-C16	3.98	119.89	114.29
3	B	502	3SO	C13-C02-C03	4.17	122.72	120.15
3	A	501	3SO	C13-C02-C03	4.28	122.78	120.15
3	D	502	3SO	C13-C02-C03	4.37	122.84	120.15
3	A	503	3SO	C13-C02-C03	5.25	123.38	120.15
3	A	503	3SO	C18-C17-C16	5.50	122.03	114.29

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 20 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	501	3SO	3	0
2	A	502	2SU	1	0
3	A	503	3SO	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	501	2SU	3	0
3	B	502	3SO	3	0
2	C	501	2SU	2	0
2	D	501	2SU	2	0
3	D	502	3SO	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	471/490 (96%)	-0.18	5 (1%) 80 75	13, 33, 64, 105	0
1	B	470/490 (95%)	-0.07	3 (0%) 89 86	12, 33, 61, 94	0
1	C	471/490 (96%)	-0.04	10 (2%) 64 56	13, 34, 66, 101	0
1	D	469/490 (95%)	-0.04	7 (1%) 74 68	12, 32, 60, 102	0
All	All	1881/1960 (95%)	-0.08	25 (1%) 77 72	12, 33, 63, 105	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	487	MET	4.0
1	D	485	THR	3.0
1	C	484	TYR	2.9
1	A	338	ASP	2.9
1	C	488	LYS	2.9
1	C	435	ARG	2.8
1	D	428	LEU	2.8
1	A	45	ASP	2.5
1	A	17	GLU	2.5
1	D	415	TYR	2.4
1	C	480	GLY	2.4
1	D	487	MET	2.4
1	C	344	ASP	2.4
1	D	481	ARG	2.3
1	A	18	TYR	2.3
1	B	45	ASP	2.3
1	A	487	MET	2.3
1	B	420	LEU	2.2
1	C	485	THR	2.2
1	C	62	GLN	2.1
1	C	345	ASN	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	394	LEU	2.1
1	C	477	ASP	2.1
1	D	345	ASN	2.1
1	B	487	MET	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
2	2SU	B	501	17/17	0.92	0.22	2.25	29,40,72,76	0
3	3SO	D	502	28/28	0.90	0.29	1.48	20,20,20,20	28
3	3SO	B	502	28/28	0.90	0.28	1.42	20,20,20,20	28
2	2SU	A	502	17/17	0.91	0.23	1.34	25,42,70,74	0
3	3SO	A	501	28/28	0.91	0.28	0.86	20,20,20,20	28
3	3SO	A	503	28/28	0.90	0.22	0.50	20,20,20,20	28
2	2SU	C	501	17/17	0.94	0.20	-0.05	23,34,84,84	0
2	2SU	D	501	17/17	0.94	0.17	-0.39	18,36,68,74	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.