



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 15, 2017 – 02:27 am GMT

PDB ID : 3ODI
Title : Crystal structure of cyclophilin A in complex with Voclosporin E-ISA247
Authors : Kuglstatter, A.; Stihle, M.; Benz, J.; Hennig, M.
Deposited on : 2010-08-11
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4002 (2.20-2.20)
Clashscore	112137	4730 (2.20-2.20)
Ramachandran outliers	110173	4656 (2.20-2.20)
Sidechain outliers	110143	4657 (2.20-2.20)
RSRZ outliers	101464	4033 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	165	<div> <div>2%</div> <div> <div></div> <div>90%</div> <div>10%</div> </div> <div>•</div> </div>
1	C	165	<div> <div>2%</div> <div> <div></div> <div>91%</div> <div>7%</div> </div> <div>••</div> </div>
1	E	165	<div> <div>4%</div> <div> <div></div> <div>93%</div> <div>7%</div> </div> <div>•</div> </div>
1	G	165	<div> <div>4%</div> <div> <div></div> <div>92%</div> <div>8%</div> </div> <div></div> </div>
1	I	165	<div> <div>2%</div> <div> <div></div> <div>91%</div> <div>7%</div> </div> <div>••</div> </div>
1	K	165	<div> <div>2%</div> <div> <div></div> <div>88%</div> <div>10%</div> </div> <div>••</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	M	165	
1	O	165	
1	Q	165	
1	S	165	
2	B	11	
2	D	11	
2	F	11	
2	H	11	
2	J	11	
2	L	11	
2	N	11	
2	P	11	
2	R	11	
2	T	11	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 14972 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cyclophilin A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	165	Total	C	N	O	S	0	0	0
			1266	802	218	237	9			
1	C	163	Total	C	N	O	S	0	0	0
			1248	792	216	232	8			
1	E	165	Total	C	N	O	S	0	0	0
			1266	802	218	237	9			
1	G	165	Total	C	N	O	S	0	0	0
			1266	802	218	237	9			
1	I	164	Total	C	N	O	S	0	0	0
			1256	797	217	233	9			
1	K	164	Total	C	N	O	S	0	0	0
			1256	797	217	233	9			
1	M	165	Total	C	N	O	S	0	0	0
			1266	802	218	237	9			
1	O	165	Total	C	N	O	S	0	0	0
			1266	802	218	237	9			
1	Q	164	Total	C	N	O	S	0	0	0
			1256	797	217	233	9			
1	S	164	Total	C	N	O	S	0	0	0
			1256	797	217	233	9			

- Molecule 2 is a protein called Voclosporin.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	11	Total	C	N	O	0	0	0
			86	63	11	12			
2	D	11	Total	C	N	O	0	0	0
			86	63	11	12			
2	F	11	Total	C	N	O	0	0	0
			86	63	11	12			
2	H	11	Total	C	N	O	0	0	0
			86	63	11	12			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	J	11	Total	C	N	O	0	0	0
			86	63	11	12			
2	L	11	Total	C	N	O	0	0	0
			86	63	11	12			
2	N	11	Total	C	N	O	0	0	0
			86	63	11	12			
2	P	11	Total	C	N	O	0	0	0
			86	63	11	12			
2	R	11	Total	C	N	O	0	0	0
			86	63	11	12			
2	T	11	Total	C	N	O	0	0	0
			86	63	11	12			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	5	XXA	BMT	engineered	NOR NOR00033
D	5	XXA	BMT	engineered	NOR NOR00033
F	5	XXA	BMT	engineered	NOR NOR00033
H	5	XXA	BMT	engineered	NOR NOR00033
J	5	XXA	BMT	engineered	NOR NOR00033
L	5	XXA	BMT	engineered	NOR NOR00033
N	5	XXA	BMT	engineered	NOR NOR00033
P	5	XXA	BMT	engineered	NOR NOR00033
R	5	XXA	BMT	engineered	NOR NOR00033
T	5	XXA	BMT	engineered	NOR NOR00033

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	159	Total	O	0	0
			159	159		
3	B	4	Total	O	0	0
			4	4		
3	C	148	Total	O	0	0
			148	148		
3	D	6	Total	O	0	0
			6	6		
3	E	128	Total	O	0	0
			128	128		
3	F	4	Total	O	0	0
			4	4		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	G	144	Total 144	O 144	0	0
3	H	2	Total 2	O 2	0	0
3	I	155	Total 155	O 155	0	0
3	J	5	Total 5	O 5	0	0
3	K	129	Total 129	O 129	0	0
3	L	4	Total 4	O 4	0	0
3	M	141	Total 141	O 141	0	0
3	N	4	Total 4	O 4	0	0
3	O	131	Total 131	O 131	0	0
3	P	4	Total 4	O 4	0	0
3	Q	176	Total 176	O 176	0	0
3	R	3	Total 3	O 3	0	0
3	S	154	Total 154	O 154	0	0
3	T	9	Total 9	O 9	0	0



3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cyclophilin A



- Molecule 1: Cyclophilin A




- Molecule 1: Cyclophilin A




- Molecule 1: Cyclophilin A




- Molecule 1: Cyclophilin A




- Molecule 1: Cyclophilin A




- Molecule 1: Cyclophilin A




- Molecule 1: Cyclophilin A




- Molecule 1: Cyclophilin A



- Molecule 1: Cyclophilin A



- Molecule 2: Voclosporin



- Molecule 2: Voclosporin




- Molecule 2: Voclosporin

Chain F:  45% 55%





- Molecule 2: Voclosporin

Chain H:  45% 55%




- Molecule 2: Voclosporin

Chain J:  36% 64%




- Molecule 2: Voclosporin

Chain L:  45% 55%



- Molecule 2: Voclosporin

Chain N:  45% 55%



- Molecule 2: Voclosporin

Chain P:  45% 55%



- Molecule 2: Voclosporin

Chain R:  27% 73%



- Molecule 2: Voclosporin

Chain T:  64% 36%

L1	L2	L3	V4	?5	L6
----	----	----	----	----	----

4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	69.18Å 161.34Å 93.65Å 90.00° 100.06° 90.00°	Depositor
Resolution (Å)	25.00 – 2.20 24.81 – 2.20	Depositor EDS
% Data completeness (in resolution range)	91.8 (25.00-2.20) 91.8 (24.81-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.68 (at 2.19Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.164 , 0.220 0.166 , 0.219	Depositor DCC
R_{free} test set	4673 reflections (5.24%)	DCC
Wilson B-factor (Å ²)	25.6	Xtriage
Anisotropy	0.253	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 62.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14972	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ABA, MLE, DAL, MVA, XXA, SAR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/1294	0.64	2/1733 (0.1%)
1	C	0.41	0/1276	0.65	2/1711 (0.1%)
1	E	0.38	0/1294	0.64	2/1733 (0.1%)
1	G	0.40	0/1294	0.64	1/1733 (0.1%)
1	I	0.41	0/1284	0.64	1/1721 (0.1%)
1	K	0.40	0/1284	0.64	1/1721 (0.1%)
1	M	0.40	0/1294	0.65	1/1733 (0.1%)
1	O	0.38	0/1294	0.64	2/1733 (0.1%)
1	Q	0.41	0/1284	0.65	1/1721 (0.1%)
1	S	0.40	0/1284	0.66	2/1721 (0.1%)
2	B	0.48	0/10	0.63	0/11
2	D	0.51	0/10	0.65	0/11
2	F	0.46	0/10	0.62	0/11
2	H	0.47	0/10	0.60	0/11
2	J	0.42	0/10	0.60	0/11
2	L	0.50	0/10	0.72	0/11
2	N	0.46	0/10	0.61	0/11
2	P	0.50	0/10	0.66	0/11
2	R	0.51	0/10	0.63	0/11
2	T	0.51	0/10	0.62	0/11
All	All	0.40	0/12982	0.65	15/17370 (0.1%)

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	66	ASP	CB-CG-OD2	5.77	123.50	118.30
1	O	13	ASP	CB-CG-OD2	5.62	123.36	118.30
1	Q	13	ASP	CB-CG-OD2	5.57	123.31	118.30
1	S	85	ASP	CB-CG-OD2	5.34	123.10	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	I	9	ASP	CB-CG-OD2	5.24	123.02	118.30
1	E	13	ASP	CB-CG-OD2	5.22	123.00	118.30
1	M	85	ASP	CB-CG-OD2	5.19	122.97	118.30
1	G	85	ASP	CB-CG-OD2	5.17	122.95	118.30
1	A	9	ASP	CB-CG-OD2	5.12	122.91	118.30
1	C	66	ASP	CB-CG-OD2	5.12	122.90	118.30
1	S	9	ASP	CB-CG-OD2	5.11	122.90	118.30
1	C	13	ASP	CB-CG-OD2	5.10	122.89	118.30
1	O	66	ASP	CB-CG-OD2	5.08	122.87	118.30
1	E	9	ASP	CB-CG-OD2	5.07	122.86	118.30
1	K	9	ASP	CB-CG-OD2	5.04	122.84	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1266	0	1237	7	0
1	C	1248	0	1219	3	0
1	E	1266	0	1237	4	0
1	G	1266	0	1237	3	0
1	I	1256	0	1231	8	0
1	K	1256	0	1231	8	0
1	M	1266	0	1237	9	0
1	O	1266	0	1237	7	0
1	Q	1256	0	1231	4	0
1	S	1256	0	1231	6	0
2	B	86	0	110	7	0
2	D	86	0	110	2	0
2	F	86	0	110	6	0
2	H	86	0	110	4	0
2	J	86	0	109	6	0
2	L	86	0	109	3	0
2	N	86	0	110	4	0
2	P	86	0	109	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	R	86	0	109	4	0
2	T	86	0	109	5	0
3	A	159	0	0	2	0
3	B	4	0	0	0	0
3	C	148	0	0	0	0
3	D	6	0	0	0	0
3	E	128	0	0	1	0
3	F	4	0	0	0	0
3	G	144	0	0	1	0
3	H	2	0	0	0	0
3	I	155	0	0	0	0
3	J	5	0	0	0	0
3	K	129	0	0	1	0
3	L	4	0	0	0	0
3	M	141	0	0	1	0
3	N	4	0	0	0	0
3	O	131	0	0	2	0
3	P	4	0	0	0	0
3	Q	176	0	0	1	0
3	R	3	0	0	0	0
3	S	154	0	0	1	0
3	T	9	0	0	0	0
All	All	14972	0	13423	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:13:ASP:OD2	1:I:154:LYS:HE2	1.87	0.74
1:M:6:VAL:HG21	1:M:36:PHE:HE2	1.61	0.64
1:M:165:GLU:HG2	1:M:165:GLU:O	1.97	0.64
1:A:11:ALA:HB3	1:A:157:THR:HG22	1.80	0.62
1:I:154:LYS:HE3	1:I:154:LYS:HA	1.83	0.59
1:M:1:MET:HB2	1:O:59:GLY:O	2.03	0.58
1:M:6:VAL:HG21	1:M:36:PHE:CE2	2.40	0.56
1:M:11:ALA:HB3	1:M:157:THR:HG22	1.88	0.55
1:M:157:THR:HG21	3:M:1071:HOH:O	2.07	0.54
1:E:6:VAL:HG21	1:E:36:PHE:HE2	1.74	0.51
1:S:84:GLU:CD	1:S:84:GLU:H	2.14	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:11:ALA:HB3	1:I:157:THR:HG22	1.93	0.50
1:Q:69:ARG:HG3	1:Q:74:GLY:HA3	1.93	0.49
1:S:145:PHE:CE1	1:S:154:LYS:HD3	2.48	0.49
1:S:6:VAL:HG21	1:S:36:PHE:HE2	1.78	0.48
1:A:84:GLU:H	1:A:84:GLU:CD	2.15	0.48
2:T:4:MVA:HA	2:T:5:XXA:HN	1.69	0.48
1:O:15:GLU:HG2	1:O:15:GLU:O	2.13	0.48
1:O:1:MET:HG3	3:O:250:HOH:O	2.13	0.48
1:G:99:SER:HB3	1:G:113:PHE:CZ	2.49	0.48
1:E:13:ASP:OD2	1:E:154:LYS:HD2	2.15	0.47
2:R:1:DAL:HA	2:R:2:MLE:HN1	1.65	0.47
2:H:1:DAL:HA	2:H:2:MLE:HN1	1.64	0.47
2:B:9:VAL:HA	2:B:10:MLE:HN1	1.53	0.47
2:J:1:DAL:HA	2:J:2:MLE:HN1	1.70	0.47
1:G:30:PRO:HG2	2:J:2:MLE:HN2	1.96	0.47
2:T:3:MLE:HB2	2:T:4:MVA:CN	2.45	0.46
2:J:9:VAL:HA	2:J:10:MLE:HN1	1.52	0.46
1:Q:125:LYS:HD2	3:Q:555:HOH:O	2.15	0.46
2:D:4:MVA:HA	2:D:5:XXA:HN	1.72	0.46
1:A:157:THR:HG21	3:A:1182:HOH:O	2.15	0.46
1:A:99:SER:HB3	1:A:113:PHE:CZ	2.51	0.46
2:P:1:DAL:HA	2:P:2:MLE:HN1	1.69	0.46
1:S:144:ARG:NH2	3:S:774:HOH:O	2.46	0.46
2:B:1:DAL:HA	2:B:2:MLE:HN1	1.71	0.46
1:I:154:LYS:CE	1:I:154:LYS:HA	2.46	0.46
1:K:99:SER:HB3	1:K:113:PHE:CZ	2.51	0.46
1:M:84:GLU:H	1:M:84:GLU:CD	2.19	0.45
1:O:76:LYS:O	1:O:110:SER:HB3	2.15	0.45
2:P:9:VAL:HA	2:P:10:MLE:HN1	1.55	0.45
2:N:6:ABA:HA	2:N:7:SAR:HN1	1.82	0.45
1:O:1:MET:HB3	3:O:780:HOH:O	2.17	0.45
1:G:84:GLU:H	1:G:84:GLU:CD	2.19	0.45
2:J:4:MVA:HA	2:J:5:XXA:HN	1.78	0.45
2:N:4:MVA:HA	2:N:5:XXA:HN	1.69	0.45
1:A:55:ARG:HH22	2:B:3:MLE:HN3	1.81	0.45
1:I:99:SER:HB3	1:I:113:PHE:CZ	2.52	0.45
1:A:165:GLU:HG3	3:A:294:HOH:O	2.17	0.45
2:J:3:MLE:O	2:J:3:MLE:HN3	2.17	0.44
1:K:3:ASN:HA	1:K:4:PRO:HD3	1.88	0.44
2:F:3:MLE:HB2	2:F:4:MVA:CN	2.48	0.44
1:M:30:PRO:HG2	2:P:2:MLE:HN2	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:T:3:MLE:HA	2:T:4:MVA:HN1	1.87	0.44
1:K:157:THR:HB	3:K:171:HOH:O	2.18	0.43
2:F:3:MLE:HB2	2:F:4:MVA:HN1	2.00	0.43
2:P:6:ABA:HA	2:P:7:SAR:HN1	1.77	0.43
1:Q:30:PRO:HG2	2:T:2:MLE:HN2	2.00	0.43
2:T:3:MLE:HB2	2:T:4:MVA:HN1	2.00	0.43
2:B:3:MLE:O	2:B:3:MLE:HN3	2.18	0.43
2:F:1:DAL:HA	2:F:2:MLE:HN1	1.68	0.43
1:I:153:SER:O	1:I:154:LYS:HD2	2.19	0.43
1:K:98:LEU:HG	1:K:129:PHE:CZ	2.54	0.43
1:C:30:PRO:HG2	2:F:2:MLE:HN2	2.00	0.43
2:L:9:VAL:HA	2:L:10:MLE:HN1	1.57	0.43
2:N:9:VAL:HA	2:N:10:MLE:HN1	1.52	0.43
1:O:6:VAL:HG21	1:O:36:PHE:HE2	1.83	0.43
1:S:6:VAL:HG21	1:S:36:PHE:CE2	2.54	0.43
2:B:3:MLE:HA	2:B:4:MVA:HN1	1.77	0.43
1:I:55:ARG:HH22	2:J:3:MLE:HN3	1.84	0.43
1:K:69:ARG:HG3	1:K:74:GLY:HA3	2.01	0.43
2:B:2:MLE:HA	2:B:3:MLE:HN1	1.78	0.42
2:H:6:ABA:HA	2:H:7:SAR:HN1	1.79	0.42
2:D:9:VAL:HA	2:D:10:MLE:HN1	1.58	0.42
1:E:30:PRO:HB3	2:H:2:MLE:HD13	2.02	0.42
1:M:151:LYS:HB3	1:M:151:LYS:HE3	1.82	0.42
1:C:13:ASP:OD2	1:C:154:LYS:HD3	2.19	0.42
2:F:9:VAL:HA	2:F:10:MLE:HN1	1.47	0.42
2:N:5:XXA:H8	2:N:5:XXA:O	2.19	0.42
2:R:9:VAL:HA	2:R:10:MLE:HN1	1.52	0.42
1:E:31:LYS:HD3	3:E:1519:HOH:O	2.19	0.41
2:L:3:MLE:HA	2:L:4:MVA:HN1	1.85	0.41
1:A:76:LYS:O	1:A:110:SER:HB3	2.19	0.41
1:C:15:GLU:HA	1:C:16:PRO:HD3	1.93	0.41
1:K:148:ARG:HA	1:K:148:ARG:HD2	1.64	0.41
2:B:4:MVA:HA	2:B:5:XXA:HN	1.77	0.41
1:Q:84:GLU:CD	1:Q:84:GLU:H	2.24	0.41
2:H:4:MVA:HA	2:H:5:XXA:HN	1.74	0.41
1:K:84:GLU:H	1:K:84:GLU:CD	2.23	0.41
2:L:1:DAL:HA	2:L:2:MLE:HN1	1.65	0.41
1:O:15:GLU:HA	1:O:16:PRO:HD3	1.95	0.41
2:R:6:ABA:HA	2:R:7:SAR:HN1	1.85	0.41
2:F:3:MLE:CB	2:F:4:MVA:HN1	2.51	0.40
3:G:1249:HOH:O	1:I:125:LYS:HE2	2.20	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:K:15:GLU:HA	1:K:16:PRO:HD3	1.93	0.40
1:S:99:SER:HB3	1:S:113:PHE:CZ	2.57	0.40
2:R:3:MLE:HA	2:R:4:MVA:HN1	1.89	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	163/165 (99%)	158 (97%)	5 (3%)	0	100	100
1	C	161/165 (98%)	154 (96%)	7 (4%)	0	100	100
1	E	163/165 (99%)	156 (96%)	7 (4%)	0	100	100
1	G	163/165 (99%)	158 (97%)	5 (3%)	0	100	100
1	I	162/165 (98%)	154 (95%)	8 (5%)	0	100	100
1	K	162/165 (98%)	157 (97%)	5 (3%)	0	100	100
1	M	163/165 (99%)	156 (96%)	6 (4%)	1 (1%)	28	29
1	O	163/165 (99%)	157 (96%)	6 (4%)	0	100	100
1	Q	162/165 (98%)	153 (94%)	8 (5%)	1 (1%)	28	29
1	S	162/165 (98%)	158 (98%)	4 (2%)	0	100	100
2	B	1/11 (9%)	1 (100%)	0	0	100	100
2	D	1/11 (9%)	1 (100%)	0	0	100	100
2	F	1/11 (9%)	1 (100%)	0	0	100	100
2	H	1/11 (9%)	1 (100%)	0	0	100	100
2	J	1/11 (9%)	1 (100%)	0	0	100	100
2	L	1/11 (9%)	1 (100%)	0	0	100	100
2	N	1/11 (9%)	1 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	P	1/11 (9%)	1 (100%)	0	0	100	100
2	R	1/11 (9%)	1 (100%)	0	0	100	100
2	T	1/11 (9%)	1 (100%)	0	0	100	100
All	All	1634/1760 (93%)	1571 (96%)	61 (4%)	2 (0%)	55	63

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	Q	13	ASP
1	M	14	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	133/133 (100%)	126 (95%)	7 (5%)	26	31
1	C	131/133 (98%)	124 (95%)	7 (5%)	26	31
1	E	133/133 (100%)	128 (96%)	5 (4%)	38	47
1	G	133/133 (100%)	124 (93%)	9 (7%)	18	20
1	I	132/133 (99%)	126 (96%)	6 (4%)	32	39
1	K	132/133 (99%)	125 (95%)	7 (5%)	26	31
1	M	133/133 (100%)	125 (94%)	8 (6%)	22	25
1	O	133/133 (100%)	125 (94%)	8 (6%)	22	25
1	Q	132/133 (99%)	128 (97%)	4 (3%)	46	58
1	S	132/133 (99%)	124 (94%)	8 (6%)	22	25
2	B	1/1 (100%)	1 (100%)	0	100	100
2	D	1/1 (100%)	1 (100%)	0	100	100
2	F	1/1 (100%)	1 (100%)	0	100	100
2	H	1/1 (100%)	1 (100%)	0	100	100
2	J	1/1 (100%)	1 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	L	1/1 (100%)	1 (100%)	0	100	100
2	N	1/1 (100%)	1 (100%)	0	100	100
2	P	1/1 (100%)	1 (100%)	0	100	100
2	R	1/1 (100%)	1 (100%)	0	100	100
2	T	1/1 (100%)	1 (100%)	0	100	100
All	All	1334/1340 (100%)	1265 (95%)	69 (5%)	27	32

All (69) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	29	VAL
1	A	61	MET
1	A	133	LYS
1	A	148	ARG
1	A	151	LYS
1	A	157	THR
1	C	61	MET
1	C	81	GLU
1	C	82	LYS
1	C	134	GLU
1	C	148	ARG
1	C	151	LYS
1	C	157	THR
1	E	29	VAL
1	E	61	MET
1	E	69	ARG
1	E	151	LYS
1	E	165	GLU
1	G	1	MET
1	G	29	VAL
1	G	61	MET
1	G	125	LYS
1	G	144	ARG
1	G	148	ARG
1	G	149	ASN
1	G	151	LYS
1	G	165	GLU
1	I	1	MET
1	I	29	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	I	61	MET
1	I	134	GLU
1	I	154	LYS
1	I	157	THR
1	K	1	MET
1	K	61	MET
1	K	76	LYS
1	K	148	ARG
1	K	151	LYS
1	K	155	LYS
1	K	157	THR
1	M	2	VAL
1	M	61	MET
1	M	125	LYS
1	M	133	LYS
1	M	148	ARG
1	M	151	LYS
1	M	157	THR
1	M	165	GLU
1	O	1	MET
1	O	15	GLU
1	O	29	VAL
1	O	61	MET
1	O	125	LYS
1	O	134	GLU
1	O	155	LYS
1	O	165	GLU
1	Q	61	MET
1	Q	69	ARG
1	Q	148	ARG
1	Q	151	LYS
1	S	1	MET
1	S	29	VAL
1	S	61	MET
1	S	84	GLU
1	S	125	LYS
1	S	151	LYS
1	S	154	LYS
1	S	155	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

90 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	DAL	B	1	2	4,4,5	0.51	0	1,4,6	0.22	0
2	MLE	B	10	2	8,8,9	1.79	1 (12%)	7,9,11	1.17	0
2	MLE	B	2	2	8,8,9	1.89	1 (12%)	7,9,11	0.92	1 (14%)
2	MLE	B	3	2	8,8,9	1.91	1 (12%)	7,9,11	1.24	1 (14%)
2	MVA	B	4	2	7,7,8	1.93	1 (14%)	7,8,10	2.01	2 (28%)
2	XXA	B	5	2	13,13,14	0.55	0	11,15,17	1.52	1 (9%)
2	ABA	B	6	2	5,5,6	1.21	1 (20%)	3,5,7	1.24	0
2	SAR	B	7	2	4,4,5	1.88	1 (25%)	1,3,5	1.85	0
2	MLE	B	8	2	8,8,9	1.81	1 (12%)	7,9,11	0.79	0
2	DAL	D	1	2	4,4,5	0.50	0	1,4,6	0.14	0
2	MLE	D	10	2	8,8,9	1.85	1 (12%)	7,9,11	1.01	0
2	MLE	D	2	2	8,8,9	0.46	0	7,9,11	0.99	1 (14%)
2	MLE	D	3	2	8,8,9	1.85	1 (12%)	7,9,11	1.19	1 (14%)
2	MVA	D	4	2	7,7,8	1.95	1 (14%)	7,8,10	2.12	4 (57%)
2	XXA	D	5	2	13,13,14	0.59	0	11,15,17	2.11	1 (9%)
2	ABA	D	6	2	5,5,6	1.67	1 (20%)	3,5,7	1.25	0
2	SAR	D	7	2	4,4,5	1.82	1 (25%)	1,3,5	1.99	0
2	MLE	D	8	2	8,8,9	1.86	1 (12%)	7,9,11	0.93	1 (14%)
2	DAL	F	1	2	4,4,5	0.51	0	1,4,6	0.08	0
2	MLE	F	10	2	8,8,9	1.78	1 (12%)	7,9,11	1.21	1 (14%)
2	MLE	F	2	2	8,8,9	0.57	0	7,9,11	0.99	0
2	MLE	F	3	2	8,8,9	1.72	1 (12%)	7,9,11	1.05	1 (14%)
2	MVA	F	4	2	7,7,8	1.94	1 (14%)	7,8,10	1.51	2 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	XXA	F	5	2	13,13,14	0.56	0	11,15,17	1.66	1 (9%)
2	ABA	F	6	2	5,5,6	1.08	1 (20%)	3,5,7	1.23	0
2	SAR	F	7	2	4,4,5	1.83	1 (25%)	1,3,5	2.18	1 (100%)
2	MLE	F	8	2	8,8,9	1.82	1 (12%)	7,9,11	0.98	0
2	DAL	H	1	2	4,4,5	0.49	0	1,4,6	0.13	0
2	MLE	H	10	2	8,8,9	1.87	1 (12%)	7,9,11	1.00	0
2	MLE	H	2	2	8,8,9	0.46	0	7,9,11	1.01	0
2	MLE	H	3	2	8,8,9	1.81	1 (12%)	7,9,11	1.14	1 (14%)
2	MVA	H	4	2	7,7,8	1.93	1 (14%)	7,8,10	1.68	3 (42%)
2	XXA	H	5	2	13,13,14	0.49	0	11,15,17	1.58	1 (9%)
2	ABA	H	6	2	5,5,6	1.55	1 (20%)	3,5,7	1.16	0
2	SAR	H	7	2	4,4,5	1.78	1 (25%)	1,3,5	1.98	0
2	MLE	H	8	2	8,8,9	1.75	1 (12%)	7,9,11	0.92	1 (14%)
2	DAL	J	1	2	4,4,5	0.49	0	1,4,6	0.05	0
2	MLE	J	10	2	8,8,9	1.84	1 (12%)	7,9,11	0.99	0
2	MLE	J	2	2	8,8,9	0.54	0	7,9,11	0.92	0
2	MLE	J	3	2	8,8,9	1.80	1 (12%)	7,9,11	1.26	1 (14%)
2	MVA	J	4	2	7,7,8	1.95	1 (14%)	7,8,10	1.65	3 (42%)
2	XXA	J	5	2	13,13,14	0.72	0	11,15,17	1.79	1 (9%)
2	ABA	J	6	2	5,5,6	1.19	1 (20%)	3,5,7	1.30	0
2	SAR	J	7	2	4,4,5	1.74	1 (25%)	1,3,5	2.26	1 (100%)
2	MLE	J	8	2	8,8,9	1.78	1 (12%)	7,9,11	0.93	0
2	DAL	L	1	2	4,4,5	0.47	0	1,4,6	0.17	0
2	MLE	L	10	2	8,8,9	1.87	1 (12%)	7,9,11	1.10	0
2	MLE	L	2	2	8,8,9	1.88	1 (12%)	7,9,11	0.93	1 (14%)
2	MLE	L	3	2	8,8,9	1.77	1 (12%)	7,9,11	1.19	1 (14%)
2	MVA	L	4	2	7,7,8	1.97	1 (14%)	7,8,10	1.69	3 (42%)
2	XXA	L	5	2	13,13,14	0.65	0	11,15,17	1.57	1 (9%)
2	ABA	L	6	2	5,5,6	1.27	1 (20%)	3,5,7	1.12	0
2	SAR	L	7	2	4,4,5	1.78	1 (25%)	1,3,5	2.26	1 (100%)
2	MLE	L	8	2	8,8,9	1.85	1 (12%)	7,9,11	1.00	1 (14%)
2	DAL	N	1	2	4,4,5	0.51	0	1,4,6	0.09	0
2	MLE	N	10	2	8,8,9	1.84	1 (12%)	7,9,11	1.12	1 (14%)
2	MLE	N	2	2	8,8,9	0.48	0	7,9,11	0.91	0
2	MLE	N	3	2	8,8,9	1.75	1 (12%)	7,9,11	1.24	1 (14%)
2	MVA	N	4	2	7,7,8	1.92	1 (14%)	7,8,10	1.71	2 (28%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	XXA	N	5	2	13,13,14	0.57	0	11,15,17	1.52	1 (9%)
2	ABA	N	6	2	5,5,6	1.08	1 (20%)	3,5,7	1.26	0
2	SAR	N	7	2	4,4,5	1.79	1 (25%)	1,3,5	2.11	1 (100%)
2	MLE	N	8	2	8,8,9	1.76	1 (12%)	7,9,11	0.93	0
2	DAL	P	1	2	4,4,5	0.48	0	1,4,6	0.04	0
2	MLE	P	10	2	8,8,9	1.83	1 (12%)	7,9,11	1.08	1 (14%)
2	MLE	P	2	2	8,8,9	0.53	0	7,9,11	0.99	0
2	MLE	P	3	2	8,8,9	1.81	1 (12%)	7,9,11	1.25	1 (14%)
2	MVA	P	4	2	7,7,8	1.93	1 (14%)	7,8,10	1.78	3 (42%)
2	XXA	P	5	2	13,13,14	0.67	0	11,15,17	1.77	2 (18%)
2	ABA	P	6	2	5,5,6	1.35	1 (20%)	3,5,7	1.32	0
2	SAR	P	7	2	4,4,5	1.81	1 (25%)	1,3,5	2.00	0
2	MLE	P	8	2	8,8,9	1.74	1 (12%)	7,9,11	1.04	1 (14%)
2	DAL	R	1	2	4,4,5	0.50	0	1,4,6	0.11	0
2	MLE	R	10	2	8,8,9	1.81	1 (12%)	7,9,11	1.14	0
2	MLE	R	2	2	8,8,9	0.52	0	7,9,11	1.00	0
2	MLE	R	3	2	8,8,9	1.72	1 (12%)	7,9,11	1.20	1 (14%)
2	MVA	R	4	2	7,7,8	2.00	1 (14%)	7,8,10	1.56	2 (28%)
2	XXA	R	5	2	13,13,14	0.61	0	11,15,17	1.50	1 (9%)
2	ABA	R	6	2	5,5,6	1.49	1 (20%)	3,5,7	1.01	0
2	SAR	R	7	2	4,4,5	1.73	1 (25%)	1,3,5	2.37	1 (100%)
2	MLE	R	8	2	8,8,9	1.80	1 (12%)	7,9,11	0.83	0
2	DAL	T	1	2	4,4,5	0.50	0	1,4,6	0.10	0
2	MLE	T	10	2	8,8,9	1.85	1 (12%)	7,9,11	1.16	0
2	MLE	T	2	2	8,8,9	0.47	0	7,9,11	1.03	0
2	MLE	T	3	2	8,8,9	1.82	1 (12%)	7,9,11	1.24	1 (14%)
2	MVA	T	4	2	7,7,8	2.00	1 (14%)	7,8,10	2.04	4 (57%)
2	XXA	T	5	2	13,13,14	0.60	0	11,15,17	1.55	1 (9%)
2	ABA	T	6	2	5,5,6	1.54	1 (20%)	3,5,7	1.11	0
2	SAR	T	7	2	4,4,5	1.78	1 (25%)	1,3,5	2.11	1 (100%)
2	MLE	T	8	2	8,8,9	1.79	1 (12%)	7,9,11	0.87	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DAL	B	1	2	-	0/0/2/4	0/0/0/0
2	MLE	B	10	2	-	0/4/8/10	0/0/0/0
2	MLE	B	2	2	-	0/4/8/10	0/0/0/0
2	MLE	B	3	2	-	0/4/8/10	0/0/0/0
2	MVA	B	4	2	-	0/5/8/10	0/0/0/0
2	XXA	B	5	2	-	0/13/17/19	0/0/0/0
2	ABA	B	6	2	-	0/2/4/6	0/0/0/0
2	SAR	B	7	2	-	0/1/2/3	0/0/0/0
2	MLE	B	8	2	-	0/4/8/10	0/0/0/0
2	DAL	D	1	2	-	0/0/2/4	0/0/0/0
2	MLE	D	10	2	-	0/4/8/10	0/0/0/0
2	MLE	D	2	2	-	0/4/8/10	0/0/0/0
2	MLE	D	3	2	-	0/4/8/10	0/0/0/0
2	MVA	D	4	2	-	0/5/8/10	0/0/0/0
2	XXA	D	5	2	-	0/13/17/19	0/0/0/0
2	ABA	D	6	2	-	0/2/4/6	0/0/0/0
2	SAR	D	7	2	-	0/1/2/3	0/0/0/0
2	MLE	D	8	2	-	0/4/8/10	0/0/0/0
2	DAL	F	1	2	-	0/0/2/4	0/0/0/0
2	MLE	F	10	2	-	0/4/8/10	0/0/0/0
2	MLE	F	2	2	-	0/4/8/10	0/0/0/0
2	MLE	F	3	2	-	0/4/8/10	0/0/0/0
2	MVA	F	4	2	-	0/5/8/10	0/0/0/0
2	XXA	F	5	2	-	0/13/17/19	0/0/0/0
2	ABA	F	6	2	-	0/2/4/6	0/0/0/0
2	SAR	F	7	2	-	0/1/2/3	0/0/0/0
2	MLE	F	8	2	-	0/4/8/10	0/0/0/0
2	DAL	H	1	2	-	0/0/2/4	0/0/0/0
2	MLE	H	10	2	-	0/4/8/10	0/0/0/0
2	MLE	H	2	2	-	0/4/8/10	0/0/0/0
2	MLE	H	3	2	-	0/4/8/10	0/0/0/0
2	MVA	H	4	2	-	0/5/8/10	0/0/0/0
2	XXA	H	5	2	-	0/13/17/19	0/0/0/0
2	ABA	H	6	2	-	0/2/4/6	0/0/0/0
2	SAR	H	7	2	-	0/1/2/3	0/0/0/0
2	MLE	H	8	2	-	0/4/8/10	0/0/0/0
2	DAL	J	1	2	-	0/0/2/4	0/0/0/0
2	MLE	J	10	2	-	0/4/8/10	0/0/0/0
2	MLE	J	2	2	-	0/4/8/10	0/0/0/0
2	MLE	J	3	2	-	0/4/8/10	0/0/0/0
2	MVA	J	4	2	-	0/5/8/10	0/0/0/0
2	XXA	J	5	2	-	0/13/17/19	0/0/0/0
2	ABA	J	6	2	-	0/2/4/6	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SAR	J	7	2	-	0/1/2/3	0/0/0/0
2	MLE	J	8	2	-	0/4/8/10	0/0/0/0
2	DAL	L	1	2	-	0/0/2/4	0/0/0/0
2	MLE	L	10	2	-	0/4/8/10	0/0/0/0
2	MLE	L	2	2	-	0/4/8/10	0/0/0/0
2	MLE	L	3	2	-	0/4/8/10	0/0/0/0
2	MVA	L	4	2	-	0/5/8/10	0/0/0/0
2	XXA	L	5	2	-	0/13/17/19	0/0/0/0
2	ABA	L	6	2	-	0/2/4/6	0/0/0/0
2	SAR	L	7	2	-	0/1/2/3	0/0/0/0
2	MLE	L	8	2	-	0/4/8/10	0/0/0/0
2	DAL	N	1	2	-	0/0/2/4	0/0/0/0
2	MLE	N	10	2	-	0/4/8/10	0/0/0/0
2	MLE	N	2	2	-	0/4/8/10	0/0/0/0
2	MLE	N	3	2	-	0/4/8/10	0/0/0/0
2	MVA	N	4	2	-	0/5/8/10	0/0/0/0
2	XXA	N	5	2	-	0/13/17/19	0/0/0/0
2	ABA	N	6	2	-	0/2/4/6	0/0/0/0
2	SAR	N	7	2	-	0/1/2/3	0/0/0/0
2	MLE	N	8	2	-	0/4/8/10	0/0/0/0
2	DAL	P	1	2	-	0/0/2/4	0/0/0/0
2	MLE	P	10	2	-	0/4/8/10	0/0/0/0
2	MLE	P	2	2	-	0/4/8/10	0/0/0/0
2	MLE	P	3	2	-	0/4/8/10	0/0/0/0
2	MVA	P	4	2	-	0/5/8/10	0/0/0/0
2	XXA	P	5	2	-	0/13/17/19	0/0/0/0
2	ABA	P	6	2	-	0/2/4/6	0/0/0/0
2	SAR	P	7	2	-	0/1/2/3	0/0/0/0
2	MLE	P	8	2	-	0/4/8/10	0/0/0/0
2	DAL	R	1	2	-	0/0/2/4	0/0/0/0
2	MLE	R	10	2	-	0/4/8/10	0/0/0/0
2	MLE	R	2	2	-	0/4/8/10	0/0/0/0
2	MLE	R	3	2	-	0/4/8/10	0/0/0/0
2	MVA	R	4	2	-	0/5/8/10	0/0/0/0
2	XXA	R	5	2	-	0/13/17/19	0/0/0/0
2	ABA	R	6	2	-	0/2/4/6	0/0/0/0
2	SAR	R	7	2	-	0/1/2/3	0/0/0/0
2	MLE	R	8	2	-	0/4/8/10	0/0/0/0
2	DAL	T	1	2	-	0/0/2/4	0/0/0/0
2	MLE	T	10	2	-	0/4/8/10	0/0/0/0
2	MLE	T	2	2	-	0/4/8/10	0/0/0/0
2	MLE	T	3	2	-	0/4/8/10	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MVA	T	4	2	-	0/5/8/10	0/0/0/0
2	XXA	T	5	2	-	0/13/17/19	0/0/0/0
2	ABA	T	6	2	-	0/2/4/6	0/0/0/0
2	SAR	T	7	2	-	0/1/2/3	0/0/0/0
2	MLE	T	8	2	-	0/4/8/10	0/0/0/0

All (62) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	N	6	ABA	CA-C	2.17	1.53	1.50
2	F	6	ABA	CA-C	2.19	1.53	1.50
2	J	6	ABA	CA-C	2.40	1.53	1.50
2	B	6	ABA	CA-C	2.47	1.53	1.50
2	L	6	ABA	CA-C	2.56	1.53	1.50
2	P	6	ABA	CA-C	2.74	1.53	1.50
2	R	6	ABA	CA-C	3.07	1.54	1.50
2	H	6	ABA	CA-C	3.24	1.54	1.50
2	T	6	ABA	CA-C	3.26	1.54	1.50
2	J	7	SAR	O-C	3.37	1.40	1.19
2	R	7	SAR	O-C	3.38	1.40	1.19
2	L	7	SAR	O-C	3.42	1.40	1.19
2	N	7	SAR	O-C	3.45	1.41	1.19
2	H	7	SAR	O-C	3.45	1.41	1.19
2	T	7	SAR	O-C	3.46	1.41	1.19
2	P	7	SAR	O-C	3.47	1.41	1.19
2	D	6	ABA	CA-C	3.50	1.54	1.50
2	F	7	SAR	O-C	3.51	1.41	1.19
2	D	7	SAR	O-C	3.53	1.41	1.19
2	B	7	SAR	O-C	3.62	1.42	1.19
2	R	3	MLE	O-C	4.76	1.40	1.19
2	N	3	MLE	O-C	4.77	1.40	1.19
2	F	3	MLE	O-C	4.81	1.40	1.19
2	N	8	MLE	O-C	4.81	1.40	1.19
2	L	3	MLE	O-C	4.83	1.40	1.19
2	J	8	MLE	O-C	4.85	1.40	1.19
2	P	8	MLE	O-C	4.85	1.40	1.19
2	H	8	MLE	O-C	4.86	1.40	1.19
2	J	3	MLE	O-C	4.87	1.40	1.19
2	P	3	MLE	O-C	4.91	1.40	1.19
2	F	10	MLE	O-C	4.93	1.40	1.19
2	H	4	MVA	O-C	4.93	1.40	1.19
2	B	4	MVA	O-C	4.95	1.40	1.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	H	3	MLE	O-C	4.96	1.40	1.19
2	N	4	MVA	O-C	4.96	1.40	1.19
2	T	8	MLE	O-C	4.97	1.41	1.19
2	B	8	MLE	O-C	4.98	1.41	1.19
2	R	8	MLE	O-C	4.98	1.41	1.19
2	B	10	MLE	O-C	4.98	1.41	1.19
2	B	2	MLE	O-C	5.00	1.41	1.19
2	N	10	MLE	O-C	5.00	1.41	1.19
2	D	4	MVA	O-C	5.00	1.41	1.19
2	D	3	MLE	O-C	5.00	1.41	1.19
2	F	4	MVA	O-C	5.00	1.41	1.19
2	P	4	MVA	O-C	5.02	1.41	1.19
2	T	3	MLE	O-C	5.02	1.41	1.19
2	R	10	MLE	O-C	5.04	1.41	1.19
2	D	8	MLE	O-C	5.05	1.41	1.19
2	J	4	MVA	O-C	5.05	1.41	1.19
2	P	10	MLE	O-C	5.05	1.41	1.19
2	F	8	MLE	O-C	5.06	1.41	1.19
2	H	10	MLE	O-C	5.07	1.41	1.19
2	L	4	MVA	O-C	5.08	1.41	1.19
2	J	10	MLE	O-C	5.08	1.41	1.19
2	R	4	MVA	O-C	5.09	1.41	1.19
2	T	10	MLE	O-C	5.09	1.41	1.19
2	B	3	MLE	O-C	5.09	1.41	1.19
2	L	8	MLE	O-C	5.09	1.41	1.19
2	L	2	MLE	O-C	5.10	1.41	1.19
2	D	10	MLE	O-C	5.13	1.41	1.19
2	T	4	MVA	O-C	5.14	1.41	1.19
2	L	10	MLE	O-C	5.15	1.41	1.19

All (65) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	5	XXA	CD2-CE-CZ	-5.94	117.18	125.40
2	J	5	XXA	CD2-CE-CZ	-4.75	118.83	125.40
2	F	5	XXA	CD2-CE-CZ	-4.28	119.48	125.40
2	P	5	XXA	CD2-CE-CZ	-4.10	119.73	125.40
2	L	5	XXA	CD2-CE-CZ	-3.95	119.93	125.40
2	H	5	XXA	CD2-CE-CZ	-3.75	120.20	125.40
2	B	5	XXA	CD2-CE-CZ	-3.63	120.38	125.40
2	N	5	XXA	CD2-CE-CZ	-3.60	120.42	125.40
2	T	5	XXA	CD2-CE-CZ	-3.56	120.47	125.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	R	5	XXA	CD2-CE-CZ	-3.49	120.57	125.40
2	L	3	MLE	O-C-CA	-2.71	118.82	125.15
2	J	3	MLE	O-C-CA	-2.70	118.85	125.15
2	D	3	MLE	O-C-CA	-2.70	118.86	125.15
2	B	3	MLE	O-C-CA	-2.67	118.93	125.15
2	N	3	MLE	O-C-CA	-2.65	118.97	125.15
2	R	3	MLE	O-C-CA	-2.60	119.08	125.15
2	H	3	MLE	O-C-CA	-2.60	119.09	125.15
2	T	3	MLE	O-C-CA	-2.57	119.15	125.15
2	P	3	MLE	O-C-CA	-2.53	119.26	125.15
2	P	5	XXA	CG2-CD2-CE	-2.52	110.22	113.90
2	R	4	MVA	O-C-CA	-2.40	118.82	125.22
2	R	7	SAR	O-C-CA	-2.37	117.86	125.47
2	F	3	MLE	O-C-CA	-2.33	119.73	125.15
2	D	4	MVA	O-C-CA	-2.30	119.08	125.22
2	D	4	MVA	CB-CA-C	-2.30	110.15	113.07
2	L	4	MVA	O-C-CA	-2.29	119.12	125.22
2	F	10	MLE	O-C-CA	-2.27	119.86	125.15
2	J	7	SAR	O-C-CA	-2.26	118.22	125.47
2	L	7	SAR	O-C-CA	-2.26	118.23	125.47
2	L	2	MLE	O-C-CA	-2.22	119.97	125.15
2	H	4	MVA	O-C-CA	-2.20	119.36	125.22
2	B	2	MLE	O-C-CA	-2.19	120.05	125.15
2	F	7	SAR	O-C-CA	-2.18	118.46	125.47
2	T	4	MVA	O-C-CA	-2.18	119.41	125.22
2	P	8	MLE	O-C-CA	-2.16	120.11	125.15
2	P	4	MVA	O-C-CA	-2.16	119.46	125.22
2	J	4	MVA	O-C-CA	-2.15	119.50	125.22
2	F	4	MVA	O-C-CA	-2.12	119.58	125.22
2	T	7	SAR	O-C-CA	-2.11	118.69	125.47
2	N	7	SAR	O-C-CA	-2.11	118.70	125.47
2	N	4	MVA	O-C-CA	-2.11	119.60	125.22
2	T	4	MVA	CB-CA-C	-2.09	110.42	113.07
2	D	8	MLE	O-C-CA	-2.07	120.33	125.15
2	H	8	MLE	O-C-CA	-2.04	120.40	125.15
2	L	8	MLE	O-C-CA	-2.03	120.42	125.15
2	P	10	MLE	O-C-CA	-2.03	120.42	125.15
2	N	10	MLE	O-C-CA	-2.01	120.47	125.15
2	D	2	MLE	CN-N-CA	2.01	120.17	113.60
2	J	4	MVA	CG2-CB-CA	2.04	114.38	111.21
2	F	4	MVA	CB-CA-N	2.10	113.96	111.16
2	L	4	MVA	CG2-CB-CA	2.13	114.52	111.21

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	4	MVA	CG2-CB-CA	2.14	114.54	111.21
2	H	4	MVA	CG2-CB-CA	2.17	114.57	111.21
2	R	4	MVA	CB-CA-N	2.19	114.08	111.16
2	J	4	MVA	CB-CA-N	2.22	114.11	111.16
2	T	4	MVA	CG2-CB-CA	2.30	114.78	111.21
2	L	4	MVA	CB-CA-N	2.33	114.26	111.16
2	D	4	MVA	CG2-CB-CA	2.38	114.91	111.21
2	B	4	MVA	CG2-CB-CA	2.42	114.97	111.21
2	H	4	MVA	CB-CA-N	2.59	114.61	111.16
2	N	4	MVA	CB-CA-N	2.93	115.06	111.16
2	P	4	MVA	CB-CA-N	3.04	115.21	111.16
2	T	4	MVA	CB-CA-N	3.30	115.55	111.16
2	B	4	MVA	CB-CA-N	3.36	115.64	111.16
2	D	4	MVA	CB-CA-N	3.36	115.64	111.16

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

52 monomers are involved in 45 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1	DAL	1	0
2	B	10	MLE	1	0
2	B	2	MLE	2	0
2	B	3	MLE	4	0
2	B	4	MVA	2	0
2	B	5	XXA	1	0
2	D	10	MLE	1	0
2	D	4	MVA	1	0
2	D	5	XXA	1	0
2	F	1	DAL	1	0
2	F	10	MLE	1	0
2	F	2	MLE	2	0
2	F	3	MLE	3	0
2	F	4	MVA	3	0
2	H	1	DAL	1	0
2	H	2	MLE	2	0
2	H	4	MVA	1	0
2	H	5	XXA	1	0
2	H	6	ABA	1	0
2	H	7	SAR	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	J	1	DAL	1	0
2	J	10	MLE	1	0
2	J	2	MLE	2	0
2	J	3	MLE	2	0
2	J	4	MVA	1	0
2	J	5	XXA	1	0
2	L	1	DAL	1	0
2	L	10	MLE	1	0
2	L	2	MLE	1	0
2	L	3	MLE	1	0
2	L	4	MVA	1	0
2	N	10	MLE	1	0
2	N	4	MVA	1	0
2	N	5	XXA	2	0
2	N	6	ABA	1	0
2	N	7	SAR	1	0
2	P	1	DAL	1	0
2	P	10	MLE	1	0
2	P	2	MLE	2	0
2	P	6	ABA	1	0
2	P	7	SAR	1	0
2	R	1	DAL	1	0
2	R	10	MLE	1	0
2	R	2	MLE	1	0
2	R	3	MLE	1	0
2	R	4	MVA	1	0
2	R	6	ABA	1	0
2	R	7	SAR	1	0
2	T	2	MLE	1	0
2	T	3	MLE	3	0
2	T	4	MVA	4	0
2	T	5	XXA	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	165/165 (100%)	-0.18	3 (1%) 69 66	28, 35, 47, 51	0
1	C	163/165 (98%)	-0.19	4 (2%) 58 55	28, 33, 41, 47	0
1	E	165/165 (100%)	-0.07	7 (4%) 37 35	28, 37, 52, 56	0
1	G	165/165 (100%)	-0.19	6 (3%) 43 41	27, 33, 46, 51	0
1	I	164/165 (99%)	-0.31	3 (1%) 69 66	26, 32, 42, 49	0
1	K	164/165 (99%)	-0.14	3 (1%) 69 66	30, 37, 47, 54	0
1	M	165/165 (100%)	-0.18	5 (3%) 51 48	28, 33, 45, 52	0
1	O	165/165 (100%)	0.07	9 (5%) 26 25	30, 39, 54, 58	0
1	Q	164/165 (99%)	-0.26	4 (2%) 59 57	27, 32, 39, 48	0
1	S	164/165 (99%)	-0.14	4 (2%) 59 57	28, 34, 44, 50	0
2	B	2/11 (18%)	-0.66	0 100 100	33, 33, 33, 36	0
2	D	2/11 (18%)	-1.01	0 100 100	32, 32, 32, 34	0
2	F	2/11 (18%)	-0.70	0 100 100	34, 34, 34, 35	0
2	H	2/11 (18%)	-0.98	0 100 100	34, 34, 34, 35	0
2	J	2/11 (18%)	-0.79	0 100 100	31, 31, 31, 32	0
2	L	2/11 (18%)	-0.91	0 100 100	34, 34, 34, 35	0
2	N	2/11 (18%)	-0.98	0 100 100	32, 32, 32, 32	0
2	P	2/11 (18%)	-0.43	0 100 100	36, 36, 36, 36	0
2	R	2/11 (18%)	-0.69	0 100 100	32, 32, 32, 33	0
2	T	2/11 (18%)	-0.86	0 100 100	34, 34, 34, 35	0
All	All	1664/1760 (94%)	-0.17	48 (2%) 52 50	26, 34, 48, 58	0

All (48) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	M	1	MET	5.1
1	M	165	GLU	4.7
1	K	1	MET	4.7
1	S	1	MET	4.2
1	G	165	GLU	4.0
1	G	1	MET	3.9
1	A	165	GLU	3.8
1	E	165	GLU	3.4
1	Q	1	MET	3.2
1	A	1	MET	3.1
1	E	15	GLU	3.0
1	O	165	GLU	2.8
1	O	112	PHE	2.8
1	O	114	ILE	2.8
1	E	2	VAL	2.7
1	O	144	ARG	2.7
1	O	98	LEU	2.7
1	E	112	PHE	2.5
1	K	114	ILE	2.5
1	O	15	GLU	2.5
1	M	148	ARG	2.4
1	G	114	ILE	2.4
1	G	144	ARG	2.4
1	I	112	PHE	2.4
1	Q	2	VAL	2.4
1	E	148	ARG	2.3
1	O	16	PRO	2.3
1	C	144	ARG	2.3
1	O	1	MET	2.3
1	G	113	PHE	2.3
1	M	13	ASP	2.3
1	I	45	GLY	2.3
1	S	112	PHE	2.3
1	S	114	ILE	2.2
1	E	1	MET	2.2
1	G	112	PHE	2.2
1	K	151	LYS	2.2
1	Q	114	ILE	2.2
1	M	2	VAL	2.2
1	C	112	PHE	2.1
1	C	13	ASP	2.1
1	E	16	PRO	2.1
1	O	13	ASP	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	Q	112	PHE	2.1
1	S	144	ARG	2.1
1	I	15	GLU	2.1
1	A	14	GLY	2.0
1	C	2	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	XXA	B	5	14/15	0.98	0.11	-	29,30,34,35	0
2	SAR	B	7	5/6	0.98	0.08	-	31,31,32,32	0
2	MLE	J	2	9/10	0.96	0.15	-	28,31,31,31	0
2	DAL	F	1	5/6	0.96	0.11	-	34,35,35,35	0
2	MLE	J	3	9/10	0.97	0.10	-	29,30,30,31	0
2	SAR	F	7	5/6	0.98	0.07	-	31,31,32,32	0
2	MLE	D	2	9/10	0.95	0.14	-	32,33,34,34	0
2	ABA	J	6	6/7	0.98	0.07	-	28,29,29,29	0
2	MLE	P	8	9/10	0.97	0.10	-	34,34,35,35	0
2	MLE	R	8	9/10	0.97	0.10	-	30,30,32,34	0
2	ABA	B	6	6/7	0.97	0.10	-	30,30,31,31	0
2	DAL	J	1	5/6	0.98	0.10	-	32,32,32,33	0
2	MLE	B	10	9/10	0.95	0.10	-	34,34,35,36	0
2	MLE	T	8	9/10	0.96	0.12	-	32,33,34,35	0
2	MLE	L	2	9/10	0.94	0.13	-	31,32,32,32	0
2	MVA	F	4	8/9	0.95	0.14	-	29,30,30,31	0
2	MLE	L	3	9/10	0.96	0.11	-	30,31,31,31	0
2	MLE	P	2	9/10	0.93	0.12	-	31,33,34,34	0
2	MLE	B	8	9/10	0.96	0.11	-	32,32,34,35	0
2	MLE	H	2	9/10	0.94	0.13	-	32,33,33,34	0
2	XXA	F	5	14/15	0.96	0.11	-	29,31,34,34	0
2	MLE	N	10	9/10	0.97	0.09	-	30,32,32,32	0
2	MLE	N	8	9/10	0.96	0.09	-	31,31,32,32	0
2	SAR	P	7	5/6	0.96	0.10	-	33,33,34,34	0
2	MLE	N	2	9/10	0.96	0.11	-	29,30,31,32	0
2	MLE	J	10	9/10	0.98	0.07	-	31,31,32,33	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	DAL	T	1	5/6	0.97	0.08	-	33,33,34,34	0
2	MLE	J	8	9/10	0.97	0.10	-	30,31,32,33	0
2	DAL	L	1	5/6	0.94	0.12	-	33,33,34,34	0
2	MLE	T	3	9/10	0.97	0.11	-	29,30,31,31	0
2	ABA	R	6	6/7	0.94	0.10	-	30,30,30,30	0
2	ABA	D	6	6/7	0.92	0.14	-	28,28,29,29	0
2	MVA	H	4	8/9	0.94	0.19	-	29,30,30,30	0
2	DAL	D	1	5/6	0.94	0.10	-	34,34,34,35	0
2	MLE	F	10	9/10	0.96	0.09	-	33,34,34,34	0
2	MLE	D	3	9/10	0.96	0.14	-	29,31,31,32	0
2	SAR	D	7	5/6	0.97	0.07	-	29,29,30,31	0
2	XXA	R	5	14/15	0.98	0.07	-	29,30,34,34	0
2	MLE	F	8	9/10	0.96	0.13	-	32,33,35,37	0
2	SAR	J	7	5/6	0.98	0.08	-	29,30,30,31	0
2	MLE	B	2	9/10	0.93	0.12	-	31,32,33,34	0
2	SAR	N	7	5/6	0.98	0.08	-	29,29,30,30	0
2	SAR	H	7	5/6	0.95	0.09	-	31,32,32,33	0
2	MLE	R	3	9/10	0.98	0.08	-	28,29,29,29	0
2	MLE	T	2	9/10	0.96	0.11	-	30,31,32,32	0
2	XXA	L	5	14/15	0.98	0.10	-	29,30,34,35	0
2	MLE	T	10	9/10	0.97	0.09	-	34,34,35,36	0
2	XXA	H	5	14/15	0.97	0.10	-	29,30,34,35	0
2	MLE	H	3	9/10	0.97	0.11	-	31,32,33,34	0
2	XXA	T	5	14/15	0.97	0.10	-	26,29,33,34	0
2	MLE	R	10	9/10	0.95	0.10	-	31,32,32,33	0
2	MVA	R	4	8/9	0.94	0.16	-	28,28,29,29	0
2	MLE	H	10	9/10	0.95	0.10	-	35,35,36,37	0
2	MLE	R	2	9/10	0.94	0.13	-	30,30,31,31	0
2	MLE	F	3	9/10	0.94	0.14	-	30,31,32,32	0
2	ABA	T	6	6/7	0.95	0.12	-	30,31,31,31	0
2	ABA	F	6	6/7	0.95	0.10	-	31,31,31,32	0
2	XXA	N	5	14/15	0.97	0.10	-	26,27,31,32	0
2	DAL	B	1	5/6	0.96	0.10	-	34,35,35,36	0
2	MLE	H	8	9/10	0.95	0.11	-	33,33,34,35	0
2	MLE	D	8	9/10	0.96	0.10	-	31,31,32,32	0
2	ABA	N	6	6/7	0.97	0.10	-	28,28,29,29	0
2	DAL	P	1	5/6	0.96	0.10	-	35,35,35,36	0
2	MLE	P	3	9/10	0.96	0.11	-	32,32,33,33	0
2	MLE	D	10	9/10	0.96	0.09	-	32,33,33,34	0
2	MVA	T	4	8/9	0.95	0.18	-	28,28,28,29	0
2	MLE	B	3	9/10	0.96	0.13	-	30,31,32,32	0
2	XXA	J	5	14/15	0.93	0.12	-	2,26,28,28	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	MVA	D	4	8/9	0.95	0.17	-	28,29,29,30	0
2	MVA	B	4	8/9	0.95	0.18	-	29,30,30,30	0
2	MVA	J	4	8/9	0.95	0.15	-	27,28,28,28	0
2	ABA	H	6	6/7	0.93	0.14	-	30,31,31,31	0
2	SAR	T	7	5/6	0.98	0.09	-	31,31,32,32	0
2	DAL	H	1	5/6	0.96	0.10	-	35,35,35,35	0
2	DAL	N	1	5/6	0.97	0.08	-	31,31,32,32	0
2	XXA	P	5	14/15	0.97	0.10	-	32,33,37,38	0
2	MLE	F	2	9/10	0.94	0.12	-	33,33,34,34	0
2	XXA	D	5	14/15	0.91	0.12	-	2,27,28,28	0
2	ABA	L	6	6/7	0.98	0.07	-	30,30,30,31	0
2	ABA	P	6	6/7	0.96	0.09	-	32,32,33,33	0
2	MLE	L	8	9/10	0.96	0.09	-	32,33,34,35	0
2	MVA	L	4	8/9	0.94	0.17	-	30,30,30,31	0
2	MVA	P	4	8/9	0.96	0.16	-	32,32,32,32	0
2	MLE	N	3	9/10	0.97	0.12	-	27,28,29,29	0
2	MLE	L	10	9/10	0.96	0.10	-	34,34,34,34	0
2	SAR	L	7	5/6	0.97	0.09	-	31,31,32,33	0
2	MLE	P	10	9/10	0.94	0.15	-	35,36,37,38	0
2	MVA	N	4	8/9	0.96	0.15	-	27,27,28,28	0
2	SAR	R	7	5/6	0.97	0.10	-	30,30,30,31	0
2	DAL	R	1	5/6	0.95	0.10	-	32,32,32,32	0

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.