



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 12, 2017 – 08:17 AM EST

PDB ID : 4OGB
Title : Crystal structure of the catalytic domain of PDE4D2 with compound 2
Authors : Feil, S.C.; Parker, M.W.
Deposited on : unknown
Resolution : 2.03 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.03 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1316 (2.04-2.04)
Clashscore	112137	1394 (2.04-2.04)
Ramachandran outliers	110173	1383 (2.04-2.04)
Sidechain outliers	110143	1383 (2.04-2.04)
RSRZ outliers	101464	1319 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	361	<div> <div>6%</div> <div> <div></div> <div>77%</div> <div>12%</div> <div>•</div> <div>9%</div> </div> </div>
1	B	361	<div> <div>8%</div> <div> <div></div> <div>77%</div> <div>11%</div> <div>•</div> <div>11%</div> </div> </div>
1	C	361	<div> <div>7%</div> <div> <div></div> <div>74%</div> <div>15%</div> <div>•</div> <div>10%</div> </div> </div>
1	D	361	<div> <div>2%</div> <div> <div></div> <div>80%</div> <div>10%</div> <div></div> <div>10%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	2SR	A	501	-	-	-	X
2	2SR	B	501	-	-	-	X
2	2SR	C	502	-	-	-	X
2	2SR	D	502	-	-	-	X
3	EDO	A	503	-	-	-	X
3	EDO	A	507	-	-	-	X
3	EDO	A	508	-	-	-	X
3	EDO	A	514	-	-	-	X
3	EDO	B	507	-	-	-	X
3	EDO	B	509	-	-	-	X
3	EDO	C	503	-	-	-	X
3	EDO	C	504	-	-	-	X
3	EDO	C	507	-	-	-	X
3	EDO	C	509	-	-	-	X
3	EDO	C	512	-	-	X	-
3	EDO	D	503	-	-	-	X
3	EDO	D	510	-	-	-	X
4	PEG	A	504	-	-	-	X
4	PEG	D	515	-	-	-	X
4	PEG	D	516	-	-	X	X
6	DMS	A	513	-	-	X	X
6	DMS	B	510	-	-	-	X
6	DMS	B	512	-	-	-	X
6	DMS	D	508	-	-	-	X
7	EPE	C	506	-	-	-	X

2 Entry composition [i](#)


There are 8 unique types of molecules in this entry. The entry contains 11286 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cAMP-specific 3',5'-cyclic phosphodiesterase 4D.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	328	Total	C	N	O	S	0	0	0
			2651	1676	453	508	14			
1	B	321	Total	C	N	O	S	0	1	0
			2606	1649	447	496	14			
1	C	325	Total	C	N	O	S	0	1	0
			2642	1669	453	506	14			
1	D	324	Total	C	N	O	S	0	2	0
			2640	1669	452	505	14			

- Molecule 2 is (2R)-8-(3,4-dimethoxyphenyl)-6-methyl-2-(tetrahydro-2H-pyran-4-yl)-2H-chromen-4-ol (three-letter code: 2SR) (formula: C₂₃H₂₆O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			28	23	5		
2	B	1	Total	C	O	0	0
			28	23	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			28	23	5		
2	D	1	Total	C	O	0	0
			28	23	5		

- Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	A	1	Total	C	O	0	0
			4	2	2		
3	B	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	B	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	C	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0
3	D	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	D	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	4	3		
4	D	1	Total	C	O	0	0
			7	4	3		
4	D	1	Total	C	O	0	0
			7	4	3		
4	D	1	Total	C	O	0	0
			7	4	3		

- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	2	Total	Zn	0	0
			2	2		
5	A	2	Total	Zn	0	0
			2	2		
5	D	2	Total	Zn	0	0
			2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	2	Total	Zn	0	0
			2	2		

- Molecule 6 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C_2H_6OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	O	S	0	0
			4	2	1	1		
6	A	1	Total	C	O	S	0	0
			4	2	1	1		
6	B	1	Total	C	O	S	0	0
			4	2	1	1		
6	B	1	Total	C	O	S	0	0
			4	2	1	1		
6	D	1	Total	C	O	S	0	0
			4	2	1	1		
6	D	1	Total	C	O	S	0	0
			4	2	1	1		

- Molecule 7 is 4-(2-HYDROXYETHYL)-1-PIPERAZINE ETHANESULFONIC ACID (three-letter code: EPE) (formula: $C_8H_{18}N_2O_4S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	C	1	Total	C	N	O	S	0	0
			15	8	2	4	1		


- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	120	Total	O	0	0
			120	120		
8	B	104	Total	O	0	0
			104	104		
8	C	77	Total	O	0	0
			77	77		
8	D	131	Total	O	0	0
			131	131		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D



- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D





- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D



ALA
PRO
ASP
ASP
PRO
GLU
GLU
GLY
ARG
GLN
GLY
GLN
THR
GLU
LYS
PHE
GLN
PHE
GLU
LEU
THR
LEU
GLU

- Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4D



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	98.84Å 111.55Å 160.07Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.22 – 2.03 48.13 – 2.03	Depositor EDS
% Data completeness (in resolution range)	99.9 (47.22-2.03) 99.9 (48.13-2.03)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.41 (at 2.03Å)	Xtriage
Refinement program	PHENIX	Depositor
R, R_{free}	0.202 , 0.243 0.203 , 0.242	Depositor DCC
R_{free} test set	5707 reflections (5.00%)	DCC
Wilson B-factor (Å ²)	31.6	Xtriage
Anisotropy	0.163	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 53.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11286	wwPDB-VP
Average B, all atoms (Å ²)	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, EPE, EDO, DMS, PEG, 2SR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.51	0/2704	0.55	0/3672
1	B	0.47	0/2660	0.57	1/3615 (0.0%)
1	C	0.57	0/2695	0.57	1/3660 (0.0%)
1	D	0.54	0/2695	0.59	2/3662 (0.1%)
All	All	0.52	0/10754	0.57	4/14609 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	410	ILE	C-N-CD	5.92	140.84	128.40
1	C	178	THR	C-N-CD	5.55	140.06	128.40
1	B	355	SER	C-N-CD	5.36	139.66	128.40
1	D	367	LYS	CB-CA-C	-5.17	100.05	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2651	0	2609	47	0
1	B	2606	0	2565	34	0
1	C	2642	0	2596	47	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2640	0	2587	34	0
2	A	28	0	26	4	0
2	B	28	0	26	2	0
2	C	28	0	26	1	0
2	D	28	0	26	3	0
3	A	32	0	48	6	0
3	B	28	0	42	5	0
3	C	36	0	54	9	0
3	D	32	0	48	2	0
4	A	7	0	10	0	0
4	D	21	0	30	7	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
5	C	2	0	0	0	0
5	D	2	0	0	0	0
6	A	8	0	12	5	0
6	B	8	0	12	3	0
6	D	8	0	12	0	0
7	C	15	0	17	0	0
8	A	120	0	0	2	0
8	B	104	0	0	5	0
8	C	77	0	0	1	0
8	D	131	0	0	2	0
All	All	11286	0	10746	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:222:MET:CE	1:D:222:MET:SD	2.25	1.25
1:C:222:MET:HE1	1:D:222:MET:SD	1.80	1.22
1:C:222:MET:HG3	3:C:512:EDO:H21	1.18	1.17
1:C:222:MET:HG3	3:C:512:EDO:C2	1.85	1.05
1:C:222:MET:HE2	1:D:222:MET:SD	2.04	0.98
1:A:290:LYS:O	1:A:291:LYS:HD2	1.70	0.92
1:D:286:MET:CE	1:D:308:GLN:NE2	2.35	0.90
1:C:361:HIS:O	1:C:362:ASN:ND2	2.04	0.89
1:D:286:MET:HE3	1:D:308:GLN:HE22	1.37	0.89
1:C:222:MET:CG	3:C:512:EDO:H21	2.03	0.88

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:286:MET:CE	1:D:308:GLN:HE22	1.92	0.83
1:A:290:LYS:C	1:A:291:LYS:HD2	2.01	0.80
1:D:102:TRP:H	4:D:516:PEG:H11	1.48	0.78
1:C:361:HIS:C	1:C:362:ASN:HD22	1.89	0.76
1:A:292:VAL:HG13	1:A:293:THR:N	2.01	0.75
1:B:270:ALA:HB1	1:B:279:LEU:HD11	1.71	0.73
1:B:104:LEU:HB3	3:B:509:EDO:H21	1.69	0.73
1:A:292:VAL:HG13	1:A:293:THR:H	1.54	0.70
1:D:286:MET:HE1	1:D:308:GLN:NE2	2.06	0.70
1:A:409:THR:O	1:A:410:ILE:HG22	1.93	0.69
1:C:338:GLU:OE2	1:C:342:ARG:NH2	2.26	0.68
1:C:345:ASP:OD1	1:C:348:ARG:NH2	2.27	0.68
1:A:292:VAL:HG22	1:A:297:VAL:H	1.59	0.67
1:C:375:TYR:O	1:C:376:ILE:HD12	1.95	0.67
1:C:180:ALA:C	1:C:297:VAL:HG22	2.16	0.66
1:C:116:ARG:NE	8:C:644:HOH:O	2.28	0.66
1:A:299:LEU:HD12	1:A:299:LEU:C	2.17	0.65
1:A:132:LEU:HD22	1:A:139:VAL:HG12	1.78	0.65
1:B:308:GLN:HG3	8:B:605:HOH:O	1.97	0.63
1:B:254:LYS:HE3	1:B:258:GLN:HE22	1.63	0.62
1:A:299:LEU:HD12	1:A:300:LEU:N	2.14	0.61
1:C:180:ALA:O	1:C:297:VAL:HG22	2.00	0.61
1:A:362:ASN:OD1	1:A:362:ASN:N	2.34	0.61
1:C:289:THR:O	1:C:289:THR:HG22	2.00	0.61
1:D:88:GLN:HG3	1:D:90:ASP:H	1.66	0.60
1:B:210:GLN:HE21	1:B:214:ASN:HD21	1.48	0.60
1:A:239:LYS:HZ2	3:A:508:EDO:H22	1.65	0.60
1:A:292:VAL:CG2	1:A:297:VAL:H	2.14	0.60
1:C:292:VAL:O	1:C:292:VAL:HG23	2.00	0.60
1:A:296:GLY:O	1:A:297:VAL:HB	2.02	0.59
1:B:105:HIS:CE1	1:B:107:PHE:HB2	2.36	0.59
1:C:302:ASN:O	1:C:306:ARG:HG3	2.03	0.58
1:B:352:MET:HB3	3:B:507:EDO:H22	1.84	0.58
1:C:255:LYS:HG2	3:C:505:EDO:H11	1.85	0.58
1:C:302:ASN:ND2	1:C:302:ASN:H	2.01	0.57
1:A:105:HIS:HB3	6:A:513:DMS:H22	1.87	0.57
1:C:357:MET:SD	2:C:502:2SR:H16	2.45	0.57
1:D:102:TRP:H	4:D:516:PEG:C1	2.18	0.56
1:A:295:SER:OG	1:A:296:GLY:N	2.37	0.56
1:B:135:PHE:HB3	1:B:252:LEU:HD11	1.87	0.56
1:A:338:GLU:OE2	1:A:342:ARG:NH2	2.37	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:296:GLY:O	1:A:297:VAL:CB	2.54	0.56
1:C:375:TYR:C	1:C:376:ILE:HD12	2.26	0.56
1:B:356:PRO:O	1:B:357:MET:HB2	2.06	0.56
1:A:249:PHE:CD2	3:A:506:EDO:H22	2.42	0.55
1:D:102:TRP:HB2	4:D:516:PEG:H32	1.88	0.55
1:C:151:ASP:HA	3:C:509:EDO:H21	1.89	0.54
1:D:102:TRP:N	4:D:516:PEG:H11	2.20	0.54
1:C:364:SER:HB2	1:C:367:LYS:HB3	1.89	0.54
1:A:108:ARG:H	6:A:513:DMS:C2	2.20	0.54
1:B:181:LEU:HD23	1:B:184:VAL:HG21	1.89	0.54
1:C:108:ARG:NH1	1:C:111:GLU:OE1	2.40	0.53
1:A:349:GLU:HB3	1:C:147:MET:SD	2.49	0.53
1:B:126:PHE:HB3	1:B:132:LEU:HD11	1.91	0.53
1:B:372:PHE:HE2	6:B:510:DMS:H21	1.74	0.53
1:B:338:GLU:OE2	1:B:342:ARG:NH2	2.42	0.53
1:B:357:MET:SD	2:B:501:2SR:H16	2.49	0.53
8:A:627:HOH:O	1:B:222:MET:HG3	2.09	0.52
1:A:107:PHE:HB2	6:A:513:DMS:H23	1.91	0.51
1:C:293:THR:O	1:C:295:SER:N	2.44	0.51
1:D:105[A]:HIS:HE1	1:D:107:PHE:HB2	1.76	0.51
1:C:184:VAL:HG11	1:C:300:LEU:HD12	1.93	0.51
1:A:108:ARG:H	6:A:513:DMS:H23	1.75	0.51
1:B:235:ALA:O	1:B:239:LYS:HD3	2.10	0.51
1:C:222:MET:HG3	3:C:512:EDO:C1	2.41	0.51
1:D:220:ALA:HA	1:D:228:VAL:HG21	1.93	0.51
1:B:105:HIS:HE1	1:B:107:PHE:HB2	1.75	0.50
1:B:254:LYS:HE3	1:B:258:GLN:NE2	2.26	0.50
1:A:376:ILE:HD13	2:A:501:2SR:H20	1.92	0.50
1:D:123:HIS:HD1	3:D:505:EDO:H11	1.75	0.50
1:A:239:LYS:NZ	3:A:508:EDO:H22	2.27	0.50
1:A:376:ILE:CD1	2:A:501:2SR:H20	2.41	0.50
1:A:323:THR:HB	1:A:395:ILE:HG23	1.92	0.50
1:B:221:LEU:HG	8:B:698:HOH:O	2.12	0.49
1:A:270:ALA:HB1	1:A:279:LEU:HD11	1.94	0.49
1:D:105[A]:HIS:CE1	1:D:107:PHE:HB2	2.47	0.49
1:C:178:THR:HG22	1:C:181:LEU:HD12	1.95	0.49
1:D:273:MET:HG3	2:D:502:2SR:H22	1.94	0.49
1:C:282:ASP:HB3	1:C:308:GLN:NE2	2.28	0.49
1:A:350:ARG:NH1	8:A:644:HOH:O	2.47	0.47
1:B:321[B]:ASN:HB2	6:B:510:DMS:H22	1.96	0.47
1:B:347:GLU:HG2	3:B:507:EDO:H12	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:214:ASN:OD1	3:B:507:EDO:H21	2.14	0.47
1:D:262:LYS:HG3	4:D:507:PEG:H32	1.97	0.47
1:B:178:THR:CG2	1:B:181:LEU:HB2	2.45	0.47
1:D:229:LEU:HD23	1:D:229:LEU:HA	1.72	0.47
1:C:135:PHE:HA	3:C:504:EDO:H21	1.97	0.46
1:C:293:THR:HG23	1:C:299:LEU:HB2	1.98	0.46
1:D:262:LYS:HA	4:D:507:PEG:H41	1.97	0.46
1:D:88:GLN:NE2	8:D:626:HOH:O	2.49	0.46
1:A:348:ARG:HB2	1:A:354:ILE:HD11	1.97	0.46
1:C:304:SER:O	1:C:308:GLN:HB2	2.16	0.46
1:D:342:ARG:HG2	8:D:667:HOH:O	2.16	0.46
1:A:338:GLU:CD	1:A:342:ARG:HH21	2.18	0.45
1:D:348:ARG:HB3	1:D:354:ILE:HD11	1.98	0.45
1:C:104:LEU:HD22	1:C:170:GLN:HG3	1.98	0.45
1:A:273:MET:HG3	2:A:501:2SR:H22	1.99	0.45
1:D:350:ARG:HH11	1:D:350:ARG:HG3	1.80	0.45
1:A:148:THR:O	1:A:152:HIS:HD2	2.00	0.45
1:B:282:ASP:HB3	1:B:308:GLN:OE1	2.17	0.45
1:C:252:LEU:HD12	1:C:256:GLN:HB3	1.98	0.44
1:C:344:GLY:HA3	1:C:358:CYS:O	2.17	0.44
1:A:293:THR:O	1:A:294:SER:C	2.56	0.44
1:C:179:PRO:HD2	1:C:391:ASP:OD2	2.17	0.44
2:B:501:2SR:H9	8:B:613:HOH:O	2.18	0.44
1:B:255:LYS:HA	1:B:258:GLN:OE1	2.17	0.44
1:B:252:LEU:HD23	8:B:671:HOH:O	2.18	0.44
6:B:512:DMS:H13	1:D:140[B]:ASP:OD1	2.17	0.44
1:C:94:LYS:O	1:C:97:GLU:HG2	2.17	0.44
1:D:376:ILE:CD1	2:D:502:2SR:H20	2.48	0.44
1:C:222:MET:CB	3:C:512:EDO:H21	2.46	0.43
1:D:359:ASP:HB3	1:D:362:ASN:OD1	2.17	0.43
1:A:225:ASP:OD1	1:B:261:ARG:NH2	2.48	0.43
1:B:160:HIS:ND1	1:B:339:GLU:OE2	2.40	0.43
1:C:221:LEU:HD23	1:C:221:LEU:O	2.17	0.43
1:A:299:LEU:CD1	1:A:299:LEU:C	2.85	0.43
1:A:184:VAL:HG11	1:A:300:LEU:HD12	2.01	0.43
1:A:347:GLU:OE2	1:A:355:SER:OG	2.30	0.43
1:C:87:GLU:O	1:C:91:VAL:HG23	2.19	0.43
1:B:373:ILE:HA	1:B:377:VAL:HB	2.01	0.42
1:A:357:MET:SD	2:A:501:2SR:H16	2.59	0.42
1:A:136:LYS:HA	3:A:503:EDO:H21	2.01	0.42
1:A:243:GLU:HG2	3:A:508:EDO:H12	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:132:LEU:CD2	1:A:139:VAL:HG12	2.49	0.42
1:C:321:ASN:HB2	1:C:322:PRO:HD3	2.01	0.42
4:D:507:PEG:H21	4:D:507:PEG:H41	1.89	0.42
1:B:324:LYS:HZ3	3:B:509:EDO:H11	1.84	0.42
1:C:153:TYR:O	3:C:509:EDO:O2	2.28	0.42
1:C:293:THR:C	1:C:295:SER:N	2.72	0.42
1:D:123:HIS:HD1	3:D:505:EDO:C1	2.33	0.42
1:B:188:LEU:HD12	1:B:188:LEU:HA	1.86	0.41
1:C:326:LEU:HD21	1:C:405:TRP:CE2	2.55	0.41
1:D:340:PHE:HZ	2:D:502:2SR:H10	1.84	0.41
1:A:389:HIS:HA	1:A:390:PRO:HA	1.77	0.41
1:A:108:ARG:N	6:A:513:DMS:H23	2.34	0.41
1:C:389:HIS:CD2	1:C:390:PRO:HA	2.55	0.41
1:D:321:ASN:HB2	1:D:322:PRO:HD3	2.01	0.41
1:A:229:LEU:HA	1:A:229:LEU:HD23	1.88	0.41
1:A:275:LYS:HB3	3:A:507:EDO:H21	2.02	0.41
1:B:133:LYS:HA	1:B:133:LYS:HD3	1.86	0.41
1:D:104:LEU:HD22	1:D:170:GLN:HG3	2.02	0.41
1:A:296:GLY:O	1:A:297:VAL:HG23	2.21	0.41
1:B:252:LEU:HB3	8:B:671:HOH:O	2.19	0.41
1:D:219:LEU:HD12	1:D:219:LEU:HA	1.95	0.41
1:C:181:LEU:O	1:C:184:VAL:HG23	2.21	0.40
1:D:270:ALA:HB1	1:D:279:LEU:HD11	2.03	0.40
1:B:132:LEU:HD21	1:B:142:LEU:HD22	2.02	0.40
1:A:135:PHE:HB3	1:A:252:LEU:HD11	2.02	0.40
1:D:302:ASN:O	1:D:306:ARG:HG3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	326/361 (90%)	312 (96%)	10 (3%)	4 (1%)	15	6
1	B	320/361 (89%)	310 (97%)	10 (3%)	0	100	100
1	C	324/361 (90%)	313 (97%)	9 (3%)	2 (1%)	28	17
1	D	324/361 (90%)	318 (98%)	6 (2%)	0	100	100
All	All	1294/1444 (90%)	1253 (97%)	35 (3%)	6 (0%)	32	21

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	297	VAL
1	C	294	SER
1	A	295	SER
1	A	292	VAL
1	A	294	SER
1	C	293	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	299/329 (91%)	291 (97%)	8 (3%)	50	43
1	B	294/329 (89%)	287 (98%)	7 (2%)	54	48
1	C	298/329 (91%)	290 (97%)	8 (3%)	50	43
1	D	298/329 (91%)	297 (100%)	1 (0%)	94	94
All	All	1189/1316 (90%)	1165 (98%)	24 (2%)	62	56

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	84	VAL
1	A	291	LYS
1	A	293	THR
1	A	295	SER
1	A	298	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	299	LEU
1	A	362	ASN
1	A	364	SER
1	B	219	LEU
1	B	221	LEU
1	B	222	MET
1	B	259	SER
1	B	286	MET
1	B	321[A]	ASN
1	B	321[B]	ASN
1	C	139	VAL
1	C	178	THR
1	C	222	MET
1	C	291	LYS
1	C	295	SER
1	C	297	VAL
1	C	299	LEU
1	C	301	ASP
1	D	120	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	210	GLN
1	C	308	GLN
1	C	362	ASN
1	C	389	HIS
1	D	308	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 55 ligands modelled in this entry, 8 are monoatomic - leaving 47 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	2SR	A	501	-	29,31,31	3.08	9 (31%)	40,44,44	1.67	7 (17%)
3	EDO	A	502	-	3,3,3	0.48	0	2,2,2	0.57	0
3	EDO	A	503	-	3,3,3	0.53	0	2,2,2	0.39	0
4	PEG	A	504	-	6,6,6	0.27	0	5,5,5	0.53	0
3	EDO	A	505	-	3,3,3	0.42	0	2,2,2	0.53	0
3	EDO	A	506	-	3,3,3	0.36	0	2,2,2	0.65	0
3	EDO	A	507	-	3,3,3	0.53	0	2,2,2	0.27	0
3	EDO	A	508	-	3,3,3	0.46	0	2,2,2	0.31	0
6	DMS	A	511	-	3,3,3	0.65	0	3,3,3	0.71	0
3	EDO	A	512	-	3,3,3	0.48	0	2,2,2	0.41	0
6	DMS	A	513	-	3,3,3	0.51	0	3,3,3	0.55	0
3	EDO	A	514	-	3,3,3	0.63	0	2,2,2	0.35	0
2	2SR	B	501	-	29,31,31	3.19	11 (37%)	40,44,44	1.74	8 (20%)
3	EDO	B	504	-	3,3,3	0.48	0	2,2,2	0.54	0
3	EDO	B	505	-	3,3,3	0.50	0	2,2,2	0.35	0
3	EDO	B	506	-	3,3,3	0.50	0	2,2,2	0.12	0
3	EDO	B	507	-	3,3,3	0.52	0	2,2,2	0.13	0
3	EDO	B	508	-	3,3,3	0.46	0	2,2,2	0.35	0
3	EDO	B	509	-	3,3,3	0.49	0	2,2,2	0.28	0
6	DMS	B	510	-	3,3,3	0.64	0	3,3,3	0.60	0
3	EDO	B	511	-	3,3,3	0.45	0	2,2,2	0.43	0
6	DMS	B	512	-	3,3,3	0.62	0	3,3,3	0.48	0
3	EDO	C	501	-	3,3,3	0.68	0	2,2,2	0.09	0
2	2SR	C	502	-	29,31,31	3.14	12 (41%)	40,44,44	1.88	9 (22%)
3	EDO	C	503	-	3,3,3	0.41	0	2,2,2	0.54	0
3	EDO	C	504	-	3,3,3	0.46	0	2,2,2	0.60	0
3	EDO	C	505	-	3,3,3	0.49	0	2,2,2	0.48	0
7	EPE	C	506	-	15,15,15	0.80	1 (6%)	18,20,20	2.32	6 (33%)
3	EDO	C	507	-	3,3,3	0.54	0	2,2,2	0.27	0
3	EDO	C	508	-	3,3,3	0.44	0	2,2,2	0.43	0
3	EDO	C	509	-	3,3,3	0.49	0	2,2,2	0.44	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	EDO	C	512	-	3,3,3	0.52	0	2,2,2	0.28	0
3	EDO	C	513	-	3,3,3	0.48	0	2,2,2	0.23	0
3	EDO	D	501	-	3,3,3	0.48	0	2,2,2	0.66	0
2	2SR	D	502	-	29,31,31	3.07	12 (41%)	40,44,44	1.87	11 (27%)
3	EDO	D	503	-	3,3,3	0.35	0	2,2,2	0.44	0
6	DMS	D	504	-	3,3,3	0.69	0	3,3,3	0.60	0
3	EDO	D	505	-	3,3,3	0.53	0	2,2,2	0.27	0
3	EDO	D	506	-	3,3,3	0.55	0	2,2,2	0.15	0
4	PEG	D	507	-	6,6,6	0.41	0	5,5,5	0.38	0
6	DMS	D	508	-	3,3,3	0.64	0	3,3,3	0.69	0
3	EDO	D	509	-	3,3,3	0.49	0	2,2,2	0.27	0
3	EDO	D	510	-	3,3,3	0.49	0	2,2,2	0.47	0
3	EDO	D	511	-	3,3,3	0.52	0	2,2,2	0.28	0
3	EDO	D	514	-	3,3,3	0.56	0	2,2,2	0.14	0
4	PEG	D	515	-	6,6,6	0.33	0	5,5,5	0.33	0
4	PEG	D	516	-	6,6,6	0.35	0	5,5,5	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	2SR	A	501	-	-	0/12/32/32	0/4/4/4
3	EDO	A	502	-	-	0/1/1/1	0/0/0/0
3	EDO	A	503	-	-	0/1/1/1	0/0/0/0
4	PEG	A	504	-	-	0/4/4/4	0/0/0/0
3	EDO	A	505	-	-	0/1/1/1	0/0/0/0
3	EDO	A	506	-	-	0/1/1/1	0/0/0/0
3	EDO	A	507	-	-	0/1/1/1	0/0/0/0
3	EDO	A	508	-	-	0/1/1/1	0/0/0/0
6	DMS	A	511	-	-	0/0/0/0	0/0/0/0
3	EDO	A	512	-	-	0/1/1/1	0/0/0/0
6	DMS	A	513	-	-	0/0/0/0	0/0/0/0
3	EDO	A	514	-	-	0/1/1/1	0/0/0/0
2	2SR	B	501	-	-	0/12/32/32	1/4/4/4
3	EDO	B	504	-	-	0/1/1/1	0/0/0/0
3	EDO	B	505	-	-	0/1/1/1	0/0/0/0
3	EDO	B	506	-	-	0/1/1/1	0/0/0/0
3	EDO	B	507	-	-	0/1/1/1	0/0/0/0
3	EDO	B	508	-	-	0/1/1/1	0/0/0/0
3	EDO	B	509	-	-	0/1/1/1	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	DMS	B	510	-	-	0/0/0/0	0/0/0/0
3	EDO	B	511	-	-	0/1/1/1	0/0/0/0
6	DMS	B	512	-	-	0/0/0/0	0/0/0/0
3	EDO	C	501	-	-	0/1/1/1	0/0/0/0
2	2SR	C	502	-	-	0/12/32/32	0/4/4/4
3	EDO	C	503	-	-	0/1/1/1	0/0/0/0
3	EDO	C	504	-	-	0/1/1/1	0/0/0/0
3	EDO	C	505	-	-	0/1/1/1	0/0/0/0
7	EPE	C	506	-	-	0/9/19/19	0/1/1/1
3	EDO	C	507	-	-	0/1/1/1	0/0/0/0
3	EDO	C	508	-	-	0/1/1/1	0/0/0/0
3	EDO	C	509	-	-	0/1/1/1	0/0/0/0
3	EDO	C	512	-	-	0/1/1/1	0/0/0/0
3	EDO	C	513	-	-	0/1/1/1	0/0/0/0
3	EDO	D	501	-	-	0/1/1/1	0/0/0/0
2	2SR	D	502	-	-	0/12/32/32	1/4/4/4
3	EDO	D	503	-	-	0/1/1/1	0/0/0/0
6	DMS	D	504	-	-	0/0/0/0	0/0/0/0
3	EDO	D	505	-	-	0/1/1/1	0/0/0/0
3	EDO	D	506	-	-	0/1/1/1	0/0/0/0
4	PEG	D	507	-	-	0/4/4/4	0/0/0/0
6	DMS	D	508	-	-	0/0/0/0	0/0/0/0
3	EDO	D	509	-	-	0/1/1/1	0/0/0/0
3	EDO	D	510	-	-	0/1/1/1	0/0/0/0
3	EDO	D	511	-	-	0/1/1/1	0/0/0/0
3	EDO	D	514	-	-	0/1/1/1	0/0/0/0
4	PEG	D	515	-	-	0/4/4/4	0/0/0/0
4	PEG	D	516	-	-	0/4/4/4	0/0/0/0

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	502	2SR	C09-C10	-2.65	1.35	1.40
2	B	501	2SR	C09-C10	-2.50	1.35	1.40
2	A	501	2SR	C09-C10	-2.41	1.35	1.40
2	D	502	2SR	C03-C02	-2.35	1.47	1.53
2	C	502	2SR	C09-C10	-2.29	1.36	1.40
2	D	502	2SR	C01-C02	-2.18	1.47	1.53
2	C	502	2SR	C03-C02	-2.05	1.48	1.53
2	C	502	2SR	C14-C15	2.07	1.42	1.39
2	B	501	2SR	O26-C22	2.16	1.40	1.37
2	C	502	2SR	O26-C22	2.16	1.40	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	502	2SR	C16-C15	2.19	1.42	1.39
2	B	501	2SR	C14-C15	2.23	1.42	1.39
2	D	502	2SR	C14-C15	2.28	1.42	1.39
2	A	501	2SR	C16-C15	2.31	1.43	1.39
2	D	502	2SR	C16-C15	2.54	1.43	1.39
2	B	501	2SR	C16-C15	2.58	1.43	1.39
7	C	506	EPE	C10-S	2.61	1.81	1.77
2	A	501	2SR	O25-C21	3.05	1.41	1.37
2	C	502	2SR	C17-C19	3.19	1.54	1.49
2	A	501	2SR	C17-C19	3.22	1.54	1.49
2	D	502	2SR	O25-C21	3.23	1.42	1.37
2	D	502	2SR	C17-C19	3.31	1.55	1.49
2	C	502	2SR	O25-C21	3.52	1.42	1.37
2	B	501	2SR	C17-C19	3.62	1.55	1.49
2	A	501	2SR	O13-C08	3.80	1.40	1.32
2	B	501	2SR	O25-C21	3.84	1.43	1.37
2	D	502	2SR	O13-C08	3.88	1.40	1.32
2	C	502	2SR	O13-C08	3.89	1.40	1.32
2	B	501	2SR	O13-C08	3.95	1.41	1.32
2	D	502	2SR	C17-C10	4.47	1.49	1.41
2	A	501	2SR	C17-C10	4.98	1.50	1.41
2	B	501	2SR	C17-C10	5.01	1.50	1.41
2	C	502	2SR	C17-C10	5.35	1.51	1.41
2	A	501	2SR	C12-C08	5.88	1.45	1.33
2	C	502	2SR	C12-C08	5.94	1.46	1.33
2	A	501	2SR	C14-C09	6.19	1.49	1.39
2	D	502	2SR	C12-C08	6.23	1.46	1.33
2	C	502	2SR	C14-C09	6.31	1.49	1.39
2	D	502	2SR	C14-C09	6.39	1.50	1.39
2	B	501	2SR	C12-C08	6.41	1.47	1.33
2	B	501	2SR	C14-C09	6.55	1.50	1.39
2	D	502	2SR	O11-C10	9.84	1.53	1.37
2	B	501	2SR	O11-C10	10.11	1.53	1.37
2	C	502	2SR	O11-C10	10.55	1.54	1.37
2	A	501	2SR	O11-C10	10.57	1.54	1.37

All (41) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	502	2SR	C06-C01-C02	-3.71	105.07	110.51
2	B	501	2SR	O26-C22-C23	-3.42	118.63	124.37
2	D	502	2SR	C04-C03-C02	-3.38	105.56	110.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	2SR	O26-C22-C23	-3.32	118.79	124.37
2	B	501	2SR	O25-C21-C20	-3.12	118.91	124.17
2	C	502	2SR	O26-C22-C23	-3.12	119.13	124.37
2	D	502	2SR	O26-C22-C23	-3.01	119.31	124.37
2	A	501	2SR	O25-C21-C20	-2.88	119.32	124.17
2	C	502	2SR	O25-C21-C20	-2.73	119.57	124.17
2	D	502	2SR	C27-O25-C21	-2.51	113.92	117.54
2	D	502	2SR	O25-C21-C20	-2.27	120.34	124.17
2	A	501	2SR	C28-O26-C22	-2.25	114.29	117.54
2	D	502	2SR	O11-C07-C02	-2.21	103.22	107.40
2	D	502	2SR	C09-C08-C12	-2.09	119.67	122.05
2	C	502	2SR	C01-C02-C07	-2.09	105.42	111.44
2	B	501	2SR	C18-C15-C16	-2.05	117.92	120.94
2	A	501	2SR	C09-C08-C12	-2.02	119.75	122.05
2	B	501	2SR	C14-C15-C16	2.00	120.56	118.09
2	C	502	2SR	C01-C02-C03	2.47	113.63	109.43
2	C	502	2SR	C04-C03-C02	2.63	114.37	110.51
7	C	506	EPE	O3S-S-C10	2.78	109.47	106.06
2	D	502	2SR	C02-C07-C12	2.80	117.39	112.62
7	C	506	EPE	C6-N1-C2	2.81	115.23	108.87
2	D	502	2SR	O25-C21-C22	2.93	119.44	115.41
2	B	501	2SR	O13-C08-C09	3.06	118.75	115.41
2	C	502	2SR	C06-C01-C02	3.10	115.05	110.51
7	C	506	EPE	C7-N4-C3	3.18	119.41	111.26
2	B	501	2SR	C02-C07-C12	3.51	118.60	112.62
2	A	501	2SR	O25-C21-C22	3.83	120.66	115.41
2	D	502	2SR	O26-C22-C21	4.02	120.93	115.41
2	C	502	2SR	O26-C22-C21	4.04	120.95	115.41
2	C	502	2SR	O25-C21-C22	4.17	121.12	115.41
7	C	506	EPE	C5-N4-C3	4.19	118.35	108.87
2	A	501	2SR	O13-C08-C09	4.21	120.00	115.41
2	A	501	2SR	O26-C22-C21	4.21	121.18	115.41
7	C	506	EPE	C7-N4-C5	4.28	122.23	111.26
2	B	501	2SR	O26-C22-C21	4.57	121.68	115.41
2	D	502	2SR	O13-C08-C09	4.74	120.59	115.41
2	B	501	2SR	O25-C21-C22	4.84	122.05	115.41
7	C	506	EPE	O2S-S-C10	5.25	111.30	106.79
2	C	502	2SR	O13-C08-C09	5.76	121.70	115.41

There are no chirality outliers.

There are no torsion outliers.

All (2) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	501	2SR	C01-C02-C03-C04-C06-O05
2	D	502	2SR	C01-C02-C03-C04-C06-O05

20 monomers are involved in 47 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	2SR	4	0
3	A	503	EDO	1	0
3	A	506	EDO	1	0
3	A	507	EDO	1	0
3	A	508	EDO	3	0
6	A	513	DMS	5	0
2	B	501	2SR	2	0
3	B	507	EDO	3	0
3	B	509	EDO	2	0
6	B	510	DMS	2	0
6	B	512	DMS	1	0
2	C	502	2SR	1	0
3	C	504	EDO	1	0
3	C	505	EDO	1	0
3	C	509	EDO	2	0
3	C	512	EDO	5	0
2	D	502	2SR	3	0
3	D	505	EDO	2	0
4	D	507	PEG	3	0
4	D	516	PEG	4	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	328/361 (90%)	0.49	22 (6%) 19 20	17, 32, 59, 115	0
1	B	321/361 (88%)	0.58	28 (8%) 11 11	21, 43, 61, 77	0
1	C	325/361 (90%)	0.48	24 (7%) 15 17	22, 39, 66, 106	0
1	D	324/361 (89%)	0.19	8 (2%) 58 63	16, 29, 56, 75	0
All	All	1298/1444 (89%)	0.44	82 (6%) 21 22	16, 36, 61, 115	0

All (82) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	295	SER	6.6
1	C	294	SER	6.2
1	A	293	THR	5.9
1	C	292	VAL	5.6
1	A	296	GLY	5.6
1	D	362	ASN	5.5
1	B	139	VAL	5.1
1	A	294	SER	5.1
1	D	363	ALA	5.1
1	C	295	SER	4.8
1	C	293	THR	4.7
1	C	297	VAL	4.7
1	B	94	LYS	4.2
1	A	297	VAL	4.1
1	A	289	THR	4.1
1	C	362	ASN	4.0
1	B	112	LEU	4.0
1	A	83	GLY	3.9
1	A	299	LEU	3.9
1	A	292	VAL	3.8
1	A	298	LEU	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	136	LYS	3.6
1	B	132	LEU	3.6
1	C	363	ALA	3.5
1	B	133	LYS	3.4
1	C	409	THR	3.4
1	A	362	ASN	3.3
1	B	108	ARG	3.3
1	C	87	GLU	3.3
1	B	120	VAL	3.3
1	D	89	GLU	3.1
1	C	296	GLY	3.1
1	B	147	MET	3.1
1	C	410	ILE	3.1
1	B	257	ARG	3.0
1	A	375	TYR	3.0
1	A	353	GLU	3.0
1	C	289	THR	3.0
1	C	299	LEU	3.0
1	C	291	LYS	2.9
1	C	361	HIS	2.9
1	B	222	MET	2.9
1	B	92	LEU	2.8
1	C	375	TYR	2.7
1	C	286	MET	2.7
1	A	364	SER	2.6
1	C	287	VAL	2.6
1	B	127	GLN	2.5
1	A	354	ILE	2.5
1	C	139	VAL	2.5
1	B	363	ALA	2.5
1	D	361	HIS	2.5
1	A	291	LYS	2.4
1	B	97	GLU	2.4
1	B	395	ILE	2.4
1	B	135	PHE	2.4
1	B	128	GLU	2.4
1	D	105[A]	HIS	2.4
1	A	357	MET	2.4
1	B	295	SER	2.4
1	B	412	GLN	2.4
1	C	86	THR	2.3
1	B	252	LEU	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	142	LEU	2.3
1	A	351	GLY	2.3
1	B	223	TYR	2.2
1	A	363	ALA	2.2
1	D	367	LYS	2.2
1	A	359	ASP	2.2
1	B	221	LEU	2.1
1	A	287	VAL	2.1
1	D	375	TYR	2.1
1	B	294	SER	2.1
1	C	298	LEU	2.1
1	B	143	ILE	2.1
1	C	235	ALA	2.1
1	D	288	GLU	2.0
1	B	251	ASN	2.0
1	B	256	GLN	2.0
1	C	288	GLU	2.0
1	A	235	ALA	2.0
1	C	301	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
4	PEG	D	515	7/7	0.65	0.47	16.03	53,67,90,105	0
3	EDO	A	503	4/4	0.61	0.33	10.24	40,40,48,51	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
6	DMS	B	510	4/4	0.95	0.37	10.22	59,64,73,74	0
3	EDO	C	503	4/4	0.89	0.24	9.25	39,41,44,55	0
2	2SR	B	501	28/28	0.70	0.27	8.45	45,56,68,76	0
6	DMS	B	512	4/4	0.92	0.29	8.18	33,45,52,66	0
4	PEG	D	516	7/7	0.86	0.27	7.65	36,44,59,69	0
3	EDO	B	509	4/4	0.83	0.40	7.37	40,46,48,54	0
3	EDO	B	507	4/4	0.90	0.31	6.58	30,30,38,41	0
2	2SR	A	501	28/28	0.77	0.35	5.75	51,62,70,72	0
3	EDO	D	510	4/4	0.92	0.25	5.53	38,40,45,52	0
7	EPE	C	506	15/15	0.96	0.24	4.51	41,52,71,74	0
3	EDO	C	504	4/4	0.91	0.29	4.45	45,45,50,53	0
2	2SR	D	502	28/28	0.81	0.23	4.38	47,54,58,59	0
3	EDO	A	514	4/4	0.86	0.23	4.25	27,38,38,45	0
3	EDO	A	507	4/4	0.76	0.21	4.12	46,49,53,54	0
3	EDO	C	509	4/4	0.84	0.18	3.52	34,41,43,47	0
4	PEG	A	504	7/7	0.89	0.20	3.43	33,36,46,51	0
2	2SR	C	502	28/28	0.78	0.26	3.30	46,58,63,67	0
3	EDO	D	503	4/4	0.94	0.16	2.94	34,35,36,43	0
3	EDO	C	507	4/4	0.84	0.29	2.75	45,46,47,48	0
6	DMS	D	508	4/4	0.89	0.19	2.21	38,42,53,61	0
6	DMS	A	513	4/4	0.89	0.18	2.11	29,46,51,55	0
3	EDO	A	508	4/4	0.91	0.21	2.06	30,31,36,51	0
3	EDO	C	508	4/4	0.76	0.22	1.93	57,57,60,60	0
3	EDO	D	509	4/4	0.86	0.17	1.64	38,47,49,52	0
3	EDO	A	512	4/4	0.92	0.20	0.90	28,30,30,31	0
4	PEG	D	507	7/7	0.87	0.18	0.88	29,33,37,42	0
3	EDO	B	504	4/4	0.92	0.13	0.72	35,40,40,50	0
3	EDO	C	501	4/4	0.89	0.16	0.59	35,38,41,43	0
5	ZN	C	510	1/1	0.99	0.12	0.34	33,33,33,33	0
5	ZN	A	509	1/1	0.99	0.14	0.09	28,28,28,28	0
3	EDO	A	506	4/4	0.94	0.18	0.02	31,31,32,34	0
3	EDO	C	513	4/4	0.91	0.12	-0.11	41,53,55,58	0
3	EDO	B	511	4/4	0.74	0.17	-0.15	58,58,58,66	0
3	EDO	D	514	4/4	0.97	0.11	-0.54	25,28,29,30	0
5	ZN	D	512	1/1	1.00	0.12	-0.71	27,27,27,27	0
3	EDO	D	501	4/4	0.97	0.12	-0.79	30,31,33,37	0
5	ZN	C	511	1/1	0.99	0.11	-1.03	32,32,32,32	1
3	EDO	C	505	4/4	0.92	0.12	-1.11	44,44,52,54	0
5	ZN	D	513	1/1	0.99	0.10	-1.67	33,33,33,33	1
3	EDO	B	506	4/4	0.94	0.11	-2.29	40,41,42,43	0
5	ZN	A	510	1/1	0.99	0.10	-2.58	30,30,30,30	1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
5	ZN	B	502	1/1	0.99	0.08	-2.90	34,34,34,34	0
5	ZN	B	503	1/1	0.98	0.08	-2.96	35,35,35,35	1
3	EDO	A	505	4/4	0.92	0.14	-	27,32,36,39	0
3	EDO	D	506	4/4	0.84	0.22	-	41,42,43,48	0
3	EDO	A	502	4/4	0.90	0.29	-	52,52,53,54	0
3	EDO	B	508	4/4	0.94	0.14	-	55,57,63,64	0
6	DMS	A	511	4/4	0.90	0.23	-	45,59,63,71	0
3	EDO	D	505	4/4	0.80	0.16	-	41,50,51,52	0
3	EDO	D	511	4/4	0.85	0.18	-	49,49,50,55	0
3	EDO	B	505	4/4	0.84	0.32	-	45,46,49,54	0
3	EDO	C	512	4/4	0.74	0.35	-	43,45,52,54	0
6	DMS	D	504	4/4	0.92	0.29	-	41,42,55,63	0

6.5 Other polymers [i](#)

There are no such residues in this entry.