



Full wwPDB X-ray Structure Validation Report

Feb 14, 2017 – 07:49 pm GMT

PDB ID : 2OIB
Title : Crystal structure of IRAK4 kinase domain apo form
Authors : Kuglstatter, A.; Villasenor, A.G.; Browner, M.F.
Deposited on : 2007-01-10
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	301	
1	B	301	
1	C	301	
1	D	301	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 9747 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Interleukin-1 receptor-associated kinase 4.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
1	A	283	2246	1402	377	450	3	14	0	0	0
1	B	280	2228	1395	375	442	2	14	0	1	0
1	C	281	2241	1403	376	445	3	14	0	1	0
1	D	291	2316	1449	388	462	3	14	0	1	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	342	TPO	THR	MODIFIED RESIDUE	UNP Q9NWZ3
A	345	TPO	THR	MODIFIED RESIDUE	UNP Q9NWZ3
A	346	SEP	SER	MODIFIED RESIDUE	UNP Q9NWZ3
B	342	TPO	THR	MODIFIED RESIDUE	UNP Q9NWZ3
B	345	TPO	THR	MODIFIED RESIDUE	UNP Q9NWZ3
B	346	SEP	SER	MODIFIED RESIDUE	UNP Q9NWZ3
C	342	TPO	THR	MODIFIED RESIDUE	UNP Q9NWZ3
C	345	TPO	THR	MODIFIED RESIDUE	UNP Q9NWZ3
C	346	SEP	SER	MODIFIED RESIDUE	UNP Q9NWZ3
D	342	TPO	THR	MODIFIED RESIDUE	UNP Q9NWZ3
D	345	TPO	THR	MODIFIED RESIDUE	UNP Q9NWZ3
D	346	SEP	SER	MODIFIED RESIDUE	UNP Q9NWZ3

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	209	Total 209	O 209	0	0
2	B	185	Total 185	O 185	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	C	147	Total	O	0	0
			147	147		
2	D	175	Total	O	0	0
			175	175		

3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: Interleukin-1 receptor-associated kinase 4




- Molecule 1: Interleukin-1 receptor-associated kinase 4



- Molecule 1: Interleukin-1 receptor-associated kinase 4



- Molecule 1: Interleukin-1 receptor-associated kinase 4





4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	142.07Å 138.75Å 87.94Å 90.00° 123.95° 90.00°	Depositor
Resolution (Å)	48.56 – 2.00	Depositor
% Data completeness (in resolution range)	92.5 (48.56-2.00)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	9.30	Depositor
Refinement program	REFMAC 5.2.0019	Depositor
R, R_{free}	0.221 , 0.270	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	9747	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/2248	0.55	0/3027
1	B	0.39	0/2240	0.53	0/3014
1	C	0.38	0/2242	0.54	1/3015 (0.0%)
1	D	0.39	0/2320	0.51	0/3123
All	All	0.39	0/9050	0.53	1/12179 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	397	LEU	CA-CB-CG	6.20	129.56	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2246	0	2201	18	0
1	B	2228	0	2185	17	0
1	C	2241	0	2194	20	0
1	D	2316	0	2265	13	0
2	A	209	0	0	2	0
2	B	185	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	147	0	0	4	0
2	D	175	0	0	1	0
All	All	9747	0	8845	65	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (65) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:176:VAL:HG13	1:D:204:TYR:H	1.46	0.78
1:B:246:VAL:HG23	2:B:1261:HOH:O	1.86	0.74
1:A:405:ASP:O	1:A:407:GLU:HG3	1.90	0.72
1:C:242:HIS:CD2	1:C:244:ASN:H	2.09	0.70
1:A:405:ASP:O	1:A:407:GLU:N	2.28	0.66
1:B:256:ASP:O	1:B:257:ASP:HB2	1.95	0.66
1:C:345:TPO:HB	1:C:364:ILE:HD11	1.80	0.63
1:C:242:HIS:HD2	1:C:244:ASN:H	1.47	0.62
1:B:237:MET:SD	2:B:1261:HOH:O	2.56	0.60
1:B:265:MET:HE1	1:B:320:ASP:HB3	1.83	0.59
1:B:233:GLU:HG2	1:B:260:LEU:HD13	1.84	0.58
1:B:417:LYS:O	1:C:279:GLY:HA2	2.05	0.56
1:C:168:PHE:HE2	1:C:205:VAL:HG11	1.69	0.56
1:C:455:GLN:NE2	2:C:1077:HOH:O	2.28	0.55
1:C:168:PHE:CE2	1:C:205:VAL:HG11	2.41	0.55
1:A:357:PRO:HG2	1:A:439:GLU:HG3	1.88	0.54
1:A:222:THR:HB	1:A:225:GLU:HB2	1.90	0.53
1:C:197:PHE:H	1:C:197:PHE:HD2	1.57	0.53
1:B:200:VAL:HG22	1:B:213:LYS:HG3	1.89	0.53
1:D:252:SER:HB3	1:D:259:CYS:HB2	1.91	0.53
1:A:266:PRO:HG2	1:A:321:GLU:HG3	1.92	0.52
1:D:176:VAL:CG1	1:D:204:TYR:H	2.20	0.52
1:D:321:GLU:HG2	2:D:1116:HOH:O	2.09	0.51
1:A:417:LYS:HD3	1:D:276:CYS:HB2	1.93	0.51
1:A:214:LYS:HE3	1:A:257:ASP:OD2	2.11	0.50
1:B:265:MET:CE	1:B:320:ASP:HB3	2.42	0.49
1:B:308:ILE:HD11	1:B:336:SER:HB3	1.92	0.49
1:C:251:PHE:HB3	1:C:260:LEU:HD23	1.95	0.49
1:D:237:MET:CE	1:D:246:VAL:HG23	2.43	0.49
1:C:186:SER:HB2	2:C:2043:HOH:O	2.14	0.48
1:A:239:LYS:HD3	1:A:307:HIS:HE1	1.78	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:265:MET:HE2	1:B:326:LYS:HB2	1.96	0.47
1:A:439:GLU:HB2	2:A:1299:HOH:O	2.15	0.47
1:B:396:LEU:HD12	1:B:399:ILE:HD13	1.97	0.46
1:C:288:ARG:HB3	1:C:380:ILE:HG23	1.97	0.46
1:C:284:SER:OG	1:C:287:MET:HG3	2.16	0.45
1:A:363:GLU:OE2	1:A:441:LYS:HE2	2.16	0.45
1:A:321:GLU:CD	1:A:321:GLU:H	2.19	0.45
1:C:191:LYS:N	2:C:1347:HOH:O	2.50	0.44
1:A:246:VAL:HG21	1:A:328:SER:HB3	2.00	0.44
1:D:402:GLU:HB3	1:D:408:LYS:HE3	1.99	0.44
1:C:202:LYS:HE3	1:C:209:THR:HG21	2.00	0.43
1:A:192:MET:HE1	1:A:211:ALA:CB	2.49	0.43
1:D:309:HIS:O	1:D:310:ARG:HB2	2.19	0.43
1:D:300:ASN:HA	1:D:447:ILE:HG21	2.01	0.43
1:A:310:ARG:HD2	2:A:3011:HOH:O	2.19	0.43
1:B:414:ILE:HG12	1:B:426:VAL:HG11	2.01	0.43
1:D:344:MET:SD	1:D:363:GLU:HG2	2.59	0.43
1:A:367:LYS:HE2	1:A:442:ASN:ND2	2.34	0.42
1:A:284:SER:O	1:A:288:ARG:HG3	2.20	0.42
1:A:164:ARG:HA	1:A:164:ARG:NH1	2.35	0.42
1:B:348:ILE:HG12	1:B:362:GLY:HA2	2.01	0.42
1:D:402:GLU:O	1:D:407:GLU:HG3	2.20	0.42
1:B:170:PHE:CB	1:B:255:GLY:HA3	2.50	0.41
1:B:392:GLU:HA	1:B:393:PRO:HA	1.85	0.41
1:D:289:CYS:O	1:D:293:GLN:HG3	2.19	0.41
1:C:391:ARG:HD3	2:C:1281:HOH:O	2.19	0.41
1:D:343:VAL:HG22	1:D:344:MET:H	1.86	0.41
1:A:410:ILE:HG12	1:A:430:TYR:CD1	2.56	0.41
1:B:279:GLY:HA2	1:C:417:LYS:O	2.20	0.41
1:C:382:THR:HG22	1:C:413:TYR:HB3	2.03	0.41
1:C:242:HIS:HB3	1:C:245:LEU:HG	2.03	0.40
1:C:284:SER:O	1:C:288:ARG:HG3	2.21	0.40
1:C:351:THR:O	1:C:355:MET:HG3	2.21	0.40
1:B:227:LYS:O	1:B:230:PHE:HB3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	273/301 (91%)	263 (96%)	9 (3%)	1 (0%)	38	33
1	B	269/301 (89%)	257 (96%)	9 (3%)	3 (1%)	17	9
1	C	269/301 (89%)	261 (97%)	8 (3%)	0	100	100
1	D	283/301 (94%)	264 (93%)	19 (7%)	0	100	100
All	All	1094/1204 (91%)	1045 (96%)	45 (4%)	4 (0%)	38	33

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	406	GLU
1	B	406	GLU
1	B	184	PRO
1	B	257	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	247/259 (95%)	241 (98%)	6 (2%)	54	56
1	B	245/259 (95%)	241 (98%)	4 (2%)	68	72
1	C	245/259 (95%)	240 (98%)	5 (2%)	60	64
1	D	253/259 (98%)	245 (97%)	8 (3%)	44	42
All	All	990/1036 (96%)	967 (98%)	23 (2%)	56	58

All (23) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	222	THR
1	A	237	MET
1	A	257	ASP
1	A	258	LEU
1	A	406	GLU
1	A	410	ILE
1	B	185	ILE
1	B	254	ASP
1	B	256	ASP
1	B	399	ILE
1	C	197	PHE
1	C	226	LEU
1	C	397	LEU
1	C	438	HIS
1	C	455	GLN
1	D	175	ASN
1	D	176	VAL
1	D	208	THR
1	D	256	ASP
1	D	321	GLU
1	D	365	THR
1	D	405	ASP
1	D	407	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	166	HIS
1	A	228	GLN
1	A	229	GLN
1	A	293	GLN
1	A	307	HIS
1	A	442	ASN
1	B	166	HIS
1	B	207	ASN
1	B	229	GLN
1	B	394	GLN
1	B	455	GLN
1	C	166	HIS
1	C	229	GLN
1	C	242	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	390	HIS
1	C	394	GLN
1	D	229	GLN
1	D	293	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

11 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	TPO	A	342	1	9,10,11	0.63	0	10,14,16	1.07	0
1	TPO	A	345	1	9,10,11	0.77	0	10,14,16	0.99	0
1	SEP	A	346	1	9,9,10	1.61	2 (22%)	9,12,14	1.57	2 (22%)
1	TPO	B	345	1	9,10,11	0.81	0	10,14,16	1.03	0
1	SEP	B	346	1	9,9,10	1.61	2 (22%)	9,12,14	1.55	2 (22%)
1	TPO	C	342	1	9,10,11	0.67	0	10,14,16	1.11	0
1	TPO	C	345	1	9,10,11	0.76	0	10,14,16	0.97	0
1	SEP	C	346	1	9,9,10	1.53	1 (11%)	9,12,14	1.82	2 (22%)
1	TPO	D	342	1	9,10,11	0.74	0	10,14,16	1.26	1 (10%)
1	TPO	D	345	1	9,10,11	0.87	0	10,14,16	1.01	0
1	SEP	D	346	1	9,9,10	1.62	2 (22%)	9,12,14	2.17	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	342	1	-	0/8/11/13	0/0/0/0
1	TPO	A	345	1	-	1/8/11/13	0/0/0/0
1	SEP	A	346	1	-	0/5/8/10	0/0/0/0
1	TPO	B	345	1	-	1/8/11/13	0/0/0/0
1	SEP	B	346	1	-	0/5/8/10	0/0/0/0
1	TPO	C	342	1	-	0/8/11/13	0/0/0/0
1	TPO	C	345	1	-	1/8/11/13	0/0/0/0
1	SEP	C	346	1	-	0/5/8/10	0/0/0/0
1	TPO	D	342	1	-	0/8/11/13	0/0/0/0
1	TPO	D	345	1	-	1/8/11/13	0/0/0/0
1	SEP	D	346	1	-	0/5/8/10	0/0/0/0

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	346	SEP	CA-C	2.34	1.53	1.50
1	D	346	SEP	CA-C	2.40	1.53	1.50
1	B	346	SEP	CA-C	2.41	1.53	1.50
1	D	346	SEP	P-O1P	3.14	1.61	1.50
1	C	346	SEP	P-O1P	3.15	1.61	1.50
1	A	346	SEP	P-O1P	3.20	1.61	1.50
1	B	346	SEP	P-O1P	3.20	1.61	1.50

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	346	SEP	P-OG-CB	-3.71	108.09	118.30
1	C	346	SEP	P-OG-CB	-2.97	110.12	118.30
1	B	346	SEP	P-OG-CB	-2.62	111.08	118.30
1	A	346	SEP	P-OG-CB	-2.21	112.21	118.30
1	D	342	TPO	C-CA-N	2.54	114.97	109.86
1	B	346	SEP	OG-CB-CA	2.99	111.11	108.17
1	A	346	SEP	OG-CB-CA	3.19	111.31	108.17
1	C	346	SEP	OG-CB-CA	3.82	111.94	108.17
1	D	346	SEP	OG-CB-CA	4.80	112.90	108.17

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	D	345	TPO	OG1-CB-CA-N
1	B	345	TPO	OG1-CB-CA-N

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	C	345	TPO	OG1-CB-CA-N
1	A	345	TPO	OG1-CB-CA-N

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	C	345	TPO	1	0

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.