



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 12, 2017 – 09:38 pm GMT

PDB ID : 2OJX  
Title : Molecular and structural basis of polo-like kinase 1 substrate recognition: Implications in centrosomal localization  
Authors : Garcia-Alvarez, B.; de Carcer, G.; Ibanez, S.; Bragado-Nilsson, E.; Montoya, G.  
Deposited on : 2007-01-15  
Resolution : 2.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	2469 (2.90-2.82)
Clashscore	112137	2749 (2.90-2.82)
Ramachandran outliers	110173	2687 (2.90-2.82)
Sidechain outliers	110143	2690 (2.90-2.82)
RSRZ outliers	101464	2487 (2.90-2.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	239	
2	E	9	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 1735 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase PLK1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	204	Total	C	N	O	S	0	0	0
			1675	1064	290	311	10			

- Molecule 2 is a protein called Synthetic peptide.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	E	7	Total	C	N	O	S	0	0	0
			50	31	8	10	1			


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	9	Total	O	0	0
			9	9		
3	E	1	Total	O	0	0
			1	1		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Serine/threonine-protein kinase PLK1



- Molecule 2: Synthetic peptide



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	40.19Å 49.18Å 56.23Å 90.00° 109.48° 90.00°	Depositor
Resolution (Å)	18.94 – 2.85 18.94 – 2.80	Depositor EDS
% Data completeness (in resolution range)	96.3 (18.94-2.85) 95.7 (18.94-2.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.45 (at 2.79Å)	Xtriage
Refinement program	REFMAC 5	Depositor
R, $R_{free}$	0.230 , 0.270 0.238 , 0.295	Depositor DCC
$R_{free}$ test set	215 reflections (4.78%)	DCC
Wilson B-factor (Å <sup>2</sup> )	52.7	Xtriage
Anisotropy	0.088	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.42 , 71.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.035 for h,-k,-h-l	Xtriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	1735	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.95% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.55	0/1710	0.83	3/2309 (0.1%)
2	E	0.67	0/50	2.03	3/68 (4.4%)
All	All	0.56	0/1760	0.89	6/2377 (0.3%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	4	SER	N-CA-C	6.72	129.15	111.00
2	E	2	LEU	N-CA-C	6.69	129.07	111.00
1	A	517	THR	N-CA-C	-6.55	93.30	111.00
1	A	574	LYS	N-CA-C	-5.85	95.21	111.00
1	A	523	LEU	CA-CB-CG	-5.31	103.09	115.30
2	E	6	PRO	N-CA-C	5.14	125.45	112.10

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1675	0	1662	119	0
2	E	50	0	54	22	0
3	A	9	0	0	6	0
3	E	1	0	0	0	0
All	All	1735	0	1716	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 39.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:512:ARG:HD3	3:A:2:HOH:O	1.34	1.28
1:A:516:ARG:HH22	2:E:2:LEU:HB2	1.16	1.09
1:A:541:LEU:HD11	1:A:579:ARG:HB3	1.44	0.97
2:E:1:LEU:HG	2:E:2:LEU:HG	1.43	0.96
2:E:4:SER:O	2:E:5:THR:HB	1.66	0.95
1:A:554:ASP:HB2	1:A:555:GLU:OE2	1.70	0.92
1:A:579:ARG:HG3	1:A:579:ARG:HH11	1.35	0.91
2:E:1:LEU:CG	2:E:2:LEU:HG	2.03	0.89
1:A:590:LEU:O	1:A:594:ARG:HB2	1.76	0.85
1:A:574:LYS:O	1:A:575:GLU:HB2	1.75	0.84
1:A:376:ASP:O	1:A:380:GLN:HG3	1.77	0.83
1:A:414:TRP:H	2:E:4:SER:HB3	1.43	0.82
1:A:464:THR:HG22	1:A:466:SER:H	1.49	0.78
1:A:449:ASP:OD2	1:A:464:THR:HG23	1.83	0.78
1:A:484:ASN:O	1:A:488:GLU:HB3	1.84	0.78
1:A:444:LEU:HB2	1:A:479:LEU:HD21	1.66	0.76
1:A:579:ARG:NH1	1:A:579:ARG:HG3	2.01	0.75
1:A:513:THR:HG21	1:A:594:ARG:NH1	2.03	0.73
1:A:375:SER:O	1:A:379:GLN:HG3	1.88	0.72
1:A:584:ARG:HG3	1:A:584:ARG:HH11	1.55	0.72
1:A:594:ARG:HA	1:A:594:ARG:CZ	2.20	0.72
1:A:516:ARG:NH2	2:E:2:LEU:HB2	2.00	0.71
1:A:468:HIS:O	1:A:470:ASN:N	2.25	0.70
2:E:4:SER:C	2:E:6:PRO:HD3	2.11	0.70
1:A:398:GLU:HG2	1:A:399:GLU:N	2.08	0.69
1:A:481:TYR:CE2	3:A:4:HOH:O	2.46	0.69
1:A:574:LYS:O	1:A:575:GLU:CB	2.42	0.68
2:E:1:LEU:HG	2:E:2:LEU:CG	2.24	0.67
1:A:513:THR:HG22	3:A:3:HOH:O	1.95	0.67
1:A:464:THR:HG22	1:A:466:SER:N	2.11	0.66
2:E:4:SER:O	2:E:6:PRO:HD3	1.95	0.65
2:E:1:LEU:HG	2:E:2:LEU:N	2.11	0.64
1:A:468:HIS:O	1:A:469:PRO:C	2.36	0.64
2:E:4:SER:O	2:E:5:THR:CB	2.45	0.64
1:A:556:LYS:O	1:A:557:ARG:HB2	1.98	0.64
1:A:464:THR:HG22	1:A:467:SER:H	1.64	0.63
1:A:432:VAL:HG21	1:A:483:ARG:HG3	1.81	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:438:ASP:O	1:A:456:ARG:HG2	1.98	0.63
1:A:514:TRP:O	1:A:515:PHE:HB3	1.99	0.62
1:A:480:LYS:HG3	1:A:483:ARG:NH2	2.15	0.62
1:A:456:ARG:HB3	1:A:456:ARG:NH1	2.14	0.61
1:A:438:ASP:OD1	1:A:438:ASP:N	2.33	0.61
1:A:414:TRP:H	2:E:4:SER:CB	2.13	0.61
1:A:592:SER:OG	1:A:593:SER:N	2.33	0.61
1:A:438:ASP:O	1:A:439:SER:HB2	2.00	0.60
1:A:544:CYS:SG	1:A:546:LEU:HB2	2.42	0.60
1:A:384:VAL:O	1:A:389:PRO:HD3	2.03	0.59
1:A:377:MET:HB2	1:A:545:PRO:HB3	1.85	0.59
1:A:555:GLU:CD	1:A:555:GLU:H	2.07	0.58
1:A:541:LEU:CD1	1:A:579:ARG:HB3	2.26	0.58
1:A:559:PHE:H	1:A:559:PHE:HD2	1.51	0.58
2:E:4:SER:OG	2:E:6:PRO:HD2	2.03	0.58
1:A:414:TRP:N	2:E:4:SER:HB3	2.17	0.58
1:A:464:THR:HB	1:A:467:SER:HB3	1.87	0.57
1:A:573:CYS:C	1:A:574:LYS:O	2.39	0.57
1:A:389:PRO:HA	1:A:392:ARG:NH2	2.20	0.56
1:A:507:ARG:NH1	1:A:508:LEU:HD13	2.20	0.56
1:A:552:TYR:CE1	1:A:579:ARG:HD3	2.41	0.56
1:A:567:LEU:HD21	1:A:572:CYS:HB3	1.86	0.55
1:A:436:PHE:HB2	1:A:438:ASP:OD1	2.07	0.55
1:A:524:HIS:HD2	3:A:3:HOH:O	1.89	0.55
1:A:374:LEU:HB2	1:A:591:LEU:HD21	1.87	0.55
1:A:456:ARG:HB3	1:A:456:ARG:CZ	2.37	0.54
1:A:418:SER:HA	1:A:422:GLY:N	2.22	0.54
1:A:507:ARG:O	1:A:509:PRO:HD3	2.08	0.53
1:A:594:ARG:NH2	1:A:594:ARG:HA	2.22	0.53
1:A:413:LYS:HG2	2:E:6:PRO:HG2	1.91	0.53
1:A:584:ARG:HG3	1:A:584:ARG:NH1	2.19	0.53
1:A:464:THR:CG2	1:A:466:SER:H	2.20	0.52
1:A:513:THR:CG2	3:A:3:HOH:O	2.56	0.52
1:A:529:SER:HA	1:A:543:LEU:O	2.10	0.51
1:A:429:ASP:O	1:A:430:ASN:HB2	2.10	0.51
1:A:540:LYS:HD2	1:A:553:ILE:HD12	1.93	0.51
2:E:5:THR:O	2:E:5:THR:CG2	2.59	0.51
1:A:522:ILE:HD12	1:A:522:ILE:N	2.26	0.51
1:A:412:SER:OG	1:A:428:CYS:HA	2.10	0.51
1:A:434:VAL:HG12	1:A:479:LEU:HD13	1.94	0.50
1:A:410:TRP:CB	1:A:542:ILE:HD13	2.41	0.50

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:4:SER:C	2:E:6:PRO:CD	2.78	0.50
1:A:374:LEU:HD23	1:A:587:VAL:HG13	1.94	0.49
1:A:442:LEU:HD11	1:A:451:LEU:HD13	1.94	0.49
1:A:484:ASN:O	1:A:488:GLU:CB	2.59	0.49
1:A:481:TYR:HE2	3:A:4:HOH:O	1.88	0.49
1:A:384:VAL:O	1:A:387:SER:OG	2.30	0.48
1:A:449:ASP:OD2	1:A:464:THR:CG2	2.57	0.48
1:A:392:ARG:HB3	1:A:395:VAL:HG22	1.94	0.48
1:A:444:LEU:CB	1:A:479:LEU:HD21	2.41	0.48
2:E:1:LEU:CD2	2:E:2:LEU:HG	2.43	0.47
1:A:554:ASP:OD1	1:A:556:LYS:HG3	2.14	0.47
1:A:396:ARG:O	1:A:570:TYR:HB3	2.14	0.47
1:A:483:ARG:HE	1:A:483:ARG:HB3	1.51	0.46
1:A:547:MET:HB3	1:A:547:MET:HE2	1.90	0.46
1:A:420:LYS:HB3	1:A:421:TYR:CD1	2.51	0.46
1:A:384:VAL:HA	1:A:568:GLU:HG3	1.98	0.46
1:A:521:ILE:C	1:A:522:ILE:HD12	2.36	0.45
1:A:414:TRP:CD1	2:E:4:SER:HB3	2.51	0.45
1:A:424:GLY:HA3	1:A:482:PHE:CD2	2.51	0.45
1:A:454:ILE:HA	1:A:459:THR:O	2.17	0.45
1:A:421:TYR:CD1	1:A:421:TYR:N	2.84	0.44
1:A:544:CYS:SG	1:A:547:MET:HG2	2.57	0.44
1:A:467:SER:OG	1:A:469:PRO:HD3	2.18	0.44
1:A:380:GLN:O	1:A:384:VAL:HG13	2.18	0.44
1:A:480:LYS:CG	1:A:483:ARG:NH2	2.80	0.44
1:A:541:LEU:HD22	1:A:550:VAL:CG2	2.48	0.44
2:E:1:LEU:CD1	2:E:2:LEU:HG	2.48	0.44
1:A:374:LEU:HD11	1:A:524:HIS:NE2	2.33	0.43
1:A:421:TYR:CD2	1:A:478:LEU:HD11	2.53	0.43
1:A:514:TRP:HA	1:A:522:ILE:O	2.18	0.43
1:A:593:SER:O	1:A:594:ARG:O	2.36	0.43
1:A:392:ARG:HB3	1:A:395:VAL:CG2	2.48	0.43
1:A:453:TYR:CE2	1:A:455:GLU:HG3	2.54	0.43
1:A:408:ILE:HD12	1:A:408:ILE:N	2.32	0.43
1:A:456:ARG:CB	1:A:456:ARG:NH1	2.80	0.43
1:A:438:ASP:O	1:A:439:SER:CB	2.63	0.43
1:A:564:LEU:HA	1:A:564:LEU:HD23	1.86	0.42
2:E:5:THR:O	2:E:5:THR:HG22	2.20	0.42
1:A:434:VAL:HG12	1:A:479:LEU:CD1	2.49	0.42
1:A:579:ARG:NH1	1:A:579:ARG:CG	2.73	0.42
1:A:418:SER:HA	1:A:422:GLY:CA	2.49	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:512:ARG:O	1:A:513:THR:HB	2.20	0.41
1:A:413:LYS:HA	2:E:4:SER:CB	2.50	0.41
1:A:563:ARG:HG2	1:A:563:ARG:HH11	1.84	0.41
1:A:381:LEU:O	1:A:382:HIS:C	2.58	0.41
1:A:463:LEU:CD1	1:A:472:LEU:HD12	2.51	0.41
1:A:463:LEU:HB3	1:A:469:PRO:HG3	2.02	0.41
1:A:514:TRP:HB2	1:A:523:LEU:HD23	2.03	0.41
1:A:547:MET:O	1:A:548:ALA:C	2.57	0.41
1:A:590:LEU:O	1:A:594:ARG:HD2	2.20	0.41
1:A:392:ARG:CB	1:A:395:VAL:HG22	2.51	0.40
1:A:452:GLN:CD	1:A:454:ILE:HD11	2.41	0.40
1:A:567:LEU:HD23	1:A:567:LEU:HA	1.83	0.40
1:A:392:ARG:HD3	1:A:392:ARG:HA	1.82	0.40
1:A:534:PHE:CE1	1:A:579:ARG:HG2	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	200/239 (84%)	179 (90%)	14 (7%)	7 (4%)	4	15
2	E	5/9 (56%)	2 (40%)	1 (20%)	2 (40%)	0	0
All	All	205/248 (83%)	181 (88%)	15 (7%)	9 (4%)	3	10

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	468	HIS
1	A	469	PRO
1	A	470	ASN
2	E	5	THR

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	515	PHE
1	A	575	GLU
2	E	4	SER
1	A	557	ARG
1	A	592	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	188/215 (87%)	159 (85%)	29 (15%)	3	8
2	E	7/8 (88%)	5 (71%)	2 (29%)	0	1
All	All	195/223 (87%)	164 (84%)	31 (16%)	3	7

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	374	LEU
1	A	417	TYR
1	A	420	LYS
1	A	421	TYR
1	A	427	LEU
1	A	434	VAL
1	A	435	LEU
1	A	438	ASP
1	A	441	ARG
1	A	447	ASP
1	A	468	HIS
1	A	478	LEU
1	A	480	LYS
1	A	483	ARG
1	A	487	SER
1	A	507	ARG
1	A	516	ARG
1	A	518	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	529	SER
1	A	536	GLN
1	A	547	MET
1	A	556	LYS
1	A	558	ASP
1	A	559	PHE
1	A	560	ARG
1	A	567	LEU
1	A	569	GLU
1	A	584	ARG
1	A	594	ARG
2	E	1	LEU
2	E	6	PRO

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	468	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 5.6 Ligand geometry ⓘ

There are no ligands in this entry.

### 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	204/239 (85%)	0.34	12 (5%) 23 18	12, 27, 46, 94	0
2	E	7/9 (77%)	1.93	3 (42%) 0 0	52, 64, 92, 98	0
All	All	211/248 (85%)	0.39	15 (7%) 17 12	12, 27, 51, 98	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	594	ARG	7.3
1	A	488	GLU	4.0
1	A	559	PHE	3.2
1	A	593	SER	3.1
1	A	419	ASP	3.1
1	A	456	ARG	2.7
1	A	403	PRO	2.4
1	A	393	GLY	2.3
2	E	7	ASN	2.2
1	A	462	TYR	2.2
1	A	446	ASN	2.1
1	A	556	LYS	2.1
2	E	1	LEU	2.1
1	A	473	MET	2.0
2	E	3	CYS	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.