



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 9, 2017 – 11:25 PM EDT

PDB ID : 2ONC
Title : Crystal structure of human DPP-4
Authors : Feng, J.; Zhang, Z.; Wallace, M.B.; Stafford, J.A.; Kaldor, S.W.; Kassel, D.B.; Navre, M.; Shi, L.; Skene, R.J.; Asakawa, T.; Takeuchi, K.; Xu, R.; Webb, D.R.; Gwaltney, S.L.
Deposited on : unknown
Resolution : 2.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	4993 (2.58-2.50)
Clashscore	112137	5755 (2.58-2.50)
Ramachandran outliers	110173	5652 (2.58-2.50)
Sidechain outliers	110143	5654 (2.58-2.50)
RSRZ outliers	101464	5026 (2.58-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	731	<div> <div>5%</div> <div>85%</div> <div>12%</div> <div>..</div> </div>
1	B	731	<div> <div>3%</div> <div>84%</div> <div>15%</div> <div>.</div> </div>
1	C	731	<div> <div>7%</div> <div>86%</div> <div>11%</div> <div>..</div> </div>
1	D	731	<div> <div>10%</div> <div>85%</div> <div>13%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	807	-	-	-	X
2	NAG	C	807	-	-	-	X

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 25016 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dipeptidyl peptidase 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	724	Total	C	N	O	S	0	1	0
			5925	3807	973	1119	26			
1	B	728	Total	C	N	O	S	0	1	0
			5958	3826	981	1125	26			
1	C	723	Total	C	N	O	S	0	1	0
			5918	3802	972	1118	26			
1	D	722	Total	C	N	O	S	0	0	0
			5907	3795	969	1117	26			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	36	HIS	-	EXPRESSION TAG	UNP P27487
A	37	HIS	-	EXPRESSION TAG	UNP P27487
A	38	ALA	-	EXPRESSION TAG	UNP P27487
A	39	SER	-	EXPRESSION TAG	UNP P27487
A	40	ALA	-	EXPRESSION TAG	UNP P27487
B	36	HIS	-	EXPRESSION TAG	UNP P27487
B	37	HIS	-	EXPRESSION TAG	UNP P27487
B	38	ALA	-	EXPRESSION TAG	UNP P27487
B	39	SER	-	EXPRESSION TAG	UNP P27487
B	40	ALA	-	EXPRESSION TAG	UNP P27487
C	36	HIS	-	EXPRESSION TAG	UNP P27487
C	37	HIS	-	EXPRESSION TAG	UNP P27487
C	38	ALA	-	EXPRESSION TAG	UNP P27487
C	39	SER	-	EXPRESSION TAG	UNP P27487
C	40	ALA	-	EXPRESSION TAG	UNP P27487
D	36	HIS	-	EXPRESSION TAG	UNP P27487
D	37	HIS	-	EXPRESSION TAG	UNP P27487
D	38	ALA	-	EXPRESSION TAG	UNP P27487
D	39	SER	-	EXPRESSION TAG	UNP P27487
D	40	ALA	-	EXPRESSION TAG	UNP P27487

- Molecule 2 is N-ACETYL-D-GLUCOSAMINE (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	A	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	B	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	C	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		
2	D	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 3 is 2-({2-[(3R)-3-AMINOPIPERIDIN-1-YL]-4-OXOQUINAZOLIN-3(4H)-YL}METHYL)BENZONITRILE (three-letter code: SY1) (formula: C₂₁H₂₁N₅O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			27	21	5	1		
3	A	1	Total	C	N	O	0	0
			27	21	5	1		
3	B	1	Total	C	N	O	0	0
			27	21	5	1		
3	B	1	Total	C	N	O	0	0
			27	21	5	1		
3	C	1	Total	C	N	O	0	0
			27	21	5	1		
3	C	1	Total	C	N	O	0	0
			27	21	5	1		
3	D	1	Total	C	N	O	0	0
			27	21	5	1		
3	D	1	Total	C	N	O	0	0
			27	21	5	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	227	Total	O	0	0
			227	227		
4	B	213	Total	O	0	0
			213	213		
4	C	219	Total	O	0	0
			219	219		
4	D	97	Total	O	0	0
			97	97		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Dipeptidyl peptidase 4




• Molecule 1: Dipeptidyl peptidase 4





• Molecule 1: Dipeptidyl peptidase 4





• Molecule 1: Dipeptidyl peptidase 4



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	122.36Å 123.70Å 145.36Å 90.00° 114.89° 90.00°	Depositor
Resolution (Å)	50.00 – 2.55 38.65 – 2.55	Depositor EDS
% Data completeness (in resolution range)	92.8 (50.00-2.55) 92.8 (38.65-2.55)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.61 (at 2.54Å)	Xtriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.195 , 0.254 0.195 , 0.254	Depositor DCC
R_{free} test set	5942 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	46.8	Xtriage
Anisotropy	0.526	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 44.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.012 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	25016	wwPDB-VP
Average B, all atoms (Å ²)	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SY1, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.44	0/6096	0.59	2/8291 (0.0%)
1	B	0.42	0/6135	0.58	0/8344
1	C	0.43	0/6092	0.59	2/8285 (0.0%)
1	D	0.40	0/6077	0.55	0/8266
All	All	0.42	0/24400	0.58	4/33186 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	316	LEU	CA-CB-CG	5.45	127.84	115.30
1	C	57	LEU	CA-CB-CG	5.37	127.66	115.30
1	A	316	LEU	CA-CB-CG	5.09	127.00	115.30
1	A	142	LEU	CA-CB-CG	5.03	126.88	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5925	0	5639	53	0
1	B	5958	0	5670	58	0
1	C	5918	0	5635	43	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	5907	0	5621	46	0
2	A	112	0	102	1	0
2	B	84	0	77	0	0
2	C	84	0	77	0	0
2	D	56	0	51	0	0
3	A	54	0	42	6	0
3	B	54	0	42	6	0
3	C	54	0	42	6	0
3	D	54	0	42	5	0
4	A	227	0	0	5	0
4	B	213	0	0	5	0
4	C	219	0	0	0	0
4	D	97	0	0	2	0
All	All	25016	0	23040	220	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (220) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:153:GLN:HE22	1:B:170:ASN:H	1.07	1.00
1:C:153:GLN:HE22	1:C:170:ASN:H	1.13	0.95
1:A:153:GLN:HE22	1:A:170:ASN:H	1.20	0.89
3:B:800:SY1:H52	3:B:800:SY1:H191	1.57	0.87
1:D:153:GLN:HE22	1:D:170:ASN:H	1.25	0.81
1:D:433:LYS:HD2	1:D:445:LEU:HD21	1.64	0.80
3:A:800:SY1:H52	3:A:800:SY1:H191	1.63	0.80
1:C:386:TYR:O	1:C:394:CYS:HB2	1.81	0.80
1:C:63:ILE:HD11	1:C:69:LEU:HG	1.64	0.77
1:A:281:ASN:HD21	2:A:805:NAG:C1	1.99	0.76
1:C:564:ALA:HB1	1:C:575:VAL:HG11	1.69	0.74
1:C:90:LEU:HD21	1:C:95:PHE:HE2	1.53	0.74
1:D:321:ASN:ND2	4:D:829:HOH:O	2.21	0.73
1:B:153:GLN:NE2	1:B:170:ASN:H	1.85	0.72
3:C:800:SY1:H52	3:C:800:SY1:H191	1.72	0.72
3:D:800:SY1:H52	3:D:800:SY1:H191	1.72	0.70
1:C:327:ILE:HD13	1:C:389:ILE:HG13	1.73	0.70
1:C:129:THR:HG23	1:C:151:ASN:HA	1.74	0.69
1:B:696:LYS:HG3	1:B:728:VAL:HG22	1.76	0.67
1:B:78:VAL:HG23	1:B:89:PHE:HB2	1.77	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:640:LEU:HD11	1:A:650:GLY:HA3	1.78	0.66
1:A:129:THR:HG23	1:A:151:ASN:HA	1.76	0.66
1:B:153:GLN:HE22	1:B:170:ASN:N	1.88	0.66
1:B:70:TYR:HB3	1:B:79:PHE:HE1	1.62	0.64
1:B:38:ALA:HB2	4:B:906:HOH:O	1.97	0.63
1:B:640:LEU:HD11	1:B:650:GLY:HA3	1.81	0.63
1:C:529:ILE:HB	1:C:575:VAL:HG13	1.82	0.62
1:B:70:TYR:HB3	1:B:79:PHE:CE1	2.35	0.62
1:A:302:ASP:HB3	1:A:314:GLN:HB2	1.82	0.61
1:B:115:LEU:HD21	1:B:155:VAL:HG21	1.82	0.61
3:B:800:SY1:C19	3:B:800:SY1:H52	2.29	0.61
1:C:696:LYS:HG3	1:C:728:VAL:HG22	1.83	0.61
1:C:657:SER:HA	1:C:688:VAL:HG13	1.83	0.61
1:A:685:ASN:ND2	4:A:974:HOH:O	2.33	0.60
1:C:640:LEU:HD11	1:C:650:GLY:HA3	1.83	0.60
1:A:598:LEU:HD22	1:A:671:MET:HG2	1.83	0.60
1:D:302:ASP:HB3	1:D:314:GLN:HB2	1.83	0.60
1:A:91:GLU:HB2	1:A:94:THR:HG23	1.84	0.60
1:B:109:PRO:HG2	1:B:158:SER:O	2.02	0.59
3:D:800:SY1:H52	3:D:800:SY1:C19	2.33	0.59
3:D:800:SY1:H72	3:D:800:SY1:H191	1.83	0.59
1:B:97:GLU:HG3	4:B:880:HOH:O	2.01	0.59
1:D:214:LEU:HD23	1:D:225:TYR:HB3	1.84	0.59
1:A:170:ASN:N	1:A:170:ASN:HD22	2.01	0.59
1:D:382:ARG:H	1:D:403:GLU:HG2	1.68	0.58
1:A:325:MET:HE3	1:A:371:PHE:CZ	2.38	0.58
1:A:684:ARG:HD3	4:A:989:HOH:O	2.03	0.58
1:B:237:GLU:HG2	1:B:253:ARG:HB3	1.85	0.58
1:A:471:ARG:HD2	4:A:902:HOH:O	2.04	0.58
1:B:36:HIS:N	4:B:905:HOH:O	2.36	0.58
3:C:800:SY1:H191	3:C:800:SY1:H72	1.86	0.58
1:B:510:PRO:HD3	1:B:569:SER:HB2	1.86	0.58
1:D:63:ILE:HD11	1:D:69:LEU:HG	1.86	0.57
1:D:78:VAL:HG23	1:D:89:PHE:HB2	1.85	0.57
1:D:472:CYS:O	1:D:478:PRO:HA	2.03	0.57
1:C:237:GLU:HG2	1:C:253:ARG:HG2	1.87	0.57
1:A:80:ASN:HD22	1:A:82:GLU:H	1.51	0.56
3:C:800:SY1:H52	3:C:800:SY1:C19	2.35	0.56
1:C:153:GLN:NE2	1:C:170:ASN:H	1.92	0.56
1:D:129:THR:HG23	1:D:151:ASN:HA	1.87	0.56
1:C:598:LEU:HD22	1:C:671:MET:HG2	1.87	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:129:THR:HG23	1:B:151:ASN:HA	1.88	0.56
1:A:710:ASN:C	1:A:710:ASN:HD22	2.09	0.55
1:D:529:ILE:HB	1:D:575:VAL:HG13	1.89	0.55
1:D:611:ARG:HD3	4:D:852:HOH:O	2.07	0.55
1:A:726:VAL:HG23	1:A:728:VAL:HG23	1.90	0.54
1:D:224:ALA:HB1	1:D:268:PHE:CZ	2.43	0.53
1:B:614:SER:HA	1:B:619:VAL:HB	1.90	0.53
1:C:472:CYS:O	1:C:478:PRO:HA	2.08	0.53
1:C:70:TYR:HB3	1:C:79:PHE:CE1	2.43	0.53
1:A:387:PHE:CD1	1:A:394:CYS:HB3	2.44	0.53
1:B:205:GLU:OE1	3:B:800:SY1:N1	2.42	0.53
1:C:155:VAL:HG12	1:C:166:TYR:HB3	1.91	0.53
1:B:385:CYS:HB3	1:B:387:PHE:CE2	2.43	0.53
1:C:453:ARG:HG3	1:C:454:CYS:SG	2.49	0.53
1:B:710:ASN:C	1:B:710:ASN:HD22	2.13	0.52
1:C:242:SER:HB3	1:C:246:LEU:HD12	1.91	0.52
3:A:800:SY1:C19	3:A:800:SY1:H52	2.37	0.52
3:B:800:SY1:H191	3:B:800:SY1:C5	2.35	0.52
1:A:115:LEU:HD21	1:A:155:VAL:HG21	1.92	0.51
1:D:726:VAL:HG23	1:D:728:VAL:HG23	1.92	0.51
1:B:598:LEU:HB2	1:B:671:MET:SD	2.50	0.51
1:C:153:GLN:HE22	1:C:170:ASN:N	1.94	0.51
1:C:175:LYS:HG2	1:C:182:SER:HB3	1.92	0.51
1:B:129:THR:HG22	4:B:904:HOH:O	2.09	0.51
1:C:329:ASP:OD2	1:C:343:ARG:NH1	2.44	0.51
1:A:662:TYR:HE1	1:A:710:ASN:ND2	2.09	0.51
3:A:801:SY1:C5	3:A:801:SY1:H192	2.41	0.51
1:B:529:ILE:HB	1:B:575:VAL:HG13	1.92	0.51
1:C:205:GLU:OE1	3:C:800:SY1:N1	2.44	0.51
1:D:159:PRO:HD3	1:D:216:TRP:CB	2.41	0.51
1:D:657:SER:HB3	1:D:719:ILE:HD11	1.93	0.50
1:A:80:ASN:HB3	1:A:84:GLY:H	1.77	0.50
1:D:172:ILE:HG22	1:D:185:ILE:HD13	1.94	0.50
1:A:114:ILE:HG23	1:A:135:TYR:HB3	1.93	0.50
1:A:516:PHE:CD1	1:A:523:LYS:HG2	2.46	0.50
1:D:410:LEU:HD13	1:D:415:LEU:HD23	1.92	0.50
1:A:657:SER:HA	1:A:688:VAL:HG13	1.93	0.50
1:B:471:ARG:HG3	1:B:480:TYR:CE1	2.47	0.50
1:B:36:HIS:CG	1:B:37:HIS:H	2.30	0.49
1:D:554:LYS:HB3	1:D:577:SER:HB3	1.94	0.49
1:A:386:TYR:O	1:A:394:CYS:HB2	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:351:THR:OG1	1:A:592:HIS:HD2	1.96	0.49
1:B:196:ASN:OD1	1:B:227:GLN:HG3	2.11	0.49
1:D:657:SER:HA	1:D:688:VAL:HG13	1.94	0.48
1:D:658:ARG:NH2	1:D:687:THR:HG21	2.28	0.48
1:A:206:GLU:OE2	1:A:663:ASP:OD2	2.31	0.48
1:D:689:MET:HG3	1:D:722:ALA:HB2	1.94	0.48
1:D:640:LEU:HD11	1:D:650:GLY:HA3	1.94	0.48
1:C:657:SER:HA	1:C:688:VAL:CG1	2.44	0.48
1:D:564:ALA:HB1	1:D:575:VAL:HG11	1.94	0.48
1:C:457:TYR:HA	1:C:471:ARG:O	2.13	0.48
1:A:306:ALA:HB3	1:A:310:ARG:HG2	1.95	0.47
3:A:800:SY1:C5	3:A:800:SY1:H191	2.39	0.47
1:A:415:LEU:HB3	1:A:434:ILE:HG23	1.96	0.47
1:B:405:ILE:HG12	1:B:419:SER:HA	1.96	0.47
1:D:175:LYS:CG	1:D:182:SER:HB3	2.44	0.47
1:A:109:PRO:HG2	1:A:158:SER:O	2.15	0.47
1:A:657:SER:HA	1:A:688:VAL:CG1	2.45	0.47
1:A:662:TYR:CE1	1:A:710:ASN:ND2	2.83	0.47
1:D:407:ILE:HG23	1:D:415:LEU:HD21	1.97	0.46
1:C:643:GLY:HA2	1:C:697:GLN:HE22	1.80	0.46
1:B:302:ASP:HB3	1:B:314:GLN:HB2	1.97	0.46
1:B:513:LYS:O	1:B:527:GLN:HA	2.15	0.46
1:B:726:VAL:HG23	1:B:728:VAL:HG23	1.97	0.46
1:B:157:TRP:CE3	1:B:164:LEU:HD13	2.51	0.46
1:B:76:ILE:HG22	1:B:89:PHE:HB3	1.98	0.46
1:A:325:MET:CE	1:A:371:PHE:CZ	2.99	0.46
1:C:343:ARG:CD	1:C:389:ILE:HG23	2.46	0.46
1:D:170:ASN:O	1:D:196:ASN:HB2	2.16	0.46
3:C:800:SY1:N27	3:C:800:SY1:H71	2.31	0.46
1:D:405:ILE:HG12	1:D:419:SER:HA	1.98	0.46
3:B:800:SY1:H71	3:B:800:SY1:N27	2.31	0.45
1:A:129:THR:HG21	1:A:151:ASN:HD22	1.82	0.45
1:A:154:TRP:CE2	1:A:212:SER:HB2	2.51	0.45
1:B:338:ASN:HB2	4:B:977:HOH:O	2.16	0.45
1:B:154:TRP:CE2	1:B:212:SER:HB2	2.52	0.45
1:B:453:ARG:NH2	1:B:477:LEU:O	2.49	0.45
3:C:800:SY1:C5	3:C:800:SY1:H191	2.45	0.45
1:D:741:GLY:O	1:D:742:ILE:C	2.55	0.45
1:B:229:ASN:HB3	1:B:265:THR:OG1	2.16	0.45
1:C:343:ARG:HD2	1:C:389:ILE:HG23	1.99	0.45
1:D:598:LEU:HG	1:D:631:TYR:OH	2.17	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:170:ASN:N	1:B:170:ASN:HD22	2.14	0.45
1:D:195:TYR:O	1:D:227:GLN:HA	2.17	0.45
1:D:177:GLU:HB2	1:D:180:LEU:HG	1.99	0.44
1:D:268:PHE:CD2	1:D:313:LEU:HD21	2.53	0.44
1:B:95:PHE:CE1	1:B:116:LEU:HD11	2.52	0.44
1:B:531:PRO:HB3	1:B:572:ASN:HD22	1.83	0.44
1:A:391:LYS:HE2	1:A:391:LYS:HB3	1.80	0.44
1:B:177:GLU:HB2	1:B:180:LEU:HD12	2.00	0.44
1:B:461:PHE:CD2	1:B:468:TYR:HB3	2.53	0.44
1:B:640:LEU:HB3	1:B:698:VAL:HG21	1.99	0.44
1:A:117:GLU:HB2	1:A:132:TYR:CE2	2.52	0.44
1:D:598:LEU:HD22	1:D:671:MET:HG2	1.98	0.44
1:B:155:VAL:HG12	1:B:166:TYR:HB3	1.98	0.44
1:C:109:PRO:HG2	1:C:158:SER:O	2.18	0.44
1:D:53:TYR:HB3	1:D:500:LEU:HD11	1.99	0.44
1:A:504:LEU:HA	1:A:507:VAL:CG1	2.47	0.43
1:A:80:ASN:ND2	1:A:82:GLU:H	2.15	0.43
1:C:608:GLU:O	1:C:612:GLN:HG2	2.18	0.43
1:A:498:SER:HA	1:A:501:ASP:HB3	2.01	0.43
1:A:516:PHE:CE1	1:A:523:LYS:HG2	2.52	0.43
1:B:47:ASP:HA	1:B:52:THR:OG1	2.18	0.43
1:D:175:LYS:HG3	1:D:182:SER:HB3	2.00	0.43
1:A:64:SER:HA	1:A:463:LYS:NZ	2.33	0.43
1:A:358:ARG:HD3	4:A:881:HOH:O	2.19	0.43
1:C:114:ILE:HG23	1:C:135:TYR:HB3	2.01	0.43
1:A:467:TYR:HD2	1:A:484:SER:HA	1.84	0.43
1:B:134:ILE:HD13	1:B:178:PRO:HB3	2.01	0.43
1:B:608:GLU:O	1:B:612:GLN:HG2	2.18	0.43
1:B:224:ALA:HB1	1:B:268:PHE:CZ	2.54	0.42
1:B:387:PHE:CD1	1:B:394:CYS:HB3	2.54	0.42
1:B:765:LEU:HA	1:B:766:PRO:HD3	1.90	0.42
3:A:801:SY1:H51	3:A:801:SY1:H192	2.01	0.42
1:A:242:SER:HB3	1:A:246:LEU:HD12	2.02	0.42
1:B:376:SER:HA	1:B:382:ARG:HA	2.01	0.42
3:B:800:SY1:C19	3:B:800:SY1:C5	2.96	0.42
1:C:302:ASP:HB3	1:C:314:GLN:HB2	2.00	0.42
1:C:461:PHE:CD2	1:C:468:TYR:HB3	2.54	0.42
1:D:306:ALA:HB3	1:D:310:ARG:HG2	2.02	0.42
1:D:206:GLU:OE1	3:D:800:SY1:N1	2.52	0.42
1:D:174:VAL:HG23	1:D:185:ILE:HD11	2.00	0.42
1:A:627:TRP:HB2	1:A:651:ILE:HB	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:518:ILE:O	1:C:519:LEU:HD12	2.19	0.42
1:A:547:TYR:CD1	1:A:547:TYR:C	2.93	0.42
1:D:106:SER:HB3	1:D:115:LEU:HB3	2.00	0.42
1:D:669:ARG:HD2	1:D:670:TYR:CZ	2.55	0.42
1:D:154:TRP:CE2	1:D:212:SER:HB2	2.54	0.42
1:D:765:LEU:HA	1:D:766:PRO:HD3	1.94	0.42
1:B:386:TYR:O	1:B:394:CYS:HB2	2.20	0.41
1:C:167:VAL:HA	1:C:171:ASP:O	2.20	0.41
1:B:115:LEU:HD21	1:B:155:VAL:CG2	2.47	0.41
1:D:515:ASP:OD2	1:D:516:PHE:N	2.50	0.41
3:A:800:SY1:C19	3:A:800:SY1:C5	2.98	0.41
1:C:564:ALA:HB1	1:C:575:VAL:CG1	2.46	0.41
1:B:78:VAL:O	1:B:86:SER:HB2	2.20	0.41
1:A:363:HIS:HB3	1:A:410:LEU:HD22	2.02	0.41
1:A:697:GLN:NE2	4:A:951:HOH:O	2.53	0.41
1:C:107:ILE:HD13	1:C:114:ILE:HB	2.01	0.41
1:A:237:GLU:HG2	1:A:253:ARG:HG2	2.02	0.41
1:A:159:PRO:HD3	1:A:216:TRP:HB3	2.03	0.41
1:A:514:LEU:HD12	1:A:557:THR:HG22	2.03	0.41
1:B:242:SER:OG	1:B:243:ASP:N	2.54	0.41
1:C:201:TRP:CZ2	1:C:710:ASN:HA	2.56	0.41
1:C:90:LEU:HD21	1:C:95:PHE:CE2	2.43	0.41
1:C:413:ASP:O	1:C:436:LEU:HB2	2.20	0.41
1:C:626:ILE:O	1:C:650:GLY:HA2	2.21	0.41
3:D:800:SY1:C5	3:D:800:SY1:C19	2.99	0.41
1:D:65:ASP:HA	1:D:462:SER:HB2	2.03	0.41
1:D:80:ASN:HD21	1:D:82:GLU:HB2	1.86	0.41
1:A:343:ARG:HD3	1:A:389:ILE:CG2	2.51	0.40
1:A:219:ASN:HB3	1:A:308:GLN:NE2	2.37	0.40
1:B:230:ASP:O	1:B:231:THR:C	2.60	0.40
1:C:450:ASN:HA	1:C:451:PRO:HD2	1.77	0.40
1:A:598:LEU:HB2	1:A:671:MET:SD	2.62	0.40
1:C:662:TYR:OH	1:C:710:ASN:ND2	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	720/731 (98%)	681 (95%)	37 (5%)	2 (0%)	44	64
1	B	725/731 (99%)	686 (95%)	37 (5%)	2 (0%)	44	64
1	C	718/731 (98%)	678 (94%)	39 (5%)	1 (0%)	55	75
1	D	716/731 (98%)	671 (94%)	44 (6%)	1 (0%)	55	75
All	All	2879/2924 (98%)	2716 (94%)	157 (6%)	6 (0%)	51	71

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	85	ASN
1	A	87	SER
1	B	463	LYS
1	B	83	TYR
1	C	536	LYS
1	D	742	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	648/654 (99%)	611 (94%)	37 (6%)	24	41
1	B	652/654 (100%)	616 (94%)	36 (6%)	25	43
1	C	648/654 (99%)	614 (95%)	34 (5%)	27	47
1	D	646/654 (99%)	618 (96%)	28 (4%)	33	56

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
All	All	2594/2616 (99%)	2459 (95%)	135 (5%)	27	47

All (135) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	77	LEU
1	A	80	ASN
1	A	83	TYR
1	A	129	THR
1	A	170	ASN
1	A	179	ASN
1	A	246	LEU
1	A	254	VAL
1	A	276	LEU
1	A	283	THR
1	A	313	LEU
1	A	316	LEU
1	A	337	TRP
1	A	354	VAL
1	A	358	ARG
1	A	385	CYS
1	A	388	GLN
1	A	395	THR
1	A	410	LEU
1	A	415	LEU
1	A	453	ARG
1	A	463	LYS
1	A	472	CYS
1	A	482	LEU
1	A	489	LYS
1	A	502	LYS
1	A	514	LEU
1	A	546	VAL
1	A	547	TYR
1	A	566	TYR
1	A	575	VAL
1	A	594	ILE
1	A	598	LEU
1	A	673	LEU
1	A	688	VAL
1	A	710	ASN
1	A	761	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	51	ASN
1	B	75	ASN
1	B	92	ASN
1	B	129	THR
1	B	139	LYS
1	B	145	GLU
1	B	170	ASN
1	B	254	VAL
1	B	276	LEU
1	B	283	THR
1	B	295	ILE
1	B	316	LEU
1	B	326	ASP
1	B	336	ARG
1	B	343	ARG
1	B	354	VAL
1	B	373	LYS
1	B	378	GLU
1	B	385	CYS
1	B	395	THR
1	B	410	LEU
1	B	453	ARG
1	B	477	LEU
1	B	482	LEU
1	B	498	SER
1	B	504	LEU
1	B	506	ASN
1	B	507	VAL
1	B	514	LEU
1	B	536	LYS
1	B	547	TYR
1	B	566	TYR
1	B	575	VAL
1	B	598	LEU
1	B	685	ASN
1	B	710	ASN
1	C	54	ARG
1	C	57	LEU
1	C	94	THR
1	C	97	GLU
1	C	129	THR
1	C	145	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	230	ASP
1	C	243	ASP
1	C	246	LEU
1	C	276	LEU
1	C	283	THR
1	C	295	ILE
1	C	313	LEU
1	C	316	LEU
1	C	326	ASP
1	C	343	ARG
1	C	385	CYS
1	C	395	THR
1	C	436	LEU
1	C	443	THR
1	C	450	ASN
1	C	453	ARG
1	C	463	LYS
1	C	477	LEU
1	C	482	LEU
1	C	504	LEU
1	C	507	VAL
1	C	538	LYS
1	C	547	TYR
1	C	566	TYR
1	C	575	VAL
1	C	673	LEU
1	C	677	GLU
1	C	710	ASN
1	D	92	ASN
1	D	129	THR
1	D	137	LEU
1	D	170	ASN
1	D	179	ASN
1	D	256	TYR
1	D	295	ILE
1	D	316	LEU
1	D	365	THR
1	D	375	ILE
1	D	385	CYS
1	D	388	GLN
1	D	399	LYS
1	D	413	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	433	LYS
1	D	453	ARG
1	D	482	LEU
1	D	489	LYS
1	D	492	ARG
1	D	502	LYS
1	D	506	ASN
1	D	514	LEU
1	D	547	TYR
1	D	575	VAL
1	D	627	TRP
1	D	688	VAL
1	D	704	HIS
1	D	710	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (58) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	75	ASN
1	A	80	ASN
1	A	92	ASN
1	A	123	GLN
1	A	141	GLN
1	A	151	ASN
1	A	153	GLN
1	A	169	ASN
1	A	170	ASN
1	A	179	ASN
1	A	281	ASN
1	A	338	ASN
1	A	344	GLN
1	A	455	GLN
1	A	592	HIS
1	A	697	GLN
1	A	710	ASN
1	B	80	ASN
1	B	141	GLN
1	B	153	GLN
1	B	169	ASN
1	B	170	ASN
1	B	338	ASN
1	B	344	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	430	ASN
1	B	455	GLN
1	B	506	ASN
1	B	572	ASN
1	B	592	HIS
1	B	710	ASN
1	C	80	ASN
1	C	153	GLN
1	C	169	ASN
1	C	170	ASN
1	C	338	ASN
1	C	344	GLN
1	C	572	ASN
1	C	685	ASN
1	C	694	ASN
1	C	697	GLN
1	C	710	ASN
1	D	80	ASN
1	D	92	ASN
1	D	153	GLN
1	D	169	ASN
1	D	170	ASN
1	D	179	ASN
1	D	298	HIS
1	D	344	GLN
1	D	383	HIS
1	D	430	ASN
1	D	487	ASN
1	D	505	GLN
1	D	506	ASN
1	D	572	ASN
1	D	592	HIS
1	D	710	ASN
1	D	731	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

There are no carbohydrates in this entry.

5.6 Ligand geometry

32 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SY1	A	800	-	28,30,30	2.13	3 (10%)	35,42,42	3.24	8 (22%)
3	SY1	A	801	-	28,30,30	2.20	4 (14%)	35,42,42	2.53	11 (31%)
2	NAG	A	802	1	14,14,15	0.60	0	15,19,21	1.07	2 (13%)
2	NAG	A	803	1	14,14,15	0.61	0	15,19,21	0.99	1 (6%)
2	NAG	A	804	1	14,14,15	0.53	0	15,19,21	0.95	1 (6%)
2	NAG	A	805	2	14,14,15	0.63	0	15,19,21	1.80	3 (20%)
2	NAG	A	806	2	14,14,15	0.50	0	15,19,21	0.94	1 (6%)
2	NAG	A	807	1	14,14,15	0.58	0	15,19,21	1.13	1 (6%)
2	NAG	A	808	1,2	14,14,15	0.65	0	15,19,21	0.87	1 (6%)
2	NAG	A	809	2	14,14,15	0.47	0	15,19,21	1.08	1 (6%)
3	SY1	B	800	-	28,30,30	2.17	2 (7%)	35,42,42	3.00	9 (25%)
3	SY1	B	801	-	28,30,30	2.21	3 (10%)	35,42,42	2.16	8 (22%)
2	NAG	B	802	1	14,14,15	0.61	0	15,19,21	0.87	0
2	NAG	B	803	1	14,14,15	0.58	0	15,19,21	1.14	1 (6%)
2	NAG	B	804	1	14,14,15	0.52	0	15,19,21	0.90	1 (6%)
2	NAG	B	805	1,2	14,14,15	0.50	0	15,19,21	0.75	0
2	NAG	B	806	2	14,14,15	0.55	0	15,19,21	0.91	1 (6%)
2	NAG	B	807	1	14,14,15	0.49	0	15,19,21	1.00	1 (6%)
3	SY1	C	800	-	28,30,30	2.19	2 (7%)	35,42,42	3.01	9 (25%)
3	SY1	C	801	-	28,30,30	2.39	5 (17%)	35,42,42	2.99	9 (25%)
2	NAG	C	802	1	14,14,15	0.61	0	15,19,21	0.92	0
2	NAG	C	803	1	14,14,15	0.50	0	15,19,21	1.04	1 (6%)
2	NAG	C	804	1,2	14,14,15	0.56	0	15,19,21	1.62	3 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	805	2	14,14,15	0.49	0	15,19,21	0.82	1 (6%)
2	NAG	C	806	1	14,14,15	0.60	0	15,19,21	0.84	1 (6%)
2	NAG	C	807	1	14,14,15	0.61	0	15,19,21	1.30	1 (6%)
3	SY1	D	800	-	28,30,30	2.19	3 (10%)	35,42,42	2.83	8 (22%)
3	SY1	D	801	-	28,30,30	2.20	5 (17%)	35,42,42	2.75	9 (25%)
2	NAG	D	802	1	14,14,15	0.62	0	15,19,21	1.03	1 (6%)
2	NAG	D	803	1,2	14,14,15	0.45	0	15,19,21	1.14	2 (13%)
2	NAG	D	804	2	14,14,15	0.50	0	15,19,21	1.09	1 (6%)
2	NAG	D	805	1	14,14,15	0.50	0	15,19,21	0.93	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SY1	A	800	-	-	0/10/20/20	0/4/4/4
3	SY1	A	801	-	-	0/10/20/20	0/4/4/4
2	NAG	A	802	1	-	0/6/23/26	0/1/1/1
2	NAG	A	803	1	-	0/6/23/26	0/1/1/1
2	NAG	A	804	1	-	0/6/23/26	0/1/1/1
2	NAG	A	805	2	-	0/6/23/26	0/1/1/1
2	NAG	A	806	2	-	0/6/23/26	0/1/1/1
2	NAG	A	807	1	-	0/6/23/26	0/1/1/1
2	NAG	A	808	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	809	2	-	0/6/23/26	0/1/1/1
3	SY1	B	800	-	-	0/10/20/20	0/4/4/4
3	SY1	B	801	-	-	0/10/20/20	0/4/4/4
2	NAG	B	802	1	-	0/6/23/26	0/1/1/1
2	NAG	B	803	1	-	0/6/23/26	0/1/1/1
2	NAG	B	804	1	-	0/6/23/26	0/1/1/1
2	NAG	B	805	1,2	-	0/6/23/26	0/1/1/1
2	NAG	B	806	2	-	0/6/23/26	0/1/1/1
2	NAG	B	807	1	-	0/6/23/26	0/1/1/1
3	SY1	C	800	-	-	0/10/20/20	0/4/4/4
3	SY1	C	801	-	-	0/10/20/20	0/4/4/4
2	NAG	C	802	1	-	0/6/23/26	0/1/1/1
2	NAG	C	803	1	-	0/6/23/26	0/1/1/1
2	NAG	C	804	1,2	-	0/6/23/26	0/1/1/1
2	NAG	C	805	2	-	0/6/23/26	0/1/1/1
2	NAG	C	806	1	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	807	1	-	0/6/23/26	0/1/1/1
3	SY1	D	800	-	-	0/10/20/20	0/4/4/4
3	SY1	D	801	-	-	0/10/20/20	0/4/4/4
2	NAG	D	802	1	-	0/6/23/26	0/1/1/1
2	NAG	D	803	1,2	-	0/6/23/26	0/1/1/1
2	NAG	D	804	2	-	0/6/23/26	0/1/1/1
2	NAG	D	805	1	-	0/6/23/26	0/1/1/1

All (27) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	800	SY1	C25-C26	-9.66	1.28	1.44
3	B	801	SY1	C25-C26	-9.47	1.28	1.44
3	D	800	SY1	C25-C26	-9.44	1.29	1.44
3	A	800	SY1	C25-C26	-9.38	1.29	1.44
3	B	800	SY1	C25-C26	-9.22	1.29	1.44
3	A	801	SY1	C25-C26	-9.12	1.29	1.44
3	D	801	SY1	C25-C26	-8.81	1.30	1.44
3	C	801	SY1	C25-C26	-8.73	1.30	1.44
3	A	801	SY1	C16-N18	-2.81	1.34	1.38
3	D	801	SY1	C16-N18	-2.41	1.34	1.38
3	B	801	SY1	C16-N18	-2.10	1.35	1.38
3	C	801	SY1	C16-N18	-2.07	1.35	1.38
3	A	800	SY1	C16-N18	-2.01	1.35	1.38
3	D	800	SY1	C8-N9	2.00	1.36	1.32
3	D	801	SY1	C8-N9	2.02	1.36	1.32
3	C	801	SY1	C8-N9	2.08	1.37	1.32
3	A	801	SY1	C8-N9	2.24	1.37	1.32
3	D	801	SY1	C26-N27	3.37	1.22	1.14
3	A	800	SY1	C16-C15	4.14	1.48	1.41
3	C	801	SY1	C16-C15	4.47	1.48	1.41
3	A	801	SY1	C16-C15	4.72	1.49	1.41
3	D	800	SY1	C16-C15	4.80	1.49	1.41
3	D	801	SY1	C16-C15	4.83	1.49	1.41
3	C	800	SY1	C16-C15	4.87	1.49	1.41
3	B	801	SY1	C16-C15	4.91	1.49	1.41
3	B	800	SY1	C16-C15	5.02	1.49	1.41
3	C	801	SY1	C26-N27	6.44	1.29	1.14

All (98) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	801	SY1	C25-C26-N27	-11.36	159.03	177.86
3	C	800	SY1	C15-C10-N9	-9.20	118.42	123.67
3	B	800	SY1	C15-C10-N9	-8.90	118.59	123.67
3	A	800	SY1	C15-C10-N9	-8.69	118.71	123.67
3	D	801	SY1	C25-C26-N27	-8.36	164.00	177.86
3	D	800	SY1	C15-C10-N9	-8.24	118.97	123.67
3	D	801	SY1	C15-C10-N9	-7.75	119.25	123.67
3	C	801	SY1	C15-C10-N9	-7.56	119.36	123.67
3	B	801	SY1	C15-C10-N9	-7.13	119.60	123.67
3	A	801	SY1	C15-C10-N9	-6.85	119.77	123.67
3	A	801	SY1	C25-C26-N27	-5.77	168.30	177.86
3	C	800	SY1	C5-N6-C8	-5.58	109.64	122.07
3	D	800	SY1	C5-N6-C8	-5.51	109.80	122.07
3	B	800	SY1	C5-N6-C8	-5.50	109.82	122.07
3	C	801	SY1	C5-N6-C8	-5.34	110.18	122.07
3	D	800	SY1	C7-N6-C8	-5.31	110.24	122.07
3	D	801	SY1	C5-N6-C8	-5.27	110.32	122.07
3	A	800	SY1	C7-C2-N1	-5.26	99.27	111.32
3	D	801	SY1	C7-N6-C8	-5.25	110.38	122.07
3	A	801	SY1	C5-N6-C8	-5.24	110.41	122.07
3	B	800	SY1	C7-N6-C8	-5.22	110.44	122.07
3	A	800	SY1	C5-N6-C8	-5.18	110.52	122.07
3	B	801	SY1	C7-N6-C8	-5.12	110.67	122.07
3	B	801	SY1	C5-N6-C8	-5.12	110.67	122.07
3	C	801	SY1	C7-N6-C8	-5.11	110.70	122.07
3	A	800	SY1	C7-N6-C8	-5.04	110.84	122.07
3	A	801	SY1	C7-N6-C8	-5.03	110.87	122.07
3	C	800	SY1	C7-N6-C8	-5.02	110.88	122.07
3	B	800	SY1	C7-C2-N1	-4.26	101.55	111.32
2	A	805	NAG	O5-C1-C2	-4.20	105.64	111.47
3	D	800	SY1	C7-C2-N1	-3.90	102.39	111.32
3	A	800	SY1	C3-C2-N1	-3.60	100.45	110.94
3	C	800	SY1	C7-C2-N1	-3.59	103.09	111.32
2	C	804	NAG	C2-N2-C7	-3.00	118.56	122.94
3	C	800	SY1	C3-C2-N1	-2.91	102.47	110.94
2	D	803	NAG	O5-C1-C2	-2.68	107.74	111.47
3	B	800	SY1	C3-C2-N1	-2.65	103.23	110.94
3	A	801	SY1	N18-C8-N6	-2.47	115.00	117.49
3	D	800	SY1	C3-C2-N1	-2.45	103.82	110.94
2	C	804	NAG	O5-C1-C2	-2.41	108.12	111.47
2	A	808	NAG	O5-C1-C2	-2.21	108.39	111.47
3	D	801	SY1	C7-C2-N1	-2.12	106.45	111.32
3	D	801	SY1	C20-C19-N18	-2.12	109.79	113.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	801	SY1	C5-N6-C7	-2.11	109.12	113.14
3	A	801	SY1	C24-C25-C26	-2.08	115.63	119.41
3	C	801	SY1	C5-N6-C7	-2.06	109.20	113.14
3	A	801	SY1	C19-C20-C21	-2.04	116.61	121.17
2	C	805	NAG	C1-O5-C5	2.08	115.03	112.17
3	B	801	SY1	C14-C15-C10	2.14	120.81	117.59
3	C	801	SY1	C14-C15-C10	2.21	120.92	117.59
2	A	806	NAG	C4-C3-C2	2.21	114.26	111.02
2	C	806	NAG	C1-O5-C5	2.23	115.24	112.17
3	D	800	SY1	C19-C20-C25	2.23	123.46	120.45
2	A	804	NAG	C1-O5-C5	2.27	115.30	112.17
3	A	800	SY1	C14-C15-C10	2.28	121.03	117.59
2	B	804	NAG	C1-O5-C5	2.32	115.36	112.17
2	A	802	NAG	C1-O5-C5	2.33	115.37	112.17
3	A	801	SY1	C14-C15-C10	2.38	121.18	117.59
3	B	801	SY1	C20-C25-C26	2.40	122.61	120.24
2	A	802	NAG	C4-C3-C2	2.43	114.58	111.02
2	D	803	NAG	C1-O5-C5	2.45	115.54	112.17
2	B	806	NAG	C4-C3-C2	2.50	114.67	111.02
3	B	801	SY1	C19-C20-C25	2.50	123.83	120.45
3	B	800	SY1	C20-C25-C26	2.53	122.74	120.24
2	C	803	NAG	C1-O5-C5	2.64	115.81	112.17
3	C	800	SY1	C19-C20-C25	2.66	124.04	120.45
3	C	801	SY1	C19-C20-C25	2.68	124.06	120.45
2	C	804	NAG	C1-O5-C5	2.70	115.89	112.17
2	D	805	NAG	C1-O5-C5	2.70	115.89	112.17
3	C	800	SY1	C20-C25-C26	2.75	122.96	120.24
2	B	807	NAG	C1-O5-C5	2.86	116.11	112.17
3	D	801	SY1	C19-C20-C25	2.95	124.43	120.45
2	D	802	NAG	C1-O5-C5	2.96	116.25	112.17
2	D	804	NAG	C1-O5-C5	3.12	116.47	112.17
2	A	803	NAG	C1-O5-C5	3.12	116.47	112.17
3	C	801	SY1	C20-C25-C26	3.19	123.39	120.24
2	A	809	NAG	C1-O5-C5	3.20	116.58	112.17
3	B	800	SY1	C19-C20-C25	3.31	124.92	120.45
2	A	805	NAG	C4-C3-C2	3.36	115.95	111.02
3	A	801	SY1	C19-C20-C25	3.42	125.06	120.45
3	B	801	SY1	C15-C16-N18	3.53	118.56	116.15
3	D	801	SY1	C20-C25-C26	3.59	123.79	120.24
2	A	807	NAG	C1-O5-C5	3.61	117.14	112.17
2	A	805	NAG	C3-C4-C5	3.63	116.62	110.22
2	B	803	NAG	C1-O5-C5	3.71	117.28	112.17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	807	NAG	C4-C3-C2	3.90	116.74	111.02
3	A	801	SY1	C20-C25-C26	3.95	124.14	120.24
3	D	801	SY1	C15-C16-N18	4.38	119.14	116.15
3	A	801	SY1	C15-C16-N18	4.45	119.19	116.15
3	D	800	SY1	C15-C16-N18	4.47	119.20	116.15
3	C	801	SY1	C15-C16-N18	4.50	119.22	116.15
3	B	800	SY1	C15-C16-N18	4.56	119.27	116.15
3	C	800	SY1	C15-C16-N18	5.25	119.73	116.15
3	A	800	SY1	C15-C16-N18	6.25	120.42	116.15
3	D	800	SY1	N18-C8-N6	9.16	126.74	117.49
3	C	800	SY1	N18-C8-N6	9.29	126.87	117.49
3	B	800	SY1	N18-C8-N6	9.68	127.26	117.49
3	A	800	SY1	N18-C8-N6	11.18	128.78	117.49

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 24 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	800	SY1	4	0
3	A	801	SY1	2	0
2	A	805	NAG	1	0
3	B	800	SY1	6	0
3	C	800	SY1	6	0
3	D	800	SY1	5	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	724/731 (99%)	0.30	35 (4%) 31 34	28, 45, 76, 113	1 (0%)
1	B	728/731 (99%)	0.19	24 (3%) 47 51	32, 49, 74, 102	0
1	C	723/731 (98%)	0.30	53 (7%) 16 16	31, 49, 77, 94	0
1	D	722/731 (98%)	0.62	73 (10%) 8 7	35, 62, 91, 133	0
All	All	2897/2924 (99%)	0.35	185 (6%) 20 21	28, 51, 83, 133	1 (0%)

All (185) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	88	VAL	6.5
1	D	83	TYR	6.2
1	D	333	SER	5.7
1	C	88	VAL	5.7
1	A	392	LYS	5.6
1	D	77	LEU	5.6
1	D	93	SER	5.5
1	D	88	VAL	5.4
1	C	87	SER	5.3
1	C	78	VAL	5.2
1	D	334	SER	5.1
1	A	93	SER	5.0
1	B	88	VAL	5.0
1	C	89	PHE	4.9
1	A	394	CYS	4.7
1	D	99	GLY	4.7
1	D	97	GLU	4.7
1	C	98	PHE	4.5
1	D	135	TYR	4.4
1	C	330	TYR	4.2
1	A	95	PHE	4.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	467	TYR	4.1
1	D	95	PHE	4.1
1	D	100	HIS	4.1
1	C	102	ILE	4.0
1	D	432	TYR	4.0
1	A	99	GLY	3.9
1	C	100	HIS	3.9
1	D	397	ILE	3.9
1	D	441	LYS	3.9
1	D	98	PHE	3.8
1	B	87	SER	3.8
1	D	468	TYR	3.7
1	C	144	THR	3.7
1	D	40	ALA	3.7
1	A	81	ALA	3.7
1	D	322	TYR	3.7
1	D	439	TYR	3.7
1	A	98	PHE	3.7
1	D	92	ASN	3.7
1	A	393	ASP	3.7
1	A	491	LEU	3.6
1	C	334	SER	3.6
1	C	132	TYR	3.6
1	D	396	PHE	3.6
1	D	416	TYR	3.6
1	D	276	LEU	3.5
1	D	96	ASP	3.5
1	A	71	LYS	3.5
1	A	97	GLU	3.5
1	D	346	ILE	3.4
1	C	76	ILE	3.4
1	C	83	TYR	3.4
1	A	87	SER	3.4
1	D	464	GLU	3.4
1	C	335	GLY	3.3
1	D	327	ILE	3.3
1	C	333	SER	3.3
1	C	95	PHE	3.3
1	C	118	TYR	3.3
1	A	279	VAL	3.2
1	A	92	ASN	3.2
1	B	394	CYS	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	91	GLU	3.2
1	C	138	ASN	3.2
1	A	135	TYR	3.1
1	B	90	LEU	3.1
1	D	449	LEU	3.1
1	D	399	LYS	3.1
1	D	335	GLY	3.1
1	C	41	LYS	3.1
1	D	78	VAL	3.1
1	C	141	GLN	3.1
1	B	83	TYR	3.0
1	A	90	LEU	3.0
1	A	96	ASP	3.0
1	D	384	ILE	3.0
1	C	97	GLU	3.0
1	D	105	TYR	3.0
1	B	96	ASP	3.0
1	D	342	ALA	3.0
1	D	339	CYS	2.9
1	C	77	LEU	2.9
1	C	90	LEU	2.9
1	D	491	LEU	2.9
1	D	62	TRP	2.9
1	C	99	GLY	2.9
1	B	393	ASP	2.9
1	A	466	LYS	2.8
1	B	338	ASN	2.8
1	C	506	ASN	2.8
1	C	79	PHE	2.8
1	D	394	CYS	2.8
1	A	40	ALA	2.8
1	D	61	ARG	2.8
1	D	222	PHE	2.7
1	A	86	SER	2.7
1	C	336	ARG	2.7
1	D	463	LYS	2.7
1	D	433	LYS	2.6
1	C	75	ASN	2.6
1	D	85	ASN	2.6
1	A	141	GLN	2.6
1	D	388	GLN	2.6
1	D	330	TYR	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	440	THR	2.6
1	D	493	VAL	2.6
1	D	442	VAL	2.6
1	A	139	LYS	2.6
1	D	417	TYR	2.6
1	B	81	ALA	2.5
1	B	654	ALA	2.5
1	D	338	ASN	2.5
1	C	499	ALA	2.5
1	C	331	ASP	2.5
1	B	703	ILE	2.5
1	D	506	ASN	2.5
1	B	733	MET	2.5
1	C	40	ALA	2.5
1	B	71	LYS	2.5
1	D	141	GLN	2.5
1	C	340	LEU	2.5
1	A	105	TYR	2.5
1	D	505	GLN	2.5
1	B	392	LYS	2.5
1	D	380	GLY	2.5
1	C	279	VAL	2.4
1	C	332	GLU	2.4
1	B	70	TYR	2.4
1	C	53	TYR	2.4
1	B	77	LEU	2.4
1	C	504	LEU	2.4
1	D	348	MET	2.4
1	B	521	GLU	2.4
1	C	101	SER	2.4
1	B	92	ASN	2.4
1	A	332	GLU	2.4
1	A	654	ALA	2.4
1	C	338	ASN	2.4
1	C	505	GLN	2.4
1	D	518	ILE	2.3
1	D	422	TYR	2.3
1	C	142	LEU	2.3
1	C	140	ARG	2.3
1	D	386	TYR	2.3
1	C	394	CYS	2.3
1	D	148	ILE	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	54	ARG	2.3
1	B	139	LYS	2.3
1	A	89	PHE	2.3
1	A	91	GLU	2.3
1	A	280	THR	2.3
1	D	372	TYR	2.3
1	A	75	ASN	2.3
1	C	81	ALA	2.3
1	D	213	ALA	2.3
1	C	179	ASN	2.2
1	C	93	SER	2.2
1	B	386	TYR	2.2
1	B	653	VAL	2.2
1	C	451	PRO	2.2
1	D	58	TYR	2.1
1	A	732	ALA	2.1
1	C	147	ARG	2.1
1	A	652	ALA	2.1
1	C	94	THR	2.1
1	D	431	LEU	2.1
1	C	86	SER	2.1
1	C	285	ILE	2.1
1	D	483	HIS	2.1
1	D	451	PRO	2.1
1	D	415	LEU	2.1
1	D	345	HIS	2.1
1	B	89	PHE	2.1
1	B	343	ARG	2.1
1	C	42	THR	2.0
1	D	375	ILE	2.0
1	D	462	SER	2.0
1	A	140	ARG	2.0
1	D	63	ILE	2.0
1	D	82	GLU	2.0
1	D	337	TRP	2.0
1	A	630	SER	2.0
1	B	54	ARG	2.0
1	C	137	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NAG	A	807	14/15	0.91	0.36	4.85	60,64,66,66	0
2	NAG	C	807	14/15	0.87	0.33	4.19	70,74,75,76	0
3	SY1	A	800	27/27	0.97	0.27	1.34	36,41,42,43	0
3	SY1	C	801	27/27	0.90	0.18	1.28	62,63,64,64	0
2	NAG	A	808	14/15	0.95	0.15	0.68	57,61,63,65	0
3	SY1	D	800	27/27	0.96	0.25	0.60	43,46,47,47	0
2	NAG	B	805	14/15	0.91	0.15	0.51	68,70,73,77	0
3	SY1	B	800	27/27	0.95	0.23	0.49	38,40,44,45	0
3	SY1	C	800	27/27	0.96	0.21	0.47	33,37,41,41	0
3	SY1	B	801	27/27	0.95	0.17	0.16	48,49,51,52	0
3	SY1	D	801	27/27	0.93	0.18	0.16	56,58,62,65	0
2	NAG	C	804	14/15	0.93	0.14	-0.35	62,65,68,72	0
3	SY1	A	801	27/27	0.94	0.14	-0.56	47,50,53,53	0
2	NAG	D	803	14/15	0.92	0.15	-0.83	67,69,70,72	0
2	NAG	C	806	14/15	0.77	0.15	-	82,84,86,86	0
2	NAG	C	805	14/15	0.82	0.29	-	74,77,80,80	0
2	NAG	B	807	14/15	0.77	0.13	-	75,77,78,79	0
2	NAG	D	802	14/15	0.81	0.21	-	78,80,81,81	0
2	NAG	A	802	14/15	0.64	0.20	-	105,105,106,106	0
2	NAG	B	806	14/15	0.85	0.22	-	80,82,83,83	0
2	NAG	A	805	14/15	0.46	0.21	-	97,99,101,101	0
2	NAG	A	803	14/15	0.79	0.29	-	72,75,77,78	0
2	NAG	A	809	14/15	0.91	0.13	-	67,68,69,69	0
2	NAG	C	803	14/15	0.83	0.26	-	69,71,74,75	0
2	NAG	D	805	14/15	0.85	0.15	-	80,81,82,83	0
2	NAG	B	803	14/15	0.91	0.15	-	62,64,66,67	0
2	NAG	A	806	14/15	0.75	0.20	-	101,102,103,103	0
2	NAG	B	802	14/15	0.78	0.13	-	98,100,100,100	0
2	NAG	D	804	14/15	0.84	0.18	-	74,75,76,76	0
2	NAG	A	804	14/15	0.86	0.25	-	70,72,76,77	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	NAG	B	804	14/15	0.81	0.26	-	72,74,76,77	0
2	NAG	C	802	14/15	0.80	0.26	-	72,73,74,75	0

6.5 Other polymers [i](#)

There are no such residues in this entry.