



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 9, 2017 – 10:41 PM EDT

PDB ID : 2ONP
Title : Arg475Gln Mutant of Human Mitochondrial Aldehyde Dehydrogenase, complexed with NAD+
Authors : Larson, H.N.; Hurley, T.D.
Deposited on : unknown
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	6609 (2.00-2.00)
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)
RSRZ outliers	101464	6696 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	500	<div> <div>3%</div> <div>86%</div> <div>12%</div> <div>..</div> </div>
1	B	500	<div> <div>2%</div> <div>87%</div> <div>11%</div> <div>..</div> </div>
1	C	500	<div> <div>90%</div> <div>8%</div> <div>..</div> </div>
1	D	500	<div> <div>0%</div> <div>86%</div> <div>12%</div> <div>..</div> </div>
1	E	500	<div> <div>0%</div> <div>88%</div> <div>10%</div> <div>..</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	500	 91% 7% ..
1	G	500	 89% 9% ..
1	H	500	 87% 11% ..

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	NA	C	703	-	-	-	X
3	NA	H	708	-	-	-	X
5	EDO	A	6941	-	-	-	X
5	EDO	B	6902	-	-	-	X
5	EDO	B	6942	-	-	-	X
5	EDO	C	6903	-	-	-	X
5	EDO	C	6943	-	-	-	X
5	EDO	C	6953	-	-	-	X
5	EDO	D	6914	-	-	-	X
5	EDO	E	6905	-	-	-	X
5	EDO	E	6945	-	-	X	X
5	EDO	E	6955	-	-	-	X
5	EDO	E	6965	-	-	-	X
5	EDO	F	6906	-	-	-	X
5	EDO	F	6946	-	-	-	X
5	EDO	F	6956	-	-	-	X
5	EDO	F	6966	-	-	-	X
5	EDO	G	6907	-	-	-	X
5	EDO	G	6917	-	-	-	X
5	EDO	G	6947	-	-	-	X
5	EDO	H	6908	-	-	-	X
5	EDO	H	6948	-	-	-	X
6	GAI	A	6801	-	-	-	X
6	GAI	A	6811	-	-	-	X
6	GAI	A	6821	-	-	-	X
6	GAI	B	6812	-	-	-	X
6	GAI	C	6803	-	-	-	X
6	GAI	C	6813	-	-	-	X
6	GAI	E	6836	-	-	-	X
6	GAI	F	6806	-	-	-	X
6	GAI	F	6816	-	-	-	X
6	GAI	G	6817	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	GAI	H	6818	-	-	-	X

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 33651 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aldehyde dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	494	Total	C	N	O	S	0	0	0
			3796	2414	646	718	18			
1	B	494	Total	C	N	O	S	0	0	0
			3796	2414	646	718	18			
1	C	494	Total	C	N	O	S	0	0	0
			3796	2414	646	718	18			
1	D	494	Total	C	N	O	S	0	0	0
			3796	2414	646	718	18			
1	E	494	Total	C	N	O	S	0	0	0
			3796	2414	646	718	18			
1	F	494	Total	C	N	O	S	0	0	0
			3796	2414	646	718	18			
1	G	494	Total	C	N	O	S	0	0	0
			3796	2414	646	718	18			
1	H	494	Total	C	N	O	S	0	0	0
			3796	2414	646	718	18			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	475	GLN	ARG	ENGINEERED	UNP P05091
B	475	GLN	ARG	ENGINEERED	UNP P05091
C	475	GLN	ARG	ENGINEERED	UNP P05091
D	475	GLN	ARG	ENGINEERED	UNP P05091
E	475	GLN	ARG	ENGINEERED	UNP P05091
F	475	GLN	ARG	ENGINEERED	UNP P05091
G	475	GLN	ARG	ENGINEERED	UNP P05091
H	475	GLN	ARG	ENGINEERED	UNP P05091


- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0
2	E	1	Total Mg 1 1	0	0
2	H	1	Total Mg 1 1	0	0
2	B	1	Total Mg 1 1	0	0
2	C	1	Total Mg 1 1	0	0
2	A	1	Total Mg 1 1	0	0
2	F	1	Total Mg 1 1	0	0

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	G	1	Total Na 1 1	0	0
3	D	1	Total Na 1 1	0	0
3	E	1	Total Na 1 1	0	0
3	H	1	Total Na 1 1	0	0
3	B	1	Total Na 1 1	0	0
3	C	1	Total Na 1 1	0	0
3	A	1	Total Na 1 1	0	0
3	F	1	Total Na 1 1	0	0

- Molecule 4 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
4	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
4	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
4	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
4	E	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
4	F	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
4	G	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
4	H	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total 4	C 2	O 2	0	0
5	C	1	Total 4	C 2	O 2	0	0
5	D	1	Total 4	C 2	O 2	0	0
5	D	1	Total 4	C 2	O 2	0	0
5	D	1	Total 4	C 2	O 2	0	0
5	E	1	Total 4	C 2	O 2	0	0
5	E	1	Total 4	C 2	O 2	0	0
5	E	1	Total 4	C 2	O 2	0	0
5	E	1	Total 4	C 2	O 2	0	0
5	E	1	Total 4	C 2	O 2	0	0
5	E	1	Total 4	C 2	O 2	0	0
5	F	1	Total 4	C 2	O 2	0	0
5	F	1	Total 4	C 2	O 2	0	0
5	F	1	Total 4	C 2	O 2	0	0
5	F	1	Total 4	C 2	O 2	0	0
5	F	1	Total 4	C 2	O 2	0	0
5	F	1	Total 4	C 2	O 2	0	0
5	G	1	Total 4	C 2	O 2	0	0
5	G	1	Total 4	C 2	O 2	0	0
5	G	1	Total 4	C 2	O 2	0	0
5	G	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	H	1	Total	C	O	0	0
			4	2	2		
5	H	1	Total	C	O	0	0
			4	2	2		
5	H	1	Total	C	O	0	0
			4	2	2		
5	H	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is GUANIDINE (three-letter code: GAI) (formula: CH_5N_3).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	N	0	0
			4	1	3		
6	A	1	Total	C	N	0	0
			4	1	3		
6	A	1	Total	C	N	0	0
			4	1	3		
6	A	1	Total	C	N	0	0
			4	1	3		
6	B	1	Total	C	N	0	0
			4	1	3		
6	B	1	Total	C	N	0	0
			4	1	3		
6	B	1	Total	C	N	0	0
			4	1	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	C	1	Total 4	C 1	N 3	0	0
6	C	1	Total 4	C 1	N 3	0	0
6	C	1	Total 4	C 1	N 3	0	0
6	C	1	Total 4	C 1	N 3	0	0
6	D	1	Total 4	C 1	N 3	0	0
6	D	1	Total 4	C 1	N 3	0	0
6	D	1	Total 4	C 1	N 3	0	0
6	D	1	Total 4	C 1	N 3	0	0
6	E	1	Total 4	C 1	N 3	0	0
6	E	1	Total 4	C 1	N 3	0	0
6	E	1	Total 4	C 1	N 3	0	0
6	E	1	Total 4	C 1	N 3	0	0
6	F	1	Total 4	C 1	N 3	0	0
6	F	1	Total 4	C 1	N 3	0	0
6	F	1	Total 4	C 1	N 3	0	0
6	G	1	Total 4	C 1	N 3	0	0
6	G	1	Total 4	C 1	N 3	0	0
6	G	1	Total 4	C 1	N 3	0	0
6	H	1	Total 4	C 1	N 3	0	0
6	H	1	Total 4	C 1	N 3	0	0
6	H	1	Total 4	C 1	N 3	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	292	Total 292	O 292	0	0
7	B	317	Total 317	O 317	0	0
7	C	398	Total 398	O 398	0	0
7	D	333	Total 333	O 333	0	0
7	E	338	Total 338	O 338	0	0
7	F	410	Total 410	O 410	0	0
7	G	292	Total 292	O 292	0	0
7	H	267	Total 267	O 267	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Aldehyde dehydrogenase




• Molecule 1: Aldehyde dehydrogenase




• Molecule 1: Aldehyde dehydrogenase




• Molecule 1: Aldehyde dehydrogenase




- Molecule 1: Aldehyde dehydrogenase




- Molecule 1: Aldehyde dehydrogenase




- Molecule 1: Aldehyde dehydrogenase



- Molecule 1: Aldehyde dehydrogenase





4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	142.85Å 150.84Å 177.48Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.97 – 2.00 29.97 – 2.00	Depositor EDS
% Data completeness (in resolution range)	97.5 (29.97-2.00) 97.5 (29.97-2.00)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	0.26	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.14 (at 2.00Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.204 , 0.240 0.204 , 0.239	Depositor DCC
R_{free} test set	12682 reflections (5.05%)	DCC
Wilson B-factor (Å ²)	25.6	Xtriage
Anisotropy	0.774	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 43.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	33651	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 67.51 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 5.0895e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, MG, EDO, NAD, GAI

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	1/3880 (0.0%)	0.64	0/5265
1	B	0.50	0/3880	0.66	1/5265 (0.0%)
1	C	0.51	0/3880	0.67	1/5265 (0.0%)
1	D	0.48	0/3880	0.64	0/5265
1	E	0.47	0/3880	0.63	0/5265
1	F	0.48	0/3880	0.67	2/5265 (0.0%)
1	G	0.44	0/3880	0.63	0/5265
1	H	0.44	0/3880	0.62	0/5265
All	All	0.48	1/31040 (0.0%)	0.64	4/42120 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	487	GLU	CB-CG	-6.58	1.39	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	122	LEU	CA-CB-CG	-7.52	98.01	115.30
1	F	122	LEU	CA-CB-CG	-6.67	99.95	115.30
1	F	294	LEU	CA-CB-CG	-5.57	102.49	115.30
1	C	294	LEU	CA-CB-CG	-5.28	103.16	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3796	0	3740	43	0
1	B	3796	0	3740	42	0
1	C	3796	0	3740	33	0
1	D	3796	0	3740	45	0
1	E	3796	0	3740	44	0
1	F	3796	0	3740	26	0
1	G	3796	0	3740	40	0
1	H	3796	0	3740	44	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
4	A	44	0	26	0	0
4	B	44	0	26	0	0
4	C	44	0	26	0	0
4	D	44	0	26	0	0
4	E	44	0	26	0	0
4	F	44	0	26	0	0
4	G	44	0	26	0	0
4	H	44	0	26	0	0
5	A	20	0	30	5	0
5	B	20	0	30	4	0
5	C	24	0	36	2	0
5	D	12	0	18	1	0
5	E	24	0	36	13	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	F	24	0	36	1	0
5	G	16	0	24	3	0
5	H	16	0	24	2	0
6	A	16	0	19	0	0
6	B	12	0	15	0	0
6	C	16	0	19	1	0
6	D	16	0	20	0	0
6	E	16	0	18	1	0
6	F	12	0	15	0	0
6	G	12	0	14	0	0
6	H	12	0	14	0	0
7	A	292	0	0	2	0
7	B	317	0	0	3	0
7	C	398	0	0	3	0
7	D	333	0	0	3	0
7	E	338	0	0	4	0
7	F	410	0	0	1	0
7	G	292	0	0	2	0
7	H	267	0	0	4	0
All	All	33651	0	30496	292	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (292) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:196:GLN:HE21	1:H:196:GLN:H	1.02	0.98
1:D:475:GLN:NE2	1:D:480:TYR:HB3	1.84	0.93
1:G:196:GLN:H	1:G:196:GLN:HE21	1.16	0.92
1:D:475:GLN:HE21	1:D:480:TYR:HB3	1.34	0.92
1:F:196:GLN:H	1:F:196:GLN:HE21	1.24	0.84
1:G:294:LEU:HD22	1:G:405:MET:HB2	1.59	0.82
1:C:196:GLN:H	1:C:196:GLN:HE21	1.28	0.81
1:H:311:GLN:HG3	7:H:2748:HOH:O	1.82	0.78
1:D:300:GLN:HE22	1:D:345:VAL:H	1.33	0.76
1:G:347:GLU:HG2	1:G:351:LYS:HE2	1.67	0.76
1:G:300:GLN:HE22	1:G:345:VAL:H	1.34	0.76
1:H:445:ALA:HB2	5:H:6948:EDO:H11	1.68	0.76
1:B:196:GLN:H	1:B:196:GLN:HE21	1.33	0.74
1:C:475:GLN:HE21	1:C:480:TYR:HB3	1.50	0.74

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:196:GLN:H	1:H:196:GLN:NE2	1.83	0.73
1:E:347:GLU:HG2	1:E:351:LYS:HE2	1.69	0.73
1:H:294:LEU:HD22	1:H:405:MET:HB2	1.70	0.73
1:H:300:GLN:HE22	1:H:345:VAL:H	1.35	0.72
1:E:300:GLN:HE22	1:E:345:VAL:H	1.37	0.71
1:A:300:GLN:HE22	1:A:345:VAL:H	1.39	0.70
1:C:300:GLN:HE22	1:C:345:VAL:H	1.38	0.70
1:F:300:GLN:HE22	1:F:345:VAL:H	1.40	0.68
1:G:445:ALA:HB2	5:G:6947:EDO:H11	1.75	0.68
1:H:41:ASN:HD22	1:H:43:SER:H	1.40	0.67
1:B:300:GLN:HE22	1:B:345:VAL:H	1.42	0.67
1:D:196:GLN:H	1:D:196:GLN:HE21	1.43	0.67
1:A:475:GLN:HG3	1:A:480:TYR:HB3	1.76	0.66
1:H:196:GLN:HE21	1:H:196:GLN:N	1.84	0.65
1:F:294:LEU:HD22	1:F:405:MET:HB2	1.77	0.65
1:C:294:LEU:HD22	1:C:405:MET:HB2	1.79	0.63
1:D:294:LEU:HD22	1:D:405:MET:HB2	1.80	0.63
1:G:196:GLN:H	1:G:196:GLN:NE2	1.94	0.63
1:H:358:ASN:O	1:H:362:GLN:HG2	1.99	0.62
1:H:41:ASN:ND2	1:H:43:SER:H	1.96	0.62
1:E:441:TYR:CE1	5:E:6945:EDO:H22	2.35	0.62
1:B:445:ALA:HB2	5:B:6942:EDO:H11	1.83	0.61
1:D:41:ASN:HD22	1:D:41:ASN:C	2.03	0.61
1:E:196:GLN:H	1:E:196:GLN:HE21	1.47	0.61
1:A:196:GLN:HE21	1:A:196:GLN:H	1.48	0.61
1:E:487:GLU:HG3	1:F:468:TYR:CE1	2.36	0.61
1:A:41:ASN:HD22	1:A:41:ASN:C	2.03	0.61
1:H:124:MET:HE3	1:H:173:LEU:HD22	1.83	0.60
1:G:251:ARG:NH2	1:H:260:SER:O	2.34	0.60
1:F:41:ASN:C	1:F:41:ASN:HD22	2.04	0.60
1:G:172:LEU:HD21	1:G:200:THR:HB	1.82	0.60
1:B:172:LEU:HD21	1:B:200:THR:HB	1.83	0.59
1:F:289:GLN:NE2	7:F:3289:HOH:O	2.33	0.59
1:F:475:GLN:OE1	1:F:480:TYR:HB3	2.03	0.59
1:G:41:ASN:C	1:G:41:ASN:HD22	2.04	0.59
1:B:196:GLN:H	1:B:196:GLN:NE2	1.98	0.59
1:A:260:SER:O	1:B:251:ARG:NH2	2.34	0.59
1:B:294:LEU:HD22	1:B:405:MET:HB2	1.84	0.59
1:B:347:GLU:HG3	5:B:6962:EDO:H12	1.84	0.59
1:B:41:ASN:HD22	1:B:41:ASN:C	2.06	0.59
1:C:445:ALA:HB2	5:C:6943:EDO:H11	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:424:THR:CG2	1:C:470:MET:SD	2.92	0.58
1:E:155:ARG:HD2	5:E:6905:EDO:H22	1.85	0.58
1:F:41:ASN:ND2	1:F:43:SER:H	2.01	0.58
1:D:41:ASN:ND2	1:D:43:SER:H	2.02	0.57
1:D:475:GLN:HE21	1:D:480:TYR:CB	2.14	0.57
1:E:74:SER:HA	5:E:6955:EDO:H22	1.85	0.57
1:E:264:ARG:HD2	6:E:6835:GAI:N1	2.20	0.57
1:B:41:ASN:HD22	1:B:43:SER:H	1.53	0.57
1:B:347:GLU:HG2	1:B:351:LYS:HE2	1.87	0.56
1:H:41:ASN:C	1:H:41:ASN:HD22	2.08	0.56
1:A:41:ASN:ND2	1:A:43:SER:H	2.03	0.56
1:C:41:ASN:HD22	1:C:41:ASN:C	2.08	0.56
1:C:487:GLU:HG3	1:D:468:TYR:CE1	2.41	0.56
1:E:41:ASN:HB2	5:E:6915:EDO:H11	1.87	0.56
1:E:72:LEU:HD21	5:F:6946:EDO:H11	1.86	0.56
1:E:347:GLU:O	1:E:351:LYS:HG2	2.05	0.56
1:C:475:GLN:NE2	1:C:480:TYR:HB3	2.18	0.55
1:A:445:ALA:HB2	5:A:6941:EDO:H11	1.88	0.55
1:A:196:GLN:NE2	1:A:196:GLN:H	2.04	0.55
1:G:196:GLN:N	1:G:196:GLN:HE21	1.97	0.55
1:A:475:GLN:HG3	1:A:480:TYR:CB	2.36	0.55
1:C:260:SER:O	1:D:251:ARG:NH2	2.40	0.55
1:E:468:TYR:CE1	1:F:487:GLU:HG3	2.42	0.55
1:E:424:THR:CG2	1:E:470:MET:SD	2.95	0.55
1:G:101:TYR:CG	5:G:6927:EDO:H11	2.42	0.55
1:E:46:GLU:HB2	5:E:6915:EDO:H21	1.88	0.54
1:F:196:GLN:H	1:F:196:GLN:NE2	1.99	0.54
1:B:41:ASN:ND2	1:B:43:SER:H	2.05	0.54
1:E:289:GLN:NE2	7:E:3288:HOH:O	2.39	0.54
1:D:172:LEU:HD21	1:D:200:THR:HB	1.89	0.54
1:D:294:LEU:HD12	1:D:306:SER:HA	1.90	0.54
1:G:468:TYR:CE1	1:H:487:GLU:HG3	2.43	0.53
1:A:205:ALA:HB2	1:A:220:ILE:HD12	1.90	0.53
1:A:11:PRO:HB3	1:A:114:TYR:CZ	2.43	0.53
1:A:498:LYS:HG2	1:A:499:ASN:N	2.24	0.53
1:A:251:ARG:NH2	1:B:260:SER:O	2.41	0.53
1:F:424:THR:CG2	1:F:470:MET:SD	2.96	0.53
1:G:475:GLN:HE21	1:H:488:VAL:HG21	1.74	0.53
1:B:11:PRO:HB3	1:B:114:TYR:CZ	2.45	0.52
1:A:302:CYS:SG	7:A:3143:HOH:O	2.58	0.52
1:G:23:PHE:CZ	1:G:26:ASN:HA	2.44	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23:PHE:CZ	1:A:26:ASN:HA	2.43	0.52
1:B:289:GLN:NE2	7:B:3301:HOH:O	2.29	0.52
1:G:349:GLN:HG3	7:G:3432:HOH:O	2.09	0.52
1:B:205:ALA:HB2	1:B:220:ILE:HD12	1.92	0.52
1:G:487:GLU:HG3	1:H:468:TYR:CE1	2.45	0.52
1:A:247:THR:O	1:A:251:ARG:HG3	2.09	0.52
1:H:172:LEU:HD21	1:H:200:THR:HB	1.92	0.52
1:D:347:GLU:O	1:D:351:LYS:HG2	2.10	0.52
1:H:205:ALA:HB2	1:H:220:ILE:HD12	1.92	0.52
1:C:468:TYR:CE1	1:D:487:GLU:HG3	2.45	0.51
1:A:441:TYR:CD1	5:A:6941:EDO:H12	2.45	0.51
1:C:41:ASN:ND2	1:C:43:SER:H	2.09	0.51
1:E:41:ASN:ND2	1:E:43:SER:H	2.08	0.51
1:G:289:GLN:NE2	7:G:3261:HOH:O	2.34	0.51
1:H:449:GLY:HA3	1:H:466:GLY:O	2.10	0.51
1:E:41:ASN:CB	5:E:6915:EDO:H11	2.41	0.51
1:G:260:SER:O	1:H:251:ARG:NH2	2.43	0.51
1:G:41:ASN:ND2	1:G:43:SER:H	2.08	0.51
1:D:205:ALA:HB2	1:D:220:ILE:HD12	1.92	0.50
1:G:294:LEU:HD22	1:G:405:MET:CB	2.38	0.50
1:D:196:GLN:H	1:D:196:GLN:NE2	2.08	0.50
1:A:41:ASN:HD22	1:A:43:SER:H	1.60	0.50
1:G:424:THR:CG2	1:G:470:MET:SD	3.00	0.50
1:E:294:LEU:HD22	1:E:405:MET:HB2	1.94	0.49
1:C:23:PHE:CZ	1:C:26:ASN:HA	2.48	0.49
1:F:124:MET:HE3	1:F:173:LEU:HD22	1.93	0.49
1:F:41:ASN:HD22	1:F:43:SER:H	1.60	0.49
1:B:33:SER:O	1:B:34:ARG:HB2	2.11	0.49
5:E:6945:EDO:H11	1:F:72:LEU:HD21	1.95	0.49
1:D:167:PRO:HD3	1:D:244:THR:HB	1.95	0.49
1:F:15:PRO:HD2	1:F:108:LEU:HD22	1.93	0.49
1:E:350:PHE:CE2	5:E:6965:EDO:H12	2.46	0.49
1:D:41:ASN:HD22	1:D:43:SER:H	1.61	0.48
1:F:23:PHE:CZ	1:F:26:ASN:HA	2.48	0.48
1:B:23:PHE:CZ	1:B:26:ASN:HA	2.48	0.48
5:C:6943:EDO:H11	1:D:72:LEU:HD21	1.94	0.48
1:G:205:ALA:HB2	1:G:220:ILE:HD12	1.96	0.48
1:H:23:PHE:CZ	1:H:26:ASN:HA	2.48	0.48
1:H:271:GLY:HA2	1:H:425:TYR:CG	2.48	0.48
1:A:172:LEU:HD21	1:A:200:THR:HB	1.96	0.48
1:G:449:GLY:HA3	1:G:466:GLY:O	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:41:ASN:C	1:E:41:ASN:HD22	2.17	0.48
1:B:449:GLY:HA3	1:B:466:GLY:O	2.13	0.48
1:E:115:VAL:HG23	7:E:1458:HOH:O	2.13	0.48
1:E:167:PRO:HD3	1:E:244:THR:HB	1.96	0.48
1:B:475:GLN:OE1	1:B:480:TYR:HB3	2.14	0.48
1:G:161:VAL:HA	1:G:188:VAL:HG23	1.96	0.47
1:C:196:GLN:H	1:C:196:GLN:NE2	2.04	0.47
1:D:294:LEU:HD13	7:D:1077:HOH:O	2.14	0.47
1:E:135:TRP:CE2	1:G:138:LYS:HD3	2.49	0.47
1:A:289:GLN:NE2	7:A:3151:HOH:O	2.37	0.47
1:A:490:THR:OG1	1:B:464:PRO:HG2	2.15	0.47
1:B:441:TYR:CD1	5:B:6942:EDO:H12	2.50	0.47
1:H:167:PRO:HD3	1:H:244:THR:HB	1.96	0.47
1:E:490:THR:OG1	1:F:464:PRO:HG2	2.15	0.47
1:G:11:PRO:HB3	1:G:114:TYR:CZ	2.50	0.47
1:A:449:GLY:HA3	1:A:466:GLY:O	2.14	0.47
1:B:27:GLU:HB2	1:B:29:HIS:CE1	2.49	0.47
1:H:389:VAL:HB	1:H:408:LEU:HG	1.97	0.47
1:E:21:GLN:HB3	1:E:29:HIS:O	2.14	0.47
1:C:174:MET:HE3	1:C:174:MET:HA	1.97	0.47
1:C:490:THR:OG1	1:D:464:PRO:HG2	2.15	0.46
1:E:23:PHE:CZ	1:E:26:ASN:HA	2.50	0.46
1:C:349:GLN:HB3	7:C:2406:HOH:O	2.14	0.46
1:D:268:GLU:HB3	7:D:1339:HOH:O	2.15	0.46
1:H:294:LEU:HD13	7:H:1076:HOH:O	2.15	0.46
1:E:146:ILE:HG13	1:F:460:GLY:HA3	1.97	0.46
1:G:350:PHE:HZ	1:G:373:ILE:CG2	2.28	0.46
1:D:352:LYS:HD3	7:D:1766:HOH:O	2.14	0.46
1:H:112:LYS:HB2	7:H:1922:HOH:O	2.16	0.46
1:D:247:THR:HA	1:D:269:LEU:HD13	1.97	0.46
1:A:46:GLU:HB2	5:A:6911:EDO:H21	1.97	0.46
1:B:59:VAL:O	1:B:63:VAL:HG23	2.15	0.46
1:D:361:LYS:HD3	1:D:367:LEU:HD22	1.98	0.46
1:A:464:PRO:HG2	1:B:490:THR:OG1	2.17	0.45
1:C:464:PRO:HG2	1:D:490:THR:OG1	2.16	0.45
1:C:124:MET:HE3	1:C:173:LEU:CD2	2.46	0.45
1:B:161:VAL:HA	1:B:188:VAL:HG23	1.99	0.45
1:E:441:TYR:CD1	5:E:6945:EDO:H12	2.52	0.45
1:C:24:ILE:O	1:C:27:GLU:HG2	2.17	0.45
1:D:294:LEU:HD13	1:D:405:MET:HA	1.99	0.45
1:H:445:ALA:HB2	5:H:6948:EDO:C1	2.43	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:289:GLN:NE2	7:H:3279:HOH:O	2.48	0.45
1:C:268:GLU:HB3	7:C:1687:HOH:O	2.17	0.44
1:B:167:PRO:HD3	1:B:244:THR:HB	1.99	0.44
1:E:445:ALA:HB2	5:E:6945:EDO:H11	2.00	0.44
1:G:303:CYS:SG	1:G:459:PHE:HZ	2.41	0.44
1:A:159:VAL:HG12	1:A:187:ASN:OD1	2.17	0.44
1:B:193:VAL:HG11	1:B:201:ALA:CB	2.47	0.44
1:B:347:GLU:HG3	5:B:6962:EDO:C1	2.47	0.44
1:C:424:THR:HG22	1:C:470:MET:HB2	1.99	0.44
1:E:389:VAL:HB	1:E:408:LEU:HG	2.00	0.44
1:H:11:PRO:HB3	1:H:114:TYR:CZ	2.52	0.44
1:C:120:VAL:O	1:C:124:MET:HG3	2.18	0.44
1:D:461:ALA:HA	1:D:477:LEU:HD22	2.00	0.44
1:C:124:MET:HE3	1:C:173:LEU:HD22	1.98	0.44
1:D:498:LYS:HG2	1:D:499:ASN:N	2.33	0.44
1:F:196:GLN:N	1:F:196:GLN:HE21	2.04	0.44
1:E:13:GLN:NE2	7:E:3330:HOH:O	2.50	0.44
1:E:254:GLN:NE2	1:E:265:VAL:HG11	2.32	0.44
1:H:294:LEU:HD12	1:H:306:SER:HA	1.99	0.43
1:G:490:THR:OG1	1:H:464:PRO:HG2	2.19	0.43
1:A:101:TYR:CD2	5:A:6921:EDO:H11	2.52	0.43
1:C:460:GLY:HA3	1:D:146:ILE:HG13	2.00	0.43
6:C:6834:GAI:N1	1:D:264:ARG:HD2	2.33	0.43
1:E:350:PHE:HE2	5:E:6965:EDO:H12	1.83	0.43
1:G:41:ASN:HD22	1:G:43:SER:H	1.65	0.43
1:A:21:GLN:HB3	1:A:29:HIS:O	2.18	0.43
1:B:461:ALA:HA	1:B:477:LEU:HD22	2.00	0.43
1:E:196:GLN:H	1:E:196:GLN:NE2	2.15	0.43
1:F:410:PHE:CD1	1:F:416:VAL:HB	2.52	0.43
1:A:120:VAL:O	1:A:124:MET:HG3	2.18	0.43
1:D:33:SER:O	1:D:34:ARG:HB2	2.19	0.43
1:F:154:THR:HA	1:F:489:LYS:O	2.19	0.43
1:A:146:ILE:HG13	1:B:460:GLY:HA3	2.00	0.43
1:H:41:ASN:HD21	1:H:43:SER:HB2	1.84	0.43
1:D:449:GLY:HA3	1:D:466:GLY:O	2.18	0.43
1:C:289:GLN:NE2	7:C:3194:HOH:O	2.40	0.43
1:D:11:PRO:HB3	1:D:114:TYR:CZ	2.53	0.43
1:F:27:GLU:HB2	1:F:29:HIS:CE1	2.54	0.43
1:D:23:PHE:CZ	1:D:26:ASN:HA	2.53	0.42
1:E:498:LYS:HE2	1:E:498:LYS:HB3	1.91	0.42
1:E:74:SER:N	5:E:6955:EDO:H12	2.33	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:120:VAL:HG12	1:F:124:MET:HE1	2.00	0.42
1:H:498:LYS:HG2	1:H:499:ASN:N	2.34	0.42
1:C:11:PRO:HB3	1:C:114:TYR:CZ	2.54	0.42
1:H:347:GLU:HG2	1:H:351:LYS:HE3	2.01	0.42
1:B:249:ILE:O	1:B:253:ILE:HG12	2.19	0.42
1:B:27:GLU:HG3	7:B:1707:HOH:O	2.19	0.42
1:C:106:GLU:OE2	1:C:171:PRO:HB2	2.19	0.42
1:G:350:PHE:CZ	1:G:373:ILE:CG2	3.02	0.42
1:A:443:SER:HA	1:A:451:VAL:HG11	2.01	0.42
1:B:63:VAL:HG11	1:B:235:HIS:CE1	2.54	0.42
1:G:12:ASN:O	1:G:15:PRO:HD3	2.18	0.42
1:E:214:PRO:HA	1:E:215:PRO:HD3	1.94	0.42
1:E:294:LEU:HD12	1:E:306:SER:HA	2.02	0.42
1:H:124:MET:HE3	1:H:173:LEU:CD2	2.50	0.42
1:D:166:ILE:HB	1:D:167:PRO:HD2	2.01	0.42
1:H:303:CYS:SG	1:H:459:PHE:HZ	2.43	0.42
1:A:271:GLY:HA2	1:A:425:TYR:CG	2.55	0.41
1:B:172:LEU:CD2	1:B:200:THR:HB	2.50	0.41
1:B:303:CYS:SG	1:B:459:PHE:HZ	2.43	0.41
1:C:154:THR:HA	1:C:489:LYS:O	2.20	0.41
1:D:12:ASN:O	1:D:15:PRO:HD3	2.20	0.41
1:E:166:ILE:HB	1:E:167:PRO:HD2	2.02	0.41
1:H:22:ILE:HG12	1:H:222:PRO:HD2	2.02	0.41
1:C:167:PRO:HD3	1:C:244:THR:HB	2.01	0.41
1:E:205:ALA:HB2	1:E:220:ILE:HD12	2.02	0.41
1:H:161:VAL:HA	1:H:188:VAL:HG23	2.03	0.41
1:A:11:PRO:HB3	1:A:114:TYR:CE1	2.56	0.41
1:A:475:GLN:CG	1:A:480:TYR:HB3	2.48	0.41
1:C:303:CYS:SG	1:C:459:PHE:HZ	2.43	0.41
1:D:498:LYS:HB3	1:D:498:LYS:HE2	1.91	0.41
1:D:32:VAL:HG11	1:D:57:GLU:OE2	2.20	0.41
1:D:106:GLU:O	1:D:110:ASN:HB3	2.21	0.41
1:A:244:THR:HG23	1:A:268:GLU:HG3	2.03	0.41
1:A:319:VAL:O	1:A:323:VAL:HG23	2.20	0.41
1:A:498:LYS:HB3	1:A:498:LYS:HE2	1.86	0.41
1:D:11:PRO:HB3	1:D:114:TYR:CE2	2.55	0.41
1:F:449:GLY:HA3	1:F:466:GLY:O	2.20	0.41
1:A:292:PHE:HE1	1:A:457:ASP:HB2	1.85	0.41
1:C:410:PHE:CD1	1:C:416:VAL:HB	2.55	0.41
1:A:294:LEU:HD23	1:A:306:SER:HA	2.02	0.41
1:D:101:TYR:CB	5:D:6924:EDO:H11	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:319:VAL:O	1:E:323:VAL:HG23	2.21	0.41
1:F:443:SER:HA	1:F:451:VAL:HG11	2.03	0.41
1:H:247:THR:O	1:H:251:ARG:HG3	2.21	0.41
1:A:107:THR:HG23	1:A:112:LYS:O	2.20	0.41
1:B:389:VAL:HB	1:B:408:LEU:HG	2.01	0.41
1:G:159:VAL:HG12	1:G:187:ASN:OD1	2.21	0.41
1:A:254:GLN:HE21	1:A:254:GLN:HB2	1.64	0.41
1:B:294:LEU:HD12	1:B:306:SER:HA	2.02	0.41
1:C:196:GLN:HE21	1:C:196:GLN:N	2.06	0.41
1:D:213:PHE:HA	1:D:214:PRO:HD3	1.95	0.41
1:D:476:GLU:O	1:D:477:LEU:HB2	2.21	0.41
1:E:347:GLU:CG	1:E:351:LYS:HE2	2.46	0.41
1:E:7:ALA:HA	7:E:2509:HOH:O	2.21	0.41
1:G:475:GLN:NE2	1:H:488:VAL:CG2	2.84	0.41
1:A:167:PRO:HD3	1:A:244:THR:HB	2.02	0.40
5:G:6947:EDO:H11	1:H:72:LEU:HD21	2.03	0.40
1:A:12:ASN:O	1:A:15:PRO:HD3	2.21	0.40
1:A:68:ALA:HB1	5:A:6951:EDO:H21	2.03	0.40
1:D:443:SER:HA	1:D:451:VAL:HG11	2.04	0.40
1:F:359:THR:O	1:F:363:GLU:HG2	2.22	0.40
1:G:247:THR:O	1:G:251:ARG:HG3	2.20	0.40
1:G:350:PHE:HZ	1:G:373:ILE:HG21	1.87	0.40
1:G:475:GLN:HE21	1:H:488:VAL:CG2	2.34	0.40
1:E:155:ARG:HH11	5:E:6905:EDO:H22	1.86	0.40
1:G:41:ASN:ND2	1:G:41:ASN:C	2.74	0.40
1:B:107:THR:HG23	1:B:112:LYS:O	2.21	0.40
1:B:159:VAL:HG13	1:B:162:CYS:SG	2.62	0.40
1:B:25:ASN:O	1:B:27:GLU:HG2	2.21	0.40
1:B:294:LEU:HD13	7:B:1013:HOH:O	2.21	0.40
1:G:476:GLU:O	1:G:477:LEU:HB2	2.21	0.40
1:H:34:ARG:HD3	1:H:34:ARG:HA	1.89	0.40
1:G:475:GLN:NE2	1:H:488:VAL:HG21	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	492/500 (98%)	478 (97%)	14 (3%)	0	100	100
1	B	492/500 (98%)	477 (97%)	15 (3%)	0	100	100
1	C	492/500 (98%)	478 (97%)	14 (3%)	0	100	100
1	D	492/500 (98%)	473 (96%)	19 (4%)	0	100	100
1	E	492/500 (98%)	478 (97%)	14 (3%)	0	100	100
1	F	492/500 (98%)	478 (97%)	14 (3%)	0	100	100
1	G	492/500 (98%)	473 (96%)	19 (4%)	0	100	100
1	H	492/500 (98%)	477 (97%)	15 (3%)	0	100	100
All	All	3936/4000 (98%)	3812 (97%)	124 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	399/402 (99%)	389 (98%)	10 (2%)	53	54
1	B	399/402 (99%)	392 (98%)	7 (2%)	64	68
1	C	399/402 (99%)	390 (98%)	9 (2%)	56	58
1	D	399/402 (99%)	387 (97%)	12 (3%)	46	46
1	E	399/402 (99%)	391 (98%)	8 (2%)	60	64
1	F	399/402 (99%)	392 (98%)	7 (2%)	64	68
1	G	399/402 (99%)	392 (98%)	7 (2%)	64	68
1	H	399/402 (99%)	390 (98%)	9 (2%)	56	58
All	All	3192/3216 (99%)	3123 (98%)	69 (2%)	57	60

All (69) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	41	ASN
1	A	192	LYS
1	A	196	GLN
1	A	206	ASN
1	A	254	GLN
1	A	264	ARG
1	A	275	ASN
1	A	377	ARG
1	A	401	PHE
1	A	475	GLN
1	B	41	ASN
1	B	122	LEU
1	B	192	LYS
1	B	196	GLN
1	B	294	LEU
1	B	401	PHE
1	B	498	LYS
1	C	41	ASN
1	C	50	GLN
1	C	174	MET
1	C	192	LYS
1	C	196	GLN
1	C	206	ASN
1	C	294	LEU
1	C	401	PHE
1	C	475	GLN
1	D	41	ASN
1	D	159	VAL
1	D	192	LYS
1	D	196	GLN
1	D	206	ASN
1	D	254	GLN
1	D	294	LEU
1	D	362	GLN
1	D	376	ASP
1	D	401	PHE
1	D	417	VAL
1	D	475	GLN
1	E	41	ASN
1	E	192	LYS
1	E	196	GLN
1	E	206	ASN
1	E	275	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	294	LEU
1	E	401	PHE
1	E	475	GLN
1	F	41	ASN
1	F	50	GLN
1	F	122	LEU
1	F	192	LYS
1	F	196	GLN
1	F	294	LEU
1	F	401	PHE
1	G	41	ASN
1	G	192	LYS
1	G	196	GLN
1	G	248	GLU
1	G	294	LEU
1	G	373	ILE
1	G	401	PHE
1	H	41	ASN
1	H	192	LYS
1	H	196	GLN
1	H	254	GLN
1	H	268	GLU
1	H	275	ASN
1	H	294	LEU
1	H	401	PHE
1	H	475	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (69) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	41	ASN
1	A	175	GLN
1	A	196	GLN
1	A	254	GLN
1	A	275	ASN
1	A	300	GLN
1	A	475	GLN
1	B	26	ASN
1	B	29	HIS
1	B	41	ASN
1	B	50	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	175	GLN
1	B	196	GLN
1	B	275	ASN
1	B	300	GLN
1	B	349	GLN
1	C	14	GLN
1	C	26	ASN
1	C	41	ASN
1	C	50	GLN
1	C	175	GLN
1	C	196	GLN
1	C	254	GLN
1	C	300	GLN
1	C	475	GLN
1	D	13	GLN
1	D	26	ASN
1	D	41	ASN
1	D	50	GLN
1	D	175	GLN
1	D	196	GLN
1	D	254	GLN
1	D	289	GLN
1	D	300	GLN
1	D	475	GLN
1	E	13	GLN
1	E	26	ASN
1	E	41	ASN
1	E	175	GLN
1	E	196	GLN
1	E	254	GLN
1	E	275	ASN
1	E	289	GLN
1	E	300	GLN
1	E	475	GLN
1	F	14	GLN
1	F	26	ASN
1	F	29	HIS
1	F	41	ASN
1	F	50	GLN
1	F	175	GLN
1	F	196	GLN
1	F	254	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	275	ASN
1	F	300	GLN
1	G	13	GLN
1	G	26	ASN
1	G	41	ASN
1	G	175	GLN
1	G	196	GLN
1	G	275	ASN
1	G	300	GLN
1	H	26	ASN
1	H	41	ASN
1	H	175	GLN
1	H	196	GLN
1	H	275	ASN
1	H	300	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 91 ligands modelled in this entry, 16 are monoatomic - leaving 75 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAD	A	501	2	41,48,48	2.23	9 (21%)	43,73,73	1.76	7 (16%)
6	GAI	A	6801	-	3,3,3	1.13	0	3,3,3	1.11	0
6	GAI	A	6811	-	3,3,3	1.44	1 (33%)	3,3,3	1.03	0
6	GAI	A	6821	-	3,3,3	1.62	1 (33%)	3,3,3	1.08	0
6	GAI	A	6832	-	3,3,3	1.38	1 (33%)	3,3,3	1.01	0
5	EDO	A	6901	-	3,3,3	0.57	0	2,2,2	0.35	0
5	EDO	A	6911	-	3,3,3	0.62	0	2,2,2	0.26	0
5	EDO	A	6921	-	3,3,3	0.43	0	2,2,2	0.39	0
5	EDO	A	6941	-	3,3,3	0.65	0	2,2,2	0.27	0
5	EDO	A	6951	-	3,3,3	0.58	0	2,2,2	0.30	0
4	NAD	B	502	2	41,48,48	2.07	9 (21%)	43,73,73	1.64	7 (16%)
6	GAI	B	6802	-	3,3,3	1.44	1 (33%)	3,3,3	1.02	0
6	GAI	B	6812	-	3,3,3	1.54	1 (33%)	3,3,3	1.02	0
6	GAI	B	6831	-	3,3,3	1.83	1 (33%)	3,3,3	1.09	0
5	EDO	B	6902	-	3,3,3	0.54	0	2,2,2	0.32	0
5	EDO	B	6912	-	3,3,3	0.56	0	2,2,2	0.32	0
5	EDO	B	6942	-	3,3,3	0.52	0	2,2,2	0.39	0
5	EDO	B	6952	-	3,3,3	0.57	0	2,2,2	0.30	0
5	EDO	B	6962	-	3,3,3	0.56	0	2,2,2	0.25	0
4	NAD	C	503	2	41,48,48	2.03	8 (19%)	43,73,73	1.78	10 (23%)
6	GAI	C	6803	-	3,3,3	1.03	0	3,3,3	1.07	0
6	GAI	C	6813	-	3,3,3	1.47	1 (33%)	3,3,3	1.05	0
6	GAI	C	6823	-	3,3,3	1.46	1 (33%)	3,3,3	0.99	0
6	GAI	C	6834	-	3,3,3	1.83	1 (33%)	3,3,3	1.10	0
5	EDO	C	6903	-	3,3,3	0.47	0	2,2,2	0.28	0
5	EDO	C	6913	-	3,3,3	0.54	0	2,2,2	0.39	0
5	EDO	C	6923	-	3,3,3	0.35	0	2,2,2	0.48	0
5	EDO	C	6943	-	3,3,3	0.58	0	2,2,2	0.33	0
5	EDO	C	6953	-	3,3,3	0.64	0	2,2,2	0.32	0
5	EDO	C	6963	-	3,3,3	0.48	0	2,2,2	0.44	0
4	NAD	D	504	2	41,48,48	2.04	9 (21%)	43,73,73	1.69	10 (23%)
6	GAI	D	6804	-	3,3,3	1.75	1 (33%)	3,3,3	0.98	0
6	GAI	D	6814	-	3,3,3	1.70	1 (33%)	3,3,3	1.08	0
6	GAI	D	6824	-	3,3,3	1.53	1 (33%)	3,3,3	1.07	0
6	GAI	D	6833	-	3,3,3	1.45	1 (33%)	3,3,3	1.06	0
5	EDO	D	6904	-	3,3,3	0.53	0	2,2,2	0.38	0
5	EDO	D	6914	-	3,3,3	0.57	0	2,2,2	0.33	0
5	EDO	D	6924	-	3,3,3	0.44	0	2,2,2	0.39	0
4	NAD	E	505	2	41,48,48	2.08	8 (19%)	43,73,73	1.78	9 (20%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GAI	E	6805	-	3,3,3	1.39	1 (33%)	3,3,3	1.24	0
6	GAI	E	6815	-	3,3,3	1.59	1 (33%)	3,3,3	1.06	0
6	GAI	E	6835	-	3,3,3	1.31	0	3,3,3	1.21	0
6	GAI	E	6836	-	3,3,3	1.24	1 (33%)	3,3,3	1.17	0
5	EDO	E	6905	-	3,3,3	0.45	0	2,2,2	0.46	0
5	EDO	E	6915	-	3,3,3	0.45	0	2,2,2	0.29	0
5	EDO	E	6925	-	3,3,3	0.39	0	2,2,2	0.44	0
5	EDO	E	6945	-	3,3,3	0.83	0	2,2,2	0.08	0
5	EDO	E	6955	-	3,3,3	0.53	0	2,2,2	0.31	0
5	EDO	E	6965	-	3,3,3	0.51	0	2,2,2	0.37	0
4	NAD	F	506	2	41,48,48	2.00	8 (19%)	43,73,73	1.84	8 (18%)
6	GAI	F	6806	-	3,3,3	1.38	1 (33%)	3,3,3	1.08	0
6	GAI	F	6816	-	3,3,3	1.35	1 (33%)	3,3,3	1.00	0
6	GAI	F	6826	-	3,3,3	1.44	1 (33%)	3,3,3	1.07	0
5	EDO	F	6906	-	3,3,3	0.60	0	2,2,2	0.27	0
5	EDO	F	6916	-	3,3,3	0.45	0	2,2,2	0.41	0
5	EDO	F	6926	-	3,3,3	0.54	0	2,2,2	0.34	0
5	EDO	F	6946	-	3,3,3	0.63	0	2,2,2	0.34	0
5	EDO	F	6956	-	3,3,3	0.52	0	2,2,2	0.35	0
5	EDO	F	6966	-	3,3,3	0.67	0	2,2,2	0.35	0
4	NAD	G	507	2	41,48,48	1.80	7 (17%)	43,73,73	1.60	6 (13%)
6	GAI	G	6807	-	3,3,3	1.39	1 (33%)	3,3,3	1.20	0
6	GAI	G	6817	-	3,3,3	1.29	1 (33%)	3,3,3	1.00	0
6	GAI	G	6838	-	3,3,3	1.47	1 (33%)	3,3,3	0.93	0
5	EDO	G	6907	-	3,3,3	0.45	0	2,2,2	0.38	0
5	EDO	G	6917	-	3,3,3	0.51	0	2,2,2	0.35	0
5	EDO	G	6927	-	3,3,3	0.40	0	2,2,2	0.41	0
5	EDO	G	6947	-	3,3,3	0.64	0	2,2,2	0.28	0
4	NAD	H	508	2	41,48,48	2.00	8 (19%)	43,73,73	2.07	11 (25%)
6	GAI	H	6808	-	3,3,3	1.48	1 (33%)	3,3,3	1.16	0
6	GAI	H	6818	-	3,3,3	1.45	1 (33%)	3,3,3	0.99	0
6	GAI	H	6837	-	3,3,3	1.24	1 (33%)	3,3,3	1.03	0
5	EDO	H	6908	-	3,3,3	0.56	0	2,2,2	0.43	0
5	EDO	H	6918	-	3,3,3	0.57	0	2,2,2	0.29	0
5	EDO	H	6928	-	3,3,3	0.36	0	2,2,2	0.48	0
5	EDO	H	6948	-	3,3,3	0.48	0	2,2,2	0.33	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAD	A	501	2	-	0/22/62/62	0/5/5/5
6	GAI	A	6801	-	-	0/0/0/0	0/0/0/0
6	GAI	A	6811	-	-	0/0/0/0	0/0/0/0
6	GAI	A	6821	-	-	0/0/0/0	0/0/0/0
6	GAI	A	6832	-	-	0/0/0/0	0/0/0/0
5	EDO	A	6901	-	-	0/1/1/1	0/0/0/0
5	EDO	A	6911	-	-	0/1/1/1	0/0/0/0
5	EDO	A	6921	-	-	0/1/1/1	0/0/0/0
5	EDO	A	6941	-	-	0/1/1/1	0/0/0/0
5	EDO	A	6951	-	-	0/1/1/1	0/0/0/0
4	NAD	B	502	2	-	0/22/62/62	0/5/5/5
6	GAI	B	6802	-	-	0/0/0/0	0/0/0/0
6	GAI	B	6812	-	-	0/0/0/0	0/0/0/0
6	GAI	B	6831	-	-	0/0/0/0	0/0/0/0
5	EDO	B	6902	-	-	0/1/1/1	0/0/0/0
5	EDO	B	6912	-	-	0/1/1/1	0/0/0/0
5	EDO	B	6942	-	-	0/1/1/1	0/0/0/0
5	EDO	B	6952	-	-	0/1/1/1	0/0/0/0
5	EDO	B	6962	-	-	0/1/1/1	0/0/0/0
4	NAD	C	503	2	-	0/22/62/62	0/5/5/5
6	GAI	C	6803	-	-	0/0/0/0	0/0/0/0
6	GAI	C	6813	-	-	0/0/0/0	0/0/0/0
6	GAI	C	6823	-	-	0/0/0/0	0/0/0/0
6	GAI	C	6834	-	-	0/0/0/0	0/0/0/0
5	EDO	C	6903	-	-	0/1/1/1	0/0/0/0
5	EDO	C	6913	-	-	0/1/1/1	0/0/0/0
5	EDO	C	6923	-	-	0/1/1/1	0/0/0/0
5	EDO	C	6943	-	-	0/1/1/1	0/0/0/0
5	EDO	C	6953	-	-	0/1/1/1	0/0/0/0
5	EDO	C	6963	-	-	0/1/1/1	0/0/0/0
4	NAD	D	504	2	-	0/22/62/62	0/5/5/5
6	GAI	D	6804	-	-	0/0/0/0	0/0/0/0
6	GAI	D	6814	-	-	0/0/0/0	0/0/0/0
6	GAI	D	6824	-	-	0/0/0/0	0/0/0/0
6	GAI	D	6833	-	-	0/0/0/0	0/0/0/0
5	EDO	D	6904	-	-	0/1/1/1	0/0/0/0
5	EDO	D	6914	-	-	0/1/1/1	0/0/0/0
5	EDO	D	6924	-	-	0/1/1/1	0/0/0/0
4	NAD	E	505	2	-	0/22/62/62	0/5/5/5
6	GAI	E	6805	-	-	0/0/0/0	0/0/0/0
6	GAI	E	6815	-	-	0/0/0/0	0/0/0/0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GAI	E	6835	-	-	0/0/0/0	0/0/0/0
6	GAI	E	6836	-	-	0/0/0/0	0/0/0/0
5	EDO	E	6905	-	-	0/1/1/1	0/0/0/0
5	EDO	E	6915	-	-	0/1/1/1	0/0/0/0
5	EDO	E	6925	-	-	0/1/1/1	0/0/0/0
5	EDO	E	6945	-	-	0/1/1/1	0/0/0/0
5	EDO	E	6955	-	-	0/1/1/1	0/0/0/0
5	EDO	E	6965	-	-	0/1/1/1	0/0/0/0
4	NAD	F	506	2	-	0/22/62/62	0/5/5/5
6	GAI	F	6806	-	-	0/0/0/0	0/0/0/0
6	GAI	F	6816	-	-	0/0/0/0	0/0/0/0
6	GAI	F	6826	-	-	0/0/0/0	0/0/0/0
5	EDO	F	6906	-	-	0/1/1/1	0/0/0/0
5	EDO	F	6916	-	-	0/1/1/1	0/0/0/0
5	EDO	F	6926	-	-	0/1/1/1	0/0/0/0
5	EDO	F	6946	-	-	0/1/1/1	0/0/0/0
5	EDO	F	6956	-	-	0/1/1/1	0/0/0/0
5	EDO	F	6966	-	-	0/1/1/1	0/0/0/0
4	NAD	G	507	2	-	0/22/62/62	0/5/5/5
6	GAI	G	6807	-	-	0/0/0/0	0/0/0/0
6	GAI	G	6817	-	-	0/0/0/0	0/0/0/0
6	GAI	G	6838	-	-	0/0/0/0	0/0/0/0
5	EDO	G	6907	-	-	0/1/1/1	0/0/0/0
5	EDO	G	6917	-	-	0/1/1/1	0/0/0/0
5	EDO	G	6927	-	-	0/1/1/1	0/0/0/0
5	EDO	G	6947	-	-	0/1/1/1	0/0/0/0
4	NAD	H	508	2	-	0/22/62/62	0/5/5/5
6	GAI	H	6808	-	-	0/0/0/0	0/0/0/0
6	GAI	H	6818	-	-	0/0/0/0	0/0/0/0
6	GAI	H	6837	-	-	0/0/0/0	0/0/0/0
5	EDO	H	6908	-	-	0/1/1/1	0/0/0/0
5	EDO	H	6918	-	-	0/1/1/1	0/0/0/0
5	EDO	H	6928	-	-	0/1/1/1	0/0/0/0
5	EDO	H	6948	-	-	0/1/1/1	0/0/0/0

All (91) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	501	NAD	C3N-C7N	-10.43	1.34	1.50
4	D	504	NAD	C3N-C7N	-9.26	1.36	1.50
4	E	505	NAD	C3N-C7N	-9.20	1.36	1.50
4	C	503	NAD	C3N-C7N	-8.87	1.36	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	502	NAD	C3N-C7N	-8.86	1.36	1.50
4	H	508	NAD	C3N-C7N	-8.83	1.36	1.50
4	F	506	NAD	C3N-C7N	-8.80	1.36	1.50
4	G	507	NAD	C3N-C7N	-7.48	1.38	1.50
4	D	504	NAD	C2N-C3N	-3.36	1.33	1.39
4	A	501	NAD	C2N-C3N	-3.35	1.33	1.39
4	E	505	NAD	C4N-C3N	-3.17	1.34	1.39
4	F	506	NAD	C4N-C3N	-3.04	1.34	1.39
4	H	508	NAD	C5N-C4N	-2.99	1.33	1.38
4	D	504	NAD	C5N-C4N	-2.98	1.33	1.38
4	E	505	NAD	C2N-C3N	-2.71	1.34	1.39
4	B	502	NAD	C4N-C3N	-2.51	1.35	1.39
4	F	506	NAD	C2N-C3N	-2.42	1.35	1.39
4	D	504	NAD	C4N-C3N	-2.35	1.35	1.39
4	H	508	NAD	C2N-C3N	-2.34	1.35	1.39
4	C	503	NAD	C4N-C3N	-2.28	1.35	1.39
4	B	502	NAD	C5N-C4N	-2.27	1.34	1.38
4	G	507	NAD	C4N-C3N	-2.16	1.35	1.39
4	H	508	NAD	C4N-C3N	-2.14	1.35	1.39
4	A	501	NAD	C5N-C4N	-2.13	1.34	1.38
4	E	505	NAD	C5N-C4N	-2.09	1.34	1.38
4	F	506	NAD	PN-O2N	-2.07	1.44	1.55
4	C	503	NAD	C2N-C3N	-2.04	1.35	1.39
4	A	501	NAD	C4N-C3N	-2.04	1.35	1.39
4	B	502	NAD	C2N-C3N	-2.01	1.35	1.39
4	G	507	NAD	C5N-C4N	-2.01	1.35	1.38
4	C	503	NAD	PN-O2N	-2.01	1.45	1.55
4	B	502	NAD	O4B-C1B	2.00	1.44	1.41
4	E	505	NAD	C2D-C1D	2.06	1.56	1.53
4	D	504	NAD	O4D-C1D	2.08	1.44	1.41
4	D	504	NAD	C2D-C1D	2.11	1.57	1.53
6	E	6836	GAI	C-N1	2.12	1.35	1.30
4	H	508	NAD	C8A-N7A	2.13	1.38	1.34
6	H	6837	GAI	C-N1	2.13	1.35	1.30
6	G	6817	GAI	C-N1	2.18	1.35	1.30
6	A	6832	GAI	C-N1	2.21	1.35	1.30
6	F	6816	GAI	C-N1	2.26	1.35	1.30
6	F	6806	GAI	C-N1	2.31	1.35	1.30
4	G	507	NAD	C4A-N3A	2.33	1.39	1.35
6	E	6805	GAI	C-N1	2.33	1.35	1.30
4	F	506	NAD	C8A-N7A	2.36	1.39	1.34
6	G	6807	GAI	C-N1	2.37	1.35	1.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	505	NAD	C8A-N7A	2.38	1.39	1.34
4	F	506	NAD	C2D-C1D	2.41	1.57	1.53
6	F	6826	GAI	C-N1	2.42	1.35	1.30
6	H	6808	GAI	C-N1	2.43	1.35	1.30
4	A	501	NAD	O4B-C1B	2.45	1.44	1.41
6	B	6802	GAI	C-N1	2.46	1.35	1.30
6	C	6823	GAI	C-N1	2.47	1.35	1.30
6	A	6811	GAI	C-N1	2.49	1.35	1.30
6	H	6818	GAI	C-N1	2.50	1.35	1.30
4	C	503	NAD	C8A-N7A	2.50	1.39	1.34
6	D	6833	GAI	C-N1	2.50	1.35	1.30
6	G	6838	GAI	C-N1	2.52	1.36	1.30
4	C	503	NAD	C2D-C1D	2.53	1.57	1.53
6	C	6813	GAI	C-N1	2.53	1.36	1.30
4	H	508	NAD	O4D-C1D	2.55	1.44	1.41
6	B	6812	GAI	C-N1	2.60	1.36	1.30
6	D	6824	GAI	C-N1	2.62	1.36	1.30
4	B	502	NAD	C4A-N3A	2.63	1.39	1.35
4	E	505	NAD	C2A-N1A	2.64	1.38	1.33
4	A	501	NAD	C8A-N7A	2.73	1.39	1.34
6	E	6815	GAI	C-N1	2.73	1.36	1.30
6	A	6821	GAI	C-N1	2.77	1.36	1.30
4	D	504	NAD	C2A-N3A	2.79	1.36	1.32
4	B	502	NAD	C8A-N7A	2.82	1.40	1.34
6	D	6814	GAI	C-N1	2.85	1.36	1.30
4	H	508	NAD	C2A-N1A	2.91	1.39	1.33
4	F	506	NAD	C2A-N1A	2.91	1.39	1.33
6	D	6804	GAI	C-N1	2.96	1.36	1.30
4	A	501	NAD	C2A-N1A	2.99	1.39	1.33
6	C	6834	GAI	C-N1	3.06	1.37	1.30
4	D	504	NAD	C2A-N1A	3.06	1.39	1.33
4	G	507	NAD	C8A-N7A	3.07	1.40	1.34
4	B	502	NAD	C2A-N1A	3.08	1.39	1.33
6	B	6831	GAI	C-N1	3.16	1.37	1.30
4	G	507	NAD	C2A-N1A	3.25	1.40	1.33
4	A	501	NAD	O4D-C1D	3.26	1.45	1.41
4	C	503	NAD	C2A-N1A	3.27	1.40	1.33
4	D	504	NAD	C8A-N7A	3.86	1.41	1.34
4	A	501	NAD	C2A-N3A	4.02	1.38	1.32
4	G	507	NAD	C2A-N3A	4.27	1.39	1.32
4	F	506	NAD	C2A-N3A	4.82	1.40	1.32
4	H	508	NAD	C2A-N3A	4.89	1.40	1.32

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	503	NAD	C2A-N3A	5.04	1.40	1.32
4	E	505	NAD	C2A-N3A	5.09	1.40	1.32
4	B	502	NAD	C2A-N3A	5.57	1.41	1.32

All (68) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	H	508	NAD	N3A-C2A-N1A	-8.80	121.19	128.86
4	A	501	NAD	N3A-C2A-N1A	-7.91	121.97	128.86
4	F	506	NAD	N3A-C2A-N1A	-7.51	122.32	128.86
4	E	505	NAD	N3A-C2A-N1A	-7.00	122.76	128.86
4	B	502	NAD	N3A-C2A-N1A	-5.83	123.78	128.86
4	G	507	NAD	N3A-C2A-N1A	-5.60	123.98	128.86
4	D	504	NAD	N3A-C2A-N1A	-5.45	124.11	128.86
4	C	503	NAD	N3A-C2A-N1A	-5.27	124.27	128.86
4	C	503	NAD	O7N-C7N-N7N	-4.47	116.23	122.58
4	G	507	NAD	O7N-C7N-N7N	-4.07	116.79	122.58
4	E	505	NAD	O7N-C7N-N7N	-4.05	116.83	122.58
4	B	502	NAD	O4D-C4D-C3D	-3.96	97.30	105.17
4	A	501	NAD	O7N-C7N-C3N	-3.77	115.22	119.62
4	H	508	NAD	C6N-C5N-C4N	-3.57	114.05	119.44
4	H	508	NAD	O7N-C7N-N7N	-3.57	117.50	122.58
4	D	504	NAD	O7N-C7N-N7N	-3.53	117.56	122.58
4	F	506	NAD	O7N-C7N-N7N	-3.35	117.81	122.58
4	C	503	NAD	O4D-C4D-C3D	-3.27	98.66	105.17
4	F	506	NAD	O4D-C4D-C3D	-3.25	98.71	105.17
4	C	503	NAD	C2B-C3B-C4B	-3.18	96.42	102.62
4	E	505	NAD	C2D-C3D-C4D	-3.11	96.57	102.62
4	B	502	NAD	O7N-C7N-N7N	-3.09	118.18	122.58
4	B	502	NAD	C4B-O4B-C1B	-3.09	106.48	109.77
4	D	504	NAD	C6N-C5N-C4N	-3.08	114.80	119.44
4	E	505	NAD	O4D-C4D-C3D	-3.05	99.10	105.17
4	C	503	NAD	C6N-C5N-C4N	-3.02	114.89	119.44
4	H	508	NAD	O4D-C4D-C3D	-2.65	99.91	105.17
4	F	506	NAD	C2B-C3B-C4B	-2.58	97.58	102.62
4	H	508	NAD	C3N-C2N-N1N	-2.57	117.84	120.43
4	F	506	NAD	C6N-C5N-C4N	-2.56	115.58	119.44
4	H	508	NAD	C2B-C3B-C4B	-2.54	97.68	102.62
4	A	501	NAD	C6N-C5N-C4N	-2.47	115.71	119.44
4	A	501	NAD	C4D-O4D-C1D	-2.44	107.17	109.77
4	E	505	NAD	C6N-C5N-C4N	-2.31	115.95	119.44
4	G	507	NAD	C2B-C3B-C4B	-2.31	98.13	102.62

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	504	NAD	O4D-C4D-C3D	-2.29	100.61	105.17
4	E	505	NAD	C2B-C3B-C4B	-2.27	98.20	102.62
4	D	504	NAD	C3N-C2N-N1N	-2.20	118.21	120.43
4	C	503	NAD	C3N-C2N-N1N	-2.14	118.27	120.43
4	A	501	NAD	C2B-C3B-C4B	-2.14	98.45	102.62
4	D	504	NAD	C2B-C3B-C4B	-2.04	98.65	102.62
4	E	505	NAD	C3N-C7N-N7N	2.05	120.12	117.77
4	H	508	NAD	C5N-C6N-N1N	2.10	123.63	120.40
4	D	504	NAD	C3N-C7N-N7N	2.10	120.17	117.77
4	G	507	NAD	O7N-C7N-C3N	2.12	122.10	119.62
4	H	508	NAD	C2N-C3N-C4N	2.14	120.70	118.26
4	H	508	NAD	C4A-C5A-N7A	2.14	111.48	109.41
4	C	503	NAD	C2N-C3N-C4N	2.15	120.71	118.26
4	C	503	NAD	C5N-C4N-C3N	2.16	122.89	120.35
4	B	502	NAD	O4B-C4B-C3B	2.17	109.48	105.17
4	B	502	NAD	C5N-C4N-C3N	2.18	122.91	120.35
4	D	504	NAD	O7N-C7N-C3N	2.23	122.23	119.62
4	A	501	NAD	C5N-C4N-C3N	2.44	123.22	120.35
4	F	506	NAD	C5N-C4N-C3N	2.47	123.26	120.35
4	F	506	NAD	C4D-O4D-C1D	2.49	112.42	109.77
4	D	504	NAD	C5A-C6A-N6A	2.54	125.64	120.47
4	H	508	NAD	O7N-C7N-C3N	2.59	122.65	119.62
4	H	508	NAD	C5N-C4N-C3N	2.69	123.51	120.35
4	A	501	NAD	O7N-C7N-N7N	2.89	126.70	122.58
4	G	507	NAD	C3N-C7N-N7N	2.92	121.11	117.77
4	E	505	NAD	O7N-C7N-C3N	2.93	123.05	119.62
4	D	504	NAD	C5N-C4N-C3N	3.01	123.89	120.35
4	G	507	NAD	C5N-C4N-C3N	3.04	123.93	120.35
4	E	505	NAD	C5N-C4N-C3N	3.08	123.97	120.35
4	C	503	NAD	C4B-O4B-C1B	3.19	113.17	109.77
4	B	502	NAD	C3N-C7N-N7N	3.40	121.66	117.77
4	C	503	NAD	O7N-C7N-C3N	3.71	123.96	119.62
4	F	506	NAD	O7N-C7N-C3N	4.35	124.70	119.62

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

19 monomers are involved in 33 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	6911	EDO	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	6921	EDO	1	0
5	A	6941	EDO	2	0
5	A	6951	EDO	1	0
5	B	6942	EDO	2	0
5	B	6962	EDO	2	0
6	C	6834	GAI	1	0
5	C	6943	EDO	2	0
5	D	6924	EDO	1	0
6	E	6835	GAI	1	0
5	E	6905	EDO	2	0
5	E	6915	EDO	3	0
5	E	6945	EDO	4	0
5	E	6955	EDO	2	0
5	E	6965	EDO	2	0
5	F	6946	EDO	1	0
5	G	6927	EDO	1	0
5	G	6947	EDO	2	0
5	H	6948	EDO	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	494/500 (98%)	0.23	16 (3%) 48 48	17, 32, 47, 62	0
1	B	494/500 (98%)	0.00	9 (1%) 69 68	16, 28, 42, 61	0
1	C	494/500 (98%)	-0.37	1 (0%) 94 94	15, 22, 33, 54	0
1	D	494/500 (98%)	-0.03	7 (1%) 75 75	15, 30, 45, 60	0
1	E	494/500 (98%)	-0.23	6 (1%) 79 78	18, 28, 42, 59	0
1	F	494/500 (98%)	-0.39	1 (0%) 94 94	16, 22, 33, 55	0
1	G	494/500 (98%)	0.04	8 (1%) 72 71	21, 31, 45, 61	0
1	H	494/500 (98%)	0.29	13 (2%) 56 56	20, 35, 52, 72	0
All	All	3952/4000 (98%)	-0.06	61 (1%) 74 73	15, 29, 45, 72	0

All (61) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	376	ASP	7.2
1	A	474	GLY	6.1
1	A	7	ALA	4.6
1	H	7	ALA	4.0
1	D	376	ASP	3.9
1	G	7	ALA	3.9
1	B	7	ALA	3.6
1	G	474	GLY	3.6
1	G	14	GLN	3.4
1	E	376	ASP	3.2
1	E	7	ALA	3.2
1	D	358	ASN	3.2
1	E	377	ARG	3.1
1	B	32	VAL	3.1
1	A	363	GLU	3.0
1	H	424	THR	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	262	LEU	3.0
1	B	257	ALA	3.0
1	H	34	ARG	2.9
1	A	40	VAL	2.8
1	A	376	ASP	2.8
1	H	350	PHE	2.7
1	H	10	ALA	2.6
1	B	34	ARG	2.6
1	E	474	GLY	2.6
1	G	193	VAL	2.5
1	B	474	GLY	2.5
1	B	254	GLN	2.4
1	E	34	ARG	2.4
1	B	424	THR	2.4
1	H	336	ASP	2.4
1	A	392	GLY	2.4
1	D	34	ARG	2.4
1	H	248	GLU	2.4
1	D	424	THR	2.4
1	E	179	LEU	2.3
1	B	16	GLU	2.3
1	D	220	ILE	2.3
1	G	373	ILE	2.3
1	A	179	LEU	2.3
1	A	8	VAL	2.3
1	A	14	GLN	2.3
1	B	201	ALA	2.2
1	A	45	GLY	2.2
1	G	172	LEU	2.2
1	D	33	SER	2.2
1	A	350	PHE	2.2
1	G	475	GLN	2.2
1	F	474	GLY	2.2
1	H	375	ALA	2.2
1	D	336	ASP	2.1
1	G	34	ARG	2.1
1	A	10	ALA	2.1
1	A	371	GLY	2.1
1	A	37	PHE	2.1
1	H	362	GLN	2.1
1	H	379	TYR	2.1
1	H	32	VAL	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	255	VAL	2.0
1	H	294	LEU	2.0
1	C	474	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
5	EDO	C	6943	4/4	0.91	0.29	12.86	30,36,37,37	0
5	EDO	F	6946	4/4	0.87	0.32	11.58	29,37,39,39	0
5	EDO	E	6955	4/4	0.83	0.36	10.03	52,53,55,55	0
5	EDO	E	6945	4/4	0.89	0.25	9.25	34,40,40,41	0
6	GAI	H	6818	4/4	0.88	0.36	8.05	57,57,57,57	0
6	GAI	B	6812	4/4	0.88	0.35	7.56	51,52,53,53	0
6	GAI	F	6806	4/4	0.91	0.17	6.54	31,32,32,33	0
6	GAI	G	6817	4/4	0.85	0.36	5.94	52,52,52,53	0
6	GAI	A	6811	4/4	0.86	0.26	5.92	56,57,57,58	0
5	EDO	B	6942	4/4	0.93	0.18	4.98	36,39,40,40	0
5	EDO	G	6947	4/4	0.89	0.20	4.98	34,42,42,43	0
5	EDO	F	6956	4/4	0.83	0.22	4.26	49,51,52,52	0
6	GAI	C	6803	4/4	0.92	0.16	4.18	32,34,34,36	0
5	EDO	E	6905	4/4	0.89	0.17	4.09	37,39,40,40	0
5	EDO	A	6941	4/4	0.81	0.26	3.61	38,43,44,44	0
3	NA	H	708	1/1	0.59	0.24	3.44	55,55,55,55	0
5	EDO	F	6906	4/4	0.91	0.15	3.42	37,38,38,40	0
5	EDO	C	6903	4/4	0.93	0.14	3.37	37,38,39,39	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
6	GAI	F	6816	4/4	0.93	0.19	3.26	50,50,50,51	0
5	EDO	G	6907	4/4	0.90	0.18	3.22	38,40,40,41	0
5	EDO	B	6902	4/4	0.88	0.18	2.84	38,42,42,42	0
5	EDO	E	6965	4/4	0.80	0.37	2.83	69,70,70,71	0
6	GAI	A	6801	4/4	0.93	0.17	2.81	35,36,37,37	0
5	EDO	F	6966	4/4	0.86	0.17	2.77	47,49,49,51	0
5	EDO	H	6948	4/4	0.92	0.23	2.75	45,47,47,49	0
5	EDO	H	6908	4/4	0.94	0.14	2.74	36,37,38,38	0
6	GAI	A	6821	4/4	0.72	0.35	2.59	55,56,56,56	0
5	EDO	C	6953	4/4	0.88	0.23	2.44	54,54,55,56	0
6	GAI	E	6836	4/4	0.92	0.16	2.43	37,39,40,41	0
5	EDO	D	6914	4/4	0.67	0.26	2.33	59,59,61,61	0
3	NA	C	703	1/1	0.95	0.15	2.29	24,24,24,24	0
6	GAI	C	6813	4/4	0.88	0.19	2.24	53,53,54,56	0
5	EDO	G	6917	4/4	0.90	0.21	2.03	50,51,52,53	0
5	EDO	B	6912	4/4	0.91	0.24	1.82	46,46,47,48	0
6	GAI	D	6824	4/4	0.72	0.34	1.68	65,66,66,67	0
5	EDO	H	6918	4/4	0.79	0.21	1.57	60,61,61,61	0
6	GAI	F	6826	4/4	0.86	0.16	1.38	44,44,44,45	0
6	GAI	D	6814	4/4	0.89	0.13	1.25	43,44,45,45	0
6	GAI	H	6808	4/4	0.96	0.14	1.22	30,32,32,32	0
5	EDO	F	6926	4/4	0.86	0.17	1.12	46,47,47,50	0
5	EDO	C	6913	4/4	0.96	0.12	1.06	27,29,30,31	0
5	EDO	A	6901	4/4	0.92	0.13	1.05	33,36,36,36	0
6	GAI	B	6831	4/4	0.81	0.20	1.01	59,59,59,60	0
6	GAI	H	6837	4/4	0.86	0.17	0.99	51,52,53,53	0
6	GAI	D	6833	4/4	0.89	0.14	0.99	54,55,55,55	0
6	GAI	C	6834	4/4	0.90	0.15	0.83	42,42,43,45	0
5	EDO	A	6911	4/4	0.84	0.21	0.77	56,57,58,59	0
6	GAI	A	6832	4/4	0.94	0.14	0.68	48,48,48,50	0
6	GAI	G	6838	4/4	0.80	0.19	0.60	47,47,49,50	0
6	GAI	G	6807	4/4	0.95	0.13	0.59	41,41,42,43	0
5	EDO	F	6916	4/4	0.95	0.11	0.52	31,33,33,35	0
6	GAI	B	6802	4/4	0.94	0.12	0.50	37,38,39,39	0
6	GAI	E	6835	4/4	0.96	0.13	0.15	37,38,38,40	0
5	EDO	C	6963	4/4	0.93	0.11	0.10	35,35,36,38	0
4	NAD	G	507	44/44	0.91	0.14	0.09	30,40,44,45	0
5	EDO	D	6904	4/4	0.94	0.12	0.09	30,35,35,35	0
3	NA	G	707	1/1	0.88	0.12	0.03	35,35,35,35	0
4	NAD	D	504	44/44	0.93	0.12	0.02	24,36,42,43	0
4	NAD	A	501	44/44	0.90	0.15	-0.05	32,44,50,50	0
4	NAD	E	505	44/44	0.94	0.10	-0.13	23,33,41,42	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
6	GAI	C	6823	4/4	0.93	0.12	-0.20	35,35,36,36	0
4	NAD	B	502	44/44	0.93	0.12	-0.25	35,41,44,47	0
3	NA	F	706	1/1	0.99	0.10	-0.26	26,26,26,26	0
6	GAI	E	6815	4/4	0.95	0.10	-0.27	45,46,46,46	0
4	NAD	H	508	44/44	0.91	0.13	-0.38	35,46,50,51	0
5	EDO	E	6915	4/4	0.90	0.14	-0.39	42,44,45,47	0
4	NAD	F	506	44/44	0.97	0.09	-0.62	16,25,30,31	0
4	NAD	C	503	44/44	0.97	0.09	-0.66	16,26,30,32	0
3	NA	D	704	1/1	0.95	0.10	-0.84	41,41,41,41	0
3	NA	A	701	1/1	0.81	0.11	-0.87	40,40,40,40	0
6	GAI	E	6805	4/4	0.97	0.10	-0.87	27,27,28,29	0
6	GAI	D	6804	4/4	0.97	0.09	-1.12	25,26,27,29	0
3	NA	B	702	1/1	0.96	0.10	-1.32	34,34,34,34	0
3	NA	E	705	1/1	0.93	0.08	-1.70	40,40,40,40	0
5	EDO	B	6952	4/4	0.71	0.40	-	60,60,61,61	0
2	MG	E	605	1/1	0.69	0.11	-	50,50,50,50	0
5	EDO	D	6924	4/4	0.88	0.22	-	56,57,57,58	0
2	MG	F	606	1/1	0.87	0.12	-	41,41,41,41	0
2	MG	A	601	1/1	0.87	0.10	-	49,49,49,49	0
2	MG	C	603	1/1	0.90	0.11	-	41,41,41,41	0
5	EDO	H	6928	4/4	0.84	0.22	-	66,66,66,68	0
2	MG	B	602	1/1	0.90	0.08	-	47,47,47,47	0
5	EDO	E	6925	4/4	0.79	0.18	-	48,49,49,49	0
5	EDO	B	6962	4/4	0.81	0.32	-	71,71,72,72	0
5	EDO	A	6921	4/4	0.94	0.13	-	53,53,54,54	0
5	EDO	A	6951	4/4	0.72	0.25	-	54,55,56,56	0
2	MG	G	607	1/1	0.83	0.15	-	59,59,59,59	0
5	EDO	C	6923	4/4	0.88	0.16	-	51,52,52,54	0
5	EDO	G	6927	4/4	0.89	0.19	-	54,54,54,54	0
2	MG	D	604	1/1	0.85	0.16	-	52,52,52,52	0
2	MG	H	608	1/1	0.78	0.10	-	59,59,59,59	0

6.5 Other polymers [i](#)

There are no such residues in this entry.