



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 7, 2017 – 05:54 AM EST

PDB ID : 5OO6  
Title : Complex of human nuclear cap-binding complex with ARS2 C-terminal peptide  
Authors : Cusack, S.; Schulze, W.M.  
Deposited on : unknown  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20030345  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20030345


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






















Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	2583 (2.80-2.80)
Clashscore	112137	3033 (2.80-2.80)
Ramachandran outliers	110173	2983 (2.80-2.80)
Sidechain outliers	110143	2985 (2.80-2.80)
RSRZ outliers	101464	2610 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	772	<div> <div>3%</div> <div> <div></div> <div>90%</div> <div>6%</div> </div> </div>
1	D	772	<div> <div>2%</div> <div> <div></div> <div>92%</div> <div>•</div> </div> </div>
1	G	772	<div> <div>2%</div> <div> <div></div> <div>91%</div> <div>•</div> </div> </div>
1	J	772	<div> <div>5%</div> <div> <div></div> <div>91%</div> <div>•</div> </div> </div>
1	M	772	<div> <div>2%</div> <div> <div></div> <div>92%</div> <div>•</div> </div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	P	772	
1	S	772	
1	V	772	
2	B	158	
2	E	158	
2	H	158	
2	K	158	
2	N	158	
2	Q	158	
2	T	158	
2	W	158	
3	C	48	
3	F	48	
3	I	48	
3	L	48	
3	O	48	
3	R	48	
3	U	48	
3	X	48	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 58743 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Nuclear cap-binding protein subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	726	Total	C	N	O	S	0	0	0
			5948	3838	1007	1065	38			
1	D	740	Total	C	N	O	S	0	0	0
			6054	3900	1026	1090	38			
1	G	730	Total	C	N	O	S	0	0	0
			5980	3856	1015	1071	38			
1	J	730	Total	C	N	O	S	0	0	0
			5980	3856	1015	1071	38			
1	M	740	Total	C	N	O	S	0	0	0
			6054	3900	1026	1090	38			
1	P	730	Total	C	N	O	S	0	0	0
			5980	3856	1015	1071	38			
1	S	726	Total	C	N	O	S	0	0	0
			5948	3838	1007	1065	38			
1	V	726	Total	C	N	O	S	0	0	0
			5948	3838	1007	1065	38			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	19	MET	-	initiating methionine	UNP Q09161
A	479	VAL	ALA	conflict	UNP Q09161
D	19	MET	-	initiating methionine	UNP Q09161
D	479	VAL	ALA	conflict	UNP Q09161
G	19	MET	-	initiating methionine	UNP Q09161
G	479	VAL	ALA	conflict	UNP Q09161
J	19	MET	-	initiating methionine	UNP Q09161
J	479	VAL	ALA	conflict	UNP Q09161
M	19	MET	-	initiating methionine	UNP Q09161
M	479	VAL	ALA	conflict	UNP Q09161
P	19	MET	-	initiating methionine	UNP Q09161
P	479	VAL	ALA	conflict	UNP Q09161
S	19	MET	-	initiating methionine	UNP Q09161

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
S	479	VAL	ALA	conflict	UNP Q09161
V	19	MET	-	initiating methionine	UNP Q09161
V	479	VAL	ALA	conflict	UNP Q09161

- Molecule 2 is a protein called Nuclear cap-binding protein subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	148	Total	C	N	O	S	0	0	0
			1207	751	216	234	6			
2	E	148	Total	C	N	O	S	0	0	0
			1207	751	216	234	6			
2	H	148	Total	C	N	O	S	0	0	0
			1207	751	216	234	6			
2	K	148	Total	C	N	O	S	0	0	0
			1207	751	216	234	6			
2	N	148	Total	C	N	O	S	0	0	0
			1207	751	216	234	6			
2	Q	148	Total	C	N	O	S	0	0	0
			1207	751	216	234	6			
2	T	148	Total	C	N	O	S	0	0	0
			1207	751	216	234	6			
2	W	148	Total	C	N	O	S	0	0	0
			1207	751	216	234	6			

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-1	GLY	-	expression tag	UNP P52298
B	0	ALA	-	expression tag	UNP P52298
E	-1	GLY	-	expression tag	UNP P52298
E	0	ALA	-	expression tag	UNP P52298
H	-1	GLY	-	expression tag	UNP P52298
H	0	ALA	-	expression tag	UNP P52298
K	-1	GLY	-	expression tag	UNP P52298
K	0	ALA	-	expression tag	UNP P52298
N	-1	GLY	-	expression tag	UNP P52298
N	0	ALA	-	expression tag	UNP P52298
Q	-1	GLY	-	expression tag	UNP P52298
Q	0	ALA	-	expression tag	UNP P52298
T	-1	GLY	-	expression tag	UNP P52298
T	0	ALA	-	expression tag	UNP P52298
W	-1	GLY	-	expression tag	UNP P52298

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
W	0	ALA	-	expression tag	UNP P52298

- Molecule 3 is a protein called Serrate RNA effector molecule homolog.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	C	14	Total	C	N	O	0	0	0
			124	80	20	24			
3	F	14	Total	C	N	O	0	0	0
			124	80	20	24			
3	I	13	Total	C	N	O	0	0	0
			115	76	18	21			
3	L	11	Total	C	N	O	0	0	0
			98	65	14	19			
3	O	14	Total	C	N	O	0	0	0
			124	80	20	24			
3	R	14	Total	C	N	O	0	0	0
			124	80	20	24			
3	U	11	Total	C	N	O	0	0	0
			98	65	14	19			
3	X	14	Total	C	N	O	0	0	0
			124	80	20	24			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
C	824	GLY	-	expression tag	UNP Q9BXP5
C	825	ALA	-	expression tag	UNP Q9BXP5
C	826	MET	-	expression tag	UNP Q9BXP5
F	824	GLY	-	expression tag	UNP Q9BXP5
F	825	ALA	-	expression tag	UNP Q9BXP5
F	826	MET	-	expression tag	UNP Q9BXP5
I	824	GLY	-	expression tag	UNP Q9BXP5
I	825	ALA	-	expression tag	UNP Q9BXP5
I	826	MET	-	expression tag	UNP Q9BXP5
L	824	GLY	-	expression tag	UNP Q9BXP5
L	825	ALA	-	expression tag	UNP Q9BXP5
L	826	MET	-	expression tag	UNP Q9BXP5
O	824	GLY	-	expression tag	UNP Q9BXP5
O	825	ALA	-	expression tag	UNP Q9BXP5
O	826	MET	-	expression tag	UNP Q9BXP5
R	824	GLY	-	expression tag	UNP Q9BXP5
R	825	ALA	-	expression tag	UNP Q9BXP5

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	826	MET	-	expression tag	UNP Q9BXP5
U	824	GLY	-	expression tag	UNP Q9BXP5
U	825	ALA	-	expression tag	UNP Q9BXP5
U	826	MET	-	expression tag	UNP Q9BXP5
X	824	GLY	-	expression tag	UNP Q9BXP5
X	825	ALA	-	expression tag	UNP Q9BXP5
X	826	MET	-	expression tag	UNP Q9BXP5

- Molecule 4 is 7N-METHYL-8-HYDROGUANOSINE-5'-TRIPHOSPHATE (three-letter code: MGT) (formula: C<sub>11</sub>H<sub>20</sub>N<sub>5</sub>O<sub>14</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	P	0	0
			33	11	5	14	3		
4	E	1	Total	C	N	O	P	0	0
			33	11	5	14	3		
4	H	1	Total	C	N	O	P	0	0
			33	11	5	14	3		
4	K	1	Total	C	N	O	P	0	0
			33	11	5	14	3		
4	N	1	Total	C	N	O	P	0	0
			33	11	5	14	3		
4	Q	1	Total	C	N	O	P	0	0
			33	11	5	14	3		
4	T	1	Total	C	N	O	P	0	0
			33	11	5	14	3		

Continued on next page...

*Continued from previous page...*


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	W	1	Total	C	N	O	P	0	0
			33	11	5	14	3		





- Molecule 1: Nuclear cap-binding protein subunit 1








- Molecule 1: Nuclear cap-binding protein subunit 1



- Molecule 2: Nuclear cap-binding protein subunit 2




- Molecule 2: Nuclear cap-binding protein subunit 2



- Molecule 2: Nuclear cap-binding protein subunit 2




- Molecule 2: Nuclear cap-binding protein subunit 2







- Molecule 2: Nuclear cap-binding protein subunit 2




- Molecule 2: Nuclear cap-binding protein subunit 2




- Molecule 2: Nuclear cap-binding protein subunit 2




- Molecule 2: Nuclear cap-binding protein subunit 2



- Molecule 3: Serrate RNA effector molecule homolog




- Molecule 3: Serrate RNA effector molecule homolog



- Molecule 3: Serrate RNA effector molecule homolog







- Molecule 3: Serrate RNA effector molecule homolog




- Molecule 3: Serrate RNA effector molecule homolog




- Molecule 3: Serrate RNA effector molecule homolog



- Molecule 3: Serrate RNA effector molecule homolog



- Molecule 3: Serrate RNA effector molecule homolog



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	70.52Å 112.99Å 270.98Å 90.00° 90.30° 90.02°	Depositor
Resolution (Å)	270.98 – 2.80 48.87 – 2.80	Depositor EDS
% Data completeness (in resolution range)	97.5 (270.98-2.80) 97.4 (48.87-2.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.77 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.8.0158	Depositor
R, $R_{free}$	0.231 , 0.268 0.231 , 0.268	Depositor DCC
$R_{free}$ test set	10059 reflections (5.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	54.5	Xtriage
Anisotropy	0.545	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 16.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.176 for h,-k,-l 0.437 for -h,k,-l 0.177 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	58743	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 53.19 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 4.3682e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup> Intensities estimated from amplitudes.

<sup>2</sup> Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MGT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.41	0/6098	0.58	0/8273
1	D	0.40	0/6207	0.57	0/8421
1	G	0.41	0/6130	0.58	0/8314
1	J	0.40	0/6130	0.57	0/8314
1	M	0.40	0/6207	0.58	0/8421
1	P	0.40	0/6130	0.58	0/8314
1	S	0.40	0/6098	0.58	0/8273
1	V	0.40	0/6098	0.58	0/8273
2	B	0.43	0/1227	0.66	0/1636
2	E	0.42	0/1227	0.65	0/1636
2	H	0.42	0/1227	0.66	0/1636
2	K	0.43	0/1227	0.66	0/1636
2	N	0.43	0/1227	0.66	0/1636
2	Q	0.42	0/1227	0.66	0/1636
2	T	0.43	0/1227	0.65	0/1636
2	W	0.43	0/1227	0.65	0/1636
3	C	0.57	0/126	0.75	0/167
3	F	0.51	0/126	0.63	0/167
3	I	0.49	0/117	0.62	0/154
3	L	0.52	0/100	0.59	0/132
3	O	0.50	0/126	0.64	0/167
3	R	0.50	0/126	0.64	0/167
3	U	0.50	0/100	0.55	0/132
3	X	0.55	0/126	0.73	0/167
All	All	0.41	0/59861	0.59	0/80944

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5948	0	5954	14	0
1	D	6054	0	6049	12	0
1	G	5980	0	5987	11	0
1	J	5980	0	5987	11	0
1	M	6054	0	6049	14	0
1	P	5980	0	5987	13	0
1	S	5948	0	5954	10	0
1	V	5948	0	5954	14	0
2	B	1207	0	1163	3	0
2	E	1207	0	1163	3	0
2	H	1207	0	1163	1	0
2	K	1207	0	1163	2	0
2	N	1207	0	1163	3	0
2	Q	1207	0	1163	1	0
2	T	1207	0	1163	2	0
2	W	1207	0	1163	1	0
3	C	124	0	110	2	0
3	F	124	0	110	0	0
3	I	115	0	105	0	0
3	L	98	0	84	0	0
3	O	124	0	110	0	0
3	R	124	0	110	0	0
3	U	98	0	84	0	0
3	X	124	0	110	1	0
4	B	33	0	16	0	0
4	E	33	0	16	1	0
4	H	33	0	16	0	0
4	K	33	0	16	1	0
4	N	33	0	16	1	0
4	Q	33	0	16	0	0
4	T	33	0	16	1	0
4	W	33	0	16	0	0
All	All	58743	0	58176	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:609:ILE:HD11	1:A:619:VAL:HG21	1.68	0.76
1:G:609:ILE:HD11	1:G:619:VAL:HG21	1.68	0.76
1:P:609:ILE:HD11	1:P:619:VAL:HG21	1.68	0.75
1:V:609:ILE:HD11	1:V:619:VAL:HG21	1.69	0.75
1:A:479:VAL:HG12	1:A:480:ASN:N	2.02	0.74
1:M:609:ILE:HD11	1:M:619:VAL:HG21	1.69	0.74
1:S:609:ILE:HD11	1:S:619:VAL:HG21	1.69	0.74
1:J:609:ILE:HD11	1:J:619:VAL:HG21	1.68	0.73
1:D:609:ILE:HD11	1:D:619:VAL:HG21	1.69	0.72
1:P:479:VAL:HG12	1:P:480:ASN:N	2.13	0.62
1:A:479:VAL:CG1	1:A:480:ASN:N	2.65	0.59
1:M:480:ASN:OD1	1:M:481:PRO:HD2	2.02	0.59
1:D:480:ASN:OD1	1:D:481:PRO:HD2	2.03	0.58
1:J:384:PRO:HG3	1:S:769:LEU:HD21	1.89	0.55
1:P:479:VAL:CG1	1:P:480:ASN:N	2.71	0.54
2:N:123:ARG:NH2	4:N:201:MGT:O2'	2.41	0.53
1:M:769:LEU:HD21	1:V:384:PRO:HG3	1.94	0.49
1:A:479:VAL:HG12	1:A:480:ASN:H	1.76	0.49
1:J:417:PHE:CE2	1:J:421:LEU:HD11	2.48	0.49
1:M:417:PHE:CE2	1:M:421:LEU:HD11	2.48	0.49
1:D:417:PHE:CE2	1:D:421:LEU:HD11	2.48	0.49
1:P:480:ASN:HD22	1:P:482:THR:HG23	1.77	0.49
1:S:417:PHE:CE2	1:S:421:LEU:HD11	2.48	0.49
1:A:417:PHE:CE2	1:A:421:LEU:HD11	2.48	0.48
1:G:417:PHE:CE2	1:G:421:LEU:HD11	2.48	0.48
1:P:417:PHE:CE2	1:P:421:LEU:HD11	2.48	0.48
2:B:49:PHE:HB3	3:C:856:ILE:HD12	1.97	0.47
1:V:417:PHE:CE2	1:V:421:LEU:HD11	2.48	0.47
1:S:655:ILE:HG22	1:S:699:VAL:HG22	1.97	0.47
1:M:655:ILE:HG22	1:M:699:VAL:HG22	1.97	0.47
1:G:655:ILE:HG22	1:G:699:VAL:HG22	1.97	0.47
1:A:479:VAL:CG1	1:A:480:ASN:H	2.26	0.47
1:M:425:GLN:HB2	1:M:427:ARG:NH1	2.30	0.47
1:M:425:GLN:OE1	1:M:427:ARG:NH1	2.48	0.47
1:A:655:ILE:HG22	1:A:699:VAL:HG22	1.97	0.47
1:J:655:ILE:HG22	1:J:699:VAL:HG22	1.97	0.46
1:D:655:ILE:HG22	1:D:699:VAL:HG22	1.97	0.46
1:V:655:ILE:HG22	1:V:699:VAL:HG22	1.97	0.46
1:S:573:PHE:HB3	1:S:613:ILE:HD12	1.99	0.45
1:P:655:ILE:HG22	1:P:699:VAL:HG22	1.97	0.45
1:D:573:PHE:HB3	1:D:613:ILE:HD12	1.99	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:P:573:PHE:HB3	1:P:613:ILE:HD12	1.99	0.45
1:J:573:PHE:HB3	1:J:613:ILE:HD12	1.99	0.44
1:M:329:ARG:HG3	1:M:378:GLU:HG3	1.99	0.44
1:M:573:PHE:HB3	1:M:613:ILE:HD12	2.00	0.44
2:T:123:ARG:NH2	4:T:201:MGT:O2'	2.50	0.44
1:J:105:VAL:CG1	1:J:268:LEU:HD23	2.48	0.44
1:A:105:VAL:CG1	1:A:268:LEU:HD23	2.48	0.44
1:G:573:PHE:HB3	1:G:613:ILE:HD12	1.99	0.44
1:A:688:LEU:HD12	1:A:691:GLN:OE1	2.18	0.44
1:G:105:VAL:CG1	1:G:268:LEU:HD23	2.48	0.44
1:V:109:ILE:HD11	1:V:268:LEU:HD22	2.00	0.44
1:J:109:ILE:HD11	1:J:268:LEU:HD22	2.00	0.44
1:P:109:ILE:HD11	1:P:268:LEU:HD22	2.00	0.44
1:D:105:VAL:CG1	1:D:268:LEU:HD23	2.48	0.43
1:P:329:ARG:HG3	1:P:378:GLU:HG3	2.00	0.43
1:S:105:VAL:CG1	1:S:268:LEU:HD23	2.48	0.43
1:V:105:VAL:CG1	1:V:268:LEU:HD23	2.48	0.43
1:V:573:PHE:HB3	1:V:613:ILE:HD12	1.99	0.43
1:S:688:LEU:HD12	1:S:691:GLN:OE1	2.18	0.43
1:D:109:ILE:HD11	1:D:268:LEU:HD22	2.00	0.43
2:B:82:GLY:O	2:B:146:ARG:NH2	2.52	0.43
1:M:105:VAL:CG1	1:M:268:LEU:HD23	2.48	0.43
2:N:82:GLY:O	2:N:146:ARG:NH2	2.52	0.43
1:P:105:VAL:CG1	1:P:268:LEU:HD23	2.48	0.43
1:S:329:ARG:HG3	1:S:378:GLU:HG3	2.00	0.43
1:V:688:LEU:HD12	1:V:691:GLN:OE1	2.18	0.43
2:H:82:GLY:O	2:H:146:ARG:NH2	2.52	0.43
2:T:82:GLY:O	2:T:146:ARG:NH2	2.52	0.43
1:A:573:PHE:HB3	1:A:613:ILE:HD12	2.00	0.43
1:D:329:ARG:HG3	1:D:378:GLU:HG3	2.00	0.42
1:M:688:LEU:HD12	1:M:691:GLN:OE1	2.19	0.42
1:D:610:ARG:CZ	2:E:89:TYR:OH	2.67	0.42
1:G:329:ARG:HG3	1:G:378:GLU:HG3	2.00	0.42
1:J:329:ARG:HG3	1:J:378:GLU:HG3	2.00	0.42
1:A:329:ARG:HG3	1:A:378:GLU:HG3	2.01	0.42
2:B:49:PHE:CB	3:C:856:ILE:HD12	2.49	0.42
2:E:123:ARG:NH2	4:E:201:MGT:O2'	2.49	0.42
2:K:82:GLY:O	2:K:146:ARG:NH2	2.52	0.42
1:S:109:ILE:HD11	1:S:268:LEU:HD22	2.00	0.42
1:M:362:LEU:HA	1:M:363:PRO:C	2.40	0.42
1:A:109:ILE:HD11	1:A:268:LEU:HD22	2.00	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:109:ILE:HD11	1:G:268:LEU:HD22	2.00	0.42
1:V:329:ARG:HG3	1:V:378:GLU:HG3	2.01	0.42
1:A:153:VAL:HG21	1:A:195:ILE:HG23	2.02	0.42
1:D:153:VAL:HG21	1:D:195:ILE:HG23	2.02	0.42
1:M:109:ILE:HD11	1:M:268:LEU:HD22	2.01	0.42
1:V:461:TYR:CD1	3:X:854:ARG:CZ	3.03	0.41
1:J:153:VAL:HG21	1:J:195:ILE:HG23	2.02	0.41
1:P:688:LEU:HD12	1:P:691:GLN:OE1	2.19	0.41
1:S:362:LEU:HA	1:S:363:PRO:C	2.41	0.41
2:E:82:GLY:O	2:E:146:ARG:NH2	2.52	0.41
2:K:127:ARG:HB2	4:K:201:MGT:O1A	2.20	0.41
1:V:362:LEU:HA	1:V:363:PRO:C	2.41	0.41
1:D:688:LEU:HD12	1:D:691:GLN:OE1	2.20	0.41
1:P:362:LEU:HA	1:P:363:PRO:C	2.41	0.41
1:G:362:LEU:HA	1:G:363:PRO:C	2.40	0.41
1:J:362:LEU:HA	1:J:363:PRO:C	2.41	0.41
1:J:688:LEU:HD12	1:J:691:GLN:OE1	2.20	0.41
1:G:153:VAL:HG21	1:G:195:ILE:HG23	2.02	0.41
1:G:688:LEU:HD12	1:G:691:GLN:OE1	2.21	0.41
1:P:153:VAL:HG21	1:P:195:ILE:HG23	2.02	0.41
1:V:153:VAL:HG21	1:V:195:ILE:HG23	2.02	0.41
2:W:82:GLY:O	2:W:146:ARG:NH2	2.52	0.41
1:A:362:LEU:HA	1:A:363:PRO:C	2.41	0.41
2:Q:82:GLY:O	2:Q:146:ARG:NH2	2.52	0.41
1:M:610:ARG:CZ	2:N:89:TYR:OH	2.69	0.41
1:D:362:LEU:HA	1:D:363:PRO:C	2.41	0.41
1:V:479:VAL:HG12	1:V:480:ASN:N	2.36	0.40
1:G:694:ARG:NH1	1:V:193:ASP:OD2	2.54	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	718/772 (93%)	705 (98%)	13 (2%)	0	100	100
1	D	734/772 (95%)	721 (98%)	12 (2%)	1 (0%)	55	86
1	G	722/772 (94%)	711 (98%)	11 (2%)	0	100	100
1	J	722/772 (94%)	711 (98%)	11 (2%)	0	100	100
1	M	734/772 (95%)	720 (98%)	13 (2%)	1 (0%)	55	86
1	P	722/772 (94%)	711 (98%)	11 (2%)	0	100	100
1	S	718/772 (93%)	707 (98%)	11 (2%)	0	100	100
1	V	718/772 (93%)	707 (98%)	11 (2%)	0	100	100
2	B	146/158 (92%)	138 (94%)	8 (6%)	0	100	100
2	E	146/158 (92%)	138 (94%)	8 (6%)	0	100	100
2	H	146/158 (92%)	137 (94%)	9 (6%)	0	100	100
2	K	146/158 (92%)	138 (94%)	8 (6%)	0	100	100
2	N	146/158 (92%)	138 (94%)	8 (6%)	0	100	100
2	Q	146/158 (92%)	137 (94%)	9 (6%)	0	100	100
2	T	146/158 (92%)	138 (94%)	8 (6%)	0	100	100
2	W	146/158 (92%)	138 (94%)	8 (6%)	0	100	100
3	C	10/48 (21%)	10 (100%)	0	0	100	100
3	F	10/48 (21%)	10 (100%)	0	0	100	100
3	I	9/48 (19%)	9 (100%)	0	0	100	100
3	L	7/48 (15%)	7 (100%)	0	0	100	100
3	O	10/48 (21%)	10 (100%)	0	0	100	100
3	R	10/48 (21%)	10 (100%)	0	0	100	100
3	U	7/48 (15%)	7 (100%)	0	0	100	100
3	X	10/48 (21%)	10 (100%)	0	0	100	100
All	All	7029/7824 (90%)	6868 (98%)	159 (2%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	489	ASP
1	M	489	ASP

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	667/709 (94%)	657 (98%)	10 (2%)	70	92
1	D	679/709 (96%)	670 (99%)	9 (1%)	73	93
1	G	670/709 (94%)	659 (98%)	11 (2%)	68	91
1	J	670/709 (94%)	662 (99%)	8 (1%)	75	94
1	M	679/709 (96%)	670 (99%)	9 (1%)	73	93
1	P	670/709 (94%)	661 (99%)	9 (1%)	73	93
1	S	667/709 (94%)	658 (99%)	9 (1%)	73	93
1	V	667/709 (94%)	657 (98%)	10 (2%)	70	92
2	B	124/130 (95%)	122 (98%)	2 (2%)	68	91
2	E	124/130 (95%)	122 (98%)	2 (2%)	68	91
2	H	124/130 (95%)	122 (98%)	2 (2%)	68	91
2	K	124/130 (95%)	122 (98%)	2 (2%)	68	91
2	N	124/130 (95%)	122 (98%)	2 (2%)	68	91
2	Q	124/130 (95%)	122 (98%)	2 (2%)	68	91
2	T	124/130 (95%)	122 (98%)	2 (2%)	68	91
2	W	124/130 (95%)	122 (98%)	2 (2%)	68	91
3	C	13/36 (36%)	12 (92%)	1 (8%)	15	39
3	F	13/36 (36%)	12 (92%)	1 (8%)	15	39
3	I	11/36 (31%)	10 (91%)	1 (9%)	11	31
3	L	10/36 (28%)	9 (90%)	1 (10%)	9	26
3	O	13/36 (36%)	12 (92%)	1 (8%)	15	39
3	R	13/36 (36%)	12 (92%)	1 (8%)	15	39
3	U	10/36 (28%)	9 (90%)	1 (10%)	9	26
3	X	13/36 (36%)	12 (92%)	1 (8%)	15	39
All	All	6457/7000 (92%)	6358 (98%)	99 (2%)	70	92

All (99) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	243	ARG
1	A	344	LYS
1	A	387	LEU
1	A	431	GLU
1	A	464	ARG
1	A	503	CYS
1	A	515	ASP
1	A	669	GLN
1	A	719	MET
1	A	733	THR
2	B	21	ARG
2	B	137	GLU
1	D	243	ARG
1	D	387	LEU
1	D	431	GLU
1	D	464	ARG
1	D	479	VAL
1	D	503	CYS
1	D	515	ASP
1	D	669	GLN
1	D	733	THR
2	E	21	ARG
2	E	137	GLU
1	G	243	ARG
1	G	344	LYS
1	G	387	LEU
1	G	431	GLU
1	G	464	ARG
1	G	479	VAL
1	G	503	CYS
1	G	515	ASP
1	G	669	GLN
1	G	719	MET
1	G	733	THR
2	H	21	ARG
2	H	137	GLU
1	J	387	LEU
1	J	431	GLU
1	J	464	ARG
1	J	503	CYS
1	J	515	ASP
1	J	669	GLN
1	J	733	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	J	786	CYS
2	K	21	ARG
2	K	137	GLU
1	M	243	ARG
1	M	387	LEU
1	M	431	GLU
1	M	464	ARG
1	M	479	VAL
1	M	503	CYS
1	M	515	ASP
1	M	669	GLN
1	M	733	THR
2	N	21	ARG
2	N	137	GLU
1	P	243	ARG
1	P	387	LEU
1	P	431	GLU
1	P	464	ARG
1	P	503	CYS
1	P	515	ASP
1	P	669	GLN
1	P	719	MET
1	P	733	THR
2	Q	21	ARG
2	Q	137	GLU
1	S	387	LEU
1	S	431	GLU
1	S	464	ARG
1	S	503	CYS
1	S	515	ASP
1	S	660	GLU
1	S	669	GLN
1	S	733	THR
1	S	786	CYS
2	T	21	ARG
2	T	137	GLU
1	V	243	ARG
1	V	344	LYS
1	V	387	LEU
1	V	431	GLU
1	V	464	ARG
1	V	503	CYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	V	515	ASP
1	V	669	GLN
1	V	719	MET
1	V	733	THR
2	W	21	ARG
2	W	137	GLU
3	C	852	ASP
3	F	852	ASP
3	I	852	ASP
3	L	852	ASP
3	O	852	ASP
3	R	852	ASP
3	U	852	ASP
3	X	852	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	MGT	B	201	-	29,35,35	1.45	3 (10%)	30,56,56	2.31	4 (13%)
4	MGT	E	201	-	29,35,35	1.37	2 (6%)	30,56,56	2.41	5 (16%)
4	MGT	H	201	-	29,35,35	1.48	2 (6%)	30,56,56	2.30	5 (16%)
4	MGT	K	201	-	29,35,35	1.55	2 (6%)	30,56,56	2.42	5 (16%)
4	MGT	N	201	-	29,35,35	1.36	2 (6%)	30,56,56	2.45	5 (16%)
4	MGT	Q	201	-	29,35,35	1.33	3 (10%)	30,56,56	2.28	5 (16%)
4	MGT	T	201	-	29,35,35	1.54	2 (6%)	30,56,56	2.38	6 (20%)
4	MGT	W	201	-	29,35,35	1.45	2 (6%)	30,56,56	2.33	5 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MGT	B	201	-	-	0/22/50/50	0/3/3/3
4	MGT	E	201	-	-	0/22/50/50	0/3/3/3
4	MGT	H	201	-	-	0/22/50/50	0/3/3/3
4	MGT	K	201	-	-	0/22/50/50	0/3/3/3
4	MGT	N	201	-	-	0/22/50/50	0/3/3/3
4	MGT	Q	201	-	-	0/22/50/50	0/3/3/3
4	MGT	T	201	-	-	0/22/50/50	0/3/3/3
4	MGT	W	201	-	-	0/22/50/50	0/3/3/3

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	Q	201	MGT	CM7-N7	2.02	1.49	1.46
4	B	201	MGT	PG-O3B	2.52	1.64	1.60
4	Q	201	MGT	C5-C4	3.15	1.47	1.39
4	W	201	MGT	C5-C4	3.20	1.47	1.39
4	N	201	MGT	C5-C4	3.26	1.48	1.39
4	B	201	MGT	C5-C4	3.28	1.48	1.39
4	H	201	MGT	C5-C4	3.31	1.48	1.39
4	E	201	MGT	C5-C4	3.33	1.48	1.39
4	T	201	MGT	C5-C4	3.35	1.48	1.39
4	K	201	MGT	C5-C4	3.42	1.48	1.39
4	Q	201	MGT	C6-C5	5.01	1.47	1.41
4	E	201	MGT	C6-C5	5.05	1.47	1.41
4	N	201	MGT	C6-C5	5.06	1.47	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	201	MGT	C6-C5	5.49	1.47	1.41
4	W	201	MGT	C6-C5	5.91	1.48	1.41
4	H	201	MGT	C6-C5	5.91	1.48	1.41
4	T	201	MGT	C6-C5	6.15	1.48	1.41
4	K	201	MGT	C6-C5	6.28	1.48	1.41

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	W	201	MGT	C5-C6-N1	-5.50	114.74	123.37
4	N	201	MGT	C5-C4-N3	-5.26	117.69	126.47
4	B	201	MGT	C5-C6-N1	-5.24	115.15	123.37
4	E	201	MGT	C5-C4-N3	-5.18	117.82	126.47
4	K	201	MGT	C5-C6-N1	-4.94	115.62	123.37
4	K	201	MGT	C5-C4-N3	-4.93	118.25	126.47
4	H	201	MGT	C5-C6-N1	-4.92	115.65	123.37
4	Q	201	MGT	C5-C6-N1	-4.88	115.72	123.37
4	B	201	MGT	C5-C4-N3	-4.86	118.36	126.47
4	T	201	MGT	C5-C6-N1	-4.84	115.78	123.37
4	H	201	MGT	C5-C4-N3	-4.79	118.48	126.47
4	W	201	MGT	C5-C4-N3	-4.78	118.49	126.47
4	Q	201	MGT	C5-C4-N3	-4.77	118.51	126.47
4	T	201	MGT	C5-C4-N3	-4.76	118.53	126.47
4	E	201	MGT	C5-C6-N1	-4.53	116.26	123.37
4	N	201	MGT	C5-C6-N1	-4.51	116.29	123.37
4	T	201	MGT	C5-C4-N9	-2.03	103.35	106.31
4	W	201	MGT	C2-N3-C4	2.04	119.69	113.95
4	T	201	MGT	C2-N3-C4	2.07	119.77	113.95
4	Q	201	MGT	C2-N3-C4	2.14	119.95	113.95
4	K	201	MGT	C2-N3-C4	2.14	119.97	113.95
4	E	201	MGT	C2-N3-C4	2.20	120.13	113.95
4	H	201	MGT	C2-N3-C4	2.20	120.14	113.95
4	N	201	MGT	C2-N3-C4	2.34	120.51	113.95
4	E	201	MGT	C6-N1-C2	4.62	122.70	116.06
4	N	201	MGT	C6-N1-C2	4.69	122.80	116.06
4	B	201	MGT	C6-N1-C2	4.75	122.89	116.06
4	H	201	MGT	C6-N1-C2	4.78	122.94	116.06
4	T	201	MGT	C6-N1-C2	4.88	123.08	116.06
4	K	201	MGT	C6-N1-C2	4.94	123.17	116.06
4	Q	201	MGT	C6-N1-C2	4.96	123.20	116.06
4	W	201	MGT	C6-N1-C2	4.97	123.20	116.06
4	B	201	MGT	N3-C4-N9	7.97	137.16	126.98

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	Q	201	MGT	N3-C4-N9	7.97	137.16	126.98
4	H	201	MGT	N3-C4-N9	8.16	137.40	126.98
4	W	201	MGT	N3-C4-N9	8.18	137.43	126.98
4	T	201	MGT	N3-C4-N9	8.71	138.11	126.98
4	K	201	MGT	N3-C4-N9	8.77	138.19	126.98
4	E	201	MGT	N3-C4-N9	9.18	138.70	126.98
4	N	201	MGT	N3-C4-N9	9.27	138.82	126.98

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	E	201	MGT	1	0
4	K	201	MGT	1	0
4	N	201	MGT	1	0
4	T	201	MGT	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	726/772 (94%)	0.10	24 (3%) 47 36	30, 62, 121, 174	0
1	D	740/772 (95%)	0.08	19 (2%) 56 45	32, 68, 116, 140	0
1	G	730/772 (94%)	0.04	12 (1%) 72 65	30, 62, 110, 138	0
1	J	730/772 (94%)	0.30	40 (5%) 26 17	36, 83, 127, 168	0
1	M	740/772 (95%)	0.07	18 (2%) 59 49	33, 68, 116, 145	0
1	P	730/772 (94%)	0.04	11 (1%) 74 67	31, 62, 110, 138	0
1	S	726/772 (94%)	0.29	50 (6%) 18 10	35, 81, 124, 154	0
1	V	726/772 (94%)	0.11	22 (3%) 51 39	31, 63, 120, 178	0
2	B	148/158 (93%)	-0.11	2 (1%) 75 69	33, 65, 95, 119	0
2	E	148/158 (93%)	0.05	8 (5%) 26 17	39, 77, 117, 148	0
2	H	148/158 (93%)	-0.10	1 (0%) 87 83	35, 70, 106, 139	0
2	K	148/158 (93%)	0.37	10 (6%) 18 10	41, 86, 124, 145	0
2	N	148/158 (93%)	0.02	3 (2%) 65 56	41, 78, 115, 137	0
2	Q	148/158 (93%)	-0.01	3 (2%) 65 56	34, 70, 105, 148	0
2	T	148/158 (93%)	0.21	7 (4%) 32 22	40, 83, 121, 153	0
2	W	148/158 (93%)	-0.13	4 (2%) 55 44	36, 64, 95, 124	0
3	C	14/48 (29%)	1.14	1 (7%) 17 9	78, 97, 129, 129	0
3	F	14/48 (29%)	0.50	0 100 100	79, 97, 110, 114	0
3	I	13/48 (27%)	1.20	3 (23%) 1 1	88, 109, 118, 125	0
3	L	11/48 (22%)	0.90	1 (9%) 10 5	98, 115, 124, 133	0
3	O	14/48 (29%)	0.54	0 100 100	72, 97, 110, 113	0
3	R	14/48 (29%)	1.01	1 (7%) 17 9	84, 114, 127, 137	0
3	U	11/48 (22%)	1.07	2 (18%) 1 1	104, 108, 123, 137	0
3	X	14/48 (29%)	0.70	2 (14%) 3 2	77, 100, 131, 131	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
All	All	7137/7824 (91%)	0.12	244 (3%) 46 34	30, 70, 119, 178	0

All (244) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	527	PRO	11.2
1	V	527	PRO	10.9
1	A	517	ILE	6.9
1	J	499	SER	6.6
2	K	129	ARG	6.5
1	V	525	PRO	6.0
2	K	138	TYR	6.0
1	J	527	PRO	5.9
1	V	540	ASN	5.3
2	T	138	TYR	5.3
1	S	31	LEU	5.2
1	V	517	ILE	5.2
2	K	140	GLN	5.1
1	A	540	ASN	5.0
1	S	688	LEU	4.9
2	T	140	GLN	4.9
1	J	683	ARG	4.7
1	V	526	ASN	4.7
1	J	503	CYS	4.6
1	S	540	ASN	4.5
1	A	518	PHE	4.4
1	S	670	HIS	4.4
1	S	689	GLU	4.3
1	M	686	GLY	4.3
2	K	76	MET	4.2
1	J	31	LEU	4.1
1	J	473	PHE	4.1
1	G	686	GLY	4.1
1	V	573	PHE	4.0
2	K	128	GLY	4.0
2	E	138	TYR	4.0
1	V	509	LYS	3.9
2	Q	138	TYR	3.9
1	J	688	LEU	3.8
2	T	57	TYR	3.8
2	K	23	GLN	3.8
2	N	140	GLN	3.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	S	160	ASP	3.7
2	T	149	TYR	3.7
1	S	28	GLU	3.7
1	J	734	SER	3.7
1	S	668	ARG	3.6
1	M	100	PHE	3.6
1	J	160	ASP	3.6
1	V	524	VAL	3.6
1	J	670	HIS	3.6
1	V	521	LEU	3.6
1	V	518	PHE	3.5
1	G	540	ASN	3.5
1	D	492	SER	3.5
1	S	551	LEU	3.5
2	Q	24	HIS	3.5
1	J	543	LYS	3.5
1	V	512	ALA	3.5
1	A	262	GLU	3.5
1	A	526	ASN	3.5
1	S	543	LYS	3.4
2	N	24	HIS	3.4
1	S	586	VAL	3.4
2	E	24	HIS	3.4
1	V	670	HIS	3.3
1	S	527	PRO	3.3
1	D	489	ASP	3.3
1	M	685	ASP	3.3
1	M	57	LEU	3.3
1	S	57	LEU	3.3
1	S	511	LYS	3.2
1	S	35	ILE	3.2
1	P	526	ASN	3.2
1	P	527	PRO	3.2
1	A	521	LEU	3.1
1	S	58	GLU	3.1
2	T	30	GLU	3.1
1	D	343	ASN	3.1
1	P	686	GLY	3.1
2	K	149	TYR	3.1
1	J	631	ASP	3.1
1	P	684	LYS	3.1
1	P	499	SER	3.0

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	G	668	ARG	3.0
2	E	140	GLN	3.0
1	G	517	ILE	3.0
1	D	442	GLU	3.0
1	D	488	GLY	3.0
1	S	205	ARG	3.0
1	S	247	ARG	3.0
1	J	35	ILE	3.0
1	S	36	CYS	2.9
1	A	508	PHE	2.9
1	J	504	LEU	2.9
1	M	691	GLN	2.9
1	M	492	SER	2.9
1	P	735	VAL	2.9
1	J	551	LEU	2.9
1	S	666	LEU	2.9
1	M	192	MET	2.9
1	P	552	LEU	2.9
1	S	504	LEU	2.9
3	L	859	TYR	2.8
1	J	105	VAL	2.8
1	D	57	LEU	2.8
1	A	734	SER	2.8
1	D	494	SER	2.8
1	S	32	GLU	2.8
1	A	541	PRO	2.8
1	J	733	THR	2.8
1	S	34	LEU	2.7
1	J	689	GLU	2.7
1	G	666	LEU	2.7
1	D	31	LEU	2.7
1	D	666	LEU	2.7
1	D	691	GLN	2.7
1	S	585	HIS	2.7
1	V	544	ILE	2.7
1	S	694	ARG	2.7
1	S	734	SER	2.7
1	S	590	MET	2.7
1	D	543	LYS	2.7
1	J	552	LEU	2.7
1	S	343	ASN	2.6
1	V	513	THR	2.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	S	509	LYS	2.6
3	U	870	PHE	2.6
2	T	23	GLN	2.6
1	A	509	LYS	2.6
1	D	683	ARG	2.6
1	D	689	GLU	2.6
2	W	26	ARG	2.6
1	A	688	LEU	2.6
2	H	24	HIS	2.6
1	V	666	LEU	2.6
1	J	201	SER	2.6
3	I	856	ILE	2.6
1	S	258	SER	2.6
2	B	26	ARG	2.6
2	E	23	GLN	2.5
1	S	542	LEU	2.5
1	M	160	ASP	2.5
2	E	149	TYR	2.5
1	M	670	HIS	2.5
1	S	257	ASP	2.5
1	G	442	GLU	2.5
1	A	662	ALA	2.5
2	E	147	GLY	2.5
1	P	486	LYS	2.5
1	M	262	GLU	2.5
1	G	670	HIS	2.5
2	W	142	TYR	2.5
1	V	667	ALA	2.5
1	J	666	LEU	2.5
1	J	194	ARG	2.4
1	V	506	VAL	2.4
1	D	490	GLU	2.4
1	D	540	ASN	2.4
1	A	525	PRO	2.4
1	S	547	PHE	2.4
1	J	523	ASP	2.4
1	G	521	LEU	2.4
1	S	546	VAL	2.4
1	M	688	LEU	2.4
2	K	24	HIS	2.4
1	V	569	PHE	2.4
1	G	684	LYS	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	K	6	LEU	2.4
1	J	62	PRO	2.4
1	J	546	VAL	2.4
1	S	550	THR	2.4
1	M	491	SER	2.4
2	E	129	ARG	2.3
1	A	670	HIS	2.3
3	C	857	VAL	2.3
1	P	683	ARG	2.3
1	J	159	GLU	2.3
1	P	341	GLY	2.3
1	S	108	MET	2.3
2	N	138	TYR	2.3
1	A	506	VAL	2.3
1	V	572	VAL	2.3
1	G	541	PRO	2.3
1	J	668	ARG	2.3
1	S	27	THR	2.3
1	J	693	GLU	2.3
3	X	858	GLU	2.3
1	A	511	LYS	2.3
2	E	5	LEU	2.3
1	S	499	SER	2.3
1	D	243	ARG	2.3
1	M	668	ARG	2.3
1	J	590	MET	2.3
1	G	509	LYS	2.3
1	S	483	CYS	2.2
1	J	694	ARG	2.2
1	A	585	HIS	2.2
1	S	687	VAL	2.2
1	S	68	ILE	2.2
1	S	104	PHE	2.2
1	S	473	PHE	2.2
1	S	628	LEU	2.2
3	R	860	ARG	2.2
1	M	666	LEU	2.2
2	T	129	ARG	2.2
1	J	248	HIS	2.2
1	J	581	GLU	2.2
1	A	666	LEU	2.2
1	A	690	GLU	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	341	GLY	2.2
1	S	691	GLN	2.2
1	D	35	ILE	2.1
1	A	694	ARG	2.1
3	I	857	VAL	2.1
2	W	138	TYR	2.1
1	J	32	GLU	2.1
1	J	777	HIS	2.1
1	M	442	GLU	2.1
1	S	243	ARG	2.1
1	S	512	ALA	2.1
1	M	734	SER	2.1
1	J	685	ASP	2.1
1	V	669	GLN	2.1
1	J	135	VAL	2.1
1	J	687	VAL	2.1
1	J	519	SER	2.1
1	A	736	LEU	2.1
1	M	490	GLU	2.1
3	U	859	TYR	2.1
1	S	173	PHE	2.1
1	S	662	ALA	2.1
1	V	662	ALA	2.1
3	I	858	GLU	2.1
1	A	613	ILE	2.1
2	B	138	TYR	2.1
3	X	861	ASP	2.1
1	J	150	GLU	2.1
1	P	523	ASP	2.0
2	W	149	TYR	2.0
2	K	57	TYR	2.0
1	S	53	LEU	2.0
1	G	683	ARG	2.0
1	V	541	PRO	2.0
2	Q	23	GLN	2.0
1	D	299	GLU	2.0
1	M	689	GLU	2.0
1	J	271	PHE	2.0
1	A	514	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	MGT	K	201	33/33	0.93	0.18	-0.56	66,79,90,97	0
4	MGT	W	201	33/33	0.96	0.16	-0.63	40,45,65,67	0
4	MGT	N	201	33/33	0.94	0.14	-0.65	66,71,84,91	0
4	MGT	B	201	33/33	0.97	0.14	-0.96	37,42,67,69	0
4	MGT	T	201	33/33	0.93	0.14	-1.08	69,79,92,104	0
4	MGT	E	201	33/33	0.94	0.15	-1.13	64,72,82,87	0
4	MGT	Q	201	33/33	0.94	0.16	-1.24	56,61,67,72	0
4	MGT	H	201	33/33	0.97	0.13	-1.34	53,58,67,68	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.