



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 09:36 pm GMT

PDB ID : 3ORZ  
Title : PDK1 mutant bound to allosteric disulfide fragment activator 2A2  
Authors : Sadowsky, J.D.; Wells, J.A.  
Deposited on : 2010-09-08  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : trunk28620  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	6609 (2.00-2.00)
Clashscore	112137	7775 (2.00-2.00)
Ramachandran outliers	110173	7679 (2.00-2.00)
Sidechain outliers	110143	7678 (2.00-2.00)
RSRZ outliers	101464	6696 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	316	<div> <div>3%</div> <div> <div></div> <div>75%</div> <div>10%</div> <div>•</div> <div>12%</div> </div> </div>
1	B	316	<div> <div>2%</div> <div> <div></div> <div>71%</div> <div>14%</div> <div>•</div> <div>12%</div> </div> </div>
1	C	316	<div> <div>3%</div> <div> <div></div> <div>74%</div> <div>12%</div> <div>•</div> <div>12%</div> </div> </div>
1	D	316	<div> <div>4%</div> <div> <div></div> <div>71%</div> <div>16%</div> <div>•</div> <div>12%</div> </div> </div>

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 9976 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 3-phosphoinositide-dependent protein kinase 1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	277	Total	C	N	O	P	S	0	1	0
			2238	1456	362	411	1	8			
1	B	279	Total	C	N	O	P	S	0	0	0
			2241	1457	365	410	1	8			
1	C	277	Total	C	N	O	P	S	0	0	0
			2229	1451	362	407	1	8			
1	D	279	Total	C	N	O	P	S	0	0	0
			2251	1461	367	414	1	8			

There are 32 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	44	GLY	-	EXPRESSION TAG	UNP O15530
A	45	ALA	-	EXPRESSION TAG	UNP O15530
A	46	MET	-	EXPRESSION TAG	UNP O15530
A	47	ASP	-	EXPRESSION TAG	UNP O15530
A	48	PRO	-	EXPRESSION TAG	UNP O15530
A	49	GLU	-	EXPRESSION TAG	UNP O15530
A	50	PHE	-	EXPRESSION TAG	UNP O15530
A	148	CYS	THR	ENGINEERED MUTATION	UNP O15530
B	44	GLY	-	EXPRESSION TAG	UNP O15530
B	45	ALA	-	EXPRESSION TAG	UNP O15530
B	46	MET	-	EXPRESSION TAG	UNP O15530
B	47	ASP	-	EXPRESSION TAG	UNP O15530
B	48	PRO	-	EXPRESSION TAG	UNP O15530
B	49	GLU	-	EXPRESSION TAG	UNP O15530
B	50	PHE	-	EXPRESSION TAG	UNP O15530
B	148	CYS	THR	ENGINEERED MUTATION	UNP O15530
C	44	GLY	-	EXPRESSION TAG	UNP O15530
C	45	ALA	-	EXPRESSION TAG	UNP O15530
C	46	MET	-	EXPRESSION TAG	UNP O15530
C	47	ASP	-	EXPRESSION TAG	UNP O15530
C	48	PRO	-	EXPRESSION TAG	UNP O15530

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	49	GLU	-	EXPRESSION TAG	UNP O15530
C	50	PHE	-	EXPRESSION TAG	UNP O15530
C	148	CYS	THR	ENGINEERED MUTATION	UNP O15530
D	44	GLY	-	EXPRESSION TAG	UNP O15530
D	45	ALA	-	EXPRESSION TAG	UNP O15530
D	46	MET	-	EXPRESSION TAG	UNP O15530
D	47	ASP	-	EXPRESSION TAG	UNP O15530
D	48	PRO	-	EXPRESSION TAG	UNP O15530
D	49	GLU	-	EXPRESSION TAG	UNP O15530
D	50	PHE	-	EXPRESSION TAG	UNP O15530
D	148	CYS	THR	ENGINEERED MUTATION	UNP O15530

- Molecule 2 is 4-[4-(3-CHLOROPHENYL)PIPERAZIN-1-YL]-4-OXOBUTANE-1-THIOL (three-letter code: 2A2) (formula: C<sub>14</sub>H<sub>19</sub>ClN<sub>2</sub>OS).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total 19	C 14	Cl 1	N 2	O 1	S 1	0	0
2	B	1	Total 19	C 14	Cl 1	N 2	O 1	S 1	0	0
2	C	1	Total 19	C 14	Cl 1	N 2	O 1	S 1	0	0
2	D	1	Total 19	C 14	Cl 1	N 2	O 1	S 1	0	0

- Molecule 3 is 3-(1H-INDOL-3-YL)-4-{1-[2-(1-METHYLPYRROLIDIN-2-YL)ETHYL]-1H-INDOL-3-YL}-1H-PYRROLE-2,5-DIONE (three-letter code: BI4) (formula: C<sub>27</sub>H<sub>26</sub>N<sub>4</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			33	27	4	2		
3	B	1	Total	C	N	O	0	0
			33	27	4	2		
3	C	1	Total	C	N	O	0	0
			33	27	4	2		
3	D	1	Total	C	N	O	0	0
			33	27	4	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	209	Total	O	0	0
			209	209		
4	B	203	Total	O	0	0
			203	203		
4	C	200	Total	O	0	0
			200	200		
4	D	197	Total	O	0	0
			197	197		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $\text{RSRZ} > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 3-phosphoinositide-dependent protein kinase 1




- Molecule 1: 3-phosphoinositide-dependent protein kinase 1





- Molecule 1: 3-phosphoinositide-dependent protein kinase 1





● Molecule 1: 3-phosphoinositide-dependent protein kinase 1



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	243.13Å 116.12Å 37.70Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.98 – 2.00 44.85 – 2.00	Depositor EDS
% Data completeness (in resolution range)	98.3 (41.98-2.00) 98.8 (44.85-2.00)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.14 (at 2.00Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 2010_01_09_2330)	Depositor
R, $R_{free}$	0.218 , 0.265 0.216 , 0.262	Depositor DCC
$R_{free}$ test set	3502 reflections (5.05%)	DCC
Wilson B-factor (Å <sup>2</sup> )	19.5	Xtriage
Anisotropy	0.474	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 36.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.39$ , $\langle L^2 \rangle = 0.23$	Xtriage
Estimated twinning fraction	0.458 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	9976	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	23.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 99.49 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 4.7895e-13. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BI4, 2A2, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.48	0/2286	0.60	0/3087
1	B	0.49	0/2284	0.57	0/3082
1	C	0.46	0/2274	0.58	1/3071 (0.0%)
1	D	0.45	0/2294	0.57	0/3095
All	All	0.47	0/9138	0.58	1/12335 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	151	ASP	CB-CG-OD2	5.53	123.27	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2238	0	2221	28	0
1	B	2241	0	2223	39	1
1	C	2229	0	2213	32	0
1	D	2251	0	2235	34	1
2	A	19	0	18	0	0
2	B	19	0	18	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	19	0	18	0	0
2	D	19	0	18	1	0
3	A	33	0	26	5	0
3	B	33	0	26	5	0
3	C	33	0	26	7	0
3	D	33	0	26	6	0
4	A	209	0	0	1	0
4	B	203	0	0	3	0
4	C	200	0	0	2	0
4	D	197	0	0	3	0
All	All	9976	0	9068	157	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:73:GLN:HG2	1:B:74:PRO:HD2	1.50	0.91
1:A:202:ILE:HD12	1:A:228:LYS:HD2	1.67	0.76
1:C:214:ASN:ND2	1:C:216:ASP:OD2	2.21	0.72
1:C:276:VAL:O	1:C:304:LYS:HE2	1.91	0.71
1:B:129:ARG:HH11	1:B:229:VAL:H	1.39	0.70
1:B:116:ARG:O	1:B:120:LYS:HB2	1.93	0.69
1:B:214:ASN:ND2	1:B:216:ASP:OD1	2.26	0.69
3:B:360:BI4:H4	3:B:360:BI4:H251	1.75	0.69
3:D:360:BI4:H4	3:D:360:BI4:H251	1.75	0.68
3:A:360:BI4:H251	3:A:360:BI4:H4	1.77	0.66
1:C:359:THR:O	4:C:450:HOH:O	2.14	0.66
1:D:153:GLU:HG3	1:D:154:LYS:HG3	1.77	0.66
1:D:214:ASN:ND2	1:D:216:ASP:OD2	2.28	0.65
1:A:174:ILE:HD11	1:A:358:LEU:HB3	1.78	0.65
1:A:214:ASN:ND2	1:A:216[A]:ASP:OD1	2.29	0.64
3:C:360:BI4:H251	3:C:360:BI4:H4	1.79	0.64
1:B:163:LYS:HD2	1:B:215:GLU:HG3	1.78	0.64
1:D:93:PHE:HE1	1:D:121:GLU:HG3	1.64	0.63
1:C:174:ILE:CD1	1:C:358:LEU:HB3	2.29	0.62
1:C:214:ASN:C	1:C:214:ASN:HD22	2.02	0.62
1:C:214:ASN:HB3	1:C:220:GLN:NE2	2.15	0.62
1:A:247:GLN:HE21	1:A:247:GLN:HA	1.63	0.62
1:C:214:ASN:HB3	1:C:220:GLN:HE21	1.65	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:286:ASN:C	1:C:286:ASN:HD22	2.04	0.61
1:A:214:ASN:HB3	1:A:220:GLN:NE2	2.15	0.61
1:A:174:ILE:CD1	1:A:358:LEU:HB3	2.30	0.61
1:A:93:PHE:HE1	1:A:121:GLU:HG3	1.65	0.61
1:A:123:LYS:O	1:A:126:TYR:HB3	2.00	0.60
1:A:214:ASN:C	1:A:214:ASN:HD22	2.04	0.60
3:D:360:BI4:H252	4:D:378:HOH:O	2.00	0.60
1:C:139:HIS:CG	1:C:140:PRO:HD2	2.36	0.59
1:A:214:ASN:HB3	1:A:220:GLN:HE21	1.68	0.58
1:D:286:ASN:HD22	1:D:286:ASN:C	2.06	0.58
1:C:123:LYS:O	1:C:126:TYR:HB3	2.03	0.58
1:B:286:ASN:HD22	1:B:286:ASN:C	2.06	0.58
3:B:360:BI4:H252	4:B:375:HOH:O	2.02	0.58
1:C:93:PHE:CZ	1:C:121:GLU:HG2	2.39	0.58
1:C:174:ILE:HD11	1:C:358:LEU:HB3	1.84	0.57
1:B:118:ILE:HG21	2:B:1:2A2:CL99	2.42	0.57
1:D:286:ASN:ND2	1:D:289:LEU:H	2.02	0.57
3:D:360:BI4:C4	3:D:360:BI4:H251	2.35	0.56
3:B:360:BI4:H251	3:B:360:BI4:C4	2.35	0.56
1:C:286:ASN:ND2	1:C:289:LEU:H	2.04	0.55
1:B:286:ASN:ND2	1:B:289:LEU:H	2.03	0.55
1:C:93:PHE:HZ	1:C:121:GLU:HG2	1.70	0.55
1:C:106:ARG:HG3	1:C:108:TYR:CE2	2.40	0.55
4:A:748:HOH:O	1:B:352:GLN:HG3	2.06	0.55
1:B:118:ILE:CG2	2:B:1:2A2:CL99	2.92	0.54
1:C:196:LEU:HD22	1:C:201:ILE:HB	1.90	0.54
1:B:124:VAL:O	1:B:127:VAL:N	2.41	0.52
1:D:118:ILE:HB	2:D:1:2A2:CL99	2.46	0.52
3:A:360:BI4:C4	3:A:360:BI4:H251	2.40	0.51
1:A:93:PHE:CE1	1:A:121:GLU:HG3	2.45	0.51
1:A:276:VAL:O	1:A:304:LYS:HE2	2.10	0.51
1:B:214:ASN:HB3	1:B:220:GLN:HE21	1.75	0.51
1:D:288:TYR:HD2	1:D:289:LEU:HD13	1.75	0.51
1:C:142:PHE:CZ	1:C:196:LEU:HG	2.46	0.51
1:D:214:ASN:HD22	1:D:214:ASN:C	2.13	0.51
1:B:214:ASN:C	1:B:214:ASN:HD22	2.14	0.50
1:C:133:VAL:HA	1:C:136:ARG:HD3	1.93	0.50
1:B:196:LEU:HD22	1:B:201:ILE:HB	1.93	0.50
1:C:247:GLN:HB2	1:C:248:TYR:CE2	2.46	0.50
1:A:90:GLU:HG2	1:A:95:THR:HG23	1.93	0.50
3:C:360:BI4:H251	3:C:360:BI4:C4	2.42	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:204:ARG:HD2	1:A:228:LYS:HB2	1.95	0.49
3:D:360:BI4:H1	3:D:360:BI4:O33	2.13	0.49
1:A:247:GLN:HB2	1:A:248:TYR:CE2	2.48	0.49
3:B:360:BI4:O33	3:B:360:BI4:H1	2.13	0.49
3:D:360:BI4:H271	3:D:360:BI4:H13	1.95	0.48
1:D:174:ILE:HD11	1:D:177:PHE:CE1	2.49	0.48
1:B:174:ILE:HD11	1:B:177:PHE:CE1	2.49	0.47
1:A:118:ILE:HG23	1:A:123:LYS:HB2	1.96	0.47
1:B:142:PHE:CZ	1:B:196:LEU:HG	2.50	0.47
1:D:93:PHE:CE1	1:D:121:GLU:HG3	2.45	0.47
1:B:124:VAL:N	1:B:125:PRO:CD	2.77	0.47
1:A:139:HIS:CG	1:A:140:PRO:HD2	2.49	0.47
1:D:214:ASN:HB3	1:D:220:GLN:HE21	1.79	0.47
1:B:304:LYS:CB	4:B:709:HOH:O	2.64	0.46
3:A:360:BI4:O33	3:A:360:BI4:H1	2.15	0.46
1:B:119:ILE:HG13	1:B:120:LYS:N	2.31	0.46
1:B:284:ALA:HB1	1:B:289:LEU:HB3	1.98	0.46
1:B:163:LYS:HE3	4:B:444:HOH:O	2.15	0.46
1:C:117:HIS:O	1:C:121:GLU:HB2	2.16	0.46
1:C:142:PHE:CE1	1:C:196:LEU:HG	2.51	0.46
1:A:129:ARG:HH21	1:A:229:VAL:H	1.63	0.45
1:B:288:TYR:HD2	1:B:289:LEU:HD13	1.80	0.45
1:A:206:LEU:HD13	1:A:271:ILE:CD1	2.47	0.45
1:B:83:LYS:HB2	1:B:102:LEU:HD21	1.99	0.45
1:C:205:ASP:O	1:C:210:ASN:ND2	2.49	0.45
1:B:286:ASN:HD22	1:B:289:LEU:H	1.64	0.45
1:B:75:ARG:HG2	1:B:76:LYS:O	2.17	0.45
1:D:93:PHE:CE1	1:D:117:HIS:CE1	3.04	0.45
1:B:247:GLN:HB2	1:B:248:TYR:CE2	2.52	0.45
3:B:360:BI4:H271	3:B:360:BI4:H13	1.98	0.45
1:A:134:MET:HA	1:A:137:LEU:HD12	1.97	0.45
1:A:203:HIS:O	1:A:204:ARG:HB2	2.16	0.45
1:D:247:GLN:HB2	1:D:248:TYR:CE2	2.52	0.45
3:C:360:BI4:H1	3:C:360:BI4:O33	2.17	0.44
1:D:83:LYS:HB2	1:D:102:LEU:HD21	1.99	0.44
1:B:93:PHE:CE1	1:B:117:HIS:CE1	3.05	0.44
1:C:90:GLU:HG2	1:C:95:THR:HG23	1.98	0.44
1:D:124:VAL:O	1:D:127:VAL:N	2.51	0.44
1:D:205:ASP:O	1:D:210:ASN:ND2	2.51	0.44
1:C:80:GLU:H	1:C:80:GLU:CD	2.20	0.44
1:B:170:TYR:O	1:B:174:ILE:HG12	2.18	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:131:ARG:HG3	1:D:157:PHE:CE1	2.53	0.44
1:D:284:ALA:HB1	1:D:289:LEU:HB3	2.00	0.44
1:D:276:VAL:O	1:D:304:LYS:HE2	2.17	0.44
1:A:133:VAL:O	1:A:136:ARG:HG2	2.17	0.44
1:B:113:LEU:HB3	1:B:118:ILE:HD11	2.00	0.43
1:A:147:PHE:CE1	1:A:158:GLY:HA3	2.53	0.43
1:A:288:TYR:CD2	1:A:289:LEU:HD13	2.53	0.43
1:C:134:MET:HA	1:C:137:LEU:HD12	1.99	0.43
1:D:121:GLU:O	1:D:123:LYS:HG2	2.18	0.43
1:D:287:GLU:HG2	1:D:291:PHE:CZ	2.54	0.43
1:D:354:THR:HA	1:D:355:PRO:HD3	1.88	0.43
1:B:295:ILE:HD12	1:B:296:LYS:HG3	1.99	0.43
1:A:288:TYR:HD2	1:A:289:LEU:HD13	1.83	0.43
1:B:205:ASP:O	1:B:210:ASN:ND2	2.52	0.43
1:C:147:PHE:CE1	1:C:158:GLY:HA3	2.54	0.43
1:C:288:TYR:HD2	1:C:289:LEU:HD13	1.83	0.43
1:D:183:ARG:NH1	4:D:777:HOH:O	2.41	0.43
1:A:80:GLU:CD	1:A:80:GLU:H	2.21	0.43
1:D:260:CYS:SG	4:D:457:HOH:O	2.55	0.43
1:B:86:LYS:HG3	1:B:86:LYS:O	2.18	0.42
1:D:163:LYS:HB2	1:D:163:LYS:HE2	1.89	0.42
1:D:124:VAL:O	1:D:125:PRO:C	2.56	0.42
1:D:139:HIS:CG	1:D:140:PRO:HD2	2.54	0.42
1:A:129:ARG:NH2	1:A:229:VAL:H	2.16	0.42
1:B:106:ARG:HG3	1:B:108:TYR:CE2	2.54	0.42
2:B:1:2A2:H15A	2:B:1:2A2:H20	2.01	0.42
1:C:288:TYR:CD2	1:C:289:LEU:HD13	2.55	0.42
3:C:360:BI4:C5	3:C:360:BI4:H272	2.49	0.42
1:D:202:ILE:HD12	1:D:228:LYS:HE3	2.02	0.42
1:B:295:ILE:HD12	1:B:296:LYS:N	2.34	0.42
1:C:147:PHE:CZ	1:C:158:GLY:HA3	2.54	0.42
1:D:124:VAL:N	1:D:125:PRO:CD	2.83	0.42
1:B:129:ARG:NH1	1:B:229:VAL:H	2.14	0.42
1:D:147:PHE:CZ	1:D:158:GLY:HA3	2.55	0.42
1:B:147:PHE:CZ	1:B:158:GLY:HA3	2.55	0.42
3:A:360:BI4:H271	3:A:360:BI4:H13	2.02	0.41
3:C:360:BI4:H252	4:C:823:HOH:O	2.19	0.41
1:D:185:TYR:CE2	1:D:358:LEU:HD11	2.55	0.41
3:C:360:BI4:C7	3:C:360:BI4:C14	2.98	0.41
1:D:286:ASN:HD22	1:D:289:LEU:H	1.66	0.41
1:C:139:HIS:CD2	1:C:140:PRO:HD2	2.56	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:147:PHE:CZ	1:A:158:GLY:HA3	2.55	0.41
1:B:257:LYS:HB2	1:B:257:LYS:HE3	1.86	0.41
1:C:93:PHE:CE1	1:C:117:HIS:CE1	3.09	0.41
1:D:119:ILE:HG22	1:D:120:LYS:N	2.33	0.41
1:D:174:ILE:HD11	1:D:177:PHE:CD1	2.56	0.40
3:D:360:BI4:H312	3:D:360:BI4:H252	1.85	0.40
3:A:360:BI4:C5	3:A:360:BI4:H272	2.51	0.40
1:B:352:GLN:HB3	1:B:352:GLN:HE21	1.65	0.40
3:C:360:BI4:H13	3:C:360:BI4:H271	2.03	0.40
1:C:174:ILE:HD13	1:C:358:LEU:HB3	2.03	0.40
1:B:185:TYR:CE2	1:B:358:LEU:HD11	2.56	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:287:GLU:OE1	1:D:287:GLU:OE1[4_554]	2.15	0.05

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	274/316 (87%)	262 (96%)	12 (4%)	0	100	100
1	B	274/316 (87%)	266 (97%)	8 (3%)	0	100	100
1	C	273/316 (86%)	266 (97%)	7 (3%)	0	100	100
1	D	274/316 (87%)	266 (97%)	8 (3%)	0	100	100
All	All	1095/1264 (87%)	1060 (97%)	35 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	239/273 (88%)	227 (95%)	12 (5%)	28	23
1	B	238/273 (87%)	224 (94%)	14 (6%)	23	17
1	C	237/273 (87%)	225 (95%)	12 (5%)	28	22
1	D	241/273 (88%)	228 (95%)	13 (5%)	26	20
All	All	955/1092 (88%)	904 (95%)	51 (5%)	26	21

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	80	GLU
1	A	88	LEU
1	A	129	ARG
1	A	136	ARG
1	A	155	LEU
1	A	167	LEU
1	A	206	LEU
1	A	214	ASN
1	A	247	GLN
1	A	289	LEU
1	A	305	PHE
1	A	345	VAL
1	B	73	GLN
1	B	75	ARG
1	B	120	LYS
1	B	121	GLU
1	B	155	LEU
1	B	160	SER
1	B	196	LEU
1	B	204	ARG
1	B	214	ASN
1	B	215	GLU
1	B	286	ASN
1	B	289	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	352	GLN
1	B	358	LEU
1	C	80	GLU
1	C	152	ASP
1	C	155	LEU
1	C	167	LEU
1	C	196	LEU
1	C	204	ARG
1	C	214	ASN
1	C	253	LEU
1	C	256	GLU
1	C	286	ASN
1	C	289	LEU
1	C	304	LYS
1	D	73	GLN
1	D	160	SER
1	D	167	LEU
1	D	214	ASN
1	D	230	LEU
1	D	240	ASN
1	D	252	GLU
1	D	253	LEU
1	D	286	ASN
1	D	289	LEU
1	D	319	LEU
1	D	354	THR
1	D	358	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	214	ASN
1	A	220	GLN
1	A	247	GLN
1	A	349	ASN
1	B	73	GLN
1	B	214	ASN
1	B	220	GLN
1	B	247	GLN
1	B	286	ASN
1	B	352	GLN
1	C	214	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	C	220	GLN
1	C	286	ASN
1	D	214	ASN
1	D	220	GLN
1	D	240	ASN
1	D	247	GLN
1	D	286	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	SEP	A	241	1	9,9,10	1.81	2 (22%)	9,12,14	1.70	2 (22%)
1	SEP	B	241	1	9,9,10	1.54	1 (11%)	9,12,14	1.46	2 (22%)
1	SEP	C	241	1	9,9,10	1.60	2 (22%)	9,12,14	1.58	2 (22%)
1	SEP	D	241	1	9,9,10	1.52	1 (11%)	9,12,14	1.49	2 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SEP	A	241	1	-	0/5/8/10	0/0/0/0
1	SEP	B	241	1	-	0/5/8/10	0/0/0/0
1	SEP	C	241	1	-	0/5/8/10	0/0/0/0
1	SEP	D	241	1	-	0/5/8/10	0/0/0/0

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	241	SEP	CA-C	2.11	1.53	1.50
1	D	241	SEP	P-O1P	3.21	1.61	1.50
1	A	241	SEP	P-O1P	3.22	1.61	1.50
1	C	241	SEP	P-O1P	3.24	1.61	1.50
1	B	241	SEP	P-O1P	3.26	1.61	1.50
1	A	241	SEP	CA-C	3.34	1.54	1.50

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	241	SEP	P-OG-CB	-2.71	110.83	118.30
1	A	241	SEP	P-OG-CB	-2.61	111.11	118.30
1	B	241	SEP	P-OG-CB	-2.51	111.37	118.30
1	C	241	SEP	P-OG-CB	-2.31	111.93	118.30
1	D	241	SEP	OG-CB-CA	2.50	110.63	108.17
1	B	241	SEP	OG-CB-CA	2.58	110.71	108.17
1	C	241	SEP	OG-CB-CA	3.18	111.30	108.17
1	A	241	SEP	OG-CB-CA	3.56	111.67	108.17

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	2A2	A	1	-	20,20,20	0.86	1 (5%)	26,26,26	1.47	5 (19%)
3	BI4	A	360	-	33,38,38	1.86	6 (18%)	34,56,56	1.89	8 (23%)
2	2A2	B	1	-	20,20,20	0.84	1 (5%)	26,26,26	1.46	5 (19%)
3	BI4	B	360	-	33,38,38	1.85	6 (18%)	34,56,56	1.86	6 (17%)
2	2A2	C	1	-	20,20,20	0.86	1 (5%)	26,26,26	1.46	5 (19%)
3	BI4	C	360	-	33,38,38	1.87	6 (18%)	34,56,56	1.89	8 (23%)
2	2A2	D	1	-	20,20,20	0.84	1 (5%)	26,26,26	1.44	4 (15%)
3	BI4	D	360	-	33,38,38	1.84	6 (18%)	34,56,56	1.87	6 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	2A2	A	1	-	-	0/12/22/22	0/2/2/2
3	BI4	A	360	-	-	0/5/39/39	0/6/6/6
2	2A2	B	1	-	-	0/12/22/22	0/2/2/2
3	BI4	B	360	-	-	0/5/39/39	0/6/6/6
2	2A2	C	1	-	-	0/12/22/22	0/2/2/2
3	BI4	C	360	-	-	0/5/39/39	0/6/6/6
2	2A2	D	1	-	-	0/12/22/22	0/2/2/2
3	BI4	D	360	-	-	0/5/39/39	0/6/6/6

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	360	BI4	C22-C23	-5.38	1.37	1.42
3	A	360	BI4	C22-C23	-5.36	1.37	1.42
3	D	360	BI4	C16-C15	-4.94	1.38	1.42
3	B	360	BI4	C22-C23	-4.88	1.38	1.42
3	C	360	BI4	C16-C15	-4.83	1.38	1.42
3	B	360	BI4	C16-C15	-4.80	1.38	1.42
3	A	360	BI4	C16-C15	-4.77	1.38	1.42
3	D	360	BI4	C22-C23	-4.72	1.38	1.42
3	B	360	BI4	C5-N6	-3.38	1.35	1.39
3	A	360	BI4	C5-N6	-3.27	1.35	1.39
3	D	360	BI4	C5-N6	-3.25	1.35	1.39
3	C	360	BI4	C5-N6	-3.23	1.35	1.39
3	A	360	BI4	O32-C18	2.37	1.28	1.23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	360	BI4	O32-C18	2.40	1.28	1.23
3	B	360	BI4	O33-C20	2.47	1.28	1.23
3	D	360	BI4	O33-C20	2.47	1.28	1.23
3	C	360	BI4	O33-C20	2.56	1.28	1.23
3	A	360	BI4	O33-C20	2.62	1.28	1.23
2	D	1	2A2	C29-CL99	2.67	1.80	1.74
2	B	1	2A2	C29-CL99	2.70	1.80	1.74
3	D	360	BI4	O32-C18	2.75	1.28	1.23
2	A	1	2A2	C29-CL99	2.78	1.80	1.74
2	C	1	2A2	C29-CL99	2.79	1.80	1.74
3	B	360	BI4	O32-C18	2.80	1.28	1.23
3	B	360	BI4	C21-C17	4.56	1.47	1.37
3	D	360	BI4	C21-C17	4.62	1.48	1.37
3	A	360	BI4	C21-C17	4.69	1.48	1.37
3	C	360	BI4	C21-C17	4.71	1.48	1.37

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	360	BI4	C20-N19-C18	-5.78	105.19	111.19
3	A	360	BI4	C20-N19-C18	-5.78	105.19	111.19
3	B	360	BI4	C20-N19-C18	-5.64	105.33	111.19
3	D	360	BI4	C20-N19-C18	-5.63	105.34	111.19
3	D	360	BI4	O33-C20-C21	-3.92	122.75	128.20
3	A	360	BI4	O32-C18-C17	-3.91	122.76	128.20
3	B	360	BI4	O32-C18-C17	-3.80	122.92	128.20
3	D	360	BI4	O32-C18-C17	-3.78	122.94	128.20
3	C	360	BI4	O32-C18-C17	-3.74	122.99	128.20
3	B	360	BI4	O33-C20-C21	-3.70	123.05	128.20
3	C	360	BI4	O33-C20-C21	-3.28	123.64	128.20
3	A	360	BI4	O33-C20-C21	-3.18	123.78	128.20
2	A	1	2A2	C30-C25-N22	-2.53	118.52	121.34
2	B	1	2A2	C30-C25-N22	-2.50	118.55	121.34
2	C	1	2A2	C30-C25-N22	-2.42	118.64	121.34
2	D	1	2A2	C30-C25-N22	-2.40	118.66	121.34
2	C	1	2A2	C23-C24-N19	-2.39	104.99	110.44
3	A	360	BI4	C13-C14-C15	-2.31	117.58	120.88
2	A	1	2A2	C23-C24-N19	-2.30	105.20	110.44
3	C	360	BI4	C16-C8-N9	-2.26	104.54	108.91
3	A	360	BI4	C16-C8-N9	-2.24	104.58	108.91
3	C	360	BI4	C13-C14-C15	-2.24	117.68	120.88
2	C	1	2A2	C24-C23-N22	-2.22	106.30	110.68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	360	BI4	C16-C8-N9	-2.21	104.64	108.91
2	A	1	2A2	C24-C23-N22	-2.20	106.34	110.68
3	B	360	BI4	C16-C8-N9	-2.18	104.70	108.91
2	B	1	2A2	C24-C23-N22	-2.14	106.46	110.68
2	B	1	2A2	C23-C24-N19	-2.12	105.60	110.44
3	A	360	BI4	C14-C15-C16	-2.06	132.65	135.69
3	C	360	BI4	C14-C15-C16	-2.06	132.65	135.69
2	D	1	2A2	C20-C21-N22	-2.01	106.73	110.68
2	C	1	2A2	C20-N19-C24	2.55	117.43	112.61
2	A	1	2A2	C20-N19-C24	2.59	117.50	112.61
2	B	1	2A2	C20-N19-C24	2.66	117.63	112.61
2	D	1	2A2	C20-N19-C24	2.71	117.72	112.61
3	C	360	BI4	C31-N30-C29	3.00	122.14	112.66
3	A	360	BI4	C31-N30-C29	3.02	122.22	112.66
3	B	360	BI4	C31-N30-C29	3.21	122.82	112.66
3	D	360	BI4	C31-N30-C29	3.22	122.84	112.66
3	B	360	BI4	C14-C15-C10	3.47	122.77	118.17
3	D	360	BI4	C14-C15-C10	3.48	122.79	118.17
3	C	360	BI4	C14-C15-C10	3.70	123.08	118.17
3	A	360	BI4	C14-C15-C10	3.74	123.12	118.17
2	B	1	2A2	C23-N22-C21	4.50	121.11	111.57
2	A	1	2A2	C23-N22-C21	4.52	121.14	111.57
2	C	1	2A2	C23-N22-C21	4.52	121.14	111.57
2	D	1	2A2	C23-N22-C21	4.55	121.22	111.57

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

6 monomers are involved in 27 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	360	BI4	5	0
2	B	1	2A2	3	0
3	B	360	BI4	5	0
3	C	360	BI4	7	0
2	D	1	2A2	1	0
3	D	360	BI4	6	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	276/316 (87%)	0.00	9 (3%) 47 47	10, 20, 40, 49	0
1	B	278/316 (87%)	0.06	7 (2%) 58 57	11, 21, 42, 52	0
1	C	276/316 (87%)	0.01	11 (3%) 39 39	10, 20, 40, 48	0
1	D	278/316 (87%)	0.10	12 (4%) 36 36	11, 21, 43, 52	0
All	All	1108/1264 (87%)	0.04	39 (3%) 44 45	10, 20, 42, 52	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	240	ASN	4.1
1	D	349	ASN	4.0
1	B	118	ILE	3.8
1	C	359	THR	3.5
1	A	119	ILE	3.4
1	C	125	PRO	3.3
1	A	348	GLU	3.3
1	B	243	VAL	3.2
1	D	118	ILE	3.2
1	C	119	ILE	3.0
1	A	125	PRO	3.0
1	C	114	GLU	2.9
1	A	126	TYR	2.9
1	A	359	THR	2.8
1	C	231	SER	2.8
1	D	129	ARG	2.7
1	A	114	GLU	2.7
1	C	216	ASP	2.6
1	C	93	PHE	2.6
1	C	126	TYR	2.6
1	C	118	ILE	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	153	GLU	2.6
1	A	93	PHE	2.5
1	D	93	PHE	2.5
1	B	93	PHE	2.5
1	D	119	ILE	2.5
1	B	128	THR	2.5
1	D	295	ILE	2.5
1	B	86	LYS	2.4
1	A	118	ILE	2.4
1	B	119	ILE	2.4
1	D	125	PRO	2.4
1	B	125	PRO	2.4
1	D	243	VAL	2.3
1	A	231	SER	2.2
1	D	304	LYS	2.2
1	C	74	PRO	2.1
1	C	75	ARG	2.1
1	D	128	THR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
1	SEP	A	241	10/11	0.75	0.19	-	32,49,66,75	0
1	SEP	C	241	10/11	0.66	0.24	-	33,49,69,78	0
1	SEP	B	241	10/11	0.93	0.16	-	31,42,64,65	0
1	SEP	D	241	10/11	0.91	0.14	-	33,43,66,67	0

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.



## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	BI4	D	360	33/33	0.94	0.13	0.81	15,19,29,34	0
3	BI4	A	360	33/33	0.94	0.12	0.70	13,19,30,32	0
3	BI4	B	360	33/33	0.94	0.13	0.63	15,19,30,36	0
2	2A2	A	1	19/19	0.85	0.16	0.26	31,36,43,55	0
3	BI4	C	360	33/33	0.94	0.12	0.25	13,19,31,33	0
2	2A2	C	1	19/19	0.86	0.15	0.20	31,35,44,54	0
2	2A2	D	1	19/19	0.85	0.15	-0.24	30,35,42,51	0
2	2A2	B	1	19/19	0.85	0.14	-0.33	29,35,41,51	0

## 6.5 Other polymers

There are no such residues in this entry.