



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 10:21 am GMT

PDB ID : 1OYJ  
Title : Crystal structure solution of Rice GST1 (OsGSTU1) in complex with glutathione.  
Authors : Dixon, D.P.; McEwen, A.G.; Lapthorn, A.J.; Edwards, R.  
Deposited on : 2003-04-04  
Resolution : 1.95 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.95 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	2004 (1.96-1.96)
Clashscore	112137	2136 (1.96-1.96)
Ramachandran outliers	110173	2117 (1.96-1.96)
Sidechain outliers	110143	2117 (1.96-1.96)
RSRZ outliers	101464	2018 (1.96-1.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	231	<div> <div>6%</div> <div> <div></div> <div>82%</div> <div>14%</div> <div>• •</div> </div> </div>
1	B	231	<div> <div>12%</div> <div> <div></div> <div>77%</div> <div>15%</div> <div>• •</div> </div> </div>
1	C	231	<div> <div>9%</div> <div> <div></div> <div>85%</div> <div>10%</div> <div>• • •</div> </div> </div>
1	D	231	<div> <div>17%</div> <div> <div></div> <div>74%</div> <div>19%</div> <div>• •</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	CL	B	831	-	-	X	-
3	CL	B	835	-	-	-	X
4	GSH	A	800	X	-	-	-
4	GSH	B	801	X	-	-	-
4	GSH	C	802	X	-	-	-
4	GSH	C	803	X	-	-	-
4	GSH	C	804	X	-	-	X
4	GSH	D	805	X	-	-	-
5	GOL	A	811	-	-	-	X
5	GOL	A	814	-	-	X	X
5	GOL	B	806	-	-	-	X
5	GOL	C	810	-	-	-	X
5	GOL	C	812	-	-	X	-

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 7954 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called glutathione s-transferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	228	Total	C	N	O	S	0	3	0
			1807	1156	319	326	6			
1	B	224	Total	C	N	O	S	2	4	0
			1778	1140	314	318	6			
1	C	227	Total	C	N	O	S	2	0	0
			1784	1143	317	318	6			
1	D	223	Total	C	N	O	S	0	3	0
			1757	1127	309	315	6			


- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total	Mg	0	0
			2	2		
2	C	1	Total	Mg	0	0
			1	1		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Cl	0	0
			3	3		
3	A	7	Total	Cl	0	0
			7	7		
3	D	4	Total	Cl	0	0
			4	4		
3	C	6	Total	Cl	0	0
			6	6		

- Molecule 4 is GLUTATHIONE (three-letter code: GSH) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>3</sub>O<sub>6</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
4	A	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
4	B	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
4	C	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
4	C	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
4	C	1	Total	C	N	O	S	0	0
			20	10	3	6	1		
4	D	1	Total	C	N	O	S	0	0
			20	10	3	6	1		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	D	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	C	1	Total	C	O	0	0
			6	3	3		
5	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	140	Total	O	0	0
			140	140		
6	B	109	Total	O	0	0
			109	109		
6	C	224	Total	O	0	0
			224	224		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	D	138	Total 138	O 138	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: glutathione s-transferase




- Molecule 1: glutathione s-transferase




- Molecule 1: glutathione s-transferase



- Molecule 1: glutathione s-transferase







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	76.83Å 91.13Å 165.03Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 1.95 35.40 – 1.95	Depositor EDS
% Data completeness (in resolution range)	84.5 (40.00-1.95) 84.5 (35.40-1.95)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.61 (at 1.95Å)	Xtriage
Refinement program	REFMAC 5	Depositor
R, $R_{free}$	0.178 , 0.227 0.190 , 0.235	Depositor DCC
$R_{free}$ test set	3635 reflections (5.32%)	DCC
Wilson B-factor (Å <sup>2</sup> )	33.7	Xtriage
Anisotropy	0.104	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 52.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	7954	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	33.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 34.87 % of the origin peak, indicating pseudo translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo translational symmetry is equal to 6.3776e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, CL, GSH

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.21	4/1868 (0.2%)	1.07	9/2528 (0.4%)
1	B	1.15	1/1843 (0.1%)	1.13	12/2494 (0.5%)
1	C	1.15	3/1830 (0.2%)	1.22	11/2476 (0.4%)
1	D	1.00	1/1819 (0.1%)	1.05	7/2463 (0.3%)
All	All	1.13	9/7360 (0.1%)	1.12	39/9961 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	216	LYS	CD-CE	16.32	1.92	1.51
1	A	123	TRP	CB-CG	-5.83	1.39	1.50
1	D	200	ARG	CG-CD	5.65	1.66	1.51
1	A	13	TRP	CG-CD1	-5.54	1.28	1.36
1	C	200	ARG	CG-CD	5.40	1.65	1.51
1	C	5	LYS	CE-NZ	5.33	1.62	1.49
1	C	199	ARG	CG-CD	5.22	1.65	1.51
1	A	154	PHE	CE2-CZ	5.20	1.47	1.37
1	A	107	TRP	CB-CG	5.16	1.59	1.50

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	199	ARG	NE-CZ-NH1	-23.81	108.39	120.30
1	C	199	ARG	NE-CZ-NH2	15.74	128.17	120.30
1	A	205	ASP	CB-CG-OD2	10.40	127.66	118.30
1	B	200	ARG	NE-CZ-NH1	9.73	125.17	120.30
1	B	199	ARG	NE-CZ-NH2	8.93	124.76	120.30
1	B	199	ARG	NE-CZ-NH1	-8.81	115.90	120.30
1	C	199	ARG	CD-NE-CZ	8.56	135.59	123.60
1	A	200	ARG	NE-CZ-NH1	8.26	124.43	120.30
1	B	117	ASP	CB-CG-OD2	8.04	125.54	118.30
1	D	199	ARG	NE-CZ-NH1	-7.74	116.43	120.30
1	D	199	ARG	NE-CZ-NH2	7.53	124.07	120.30
1	B	44	ASP	CB-CG-OD2	7.17	124.76	118.30
1	B	200	ARG	NE-CZ-NH2	-7.00	116.80	120.30
1	C	96	ASP	CB-CG-OD2	6.75	124.38	118.30
1	C	205	ASP	CB-CG-OD2	6.69	124.32	118.30
1	C	78	ASP	CB-CG-OD2	6.44	124.10	118.30
1	B	11	ASP	CB-CG-OD1	6.26	123.94	118.30
1	D	150	ASP	CB-CG-OD2	6.25	123.92	118.30
1	B	205	ASP	CB-CG-OD2	6.18	123.86	118.30
1	D	109	ASP	CB-CG-OD2	6.05	123.74	118.30
1	C	199	ARG	CG-CD-NE	-6.01	99.18	111.80
1	D	96	ASP	CB-CG-OD2	5.97	123.68	118.30
1	A	78	ASP	CB-CG-OD2	5.95	123.65	118.30
1	C	200	ARG	NE-CZ-NH1	5.74	123.17	120.30
1	B	203	ARG	NE-CZ-NH1	-5.67	117.46	120.30
1	A	109	ASP	CB-CG-OD2	5.67	123.40	118.30
1	A	135	ARG	NE-CZ-NH1	-5.66	117.47	120.30
1	A	200	ARG	NE-CZ-NH2	-5.62	117.49	120.30
1	A	193	ARG	NE-CZ-NH1	-5.61	117.49	120.30
1	D	200	ARG	NE-CZ-NH1	5.58	123.09	120.30
1	C	64	ARG	NE-CZ-NH2	-5.55	117.53	120.30
1	D	200	ARG	NE-CZ-NH2	-5.30	117.65	120.30
1	B	22	ARG	NE-CZ-NH1	-5.27	117.67	120.30
1	A	96	ASP	CB-CG-OD2	5.21	122.99	118.30
1	B	22	ARG	NE-CZ-NH2	5.20	122.90	120.30
1	C	109	ASP	CB-CG-OD2	5.19	122.97	118.30
1	B	157	GLY	N-CA-C	-5.16	100.21	113.10
1	A	112	ASP	CB-CG-OD2	5.10	122.89	118.30
1	C	219	ASP	CB-CG-OD1	5.00	122.80	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	199	ARG	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1807	0	1765	28	0
1	B	1778	0	1743	41	0
1	C	1784	0	1753	39	0
1	D	1757	0	1709	50	0
2	A	2	0	0	0	0
2	C	1	0	0	0	0
3	A	7	0	0	2	0
3	B	3	0	0	3	0
3	C	6	0	0	0	0
3	D	4	0	0	1	0
4	A	40	0	29	2	0
4	B	20	0	15	0	0
4	C	60	0	41	3	0
4	D	20	0	15	2	0
5	A	12	0	16	5	0
5	B	6	0	8	1	0
5	C	24	0	32	5	0
5	D	12	0	16	1	0
6	A	140	0	0	7	0
6	B	109	0	0	5	1
6	C	224	0	0	11	1
6	D	138	0	0	7	0
All	All	7954	0	7142	154	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:157:GLY:HA2	3:B:831:CL:CL	1.85	1.12

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:66:VAL:HA	5:A:814:GOL:H31	1.16	1.12
1:B:157:GLY:CA	3:B:831:CL:CL	2.40	1.06
1:A:182:CYS:SG	6:A:975:HOH:O	2.13	1.05
1:C:6:GLU:HA	1:C:6:GLU:OE1	1.56	1.02
1:B:193:ARG:HG3	1:B:193:ARG:HH11	1.23	1.01
1:A:66:VAL:HA	5:A:814:GOL:C3	1.97	0.95
1:B:118:CYS:SG	6:B:940:HOH:O	2.27	0.91
1:B:5[B]:LYS:HG3	6:B:885:HOH:O	1.71	0.89
1:D:182:CYS:SG	6:D:931:HOH:O	2.31	0.88
1:C:116:TYR:OH	6:C:1014:HOH:O	1.93	0.86
1:C:5:LYS:HG2	1:C:6:GLU:H	1.41	0.84
1:C:91:ASN:O	1:C:92:SER:HB2	1.76	0.83
1:B:157:GLY:HA3	3:B:831:CL:CL	2.15	0.82
1:A:225:LYS:O	6:A:948:HOH:O	1.96	0.82
4:C:802:GSH:SG2	6:C:965:HOH:O	2.23	0.81
1:D:125:LEU:O	1:D:130:GLN:HB2	1.82	0.80
1:C:205:ASP:OD2	6:C:896:HOH:O	2.00	0.79
1:A:33:GLU:OE1	6:A:886:HOH:O	2.01	0.78
1:B:218:TYR:OH	1:C:152:GLU:OE2	2.02	0.78
1:D:147:GLU:OE1	6:D:855:HOH:O	2.01	0.77
1:C:6:GLU:OE1	1:C:6:GLU:CA	2.30	0.77
1:C:189:GLU:HG2	6:C:948:HOH:O	1.86	0.73
1:B:157:GLY:O	1:B:158:GLY:O	2.07	0.73
1:D:222:GLY:O	1:D:225:LYS:N	2.21	0.72
1:D:9:LEU:CD1	1:D:11:ASP:HB2	2.20	0.71
1:B:181:ARG:HH11	1:C:152:GLU:CD	1.94	0.70
1:B:177:TYR:OH	1:B:181:ARG:NH2	2.24	0.70
1:C:216:LYS:NZ	5:C:812:GOL:H32	2.08	0.69
1:D:157:GLY:O	1:D:159:GLY:N	2.26	0.69
1:D:147:GLU:O	6:D:929:HOH:O	2.09	0.69
1:D:152:GLU:HG2	1:D:200:ARG:HD3	1.74	0.69
1:D:128:GLU:N	1:D:129:PRO:CD	2.56	0.69
4:C:803:GSH:O12	6:C:901:HOH:O	2.11	0.68
1:C:44:ASP:O	1:C:48:ARG:HG3	1.95	0.67
1:D:155:GLY:O	1:D:156:GLY:C	2.32	0.67
1:C:189:GLU:HB3	6:C:948:HOH:O	1.95	0.66
1:A:4:GLU:O	1:A:5:LYS:CB	2.44	0.66
1:A:66:VAL:HG13	5:A:814:GOL:H32	1.78	0.65
1:B:120:SER:HA	1:B:123:TRP:CZ2	2.32	0.65
1:D:155:GLY:O	1:D:157:GLY:N	2.31	0.64
1:B:193:ARG:CG	1:B:193:ARG:HH11	2.05	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:126:LYS:NZ	6:C:923:HOH:O	2.30	0.64
1:B:5[A]:LYS:NZ	6:B:872:HOH:O	2.30	0.63
1:C:6:GLU:CG	1:C:62:ALA:HA	2.29	0.62
1:D:186:SER:HB3	1:D:189:GLU:HG2	1.82	0.62
1:C:64:ARG:NH2	1:D:96:ASP:OD1	2.25	0.61
1:D:186:SER:HB3	1:D:189:GLU:CG	2.30	0.61
1:D:9:LEU:C	1:D:9:LEU:HD13	2.22	0.60
1:B:193:ARG:HG3	1:B:193:ARG:NH1	2.02	0.60
1:B:125:LEU:N	1:B:125:LEU:HD13	2.17	0.59
1:C:96:ASP:OD1	1:D:64:ARG:NH1	2.26	0.59
1:D:126:LYS:O	1:D:129:PRO:HD2	2.03	0.59
1:A:56:ILE:C	1:A:56:ILE:HD12	2.22	0.59
1:D:128:GLU:N	1:D:129:PRO:HD2	2.17	0.59
1:B:125:LEU:CD1	1:B:125:LEU:N	2.66	0.59
1:D:39:LEU:HD13	4:D:805:GSH:HA32	1.84	0.59
1:D:9:LEU:HD12	1:D:11:ASP:HB2	1.83	0.59
1:A:64:ARG:NH2	1:B:96:ASP:OD1	2.22	0.58
1:A:96:ASP:OD1	1:B:64[A]:ARG:NH2	2.30	0.58
1:B:114:LYS:HB3	1:B:140:ILE:HD13	1.86	0.58
1:A:75:TYR:HA	6:A:865:HOH:O	2.04	0.57
1:D:156:GLY:CA	6:D:861:HOH:O	2.50	0.57
5:C:810:GOL:H32	6:C:912:HOH:O	2.03	0.57
1:D:120:SER:HA	1:D:123:TRP:CZ2	2.39	0.57
1:C:189:GLU:CG	6:C:948:HOH:O	2.46	0.57
1:D:156:GLY:N	6:D:861:HOH:O	2.30	0.57
1:A:126:LYS:O	1:A:129:PRO:HD2	2.04	0.56
1:C:6:GLU:HG3	1:C:62:ALA:HA	1.87	0.56
1:B:152:GLU:CG	1:B:200:ARG:HD3	2.35	0.56
1:A:227:LYS:C	1:A:228:TYR:HD1	2.09	0.56
1:D:222:GLY:O	1:D:225:LYS:HB2	2.05	0.56
5:A:814:GOL:H2	1:B:103:THR:HA	1.88	0.55
1:D:32:PHE:O	5:D:807:GOL:H31	2.06	0.55
1:B:152:GLU:HG3	1:B:200:ARG:HD3	1.90	0.54
1:A:152:GLU:CG	1:A:200:ARG:HD3	2.37	0.54
1:D:111:VAL:HG13	1:D:115:LEU:HD13	1.90	0.54
1:D:90:ALA:C	1:D:92:SER:N	2.60	0.53
1:A:152:GLU:HG2	1:A:200:ARG:HD3	1.91	0.53
1:D:47:LEU:HD22	1:D:54:ARG:HD2	1.90	0.53
1:B:155:GLY:O	1:B:156:GLY:C	2.47	0.53
1:C:91:ASN:N	1:C:91:ASN:OD1	2.29	0.53
1:B:120:SER:HA	1:B:123:TRP:CE2	2.45	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:LYS:HG2	3:A:826:CL:CL	2.47	0.51
1:C:189:GLU:CB	6:C:948:HOH:O	2.57	0.51
1:C:13:TRP:CE2	5:C:812:GOL:H2	2.46	0.51
1:C:56:ILE:HD12	1:C:56:ILE:C	2.31	0.51
1:B:4:GLU:CD	1:B:4:GLU:C	2.70	0.50
1:B:181:ARG:NE	1:C:152:GLU:OE1	2.43	0.49
1:C:6:GLU:HG2	1:C:62:ALA:HA	1.94	0.49
1:D:114:LYS:HB3	1:D:140:ILE:HD13	1.93	0.49
1:B:213:SER:HB2	1:B:215:GLU:OE2	2.13	0.49
1:A:67:SER:N	5:A:814:GOL:O3	2.33	0.49
1:C:216:LYS:HZ3	5:C:812:GOL:H32	1.78	0.49
1:B:215:GLU:H	1:B:215:GLU:CD	2.16	0.48
1:D:157:GLY:HA2	3:D:832:CL:CL	2.50	0.48
1:D:152:GLU:CG	1:D:200:ARG:HD3	2.42	0.48
1:A:161:ARG:HB2	6:A:895:HOH:O	2.14	0.48
1:C:199:ARG:HD2	6:C:1004:HOH:O	2.13	0.48
1:B:128:GLU:N	1:B:129:PRO:CD	2.77	0.47
1:C:3:GLU:O	1:C:4:GLU:O	2.32	0.47
1:D:186:SER:HB3	1:D:189:GLU:HG3	1.97	0.47
1:D:9:LEU:HD13	1:D:10:LEU:N	2.29	0.47
1:C:56:ILE:HD11	4:C:802:GSH:HB23	1.97	0.47
1:C:216:LYS:HZ1	5:C:812:GOL:H32	1.78	0.46
1:C:91:ASN:O	1:C:92:SER:CB	2.53	0.46
1:D:223:VAL:C	1:D:225:LYS:H	2.18	0.46
1:D:56:ILE:C	1:D:56:ILE:HD12	2.36	0.46
1:D:109:ASP:OD2	1:D:113:ARG:HD2	2.15	0.46
1:B:3:GLU:HA	6:B:939:HOH:O	2.15	0.46
1:A:177:TYR:CZ	1:A:181:ARG:HD2	2.51	0.46
1:A:124:ARG:NH1	6:A:924:HOH:O	2.48	0.46
1:C:156:GLY:O	1:C:157:GLY:C	2.55	0.45
1:A:124:ARG:NE	1:A:228:TYR:HE2	2.14	0.45
1:A:56:ILE:O	1:A:56:ILE:HD12	2.17	0.45
1:B:4:GLU:HA	1:B:4:GLU:OE1	2.15	0.45
1:D:9:LEU:C	1:D:9:LEU:CD1	2.85	0.45
1:C:6:GLU:HG3	1:C:6:GLU:O	2.17	0.45
1:D:125:LEU:O	1:D:130:GLN:CB	2.60	0.45
1:A:189:GLU:HG2	3:A:836:CL:CL	2.54	0.45
1:D:100:ALA:O	6:D:844:HOH:O	2.21	0.45
1:A:55:LYS:HG2	4:A:799:GSH:N3	2.31	0.45
1:C:5:LYS:HG2	1:C:6:GLU:N	2.20	0.45
1:D:226:LYS:O	1:D:227:LYS:CB	2.65	0.44

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:5[B]:LYS:CD	1:B:6:GLU:H	2.30	0.44
1:C:90:ALA:C	1:C:92:SER:H	2.20	0.44
1:A:128:GLU:HB3	1:A:129:PRO:HD3	1.98	0.44
1:B:86:LEU:HD21	6:B:846:HOH:O	2.18	0.44
1:D:68:GLU:OE1	4:D:805:GSH:N1	2.46	0.44
1:B:4:GLU:CA	1:B:4:GLU:OE1	2.65	0.44
1:C:56:ILE:HD12	1:C:56:ILE:O	2.18	0.44
1:B:227:LYS:HD2	1:B:227:LYS:HA	1.65	0.44
1:D:91:ASN:OD1	1:D:91:ASN:C	2.57	0.43
1:B:5[B]:LYS:HG3	1:B:6:GLU:N	2.34	0.43
6:A:949:HOH:O	5:B:806:GOL:H12	2.19	0.43
1:B:83:THR:HB	1:B:84:PRO:HD2	2.01	0.43
1:C:89:PRO:CB	1:C:91:ASN:OD1	2.67	0.42
1:D:222:GLY:O	1:D:223:VAL:C	2.56	0.42
1:D:91:ASN:OD1	1:D:91:ASN:O	2.37	0.42
1:D:223:VAL:C	1:D:225:LYS:N	2.72	0.42
1:B:5[B]:LYS:HD2	1:B:6:GLU:H	1.85	0.42
1:D:83:THR:HB	1:D:84:PRO:HD2	2.02	0.42
1:A:124:ARG:CZ	1:A:228:TYR:HE2	2.33	0.42
1:A:152:GLU:HG2	1:A:200:ARG:CD	2.48	0.42
1:D:67:SER:O	1:D:68:GLU:HB2	2.20	0.42
1:D:225:LYS:O	1:D:226:LYS:HG3	2.20	0.41
1:D:64:ARG:HD2	6:D:953:HOH:O	2.20	0.41
1:A:56:ILE:HD11	4:A:799:GSH:HB23	2.02	0.41
1:D:123:TRP:HB2	1:D:225:LYS:HE3	2.02	0.41
1:B:181:ARG:NH1	1:C:152:GLU:OE1	2.52	0.41
1:B:88:PRO:HA	1:B:89:PRO:HD3	1.98	0.41
1:C:6:GLU:HG3	1:C:62:ALA:H	1.85	0.41
1:C:3:GLU:HB3	1:C:4:GLU:H	1.71	0.40
1:B:56:ILE:HB	1:B:57:PRO:HA	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:B:858:HOH:O	6:C:1032:HOH:O[4_456]	1.98	0.22

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	227/231 (98%)	220 (97%)	5 (2%)	2 (1%)	20	9
1	B	224/231 (97%)	218 (97%)	3 (1%)	3 (1%)	14	4
1	C	225/231 (97%)	215 (96%)	7 (3%)	3 (1%)	14	4
1	D	222/231 (96%)	210 (95%)	7 (3%)	5 (2%)	7	1
All	All	898/924 (97%)	863 (96%)	22 (2%)	13 (1%)	13	4

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	156	GLY
1	C	4	GLU
1	C	92	SER
1	D	156	GLY
1	D	158	GLY
1	D	159	GLY
1	B	158	GLY
1	A	5	LYS
1	A	227	LYS
1	C	95	ALA
1	D	4[A]	GLU
1	D	4[B]	GLU
1	B	4	GLU

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	183/185 (99%)	176 (96%)	7 (4%)	38	24
1	B	180/185 (97%)	170 (94%)	10 (6%)	25	11
1	C	179/185 (97%)	174 (97%)	5 (3%)	49	37
1	D	177/185 (96%)	168 (95%)	9 (5%)	28	13
All	All	719/740 (97%)	688 (96%)	31 (4%)	39	19

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	4	GLU
1	A	91	ASN
1	A	150[A]	ASP
1	A	150[B]	ASP
1	A	186	SER
1	A	225	LYS
1	A	230	VAL
1	B	4	GLU
1	B	5[A]	LYS
1	B	5[B]	LYS
1	B	31[A]	GLU
1	B	31[B]	GLU
1	B	120	SER
1	B	125	LEU
1	B	126	LYS
1	B	193	ARG
1	B	227	LYS
1	C	41	ASN
1	C	91	ASN
1	C	92	SER
1	C	126	LYS
1	C	223	VAL
1	D	4[A]	GLU
1	D	4[B]	GLU
1	D	6	GLU
1	D	91	ASN
1	D	115	LEU
1	D	117	ASP
1	D	200	ARG
1	D	216[A]	LYS
1	D	216[B]	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no

such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 39 ligands modelled in this entry, 23 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
4	GSH	A	799	-	11,19,19	0.73	0	14,24,24	3.08	7 (50%)
4	GSH	A	800	2	11,19,19	0.97	0	14,24,24	1.70	3 (21%)
5	GOL	A	811	-	5,5,5	0.30	0	5,5,5	0.30	0
5	GOL	A	814	-	5,5,5	0.29	0	5,5,5	0.76	0
4	GSH	B	801	-	11,19,19	1.09	1 (9%)	14,24,24	2.25	4 (28%)
5	GOL	B	806	-	5,5,5	0.43	0	5,5,5	0.76	0
4	GSH	C	802	-	11,19,19	0.97	1 (9%)	14,24,24	1.53	2 (14%)
4	GSH	C	803	2	11,19,19	1.10	1 (9%)	14,24,24	1.13	1 (7%)
4	GSH	C	804	-	11,19,19	1.06	2 (18%)	14,24,24	6.21	11 (78%)
5	GOL	C	808	-	5,5,5	0.47	0	5,5,5	0.80	0
5	GOL	C	810	-	5,5,5	0.44	0	5,5,5	0.98	0
5	GOL	C	812	-	5,5,5	0.49	0	5,5,5	1.09	0
5	GOL	C	813	-	5,5,5	0.37	0	5,5,5	0.99	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	GSH	D	805	-	11,19,19	1.19	2 (18%)	14,24,24	4.07	4 (28%)
5	GOL	D	807	-	5,5,5	0.67	0	5,5,5	1.38	0
5	GOL	D	809	-	5,5,5	0.41	0	5,5,5	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GSH	A	799	-	-	0/18/24/24	0/0/0/0
4	GSH	A	800	2	1/1/6/8	0/18/24/24	0/0/0/0
5	GOL	A	811	-	-	0/4/4/4	0/0/0/0
5	GOL	A	814	-	-	0/4/4/4	0/0/0/0
4	GSH	B	801	-	1/1/6/8	0/18/24/24	0/0/0/0
5	GOL	B	806	-	-	0/4/4/4	0/0/0/0
4	GSH	C	802	-	1/1/6/8	0/18/24/24	0/0/0/0
4	GSH	C	803	2	1/1/6/8	0/18/24/24	0/0/0/0
4	GSH	C	804	-	1/1/6/8	1/18/24/24	0/0/0/0
5	GOL	C	808	-	-	0/4/4/4	0/0/0/0
5	GOL	C	810	-	-	0/4/4/4	0/0/0/0
5	GOL	C	812	-	-	0/4/4/4	0/0/0/0
5	GOL	C	813	-	-	0/4/4/4	0/0/0/0
4	GSH	D	805	-	1/1/6/8	0/18/24/24	0/0/0/0
5	GOL	D	807	-	-	0/4/4/4	0/0/0/0
5	GOL	D	809	-	-	0/4/4/4	0/0/0/0

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	805	GSH	O2-C2	-2.83	1.17	1.23
4	C	803	GSH	CB2-CA2	-2.53	1.50	1.53
4	C	804	GSH	CB2-SG2	-2.06	1.77	1.81
4	C	802	GSH	C2-N3	-2.04	1.29	1.33
4	B	801	GSH	CB2-CA2	2.12	1.55	1.53
4	C	804	GSH	CA2-N2	2.17	1.50	1.45
4	D	805	GSH	CG1-CD1	2.43	1.56	1.51

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	805	GSH	CA3-N3-C2	-12.76	105.13	122.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	804	GSH	CA3-N3-C2	-10.57	108.09	122.39
4	C	804	GSH	CB2-CA2-C2	-10.15	87.20	109.60
4	A	799	GSH	CA3-N3-C2	-8.93	110.31	122.39
4	C	804	GSH	CA2-N2-CD1	-5.50	107.09	121.62
4	B	801	GSH	CA3-N3-C2	-5.40	115.08	122.39
4	C	804	GSH	O2-C2-N3	-5.02	113.40	123.07
4	D	805	GSH	O2-C2-N3	-4.97	113.50	123.07
4	C	804	GSH	CB1-CG1-CD1	-4.95	101.98	113.18
4	A	800	GSH	CA2-CB2-SG2	-4.50	108.91	114.15
4	C	804	GSH	O2-C2-CA2	-4.33	111.11	120.43
4	D	805	GSH	CA2-CB2-SG2	-3.87	109.64	114.15
4	C	802	GSH	CA3-N3-C2	-3.44	117.74	122.39
4	B	801	GSH	C2-CA2-N2	-2.78	103.56	111.20
4	A	799	GSH	CB2-CA2-N2	-2.66	107.54	111.39
4	A	799	GSH	CA2-CB2-SG2	-2.63	111.08	114.15
4	A	799	GSH	C2-CA2-N2	-2.25	105.01	111.20
4	A	799	GSH	OE1-CD1-CG1	-2.11	118.04	122.01
4	A	800	GSH	CA2-C2-N3	-2.04	112.35	116.51
4	C	803	GSH	C2-CA2-N2	2.04	116.81	111.20
4	C	802	GSH	CG1-CB1-CA1	2.10	118.74	113.84
4	A	799	GSH	CG1-CD1-N2	2.20	119.70	115.82
4	B	801	GSH	CG1-CB1-CA1	2.73	120.20	113.84
4	A	800	GSH	CB1-CG1-CD1	2.96	119.89	113.18
4	B	801	GSH	CG1-CD1-N2	3.01	121.12	115.82
4	A	799	GSH	CA2-C2-N3	3.29	123.22	116.51
4	C	804	GSH	CG1-CB1-CA1	3.75	122.58	113.84
4	D	805	GSH	CA2-C2-N3	4.09	124.85	116.51
4	C	804	GSH	C2-CA2-N2	5.79	127.14	111.20
4	C	804	GSH	CB2-CA2-N2	6.51	120.82	111.39
4	C	804	GSH	CA2-CB2-SG2	7.18	122.52	114.15
4	C	804	GSH	CA2-C2-N3	9.16	135.21	116.51

All (6) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	C	802	GSH	CA1
4	C	803	GSH	CA1
4	B	801	GSH	CA1
4	A	800	GSH	CA1
4	C	804	GSH	CA1
4	D	805	GSH	CA1

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	804	GSH	OE1-CD1-N2-CA2

There are no ring outliers.

9 monomers are involved in 19 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	799	GSH	2	0
5	A	814	GOL	5	0
5	B	806	GOL	1	0
4	C	802	GSH	2	0
4	C	803	GSH	1	0
5	C	810	GOL	1	0
5	C	812	GOL	4	0
4	D	805	GSH	2	0
5	D	807	GOL	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	228/231 (98%)	0.36	15 (6%) 19 28	16, 23, 55, 84	0
1	B	224/231 (96%)	0.57	28 (12%) 4 7	20, 28, 56, 66	1 (0%)
1	C	227/231 (98%)	0.40	21 (9%) 9 15	19, 25, 53, 76	1 (0%)
1	D	223/231 (96%)	0.84	40 (17%) 2 2	23, 33, 66, 75	0
All	All	902/924 (97%)	0.54	104 (11%) 5 9	16, 27, 61, 84	2 (0%)

All (104) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	230	VAL	12.1
1	A	229	GLY	10.3
1	A	2	ALA	9.9
1	D	156	GLY	9.1
1	B	158	GLY	8.7
1	C	93	GLY	8.4
1	C	91	ASN	8.3
1	A	158	GLY	7.7
1	B	156	GLY	7.5
1	A	156	GLY	7.0
1	B	157	GLY	6.9
1	A	91	ASN	6.9
1	B	123	TRP	6.5
1	D	132	ALA	6.4
1	C	92	SER	6.2
1	D	157	GLY	6.2
1	D	92	SER	6.1
1	A	93	GLY	5.9
1	C	156	GLY	5.9
1	D	158	GLY	5.7
1	C	90	ALA	5.6

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	91	ASN	5.5
1	B	223	VAL	5.3
1	D	90	ALA	5.3
1	A	228	TYR	5.3
1	A	157	GLY	5.2
1	D	3	GLU	5.1
1	C	94	ASP	5.1
1	B	159	GLY	5.0
1	D	131	ALA	4.9
1	A	4	GLU	4.6
1	B	124	ARG	4.6
1	D	127	GLY	4.5
1	D	4[A]	GLU	4.4
1	B	3	GLU	4.4
1	C	3	GLU	4.4
1	D	159	GLY	4.4
1	B	126	LYS	4.4
1	D	123	TRP	4.1
1	D	221	VAL	4.1
1	A	5	LYS	4.0
1	D	223	VAL	3.9
1	B	91	ASN	3.9
1	A	3	GLU	3.8
1	D	128	GLU	3.8
1	A	90	ALA	3.7
1	D	224	LEU	3.7
1	B	92	SER	3.7
1	C	228	TYR	3.7
1	D	185	PHE	3.6
1	B	125	LEU	3.6
1	C	157	GLY	3.6
1	D	125	LEU	3.6
1	B	90	ALA	3.5
1	C	4	GLU	3.5
1	D	130	GLN	3.5
1	C	158	GLY	3.4
1	C	159	GLY	3.4
1	B	4	GLU	3.4
1	B	122	LEU	3.4
1	C	229	GLY	3.3
1	A	92	SER	3.3
1	B	120	SER	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	73	LEU	3.0
1	B	222	GLY	3.0
1	C	95	ALA	3.0
1	D	135	ARG	3.0
1	D	133	ALA	2.9
1	B	116	TYR	2.9
1	C	5	LYS	2.9
1	A	159	GLY	2.8
1	D	126	LYS	2.8
1	C	226	LYS	2.7
1	D	183	GLY	2.7
1	C	72	ILE	2.7
1	D	70	LEU	2.6
1	D	155	GLY	2.6
1	D	134	GLY	2.5
1	B	224	LEU	2.5
1	B	70	LEU	2.5
1	D	89	PRO	2.5
1	D	116	TYR	2.5
1	C	70	LEU	2.4
1	B	5[A]	LYS	2.4
1	D	129	PRO	2.4
1	B	121	ARG	2.3
1	B	131	ALA	2.3
1	D	225	LYS	2.3
1	D	218	TYR	2.3
1	D	124	ARG	2.3
1	D	168	ALA	2.3
1	D	222	GLY	2.2
1	D	121	ARG	2.2
1	B	218	TYR	2.2
1	D	184	GLY	2.2
1	C	23	ILE	2.2
1	B	133	ALA	2.2
1	D	108	ALA	2.1
1	B	155	GLY	2.1
1	D	136	GLU	2.1
1	D	138	ALA	2.1
1	C	164	PHE	2.1
1	B	23	ILE	2.0
1	B	73	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
3	CL	B	835	1/1	0.92	0.27	14.06	68,68,68,68	0
5	GOL	A	811	6/6	0.74	0.23	8.48	73,80,80,81	0
5	GOL	A	814	6/6	0.77	0.32	8.24	69,72,74,78	0
5	GOL	B	806	6/6	0.86	0.25	6.36	65,75,77,78	0
5	GOL	C	810	6/6	0.75	0.21	4.36	48,53,56,63	0
4	GSH	C	804	20/20	0.78	0.30	3.77	46,73,81,81	20
5	GOL	D	809	6/6	0.88	0.15	1.51	52,61,62,64	0
3	CL	C	830	1/1	0.97	0.18	1.36	65,65,65,65	0
5	GOL	D	807	6/6	0.94	0.18	1.10	40,55,58,59	0
4	GSH	C	803	20/20	0.92	0.12	0.74	32,37,68,69	0
3	CL	D	832	1/1	0.93	0.34	0.62	79,79,79,79	0
3	CL	A	823	1/1	0.95	0.20	0.32	58,58,58,58	0
4	GSH	A	800	20/20	0.94	0.13	0.28	33,39,69,73	0
5	GOL	C	813	6/6	0.89	0.11	0.23	48,64,67,69	0
5	GOL	C	808	6/6	0.93	0.13	-0.20	43,54,56,57	0
4	GSH	C	802	20/20	0.90	0.12	-0.27	32,39,51,53	0
3	CL	C	822	1/1	0.98	0.10	-0.30	52,52,52,52	0
4	GSH	A	799	20/20	0.91	0.12	-0.37	29,33,54,56	0
3	CL	B	831	1/1	0.77	0.18	-0.64	70,70,70,70	0
4	GSH	D	805	20/20	0.92	0.13	-0.65	35,43,57,58	0
4	GSH	B	801	20/20	0.94	0.11	-0.65	29,39,57,58	0
3	CL	A	827	1/1	0.90	0.09	-0.84	62,62,62,62	0
3	CL	D	821	1/1	0.98	0.04	-3.04	51,51,51,51	0
3	CL	C	824	1/1	0.99	0.03	-	54,54,54,54	0
3	CL	A	838	1/1	0.30	0.16	-	93,93,93,93	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	MG	C	816	1/1	0.96	0.08	-	41,41,41,41	0
3	CL	C	828	1/1	0.83	0.17	-	67,67,67,67	0
3	CL	A	837	1/1	0.95	0.23	-	72,72,72,72	0
5	GOL	C	812	6/6	0.68	0.23	-	63,67,69,69	0
3	CL	A	825	1/1	0.87	0.26	-	65,65,65,65	0
3	CL	D	819	1/1	0.96	0.15	-	55,55,55,55	0
3	CL	A	826	1/1	0.85	0.30	-	73,73,73,73	0
3	CL	B	820	1/1	0.95	0.09	-	65,65,65,65	0
3	CL	C	833	1/1	0.98	0.07	-	52,52,52,52	0
3	CL	A	836	1/1	0.94	0.17	-	61,61,61,61	0
2	MG	A	817	1/1	0.90	0.18	-	60,60,60,60	0
3	CL	C	829	1/1	0.95	0.10	-	74,74,74,74	0
2	MG	A	815	1/1	0.98	0.04	-	38,38,38,38	0
3	CL	D	834	1/1	0.91	0.09	-	58,58,58,58	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.