



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 9, 2017 – 11:30 PM EDT

PDB ID : 2PFQ  
Title : Manganese promotes catalysis in a DNA polymerase lambda-DNA crystal  
Authors : Garcia-Diaz, M.; Bebenek, K.; Krahn, J.M.; Pedersen, L.C.; Kunkel, T.A.  
Deposited on : unknown  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20030345  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20030345


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	4243 (2.10-2.10)
Clashscore	112137	4788 (2.10-2.10)
Ramachandran outliers	110173	4740 (2.10-2.10)
Sidechain outliers	110143	4741 (2.10-2.10)
RSRZ outliers	101464	4275 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	T	11	<div> <div style="width: 73%;"></div> <div style="width: 27%;"></div> </div>
2	P	7	<div> <div style="width: 71%;"></div> <div style="width: 29%;"></div> </div>
3	D	4	<div> <div style="width: 75%;"></div> <div style="width: 25%;"></div> </div>
4	A	335	<div> <div style="width: 23%;"></div> <div style="width: 53%;"></div> <div style="width: 42%;"></div> <div style="width: 5%;"></div> </div>

## 2 Entry composition

There are 10 unique types of molecules in this entry. The entry contains 3302 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called Template.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	T	11	Total	C	N	O	P	0	0	0
			225	107	43	65	10			

- Molecule 2 is a DNA chain called Primer.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	P	7	Total	C	N	O	P	0	2	0
			157	76	29	45	7			

- Molecule 3 is a DNA chain called Downstream Primer.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	4	Total	C	N	O	P	0	0	0
			83	38	16	25	4			

- Molecule 4 is a protein called DNA polymerase lambda.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	A	324	Total	C	N	O	S	0	8	0
			2565	1603	472	479	11			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	241	MET	-	INITIATING METHIONINE	UNP Q9UGP5
A	543	ALA	CYS	ENGINEERED	UNP Q9UGP5

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	1	Total	Mg	0	1
			1	1		


- Molecule 6 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	2	Total	Na	0	1
			2	2		

- Molecule 7 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	2	Total	Mn	0	2
			2	2		

- Molecule 8 is 2'-DEOXYCYTIDINE-5'-TRIPHOSPHATE (three-letter code: DCP) (formula: C<sub>9</sub>H<sub>16</sub>N<sub>3</sub>O<sub>13</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	A	1	Total	C	N	O	P	0	1
			28	9	3	13	3		

- Molecule 9 is PYROPHOSPHATE (three-letter code: PPV) (formula: H<sub>4</sub>O<sub>7</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	1	Total O P 9 7 2	0	1

- Molecule 10 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	T	32	Total O 32 32	0	0
10	P	26	Total O 26 26	0	0
10	D	6	Total O 6 6	0	0
10	A	166	Total O 166 166	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Template

Chain T: 




- Molecule 2: Primer

Chain P: 




- Molecule 3: Downstream Primer


Chain D: 



- Molecule 4: DNA polymerase lambda

Chain A: 





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	56.09 Å 63.48 Å 139.78 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.10 36.02 – 2.10	Depositor EDS
% Data completeness (in resolution range)	85.9 (50.00-2.10) 85.7 (36.02-2.10)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.90 (at 2.10 Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.256 , 0.287 0.271 , 0.298	Depositor DCC
$R_{free}$ test set	1241 reflections (4.83%)	DCC
Wilson B-factor (Å <sup>2</sup> )	37.4	Xtriage
Anisotropy	0.316	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 64.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.41$ , $\langle L^2 \rangle = 0.23$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	3302	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.69% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, MG, MN, PPV, DCP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	T	0.37	0/252	0.86	0/388
2	P	0.47	0/175	0.73	0/267
3	D	0.97	1/92 (1.1%)	0.80	0/138
4	A	0.35	0/2619	0.58	1/3546 (0.0%)
All	All	0.39	1/3138 (0.0%)	0.63	1/4339 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	1	DG	OP3-P	-7.40	1.52	1.61

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	317	LEU	CA-C-N	-6.06	103.88	117.20

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	T	225	0	125	3	0
2	P	157	0	90	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	83	0	45	7	0
4	A	2565	0	2471	141	0
5	A	1	0	0	0	0
6	A	2	0	0	0	0
7	A	2	0	0	0	0
8	A	28	0	11	0	0
9	A	9	0	0	0	0
10	A	166	0	0	15	0
10	D	6	0	0	1	0
10	P	26	0	0	0	0
10	T	32	0	0	2	0
All	All	3302	0	2742	144	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (144) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:511[B]:HIS:HE1	10:A:1565:HOH:O	1.16	1.22
4:A:314:ILE:HG22	4:A:318:GLU:OE1	1.53	1.09
3:D:1:DG:H1'	4:A:278:GLY:HA3	1.53	0.88
4:A:314:ILE:O	4:A:318:GLU:HB3	1.80	0.82
4:A:539:ASN:HD21	4:A:543:ALA:HB3	1.45	0.79
4:A:539:ASN:ND2	4:A:543:ALA:HB3	2.02	0.75
4:A:511[B]:HIS:CE1	10:A:1565:HOH:O	2.01	0.75
4:A:256:ILE:HG13	4:A:316:ILE:HD12	1.70	0.74
4:A:314:ILE:CG2	4:A:318:GLU:OE1	2.35	0.72
4:A:520:ALA:HB2	4:A:563:LEU:HD21	1.72	0.72
4:A:316:ILE:HD11	4:A:322:LEU:HD22	1.73	0.69
4:A:396:GLU:HG3	4:A:414:ALA:HB2	1.75	0.68
4:A:519:LEU:HD11	4:A:523:LYS:HE3	1.76	0.68
4:A:296:TYR:CD1	4:A:314:ILE:HD11	2.27	0.68
4:A:254:LEU:CB	4:A:256:ILE:HG22	2.24	0.67
4:A:332:VAL:HB	4:A:333:PRO:HD3	1.79	0.65
4:A:448:LEU:O	4:A:452:ARG:HG3	1.96	0.65
4:A:370:THR:OG1	4:A:373:GLN:HG3	1.97	0.64
4:A:314:ILE:O	4:A:318:GLU:CB	2.45	0.64
4:A:440[A]:HIS:NE2	4:A:495:PRO:HB3	2.12	0.64
4:A:256:ILE:CD1	4:A:313:ILE:HG23	2.28	0.64
4:A:305:ILE:HD12	4:A:305:ILE:N	2.13	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:448:LEU:HB3	4:A:452:ARG:NH1	2.13	0.63
3:D:2:DC:H5"	4:A:306:GLY:H	1.65	0.62
4:A:351:MET:O	4:A:355:GLN:HG3	1.99	0.61
4:A:316:ILE:O	4:A:320:GLY:N	2.34	0.61
4:A:466:GLU:H	4:A:466:GLU:CD	2.05	0.59
4:A:252:HIS:ND1	4:A:292:PRO:HG3	2.16	0.59
4:A:256:ILE:HD11	4:A:313:ILE:HG12	1.86	0.58
4:A:272:ASP:OD1	4:A:275:ARG:HB3	2.04	0.58
4:A:464:GLN:HE21	4:A:467:ASN:HB3	1.68	0.58
10:T:26:HOH:O	4:A:372:GLN:HG3	2.03	0.58
3:D:1:DG:C1'	4:A:278:GLY:HA3	2.31	0.57
4:A:252:HIS:CE1	4:A:254:LEU:CB	2.88	0.57
4:A:513:ASN:O	4:A:517:ARG:HG3	2.05	0.57
4:A:554:PRO:HB2	10:A:1581:HOH:O	2.06	0.56
4:A:438:ARG:O	4:A:441:ARG:HG3	2.05	0.55
4:A:443:ILE:HG13	4:A:444:PHE:N	2.21	0.55
4:A:331:SER:O	4:A:335:LEU:HG	2.06	0.55
4:A:504:LEU:HD12	10:A:1447:HOH:O	2.06	0.55
4:A:315:GLU:O	4:A:319:SER:CB	2.55	0.55
4:A:252:HIS:CG	4:A:292:PRO:HG3	2.42	0.55
4:A:387:MET:HB2	4:A:391:GLU:OE1	2.07	0.55
3:D:2:DC:OP1	4:A:309:MET:HB2	2.07	0.54
4:A:346:THR:HG22	10:A:1459:HOH:O	2.05	0.54
4:A:440[B]:HIS:NE2	4:A:495:PRO:HB3	2.21	0.54
4:A:534:THR:O	4:A:535:ALA:HB3	2.07	0.54
4:A:567:TYR:CD2	4:A:568:ARG:N	2.75	0.54
4:A:256:ILE:HD11	4:A:313:ILE:HA	1.90	0.54
4:A:261:GLU:HG3	4:A:283:ILE:HD13	1.90	0.53
4:A:257:THR:HG22	4:A:286:LEU:HD12	1.90	0.53
1:T:7:DT:H5'	4:A:528:SER:HB2	1.90	0.53
4:A:557:LYS:NZ	4:A:557:LYS:HB2	2.24	0.53
4:A:501:CYS:SG	4:A:531:ALA:HA	2.49	0.53
4:A:253:ASN:ND2	4:A:253:ASN:O	2.42	0.53
4:A:329:SER:C	4:A:331:SER:H	2.11	0.52
4:A:256:ILE:HD12	4:A:313:ILE:HG23	1.90	0.52
4:A:567:TYR:HD2	4:A:568:ARG:H	1.57	0.52
4:A:393:THR:O	4:A:397:GLN:HG2	2.10	0.51
4:A:440[B]:HIS:HD2	10:A:1508:HOH:O	1.93	0.51
4:A:427[A]:ASP:HB3	10:A:1530:HOH:O	2.08	0.51
4:A:554:PRO:HD2	10:A:1581:HOH:O	2.10	0.51
4:A:464:GLN:HG3	4:A:466:GLU:OE2	2.10	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:T:6:DG:OP1	4:A:521:LYS:HD3	2.10	0.51
4:A:436:ASP:O	4:A:438:ARG:HG2	2.10	0.51
4:A:448:LEU:HB3	4:A:452:ARG:HH12	1.75	0.51
4:A:307:LYS:O	4:A:311:GLU:HG3	2.11	0.50
4:A:417:SER:HB2	4:A:422:LYS:HG3	1.93	0.50
4:A:555:THR:HA	10:A:1529:HOH:O	2.11	0.50
4:A:531:ALA:HB1	4:A:550:VAL:HG13	1.94	0.50
2:P:4:DT:P	4:A:347:LYS:HB2	2.52	0.49
4:A:315:GLU:HG2	4:A:321:HIS:O	2.12	0.49
4:A:488:ARG:NH1	4:A:488:ARG:HB3	2.28	0.49
4:A:556:GLU:O	4:A:560:PHE:HD1	1.95	0.49
4:A:498:GLU:HB3	4:A:530:HIS:O	2.13	0.48
4:A:277:LEU:O	4:A:280:ALA:HB3	2.13	0.48
4:A:285:ALA:CB	4:A:305:ILE:HD11	2.43	0.48
4:A:294:THR:HG22	4:A:317:LEU:HD21	1.95	0.48
4:A:396:GLU:OE2	4:A:400:GLN:NE2	2.44	0.48
4:A:570:PRO:HA	4:A:573:ARG:HD2	1.96	0.48
4:A:413:VAL:HG12	4:A:414:ALA:N	2.29	0.47
4:A:296:TYR:HB2	4:A:314:ILE:HD11	1.97	0.47
4:A:534:THR:HG21	4:A:551:LEU:HD21	1.95	0.47
4:A:255:HIS:O	4:A:259:LYS:HG3	2.15	0.47
4:A:427[B]:ASP:HB3	10:A:1530:HOH:O	2.13	0.47
3:D:2:DC:H4'	4:A:304:GLY:O	2.14	0.47
4:A:315:GLU:O	4:A:319:SER:HB2	2.15	0.47
4:A:322:LEU:HD23	4:A:325:LEU:HG	1.97	0.47
4:A:520:ALA:HB1	4:A:525:MET:HB2	1.96	0.47
1:T:2:DG:H5'	10:T:12:HOH:O	2.14	0.47
4:A:464:GLN:O	4:A:470:GLN:HB2	2.15	0.47
4:A:523:LYS:O	4:A:525:MET:HG3	2.15	0.47
4:A:440[B]:HIS:CD2	4:A:495:PRO:HA	2.50	0.46
4:A:569:GLU:O	4:A:573:ARG:HG3	2.16	0.46
4:A:315:GLU:OE1	4:A:323:ARG:HG3	2.15	0.46
4:A:259:LYS:HB3	4:A:325:LEU:HD11	1.97	0.46
4:A:560:PHE:HB3	4:A:565:LEU:O	2.16	0.46
4:A:500:ALA:HB3	10:A:1448:HOH:O	2.14	0.46
10:D:207:HOH:O	4:A:278:GLY:HA2	2.15	0.46
4:A:359:SER:O	4:A:363:ILE:HG12	2.16	0.46
4:A:263:LEU:O	4:A:266:ALA:HB3	2.16	0.46
4:A:257:THR:HG22	4:A:286:LEU:CD1	2.46	0.45
4:A:296:TYR:CG	4:A:314:ILE:HD11	2.52	0.45
3:D:3:DC:H2''	3:D:4:DG:C8	2.51	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:558:ASP:O	4:A:562:LEU:HG	2.16	0.45
4:A:284:ASN:ND2	10:A:1565:HOH:O	2.50	0.45
4:A:310:ALA:HA	4:A:313:ILE:HD12	1.99	0.45
4:A:310:ALA:O	4:A:314:ILE:HG13	2.17	0.45
4:A:528:SER:C	4:A:530:HIS:H	2.21	0.44
4:A:546:GLY:O	4:A:547:PRO:O	2.36	0.44
4:A:379:HIS:HB3	4:A:382:ASP:HB2	2.00	0.44
4:A:528:SER:C	4:A:530:HIS:N	2.71	0.44
4:A:519:LEU:HD23	4:A:565:LEU:HD11	2.00	0.44
4:A:390:GLU:O	4:A:394:GLU:HG3	2.18	0.43
4:A:434:HIS:CD2	4:A:439:SER:HB2	2.54	0.43
4:A:256:ILE:HG23	4:A:257:THR:N	2.34	0.43
4:A:538:ARG:HA	4:A:543:ALA:O	2.19	0.43
4:A:526:SER:HB2	4:A:538:ARG:NH2	2.34	0.43
4:A:509:SER:O	4:A:512:PHE:HB3	2.19	0.43
4:A:526:SER:CB	4:A:536:VAL:HG21	2.49	0.43
2:P:3:DG:H2''	2:P:4:DT:O5'	2.20	0.42
4:A:290:HIS:ND1	4:A:291:LYS:N	2.68	0.42
4:A:508:GLY:HA3	4:A:509:SER:HA	1.90	0.42
4:A:494:VAL:HG12	10:A:1496:HOH:O	2.18	0.42
4:A:315:GLU:O	4:A:319:SER:OG	2.36	0.42
4:A:492:ILE:HG13	4:A:492:ILE:O	2.19	0.41
4:A:285:ALA:HB3	4:A:305:ILE:HD11	2.01	0.41
4:A:521:LYS:HZ2	4:A:538:ARG:HE	1.68	0.41
4:A:378:LYS:NZ	10:A:1543:HOH:O	2.52	0.41
4:A:266:ALA:O	4:A:270[B]:GLN:HG3	2.20	0.41
4:A:547:PRO:HB2	4:A:548:GLY:H	1.74	0.41
4:A:254:LEU:C	4:A:256:ILE:N	2.73	0.41
4:A:259:LYS:O	4:A:325:LEU:HD21	2.21	0.41
4:A:390:GLU:HA	10:A:1468:HOH:O	2.20	0.41
4:A:557:LYS:HZ2	4:A:557:LYS:HB2	1.84	0.41
4:A:358:ARG:HG2	4:A:358:ARG:HH11	1.85	0.41
3:D:2:DC:H5''	4:A:306:GLY:N	2.32	0.40
4:A:407:ASN:HB3	4:A:410:LEU:HG	2.03	0.40
4:A:570:PRO:HA	4:A:573:ARG:CD	2.51	0.40
4:A:443:ILE:O	4:A:444:PHE:C	2.58	0.40
4:A:473:TYR:CZ	4:A:475:GLY:HA3	2.56	0.40
4:A:363:ILE:O	4:A:367:ALA:HB3	2.21	0.40
4:A:440[A]:HIS:HD1	4:A:440[A]:HIS:H	1.70	0.40
4:A:448:LEU:HD13	4:A:465:GLU:OE2	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
4	A	330/335 (98%)	300 (91%)	29 (9%)	1 (0%)	44	44

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
4	A	547	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
4	A	263/280 (94%)	260 (99%)	3 (1%)	78	83

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
4	A	252	HIS
4	A	354	GLN
4	A	506	PHE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
4	A	252	HIS
4	A	253	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
4	A	464	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 7 ligands modelled in this entry, 5 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	DCP	A	1438[B]	5,6	23,29,29	1.58	1 (4%)	25,45,45	0.74	1 (4%)
9	PPV	A	1439[A]	7	8,8,8	3.32	2 (25%)	8,13,13	1.23	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	DCP	A	1438[B]	5,6	-	0/18/34/34	0/2/2/2
9	PPV	A	1439[A]	7	-	0/6/6/6	0/0/0/0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	A	1439[A]	PPV	P1-OPP	-6.46	1.49	1.60
8	A	1438[B]	DCP	PG-O3B	-6.36	1.49	1.60
9	A	1439[A]	PPV	P2-OPP	-6.18	1.50	1.60

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	A	1439[A]	PPV	O21-P1-O31	2.23	119.23	110.50
9	A	1439[A]	PPV	O12-P2-O22	2.28	119.41	110.50
8	A	1438[B]	DCP	O2G-PG-O1G	2.29	119.48	110.50

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	T	11/11 (100%)	0.16	0	100 100	26, 31, 42, 48	0
2	P	7/7 (100%)	0.31	0	100 100	19, 23, 26, 31	1 (14%)
3	D	4/4 (100%)	0.43	0	100 100	45, 47, 51, 54	0
4	A	324/335 (96%)	1.28	76 (23%)	1 1	15, 47, 96, 110	1 (0%)
All	All	346/357 (96%)	1.21	76 (21%)	1 1	15, 46, 94, 110	2 (0%)

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	A	316	ILE	8.0
4	A	545	VAL	7.0
4	A	319	SER	6.6
4	A	290	HIS	5.8
4	A	296	TYR	5.7
4	A	320	GLY	5.5
4	A	286	LEU	5.5
4	A	314	ILE	5.4
4	A	317	LEU	5.2
4	A	318	GLU	5.0
4	A	289	PHE	4.9
4	A	295	SER	4.8
4	A	256	ILE	4.7
4	A	535	ALA	4.2
4	A	299	ALA	4.0
4	A	253	ASN	4.0
4	A	288	SER	3.9
4	A	321	HIS	3.7
4	A	543	ALA	3.7
4	A	283	ILE	3.6
4	A	500	ALA	3.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
4	A	302	ILE	3.6
4	A	255	HIS	3.5
4	A	491	ILE	3.5
4	A	309	MET	3.4
4	A	441	ARG	3.2
4	A	467	ASN	3.1
4	A	537	VAL	3.1
4	A	305	ILE	3.1
4	A	415	CYS	3.0
4	A	327	HIS	3.0
4	A	300	CYS	3.0
4	A	511[A]	HIS	2.9
4	A	522	THR	2.9
4	A	294	THR	2.8
4	A	566	PRO	2.8
4	A	521	LYS	2.7
4	A	310	ALA	2.7
4	A	254	LEU	2.7
4	A	489	LEU	2.7
4	A	298	GLU	2.6
4	A	260	LEU	2.6
4	A	540	THR	2.5
4	A	575	TRP	2.5
4	A	406	PHE	2.5
4	A	308	ARG	2.5
4	A	450	SER	2.4
4	A	323	ARG	2.3
4	A	508	GLY	2.3
4	A	541	HIS	2.3
4	A	444	PHE	2.3
4	A	403	ALA	2.3
4	A	397	GLN	2.3
4	A	538	ARG	2.3
4	A	411	LEU	2.2
4	A	440[A]	HIS	2.2
4	A	428	VAL	2.2
4	A	493	VAL	2.2
4	A	546	GLY	2.2
4	A	442	GLY	2.2
4	A	431	LEU	2.2
4	A	325	LEU	2.1
4	A	447	LEU	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
4	A	430	VAL	2.1
4	A	315	GLU	2.1
4	A	297	GLN	2.1
4	A	301	SER	2.1
4	A	437	GLY	2.1
4	A	519	LEU	2.1
4	A	293	VAL	2.1
4	A	567	TYR	2.1
4	A	414	ALA	2.1
4	A	322	LEU	2.0
4	A	328	ILE	2.0
4	A	502	ALA	2.0
4	A	544	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
8	DCP	A	1438[B]	28/28	0.93	0.17	-0.71	26,29,30,31	28
9	PPV	A	1439[A]	9/9	0.94	0.14	-1.69	49,53,54,54	9
5	MG	A	1294[B]	1/1	0.97	0.10	-3.42	38,38,38,38	1
7	MN	A	1296[A]	1/1	0.96	0.10	-3.67	45,45,45,45	1
6	NA	A	1	1/1	0.99	0.09	-3.99	15,15,15,15	0
7	MN	A	1297[A]	1/1	0.91	0.08	-4.75	42,42,42,42	1
6	NA	A	1295[B]	1/1	0.91	0.08	-4.75	30,30,30,30	1

## 6.5 Other polymers [i](#)

There are no such residues in this entry.