



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 10:41 pm GMT

PDB ID : 1PG4
Title : Acetyl CoA Synthetase, Salmonella enterica
Authors : Gulick, A.M.; Starai, V.J.; Horswill, A.R.; Homick, K.M.; Escalante-Semerena, J.C.
Deposited on : 2003-05-27
Resolution : 1.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1762 (1.76-1.76)
Clashscore	112137	1889 (1.76-1.76)
Ramachandran outliers	110173	1868 (1.76-1.76)
Sidechain outliers	110143	1868 (1.76-1.76)
RSRZ outliers	101464	1770 (1.76-1.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	652	<div> <div>2%</div> <div> <div></div> <div>85%</div> <div>12%</div> <div></div> </div> </div>
1	B	652	<div> <div>3%</div> <div> <div></div> <div>88%</div> <div>10%</div> <div></div> </div> </div>

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 10837 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called acetyl-CoA synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	633	Total	C	N	O	S	0	0	0
			4893	3112	843	920	18			
1	B	639	Total	C	N	O	S	0	0	0
			4923	3132	852	920	19			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	174	CYS	ARG	ENGINEERED	UNP Q8ZKF6
B	174	CYS	ARG	ENGINEERED	UNP Q8ZKF6


- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Cl	0	0
			1	1		
2	A	1	Total	Cl	0	0
			1	1		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	1	Total	Mg	0	0
			1	1		
3	A	1	Total	Mg	0	0
			1	1		

- Molecule 4 is COENZYME A (three-letter code: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
4	B	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		

- Molecule 5 is ADENOSINE-5'-MONOPHOSPHATE-PROPYL ESTER (three-letter code: PRX) (formula: C₁₃H₂₀N₅O₇P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total	C	N	O	P	0	0
			26	13	5	7	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	0
			26	13	5	7	1		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	B	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	B	1	Total	C	O	0	0
			4	2	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	473	Total	O	0	0
			473	473		
7	B	376	Total	O	0	0
			376	376		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: acetyl-CoA synthetase



• Molecule 1: acetyl-CoA synthetase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	59.99Å 143.02Å 71.73Å 90.00° 91.32° 90.00°	Depositor
Resolution (Å)	29.80 – 1.75 29.80 – 1.74	Depositor EDS
% Data completeness (in resolution range)	93.7 (29.80-1.75) 93.2 (29.80-1.74)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.55 (at 1.75Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.184 , 0.211 0.183 , 0.210	Depositor DCC
R_{free} test set	5695 reflections (5.01%)	DCC
Wilson B-factor (Å ²)	18.5	Xtriage
Anisotropy	0.222	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 47.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.054 for h,-k,-l	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10837	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.86% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: COA, MG, EDO, PRX, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.31	0/5024	0.60	2/6856 (0.0%)
1	B	0.30	0/5053	0.59	1/6892 (0.0%)
All	All	0.30	0/10077	0.60	3/13748 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	426	LEU	N-CA-C	-5.62	95.82	111.00
1	A	635	PRO	N-CA-CB	5.32	109.68	103.30
1	B	635	PRO	N-CA-CB	5.22	109.56	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4893	0	4708	66	0
1	B	4923	0	4758	55	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	48	0	32	1	0
4	B	48	0	32	1	0
5	A	26	0	19	0	0
5	B	26	0	19	0	0
6	A	12	0	18	0	0
6	B	8	0	12	1	0
7	A	473	0	0	4	0
7	B	376	0	0	7	0
All	All	10837	0	9598	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:628:ASP:O	1:B:631:THR:HG22	1.78	0.83
1:B:493:LYS:HE2	7:B:2100:HOH:O	1.78	0.83
1:A:486:GLN:HE22	1:B:74:THR:HG21	1.48	0.77
1:B:154:ARG:HE	1:B:248:HIS:HD2	1.33	0.76
1:A:552:HIS:CD2	1:A:555:LYS:HG2	2.21	0.75
1:B:20:ASN:H	1:B:23:GLN:HE21	1.35	0.73
1:B:552:HIS:HD2	1:B:555:LYS:H	1.33	0.73
1:B:493:LYS:HE3	7:B:2172:HOH:O	1.91	0.69
1:A:610:ILE:HD13	1:A:611:MET:N	2.08	0.68
1:B:20:ASN:H	1:B:23:GLN:NE2	1.91	0.68
1:A:492:PHE:HB3	1:A:495:MET:CE	2.25	0.67
1:B:335:ASN:H	1:B:335:ASN:HD22	1.45	0.65
1:A:154:ARG:NH2	1:A:250:PRO:HG3	2.11	0.65
1:A:76:ASN:HD22	1:A:79:ALA:H	1.46	0.64
1:A:238:ARG:O	1:A:242:GLU:HG3	1.99	0.62
1:A:640:LYS:O	1:A:644:GLU:HG3	2.00	0.61
1:A:512:ILE:HD12	1:A:512:ILE:N	2.15	0.61
1:B:76:ASN:HD22	1:B:79:ALA:H	1.49	0.60
1:B:154:ARG:NH2	1:B:250:PRO:HG3	2.16	0.60
1:A:552:HIS:HD2	1:A:555:LYS:H	1.51	0.59
1:A:386:VAL:HG22	1:A:387:GLY:N	2.17	0.59
1:B:154:ARG:HE	1:B:248:HIS:CD2	2.18	0.58
1:B:337:PRO:HG2	7:B:2095:HOH:O	2.04	0.57
1:A:529:THR:O	1:A:533:GLU:HG3	2.04	0.57
1:B:603:PRO:HB2	1:B:614:ILE:HD11	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:543:ALA:HB2	1:A:566:ASN:OD1	2.06	0.56
1:B:154:ARG:NE	1:B:248:HIS:HD2	2.03	0.56
1:A:359:THR:HG22	4:A:990:COA:H143	1.88	0.56
1:A:261:ILE:HD11	1:A:275:LEU:HD12	1.88	0.55
1:B:552:HIS:CD2	1:B:555:LYS:H	2.19	0.55
1:B:386:VAL:HG22	1:B:387:GLY:N	2.22	0.55
1:A:529:THR:HG21	7:A:2086:HOH:O	2.07	0.54
1:A:313:HIS:HE1	7:A:1809:HOH:O	1.91	0.54
1:A:492:PHE:HB3	1:A:495:MET:HE3	1.89	0.53
1:B:640:LYS:O	1:B:644:GLU:HG3	2.09	0.53
1:A:450:ASP:OD2	1:A:454:HIS:HB2	2.09	0.53
1:B:381:ARG:HD2	7:B:2019:HOH:O	2.08	0.52
1:A:316:LEU:HD12	1:A:317:LEU:HG	1.90	0.52
1:B:335:ASN:HD22	1:B:335:ASN:N	2.05	0.52
1:A:603:PRO:HD3	1:A:641:LEU:HD11	1.91	0.52
1:A:32:ILE:HD12	1:A:445:GLN:CG	2.39	0.52
1:B:335:ASN:H	1:B:335:ASN:ND2	2.09	0.51
1:A:312:GLY:O	1:A:316:LEU:HB3	2.10	0.51
1:A:492:PHE:HB3	1:A:495:MET:HE2	1.91	0.51
1:A:335:ASN:HD22	1:A:335:ASN:H	1.58	0.51
1:A:249:GLN:HB3	7:A:2240:HOH:O	2.11	0.51
1:A:89:ASN:ND2	1:A:92:ARG:CZ	2.75	0.51
1:B:528:GLY:O	1:B:531:GLU:HG2	2.12	0.50
1:A:154:ARG:CZ	1:A:250:PRO:HG3	2.41	0.50
1:B:32:ILE:HD12	1:B:445:GLN:HG2	1.92	0.50
1:B:391:ASN:ND2	7:B:2096:HOH:O	2.45	0.49
1:A:606:ARG:HD2	7:B:2068:HOH:O	2.12	0.49
1:A:12:ASN:O	1:A:16:ARG:HG2	2.13	0.49
1:B:32:ILE:HD12	1:B:445:GLN:CG	2.42	0.49
1:A:109:SER:OG	1:A:112:GLU:HG3	2.13	0.48
1:A:610:ILE:HD13	1:A:610:ILE:C	2.33	0.48
1:A:386:VAL:CG2	1:A:387:GLY:N	2.76	0.48
1:A:576:TYR:CE1	1:A:596:LEU:HB2	2.49	0.48
1:A:338:THR:HB	1:A:339:PRO:HD2	1.94	0.48
1:A:645:LYS:HD3	1:A:645:LYS:O	2.15	0.47
1:B:134:VAL:HG11	1:B:178:SER:HB2	1.97	0.47
1:A:606:ARG:HH11	1:A:606:ARG:HG3	1.79	0.47
1:A:76:ASN:HD21	1:A:78:ALA:HB3	1.80	0.47
1:B:19:ILE:HA	1:B:23:GLN:NE2	2.30	0.47
1:A:53:GLN:H	1:A:72:ASP:CG	2.18	0.47
1:B:272:LYS:HE3	1:B:483:ARG:CD	2.45	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:618:ILE:HG22	1:A:645:LYS:HG3	1.97	0.46
1:B:154:ARG:CZ	1:B:250:PRO:HG3	2.46	0.46
1:A:20:ASN:OD1	1:A:23:GLN:HG3	2.15	0.46
1:B:20:ASN:HB2	1:B:21:PRO:HD2	1.98	0.46
1:B:634:ASP:O	1:B:637:VAL:HG22	2.15	0.45
1:A:53:GLN:HB2	1:A:53:GLN:HE21	1.60	0.45
1:A:391:ASN:HD21	1:A:393:GLU:HB3	1.82	0.45
1:A:482:GLU:OE1	1:B:49:ILE:O	2.34	0.45
1:B:335:ASN:ND2	1:B:335:ASN:N	2.65	0.45
1:A:585:LYS:HE2	7:A:2036:HOH:O	2.16	0.44
1:B:190:VAL:HG13	6:B:1804:EDO:H12	1.99	0.44
1:B:390:ILE:HG23	1:B:390:ILE:O	2.17	0.44
1:B:20:ASN:HB2	1:B:21:PRO:CD	2.47	0.44
1:B:49:ILE:HD12	1:B:252:ALA:HA	2.00	0.44
1:B:386:VAL:CG2	1:B:387:GLY:N	2.81	0.44
1:A:610:ILE:HD13	1:A:611:MET:C	2.38	0.44
1:B:359:THR:HG22	4:B:991:COA:H143	2.00	0.44
1:A:316:LEU:C	1:A:316:LEU:HD13	2.38	0.44
1:A:335:ASN:ND2	1:A:335:ASN:H	2.15	0.43
1:A:486:GLN:NE2	1:B:74:THR:HG21	2.26	0.43
1:B:249:GLN:HA	1:B:250:PRO:HD3	1.91	0.43
1:A:439:ARG:HB3	1:A:440:PRO:HD2	2.01	0.43
1:B:584:ARG:HG2	1:B:584:ARG:HH11	1.83	0.43
1:A:20:ASN:HB2	1:A:21:PRO:CD	2.49	0.43
1:A:410:VAL:HG23	1:A:410:VAL:O	2.18	0.42
1:B:109:SER:OG	1:B:112:GLU:HG3	2.20	0.42
1:B:404:LYS:O	1:B:406:LYS:HG3	2.19	0.42
1:A:470:TRP:CE2	1:A:473:GLN:HB2	2.54	0.42
1:B:376:ASP:O	1:B:377:ARG:HB2	2.19	0.42
1:B:521:ASN:HD21	1:B:524:GLY:HA2	1.85	0.42
1:A:638:VAL:O	1:A:642:LEU:HG	2.19	0.42
1:B:576:TYR:CE1	1:B:596:LEU:HB2	2.55	0.42
1:B:76:ASN:HD21	1:B:78:ALA:HB3	1.84	0.42
1:A:91:ASP:OD1	1:A:111:ARG:NH1	2.51	0.41
1:A:539:HIS:HA	1:A:540:PRO:HD3	1.91	0.41
1:A:316:LEU:HD13	1:A:316:LEU:O	2.20	0.41
1:A:512:ILE:CD1	1:A:512:ILE:N	2.82	0.41
1:A:552:HIS:CD2	1:A:555:LYS:H	2.34	0.41
1:B:543:ALA:HB2	1:B:566:ASN:OD1	2.20	0.41
1:A:20:ASN:HB2	1:A:21:PRO:HD2	2.03	0.41
1:B:576:TYR:O	1:B:580:ARG:HG3	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:528:GLY:O	1:A:531:GLU:HG2	2.21	0.41
1:B:295:TYR:HE1	7:B:2112:HOH:O	2.03	0.41
1:A:32:ILE:HD12	1:A:445:GLN:HG3	2.02	0.41
1:A:610:ILE:HD11	1:A:615:LEU:CD1	2.52	0.41
1:B:272:LYS:HE3	1:B:483:ARG:HD3	2.02	0.41
1:A:518:ASP:HB3	1:A:529:THR:OG1	2.21	0.40
1:B:407:CYS:HA	1:B:408:PRO:HD3	1.98	0.40
1:B:492:PHE:HB3	1:B:495:MET:CE	2.52	0.40
1:B:601:SER:O	1:B:637:VAL:HB	2.22	0.40
1:A:113:LEU:O	1:A:117:VAL:HG23	2.21	0.40
1:A:21:PRO:HD3	1:A:428:GLY:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	629/652 (96%)	607 (96%)	21 (3%)	1 (0%)	51 31
1	B	635/652 (97%)	613 (96%)	22 (4%)	0	100 100
All	All	1264/1304 (97%)	1220 (96%)	43 (3%)	1 (0%)	55 35

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	438	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	506/538 (94%)	502 (99%)	4 (1%)	85	75
1	B	508/538 (94%)	505 (99%)	3 (1%)	89	82
All	All	1014/1076 (94%)	1007 (99%)	7 (1%)	87	78

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	53	GLN
1	A	335	ASN
1	A	483	ARG
1	A	610	ILE
1	B	106	LYS
1	B	335	ASN
1	B	521	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	GLN
1	A	53	GLN
1	A	76	ASN
1	A	89	ASN
1	A	249	GLN
1	A	313	HIS
1	A	335	ASN
1	A	344	GLN
1	A	456	GLN
1	A	486	GLN
1	A	552	HIS
1	B	23	GLN
1	B	30	GLN
1	B	42	GLN
1	B	64	ASN
1	B	76	ASN
1	B	89	ASN
1	B	248	HIS
1	B	249	GLN
1	B	335	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	344	GLN
1	B	350	GLN
1	B	456	GLN
1	B	521	ASN
1	B	552	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 13 ligands modelled in this entry, 4 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	EDO	A	1801	-	3,3,3	0.55	0	2,2,2	0.38	0
6	EDO	A	1802	-	3,3,3	0.55	0	2,2,2	0.42	0
6	EDO	A	1803	-	3,3,3	0.59	0	2,2,2	0.37	0
4	COA	A	990	-	43,50,50	1.22	5 (11%)	48,75,75	1.48	4 (8%)
5	PRX	A	999	-	25,28,28	1.93	5 (20%)	25,41,41	1.80	5 (20%)
6	EDO	B	1800	-	3,3,3	0.58	0	2,2,2	0.44	0
6	EDO	B	1804	-	3,3,3	0.54	0	2,2,2	0.44	0
4	COA	B	991	-	43,50,50	1.22	6 (13%)	48,75,75	1.55	5 (10%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	PRX	B	998	-	25,28,28	1.97	6 (24%)	25,41,41	1.81	5 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	EDO	A	1801	-	-	0/1/1/1	0/0/0/0
6	EDO	A	1802	-	-	0/1/1/1	0/0/0/0
6	EDO	A	1803	-	-	0/1/1/1	0/0/0/0
4	COA	A	990	-	-	0/44/64/64	0/3/3/3
5	PRX	A	999	-	-	0/11/31/31	0/3/3/3
6	EDO	B	1800	-	-	0/1/1/1	0/0/0/0
6	EDO	B	1804	-	-	0/1/1/1	0/0/0/0
4	COA	B	991	-	-	0/44/64/64	0/3/3/3
5	PRX	B	998	-	-	0/11/31/31	0/3/3/3

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	991	COA	P3B-O8A	-2.08	1.46	1.54
4	A	990	COA	P3B-O8A	-2.02	1.46	1.54
5	B	998	PRX	C2-N3	2.02	1.35	1.32
4	B	991	COA	C9P-N8P	2.11	1.37	1.33
4	A	990	COA	C2P-S1P	2.16	1.87	1.80
4	B	991	COA	O6A-CCP	2.18	1.51	1.43
4	A	990	COA	C9P-N8P	2.20	1.38	1.33
4	B	991	COA	C2P-S1P	2.25	1.88	1.80
5	A	999	PRX	C3'-C2'	2.59	1.60	1.53
5	B	998	PRX	C3'-C2'	2.66	1.60	1.53
5	A	999	PRX	O3'-C3'	2.92	1.49	1.43
4	B	991	COA	C2A-N3A	3.10	1.37	1.32
5	B	998	PRX	O4'-C1'	3.19	1.45	1.41
4	A	990	COA	C4A-N3A	3.24	1.40	1.35
4	B	991	COA	C4A-N3A	3.30	1.40	1.35
4	A	990	COA	C2A-N3A	3.32	1.37	1.32
5	B	998	PRX	O3'-C3'	3.38	1.50	1.43
5	A	999	PRX	O4'-C1'	3.45	1.46	1.41
5	A	999	PRX	C3'-C4'	4.96	1.66	1.53
5	A	999	PRX	C2'-C1'	4.99	1.61	1.53
5	B	998	PRX	C2'-C1'	5.03	1.61	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	998	PRX	C3'-C4'	5.14	1.66	1.53

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	999	PRX	N3-C2-N1	-4.42	125.00	128.86
5	B	998	PRX	N3-C2-N1	-4.39	125.04	128.86
4	B	991	COA	N3A-C2A-N1A	-3.45	125.86	128.86
4	A	990	COA	N3A-C2A-N1A	-3.40	125.90	128.86
4	B	991	COA	C2P-C3P-N4P	-3.34	105.24	112.50
4	A	990	COA	C2P-C3P-N4P	-2.81	106.39	112.50
5	A	999	PRX	C2'-C3'-C4'	-2.54	97.68	102.62
5	B	998	PRX	C2'-C3'-C4'	-2.47	97.82	102.62
4	B	991	COA	CDP-CBP-CAP	2.09	112.45	108.82
5	B	998	PRX	C2-N1-C6	2.46	123.07	118.77
5	A	999	PRX	C2-N1-C6	2.62	123.36	118.77
5	A	999	PRX	N6-C6-N1	3.09	124.90	118.77
5	B	998	PRX	N6-C6-N1	3.20	125.11	118.77
4	A	990	COA	C4B-O4B-C1B	4.00	114.03	109.77
4	B	991	COA	C4B-O4B-C1B	4.06	114.09	109.77
5	A	999	PRX	C4-C5-N7	4.48	113.74	109.41
5	B	998	PRX	C4-C5-N7	4.51	113.76	109.41
4	A	990	COA	C3P-N4P-C5P	5.38	133.18	122.84
4	B	991	COA	C3P-N4P-C5P	5.68	133.74	122.84

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	990	COA	1	0
6	B	1804	EDO	1	0
4	B	991	COA	1	0

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	633/652 (97%)	0.05	12 (1%) 67 75	10, 18, 34, 45	0
1	B	639/652 (98%)	0.15	17 (2%) 55 62	12, 19, 35, 49	0
All	All	1272/1304 (97%)	0.10	29 (2%) 61 68	10, 19, 34, 49	0

All (29) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	610	ILE	5.3
1	A	646	GLN	4.7
1	B	621	GLY	4.2
1	A	614	ILE	3.6
1	A	568	GLY	3.6
1	B	628	ASP	3.2
1	B	629	THR	3.1
1	A	647	ALA	3.0
1	B	601	SER	3.0
1	B	630	SER	2.9
1	B	646	GLN	2.8
1	B	645	LYS	2.7
1	B	647	ALA	2.7
1	A	633	ALA	2.6
1	B	569	GLU	2.4
1	A	605	THR	2.4
1	B	33	ASN	2.3
1	B	611	MET	2.3
1	A	209	PRO	2.2
1	B	642	LEU	2.2
1	A	53	GLN	2.2
1	B	613	ARG	2.2
1	B	636	GLY	2.2
1	A	5	HIS	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	63	GLY	2.1
1	B	627	GLY	2.1
1	A	621	GLY	2.1
1	A	238	ARG	2.0
1	B	5	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
6	EDO	B	1804	4/4	0.84	0.20	1.87	37,37,37,39	0
4	COA	B	991	48/48	0.86	0.15	1.71	21,41,47,47	0
4	COA	A	990	48/48	0.86	0.14	1.28	24,37,44,46	0
6	EDO	A	1801	4/4	0.98	0.13	1.26	13,14,17,17	0
6	EDO	A	1802	4/4	0.88	0.14	1.07	37,38,39,40	0
6	EDO	A	1803	4/4	0.92	0.11	0.46	28,29,30,31	0
5	PRX	A	999	26/26	0.97	0.09	-0.19	12,15,19,19	0
6	EDO	B	1800	4/4	0.96	0.10	-0.41	14,19,20,21	0
5	PRX	B	998	26/26	0.97	0.09	-0.56	13,15,20,22	0
2	CL	A	902	1/1	0.99	0.05	-1.20	20,20,20,20	0
2	CL	B	901	1/1	1.00	0.04	-1.75	20,20,20,20	0
3	MG	A	904	1/1	0.99	0.04	-2.32	19,19,19,19	0
3	MG	B	903	1/1	0.99	0.05	-2.67	17,17,17,17	0

6.5 Other polymers [i](#)

There are no such residues in this entry.