



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 20, 2017 – 10:38 PM EST

PDB ID : 1PHF  
Title : CRYSTAL STRUCTURES OF METYRAPONE-AND PHENYLIMIDAZOL  
E-INHIBITED COMPLEXES OF CYTOCHROME P450-CAM  
Authors : Poulos, T.L.  
Deposited on : unknown  
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20030345


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	2967 (1.60-1.60)
Ramachandran outliers	110173	2887 (1.60-1.60)
Sidechain outliers	110143	2886 (1.60-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	414	<div>65% 27% 5% ..</div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PIM	A	422	-	-	X	-

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 3469 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYTOCHROME P450-CAM.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	405	Total	C	N	O	S	0	1	0
			3209	2033	559	599	18			

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 3 is 4-PHENYL-1H-IMIDAZOLE (three-letter code: PIM) (formula:  $C_9H_8N_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	N	0	0
			11	9	2		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	206	Total	O	0	0
			206	206		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

#### • Molecule 1: CYTOCHROME P450-CAM



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	108.67Å 103.90Å 36.38Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	(Not available) – 1.60	Depositor
% Data completeness (in resolution range)	(Not available) ((Not available)-1.60)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	PROLSQ	Depositor
R, $R_{free}$	0.190 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	3469	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	24.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, PIM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.11	3/3292 (0.1%)	1.74	63/4473 (1.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	10

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	276	GLU	CD-OE1	7.51	1.33	1.25
1	A	237	GLU	CD-OE1	5.94	1.32	1.25
1	A	286	GLU	CD-OE1	-5.84	1.19	1.25

All (63) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	211	ARG	CD-NE-CZ	18.87	150.02	123.60
1	A	90	ARG	NE-CZ-NH1	11.61	126.11	120.30
1	A	112	ARG	NE-CZ-NH2	-11.07	114.76	120.30
1	A	211	ARG	NE-CZ-NH2	10.79	125.69	120.30
1	A	67	ARG	NE-CZ-NH2	-10.61	115.00	120.30
1	A	148	CYS	C-N-CA	10.26	147.34	121.70
1	A	195	GLU	CA-CB-CG	9.70	134.74	113.40
1	A	271	ARG	NE-CZ-NH1	8.94	124.77	120.30
1	A	154	TYR	CB-CG-CD1	8.50	126.10	121.00
1	A	79	ARG	NE-CZ-NH1	8.32	124.46	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	79	ARG	NE-CZ-NH2	-8.13	116.23	120.30
1	A	342	ARG	NE-CZ-NH1	-8.12	116.24	120.30
1	A	109	ARG	NE-CZ-NH1	7.61	124.10	120.30
1	A	67	ARG	NE-CZ-NH1	7.57	124.09	120.30
1	A	280	ARG	NE-CZ-NH2	-7.56	116.52	120.30
1	A	240	ARG	NE-CZ-NH1	7.53	124.06	120.30
1	A	20	GLU	CA-CB-CG	7.40	129.68	113.40
1	A	366	GLU	OE1-CD-OE2	-7.36	114.47	123.30
1	A	143	ARG	NE-CZ-NH1	7.35	123.97	120.30
1	A	149	ASN	N-CA-CB	7.24	123.62	110.60
1	A	130	ARG	CD-NE-CZ	6.77	133.08	123.60
1	A	241	MET	N-CA-CB	6.73	122.71	110.60
1	A	143	ARG	NE-CZ-NH2	-6.70	116.95	120.30
1	A	251	ASP	O-C-N	-6.61	112.12	122.70
1	A	330	ARG	NE-CZ-NH1	6.54	123.57	120.30
1	A	236	ASP	CB-CG-OD1	-6.54	112.42	118.30
1	A	104	ASP	CB-CG-OD1	6.53	124.18	118.30
1	A	297	ASP	CB-CA-C	6.44	123.28	110.40
1	A	261	MET	CG-SD-CE	6.43	110.48	100.20
1	A	156	GLU	OE1-CD-OE2	-6.40	115.62	123.30
1	A	212	ARG	CD-NE-CZ	6.35	132.49	123.60
1	A	211	ARG	CG-CD-NE	6.26	124.95	111.80
1	A	125	ASP	CB-CG-OD2	6.11	123.80	118.30
1	A	154	TYR	CB-CG-CD2	-6.09	117.35	121.00
1	A	152	GLU	CA-CB-CG	6.07	126.75	113.40
1	A	148	CYS	O-C-N	-6.03	113.06	122.70
1	A	96	TYR	CA-CB-CG	6.01	124.81	113.40
1	A	108	GLN	CA-CB-CG	5.98	126.55	113.40
1	A	25	ASP	CB-CG-OD1	5.97	123.67	118.30
1	A	211	ARG	NH1-CZ-NH2	-5.97	112.84	119.40
1	A	364	ARG	CD-NE-CZ	5.95	131.93	123.60
1	A	280	ARG	NE-CZ-NH1	5.90	123.25	120.30
1	A	128	GLU	CG-CD-OE2	-5.89	106.52	118.30
1	A	377	ARG	NE-CZ-NH2	-5.85	117.38	120.30
1	A	365	ARG	NE-CZ-NH2	-5.67	117.47	120.30
1	A	130	ARG	NE-CZ-NH1	5.63	123.11	120.30
1	A	211	ARG	CA-CB-CG	5.58	125.67	113.40
1	A	172	GLU	CG-CD-OE2	5.57	129.44	118.30
1	A	11	LEU	CB-CA-C	5.55	120.74	110.20
1	A	179	TYR	CB-CG-CD1	5.53	124.32	121.00
1	A	179	TYR	CB-CG-CD2	-5.52	117.69	121.00
1	A	201	TYR	CA-CB-CG	5.38	123.61	113.40

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	365	ARG	NE-CZ-NH1	5.30	122.95	120.30
1	A	149	ASN	CA-C-O	-5.27	109.04	120.10
1	A	212	ARG	NE-CZ-NH1	5.25	122.92	120.30
1	A	112	ARG	NE-CZ-NH1	5.24	122.92	120.30
1	A	161	ARG	NE-CZ-NH1	5.21	122.91	120.30
1	A	348	THR	CA-CB-CG2	5.19	119.67	112.40
1	A	104	ASP	CB-CG-OD2	-5.17	113.65	118.30
1	A	80	HIS	CA-CB-CG	-5.14	104.86	113.60
1	A	279	GLU	CA-CB-CG	5.08	124.59	113.40
1	A	195	GLU	CB-CG-CD	5.04	127.80	114.20
1	A	72	ARG	NE-CZ-NH1	-5.02	117.79	120.30

There are no chirality outliers.

All (10) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	143	ARG	Sidechain
1	A	148	CYS	Mainchain
1	A	149	ASN	Mainchain
1	A	211	ARG	Sidechain
1	A	250	LEU	Mainchain
1	A	251	ASP	Mainchain
1	A	271	ARG	Sidechain
1	A	280	ARG	Sidechain
1	A	377	ARG	Sidechain
1	A	77	ASP	Mainchain

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3209	0	3146	71	0
2	A	43	0	30	3	0
3	A	11	0	8	4	0
4	A	206	0	0	4	0
All	All	3469	0	3184	73	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (73) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:181:THR:HG23	1:A:247:VAL:HG13	1.63	0.80
1:A:183:GLN:HE22	1:A:188:ASP:HB2	1.54	0.72
1:A:158:PHE:HB3	1:A:159:PRO:HD3	1.77	0.66
1:A:127:LEU:HD11	1:A:166:LEU:HD13	1.78	0.65
1:A:108:GLN:HE22	1:A:354:SER:HB2	1.61	0.64
1:A:111:PHE:HB3	1:A:241:MET:HE2	1.81	0.62
1:A:134:LEU:HD23	1:A:162:ILE:HG13	1.82	0.62
1:A:192:THR:OG1	1:A:195:GLU:HG2	2.01	0.60
1:A:97:ASP:O	1:A:240:ARG:HD2	2.04	0.58
1:A:358:LEU:HD12	2:A:417:HEM:HMD3	1.85	0.57
1:A:240:ARG:HD3	4:A:675:HOH:O	2.06	0.56
1:A:127:LEU:CD1	1:A:166:LEU:HD13	2.37	0.55
1:A:332:ASN:O	1:A:335:PRO:HD3	2.07	0.55
1:A:121:MET:HB2	1:A:122:PRO:HD3	1.90	0.54
1:A:50:VAL:HG12	1:A:54:VAL:HG11	1.91	0.53
1:A:325:SER:O	1:A:331:GLU:HG3	2.08	0.53
1:A:183:GLN:HE22	1:A:188:ASP:CB	2.20	0.52
1:A:14:LEU:HD11	1:A:18:VAL:CG1	2.39	0.52
1:A:158:PHE:CB	1:A:159:PRO:HD3	2.41	0.51
1:A:252:THR:HG21	3:A:422:PIM:HN1	1.74	0.51
2:A:417:HEM:C4B	3:A:422:PIM:H2	2.45	0.50
2:A:417:HEM:NB	3:A:422:PIM:H2	2.25	0.50
1:A:181:THR:CG2	1:A:251:ASP:HB2	2.42	0.50
1:A:87:PHE:HB2	1:A:93:GLY:HA2	1.94	0.50
1:A:31:PRO:HB2	1:A:41:ALA:HB1	1.94	0.50
1:A:362:LEU:O	1:A:366:GLU:HG3	2.12	0.49
1:A:252:THR:HG21	3:A:422:PIM:N1	2.28	0.49
1:A:236:ASP:O	1:A:240:ARG:HG3	2.13	0.48
1:A:56:THR:O	1:A:61:GLY:HA2	2.12	0.48
1:A:149:ASN:ND2	1:A:402:LEU:H	2.12	0.48
1:A:302:THR:O	1:A:314:LYS:HG3	2.14	0.48
1:A:39:GLN:NE2	1:A:39:GLN:H	2.11	0.48
1:A:319:LEU:C	1:A:321:PRO:HD3	2.34	0.48
1:A:290:ARG:HD3	1:A:345:VAL:HG13	1.95	0.47
1:A:72:ARG:NH1	1:A:331:GLU:OE1	2.45	0.47
1:A:50:VAL:CG1	1:A:54:VAL:HG11	2.45	0.46
1:A:319:LEU:O	1:A:321:PRO:HD3	2.14	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:193:PHE:HB2	4:A:689:HOH:O	2.15	0.46
1:A:30:ASN:ND2	4:A:555:HOH:O	2.48	0.46
1:A:104:ASP:HB3	1:A:105:PRO:HD2	1.98	0.46
1:A:150:PHE:CE2	1:A:155:ALA:HB2	2.50	0.45
1:A:303:SER:HA	1:A:314:LYS:HG3	1.99	0.45
1:A:49:ASN:H	1:A:49:ASN:HD22	1.64	0.45
1:A:149:ASN:HD22	1:A:149:ASN:C	2.20	0.45
1:A:243:GLY:O	1:A:247:VAL:HG23	2.17	0.45
1:A:183:GLN:NE2	1:A:188:ASP:HB2	2.27	0.45
1:A:99:ILE:HD12	1:A:240:ARG:HB2	1.99	0.45
1:A:200:LEU:O	1:A:203:TYR:HB3	2.17	0.44
1:A:318:ILE:HD13	1:A:320:LEU:HD21	1.99	0.44
1:A:208:ILE:O	1:A:212:ARG:HG3	2.18	0.44
1:A:302:THR:C	1:A:314:LYS:HG3	2.37	0.44
1:A:100:PRO:O	1:A:355:HIS:HE1	2.01	0.44
1:A:218:ASP:O	1:A:222:ILE:HG12	2.18	0.44
1:A:181:THR:HG21	1:A:251:ASP:HB2	2.00	0.44
1:A:211:ARG:NH1	1:A:218:ASP:OD2	2.51	0.43
1:A:203:TYR:O	1:A:206:PRO:HD2	2.17	0.43
1:A:108:GLN:NE2	1:A:354:SER:HB2	2.30	0.43
1:A:273:GLU:OE2	1:A:280:ARG:NH1	2.47	0.43
1:A:17:HIS:CD2	1:A:313:LYS:HG3	2.54	0.43
1:A:209:GLU:HG2	4:A:603:HOH:O	2.19	0.43
1:A:73:GLU:OE1	1:A:308:HIS:NE2	2.44	0.43
1:A:384:ALA:HA	1:A:385:PRO:HD3	1.90	0.42
1:A:90:ARG:O	1:A:94:GLU:HG3	2.19	0.42
1:A:261:MET:HA	1:A:261:MET:HE2	2.01	0.42
1:A:328:ASP:HB3	1:A:331:GLU:HG3	2.02	0.42
1:A:134:LEU:O	1:A:138:LEU:HB2	2.19	0.42
1:A:139:ILE:HG12	1:A:374:TRP:CE3	2.55	0.41
1:A:14:LEU:HD11	1:A:18:VAL:HG11	2.01	0.41
1:A:291:ARG:HG2	1:A:338:VAL:HG22	2.03	0.41
1:A:256:PHE:CE2	1:A:367:ILE:HD13	2.56	0.41
1:A:242:CYS:O	1:A:246:LEU:HD23	2.21	0.40
1:A:319:LEU:HG	1:A:321:PRO:HG3	2.02	0.40
1:A:281:ILE:N	1:A:282:PRO:CD	2.85	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	404/414 (98%)	380 (94%)	22 (5%)	2 (0%)	32	12

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	120	GLY
1	A	150	PHE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	350/358 (98%)	336 (96%)	14 (4%)	36	11

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	PRO
1	A	38	VAL
1	A	49	ASN
1	A	79	ARG
1	A	96	TYR
1	A	106	PRO
1	A	108	GLN
1	A	128	GLU
1	A	149	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	211	ARG
1	A	217	THR
1	A	261	MET
1	A	276	GLU
1	A	311	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	GLN
1	A	46	GLN
1	A	49	ASN
1	A	108	GLN
1	A	110	GLN
1	A	149	ASN
1	A	213	GLN
1	A	225	ASN
1	A	388	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	HEM	A	417	1,3	28,50,50	1.78	6 (21%)	17,82,82	1.99	5 (29%)
3	PIM	A	422	2	10,12,12	1.26	0	12,15,15	1.57	2 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	417	1,3	-	0/6/54/54	0/0/8/8
3	PIM	A	422	2	-	0/4/4/4	0/2/2/2

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	417	HEM	C3C-C2C	-4.98	1.33	1.40
2	A	417	HEM	C3B-C2B	-3.75	1.35	1.40
2	A	417	HEM	CMD-C2D	2.02	1.55	1.51
2	A	417	HEM	C1D-ND	2.26	1.41	1.36
2	A	417	HEM	C1B-NB	2.96	1.40	1.36
2	A	417	HEM	C3C-CAC	3.15	1.54	1.47

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	417	HEM	CMA-C3A-C4A	-4.69	121.26	128.46
2	A	417	HEM	CMD-C2D-C1D	-2.52	124.58	128.46
3	A	422	PIM	C9-C10-C11	-2.16	117.24	120.21
2	A	417	HEM	CMC-C2C-C3C	2.57	129.66	124.89
2	A	417	HEM	CBD-CAD-C3D	2.84	117.88	112.47
3	A	422	PIM	C4-N3-C2	3.06	110.55	105.78
2	A	417	HEM	CMA-C3A-C2A	3.35	131.27	124.94

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	417	HEM	3	0
3	A	422	PIM	4	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.