



Full wwPDB NMR Structure Validation Report i

Feb 12, 2017 – 07:31 pm GMT

PDB ID : 1Q5W
Title : Ubiquitin Recognition by Npl4 Zinc-Fingers
Authors : Alam, S.L.; Sun, J.; Payne, M.; Welch, B.D.; Blake, B.K.; Davis, D.R.; Meyer, H.H.; Emr, S.D.; Sundquist, W.I.
Deposited on : 2003-08-11

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/NMRValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) i) were used in the production of this report:


Cyrange	:	Kirchner and Güntert (2011)
NmrClust	:	Kelley et al. (1996)
MolProbity	:	4.02b-467
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	trunk28760
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	125131	11601
Ramachandran outliers	121729	10391
Sidechain outliers	121581	10367

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain				
1	A	31	29%	52%	.	16%	
2	B	76	42%	46%	7%	5%	

2 Ensemble composition and analysis i

This entry contains 20 models. Model 14 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *fewest violations, lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:6-A:31, B:101-B:172 (98)	0.23	14

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters. No single-model clusters were found.

Cluster number	Models
1	3, 5, 11, 12, 13, 14, 16, 17, 18
2	1, 2, 4, 6, 8, 9, 15, 19, 20
3	7, 10

3 Entry composition [\(i\)](#)

There are 3 unique types of molecules in this entry. The entry contains 1671 atoms, of which 838 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called homolog of yeast nuclear protein localization 4.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	31	438	137	208	42	44	7	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	CLONING ARTIFACT	UNP Q9ES54
A	2	SER	-	CLONING ARTIFACT	UNP Q9ES54

- Molecule 2 is a protein called Ubiquitin.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
2	B	76	1232	378	630	105	118	1	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms
3	A	1	Total Zn 1 1

4 Residue-property plots [\(i\)](#)


4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: homolog of yeast nuclear protein localization 4



- Molecule 2: Ubiquitin



4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: homolog of yeast nuclear protein localization 4




- Molecule 2: Ubiquitin





4.2.2 Score per residue for model 2

- Molecule 1: homolog of yeast nuclear protein localization 4



- Molecule 2: Ubiquitin




4.2.3 Score per residue for model 3

- Molecule 1: homolog of yeast nuclear protein localization 4




- Molecule 2: Ubiquitin



4.2.4 Score per residue for model 4


- Molecule 1: homolog of yeast nuclear protein localization 4





- Molecule 2: Ubiquitin


Chain B:
42% 45% 8% 5%



4.2.5 Score per residue for model 5

- Molecule 1: homolog of yeast nuclear protein localization 4

Chain A:
35% 45% 16% • 1%



- Molecule 2: Ubiquitin

Chain B:
41% 45% 9% 5%



4.2.6 Score per residue for model 6


- Molecule 1: homolog of yeast nuclear protein localization 4

Chain A:
35% 39% 10% 16%




- Molecule 2: Ubiquitin

Chain B:
45% 42% 8% 5%




4.2.7 Score per residue for model 7

- Molecule 1: homolog of yeast nuclear protein localization 4




- Molecule 2: Ubiquitin



4.2.8 Score per residue for model 8

- Molecule 1: homolog of yeast nuclear protein localization 4




- Molecule 2: Ubiquitin




4.2.9 Score per residue for model 9

- Molecule 1: homolog of yeast nuclear protein localization 4



- Molecule 2: Ubiquitin





4.2.10 Score per residue for model 10


- Molecule 1: homolog of yeast nuclear protein localization 4

Chain A: 32% 45% 6% 16%



- Molecule 2: Ubiquitin


Chain B: 43% 46% 5% 5%



4.2.11 Score per residue for model 11

- Molecule 1: homolog of yeast nuclear protein localization 4

Chain A: 29% 42% 13% 16%



- Molecule 2: Ubiquitin


Chain B: 43% 46% 5% 5%




4.2.12 Score per residue for model 12

- Molecule 1: homolog of yeast nuclear protein localization 4

Chain A: 23% 55% 6% 16%




- Molecule 2: Ubiquitin




4.2.13 Score per residue for model 13

- Molecule 1: homolog of yeast nuclear protein localization 4




- Molecule 2: Ubiquitin




4.2.14 Score per residue for model 14 (medoid)

- Molecule 1: homolog of yeast nuclear protein localization 4




- Molecule 2: Ubiquitin




4.2.15 Score per residue for model 15

- Molecule 1: homolog of yeast nuclear protein localization 4




- Molecule 2: Ubiquitin




4.2.16 Score per residue for model 16

- Molecule 1: homolog of yeast nuclear protein localization 4




- Molecule 2: Ubiquitin




4.2.17 Score per residue for model 17

- Molecule 1: homolog of yeast nuclear protein localization 4



- Molecule 2: Ubiquitin



4.2.18 Score per residue for model 18

- Molecule 1: homolog of yeast nuclear protein localization 4



- Molecule 2: Ubiquitin



4.2.19 Score per residue for model 19

- Molecule 1: homolog of yeast nuclear protein localization 4




- Molecule 2: Ubiquitin



4.2.20 Score per residue for model 20

- Molecule 1: homolog of yeast nuclear protein localization 4



- Molecule 2: Ubiquitin



5 Refinement protocol and experimental data overview i

The models were refined using the following method: *Torsion angle dynamics followed by simulated annealing.*

Of the 200 calculated structures, 20 were deposited, based on the following criterion: *structures with the least restraint violations, structures with the lowest energy, target function.*

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
DYANA	refinement	1.5
CNS	refinement	1.1

No chemical shift data was provided. No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality i

6.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	202	181	179	21±3
2	B	574	600	596	32±5
All	All	15540	15620	15500	953

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 31.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models Worst	Total
2:B:136:ILE:HD13	2:B:169:LEU:HD21	0.86	1.45	19	7
2:B:156:LEU:HD22	2:B:161:ILE:HG21	0.85	1.47	4	19
1:A:11:HIS:CD2	1:A:28:LEU:HD22	0.85	2.06	12	9
1:A:14:PHE:HB2	2:B:144:ILE:HD12	0.85	1.48	17	9
2:B:117:VAL:HG11	2:B:126:VAL:HG22	0.83	1.47	3	13
2:B:121:ASP:O	2:B:155:THR:HG22	0.78	1.78	3	20
2:B:156:LEU:HD23	2:B:161:ILE:HD13	0.78	1.56	17	17
1:A:11:HIS:CD2	1:A:28:LEU:HD23	0.77	2.15	13	11
2:B:136:ILE:CG2	2:B:171:LEU:HD21	0.77	2.10	20	19
2:B:118:GLU:O	2:B:156:LEU:HD12	0.76	1.80	3	18
2:B:136:ILE:HG23	2:B:171:LEU:HD21	0.75	1.57	10	19

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:156:LEU:CD2	2:B:161:ILE:HD13	0.75	2.11	7	15
2:B:101:MET:SD	2:B:117:VAL:HG23	0.75	2.21	16	4
2:B:136:ILE:CD1	2:B:169:LEU:HD21	0.74	2.12	14	15
2:B:141:GLN:HG2	2:B:169:LEU:HD11	0.73	1.60	13	19
2:B:150:LEU:HD11	2:B:167:LEU:CD2	0.71	2.16	18	8
2:B:156:LEU:HD22	2:B:161:ILE:CG2	0.70	2.16	4	4
2:B:103:ILE:HD11	2:B:126:VAL:HG13	0.70	1.63	1	16
2:B:103:ILE:HD11	2:B:126:VAL:CG1	0.70	2.17	10	19
2:B:117:VAL:CG1	2:B:126:VAL:HG22	0.69	2.18	14	6
1:A:26:CYS:HB3	2:B:108:LEU:HD11	0.68	1.65	10	6
2:B:145:PHE:CB	2:B:150:LEU:HD21	0.66	2.19	8	1
1:A:14:PHE:CD1	2:B:144:ILE:HD12	0.66	2.26	4	7
1:A:14:PHE:CB	2:B:144:ILE:HD12	0.66	2.21	18	9
2:B:156:LEU:HD23	2:B:161:ILE:CD1	0.65	2.21	19	2
2:B:107:THR:HG22	2:B:169:LEU:HD23	0.65	1.69	14	7
2:B:123:ILE:CG2	2:B:143:LEU:HD12	0.65	2.22	19	11
2:B:141:GLN:CG	2:B:169:LEU:HD11	0.64	2.22	5	5
2:B:143:LEU:CB	2:B:150:LEU:HD12	0.64	2.22	15	5
1:A:7:TRP:CE2	1:A:16:ASN:HB2	0.64	2.27	1	20
2:B:136:ILE:HD12	2:B:169:LEU:HD21	0.62	1.70	12	8
2:B:150:LEU:HD11	2:B:167:LEU:HD23	0.62	1.70	15	1
2:B:107:THR:CG2	2:B:169:LEU:HD23	0.61	2.25	8	7
2:B:145:PHE:HB3	2:B:150:LEU:HD21	0.61	1.73	7	3
2:B:141:GLN:OE1	2:B:169:LEU:HD13	0.60	1.96	14	5
2:B:103:ILE:HG23	2:B:117:VAL:CG2	0.60	2.26	19	17
2:B:108:LEU:HG	2:B:170:VAL:HG22	0.60	1.73	3	10
1:A:6:MET:HB2	1:A:15:MET:HE1	0.60	1.74	10	8
2:B:123:ILE:HG23	2:B:143:LEU:HD12	0.59	1.74	14	10
2:B:140:GLN:OE1	2:B:171:LEU:HD22	0.59	1.97	8	7
1:A:12:CYS:HB3	2:B:108:LEU:HD11	0.58	1.76	1	2
1:A:10:GLN:OE1	1:A:31:THR:HG22	0.58	1.98	8	1
2:B:140:GLN:OE1	2:B:171:LEU:HD13	0.58	1.99	8	1
1:A:12:CYS:CB	2:B:108:LEU:HD21	0.58	2.28	17	13
1:A:14:PHE:CG	2:B:144:ILE:HD12	0.58	2.34	19	4
2:B:143:LEU:HB3	2:B:150:LEU:HD12	0.57	1.77	12	6
1:A:12:CYS:CA	2:B:108:LEU:HD21	0.57	2.30	3	8
2:B:103:ILE:HD11	2:B:126:VAL:HG11	0.57	1.76	14	5
2:B:156:LEU:HD22	2:B:161:ILE:CB	0.56	2.30	9	3
2:B:115:LEU:HD22	2:B:129:LYS:HD3	0.56	1.75	18	1
1:A:11:HIS:CG	1:A:28:LEU:HD23	0.55	2.36	20	7
1:A:12:CYS:HB2	2:B:170:VAL:HG21	0.55	1.78	3	13

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:10:GLN:CD	1:A:31:THR:HG22	0.55	2.22	13	3
2:B:150:LEU:HD11	2:B:167:LEU:HD21	0.55	1.78	6	1
1:A:13:THR:O	2:B:144:ILE:HG21	0.55	2.01	12	4
1:A:26:CYS:CB	2:B:108:LEU:HD11	0.55	2.31	10	2
1:A:20:THR:HG21	1:A:24:GLU:OE2	0.55	2.01	9	1
1:A:17:GLN:HB3	1:A:18:PRO:CD	0.54	2.33	20	8
1:A:14:PHE:HD1	2:B:144:ILE:HD12	0.54	1.60	8	3
1:A:7:TRP:CD1	1:A:17:GLN:O	0.54	2.61	20	20
1:A:7:TRP:CE2	1:A:16:ASN:CB	0.54	2.91	19	19
1:A:11:HIS:NE2	1:A:28:LEU:HD22	0.53	2.19	9	6
2:B:136:ILE:HG22	2:B:141:GLN:HG3	0.53	1.81	17	13
2:B:127:LYS:HE3	2:B:143:LEU:HD12	0.53	1.80	5	1
1:A:22:HIS:HB3	1:A:28:LEU:O	0.53	2.04	9	9
1:A:7:TRP:CZ3	1:A:16:ASN:ND2	0.52	2.78	1	18
2:B:159:TYR:O	2:B:160:ASN:HB3	0.52	2.04	19	20
1:A:15:MET:HE3	1:A:15:MET:HA	0.52	1.81	2	1
1:A:25:MET:C	2:B:170:VAL:HG11	0.52	2.25	15	3
2:B:143:LEU:HD13	2:B:150:LEU:HD12	0.52	1.82	14	5
2:B:115:LEU:HD22	2:B:129:LYS:HG2	0.52	1.82	1	2
1:A:6:MET:HB3	1:A:16:ASN:O	0.51	2.05	17	9
2:B:150:LEU:HD11	2:B:167:LEU:HD22	0.51	1.82	13	2
2:B:127:LYS:CE	2:B:143:LEU:HD12	0.51	2.35	5	1
2:B:150:LEU:HD22	2:B:159:TYR:CG	0.51	2.40	20	1
2:B:150:LEU:CD1	2:B:167:LEU:HD23	0.51	2.35	4	4
1:A:20:THR:HG21	1:A:24:GLU:OE1	0.51	2.05	7	2
2:B:107:THR:OG1	2:B:109:THR:HG22	0.50	2.06	14	1
2:B:104:PHE:CE1	2:B:114:THR:HG23	0.50	2.42	10	3
1:A:15:MET:HA	1:A:15:MET:HE3	0.50	1.83	1	1
1:A:20:THR:HG21	1:A:24:GLU:CD	0.50	2.26	9	2
1:A:6:MET:CB	1:A:15:MET:HE1	0.49	2.37	7	8
1:A:28:LEU:N	1:A:28:LEU:CD1	0.49	2.76	8	4
1:A:11:HIS:CD2	1:A:28:LEU:CD2	0.48	2.95	18	12
2:B:150:LEU:HD23	2:B:159:TYR:CE2	0.48	2.44	7	3
1:A:28:LEU:CD1	1:A:28:LEU:N	0.48	2.76	6	7
2:B:103:ILE:CD1	2:B:126:VAL:HG11	0.48	2.39	10	7
1:A:6:MET:HE3	1:A:15:MET:SD	0.48	2.49	3	2
2:B:156:LEU:CD2	2:B:161:ILE:HG21	0.48	2.37	18	2
2:B:102:GLN:O	2:B:164:GLU:N	0.47	2.48	20	15
1:A:15:MET:CG	2:B:147:GLY:CA	0.47	2.93	2	2
2:B:145:PHE:HB2	2:B:167:LEU:HD23	0.47	1.85	5	1
1:A:14:PHE:CD2	1:A:25:MET:CG	0.47	2.98	19	11

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:12:CYS:CB	2:B:170:VAL:HG21	0.47	2.39	8	9
1:A:6:MET:HE2	1:A:15:MET:CE	0.47	2.39	18	6
1:A:15:MET:HB2	2:B:147:GLY:O	0.47	2.09	10	2
2:B:150:LEU:HD22	2:B:159:TYR:CD2	0.46	2.45	20	1
1:A:14:PHE:CZ	1:A:25:MET:CE	0.46	2.99	18	1
2:B:136:ILE:HD13	2:B:169:LEU:CD2	0.46	2.31	19	1
1:A:7:TRP:N	1:A:15:MET:HE1	0.46	2.26	1	3
2:B:145:PHE:HB2	2:B:150:LEU:HD21	0.46	1.87	8	1
2:B:150:LEU:CD2	2:B:159:TYR:CD2	0.46	2.99	7	4
2:B:159:TYR:O	2:B:160:ASN:CB	0.46	2.64	19	18
1:A:30:ARG:O	1:A:31:THR:HG22	0.46	2.10	12	13
1:A:7:TRP:O	1:A:16:ASN:OD1	0.46	2.34	8	1
1:A:15:MET:HG2	2:B:147:GLY:CA	0.45	2.41	20	2
2:B:167:LEU:HD12	2:B:167:LEU:N	0.45	2.25	12	5
1:A:7:TRP:CH2	1:A:16:ASN:ND2	0.45	2.84	7	4
2:B:154:ARG:NE	2:B:159:TYR:CE2	0.45	2.85	14	3
2:B:154:ARG:CZ	2:B:159:TYR:CE2	0.45	3.00	2	2
2:B:150:LEU:CD2	2:B:161:ILE:HD11	0.45	2.40	2	2
1:A:15:MET:CA	1:A:15:MET:HE3	0.45	2.42	1	1
2:B:150:LEU:CD2	2:B:159:TYR:CG	0.45	3.00	17	4
1:A:20:THR:HG22	1:A:22:HIS:O	0.45	2.11	16	3
1:A:15:MET:HE3	1:A:15:MET:CA	0.45	2.42	2	1
2:B:154:ARG:CZ	2:B:159:TYR:CZ	0.45	3.00	13	1
1:A:7:TRP:CZ2	1:A:30:ARG:HB2	0.45	2.47	19	7
2:B:103:ILE:HD13	2:B:117:VAL:HG21	0.45	1.89	13	2
1:A:25:MET:HE2	2:B:149:GLN:HB3	0.45	1.88	14	2
2:B:150:LEU:HD23	2:B:159:TYR:CD2	0.44	2.47	15	1
1:A:14:PHE:CG	1:A:15:MET:N	0.44	2.84	13	4
1:A:14:PHE:CE1	1:A:25:MET:CE	0.44	3.00	1	1
2:B:117:VAL:HG11	2:B:126:VAL:CG2	0.44	2.32	14	1
1:A:12:CYS:C	1:A:13:THR:HG23	0.44	2.32	7	3
2:B:143:LEU:CD1	2:B:150:LEU:HD12	0.44	2.43	13	1
1:A:12:CYS:HA	2:B:108:LEU:HD21	0.44	1.88	3	5
2:B:105:VAL:HG21	2:B:115:LEU:HD12	0.44	1.89	3	1
2:B:167:LEU:N	2:B:167:LEU:HD12	0.44	2.28	3	5
2:B:123:ILE:HG23	2:B:143:LEU:CD1	0.44	2.42	18	2
1:A:12:CYS:HB2	2:B:170:VAL:CG2	0.44	2.42	15	1
2:B:143:LEU:HB2	2:B:150:LEU:HD12	0.43	1.89	15	1
2:B:116:GLU:CG	2:B:116:GLU:O	0.43	2.66	7	3
1:A:7:TRP:CH2	1:A:16:ASN:OD1	0.43	2.72	12	1
1:A:7:TRP:CE3	1:A:16:ASN:OD1	0.43	2.71	8	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:10:GLN:CG	1:A:11:HIS:CE1	0.43	3.01	16	2
2:B:103:ILE:CG2	2:B:117:VAL:CG2	0.43	2.97	20	5
1:A:6:MET:CE	1:A:15:MET:CE	0.43	2.97	3	9
2:B:104:PHE:CD1	2:B:114:THR:HG23	0.43	2.49	18	2
1:A:14:PHE:CD2	1:A:25:MET:HG2	0.43	2.48	7	5
2:B:107:THR:HB	2:B:109:THR:HG22	0.43	1.91	8	2
2:B:156:LEU:O	2:B:161:ILE:HD13	0.42	2.14	13	1
1:A:15:MET:HG2	2:B:147:GLY:HA3	0.42	1.91	9	4
1:A:15:MET:HG3	2:B:147:GLY:HA3	0.42	1.89	19	1
2:B:163:LYS:CD	2:B:163:LYS:N	0.42	2.81	20	1
1:A:15:MET:HG3	2:B:147:GLY:CA	0.42	2.44	19	1
1:A:21:GLY:O	1:A:30:ARG:HB3	0.42	2.15	8	1
2:B:105:VAL:N	2:B:113:ILE:O	0.42	2.53	17	2
2:B:150:LEU:HD21	2:B:161:ILE:HD11	0.42	1.92	2	1
1:A:14:PHE:CZ	1:A:25:MET:HE3	0.42	2.49	18	1
1:A:6:MET:CE	1:A:15:MET:SD	0.42	3.08	19	8
1:A:10:GLN:HG2	1:A:11:HIS:CE1	0.42	2.50	17	6
1:A:14:PHE:CG	1:A:25:MET:HG3	0.42	2.49	15	3
2:B:131:GLN:O	2:B:135:GLY:N	0.42	2.52	5	3
1:A:17:GLN:CD	1:A:17:GLN:N	0.42	2.73	20	2
1:A:15:MET:CA	1:A:15:MET:CE	0.41	2.98	8	3
2:B:103:ILE:CD1	2:B:126:VAL:CG1	0.41	2.99	16	6
1:A:14:PHE:CD1	1:A:25:MET:HG3	0.41	2.50	2	3
1:A:25:MET:CE	2:B:149:GLN:NE2	0.41	2.83	15	1
1:A:20:THR:H	1:A:20:THR:HG1	0.41	1.49	13	1
2:B:123:ILE:HD12	2:B:150:LEU:HD13	0.41	1.90	6	2
1:A:7:TRP:CH2	1:A:30:ARG:HB2	0.41	2.51	7	8
1:A:30:ARG:O	1:A:31:THR:CG2	0.41	2.68	12	1
1:A:12:CYS:O	1:A:13:THR:CB	0.41	2.69	1	1
1:A:15:MET:CE	1:A:15:MET:CA	0.41	2.99	7	1
1:A:12:CYS:HB3	2:B:108:LEU:HD21	0.41	1.93	17	1
2:B:150:LEU:CD1	2:B:167:LEU:CD2	0.41	2.99	1	2
2:B:154:ARG:NE	2:B:159:TYR:CE1	0.41	2.89	6	1
2:B:150:LEU:HD23	2:B:159:TYR:CG	0.41	2.51	6	1
1:A:13:THR:OG1	2:B:168:HIS:CD2	0.41	2.74	14	1
1:A:14:PHE:CD2	1:A:25:MET:HG3	0.40	2.51	15	1
2:B:104:PHE:CD2	2:B:165:SER:O	0.40	2.74	18	1
2:B:168:HIS:N	2:B:168:HIS:ND1	0.40	2.69	14	1
2:B:104:PHE:CE1	2:B:164:GLU:OE1	0.40	2.75	17	3
1:A:17:GLN:HB3	1:A:18:PRO:HD2	0.40	1.93	13	1
1:A:7:TRP:CZ3	1:A:16:ASN:OD1	0.40	2.74	8	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:14:PHE:HA	2:B:144:ILE:CG2	0.40	2.47	10	1
1:A:14:PHE:HA	2:B:144:ILE:HG21	0.40	1.92	8	1
2:B:103:ILE:HG23	2:B:117:VAL:HG22	0.40	1.93	18	1

6.3 Torsion angles [\(i\)](#)

6.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	25/31 (81%)	21±1 (84±4%)	4±1 (16±4%)	0±0 (0±1%)	54 84
2	B	71/76 (93%)	67±1 (94±1%)	2±1 (3±1%)	2±0 (3±0%)	9 44
All	All	1920/2140 (90%)	1754 (91%)	125 (7%)	41 (2%)	12 52

All 3 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	B	160	ASN	20
2	B	121	ASP	20
1	A	9	CYS	1

6.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	23/26 (88%)	19±1 (80±4%)	5±1 (20±4%)	4 36
2	B	66/68 (97%)	50±2 (76±3%)	16±2 (24±3%)	3 27
All	All	1780/1880 (95%)	1370 (77%)	410 (23%)	3 29

All 47 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
2	B	155	THR	20
2	B	158	ASP	20
2	B	154	ARG	20
1	A	20	THR	20
2	B	131	GLN	20
2	B	120	SER	20
1	A	6	MET	20
2	B	142	ARG	19
2	B	164	GLU	16
2	B	151	GLU	15
2	B	172	ARG	15
2	B	125	ASN	14
2	B	152	ASP	13
2	B	134	GLU	13
2	B	133	LYS	13
2	B	127	LYS	13
2	B	118	GLU	13
2	B	163	LYS	10
1	A	28	LEU	9
2	B	129	LYS	9
2	B	132	ASP	9
1	A	24	GLU	9
1	A	30	ARG	8
1	A	13	THR	8
1	A	17	GLN	7
2	B	162	GLN	6
2	B	113	ILE	6
2	B	107	THR	6
2	B	124	GLU	4
2	B	101	MET	4
2	B	139	ASP	4
2	B	111	LYS	3
1	A	10	GLN	3
2	B	149	GLN	3
2	B	102	GLN	2
2	B	165	SER	2
1	A	31	THR	2
2	B	140	GLN	2
1	A	15	MET	2
1	A	12	CYS	1
2	B	148	LYS	1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
2	B	157	SER	1
2	B	141	GLN	1
1	A	16	ASN	1
2	B	167	LEU	1
2	B	122	THR	1
2	B	168	HIS	1

6.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [\(i\)](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

6.7 Other polymers [\(i\)](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

7 Chemical shift validation [\(i\)](#)

No chemical shift data were provided