



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 09:41 pm GMT

PDB ID : 3Q5H
Title : Clinically Useful Alkyl Amine Renin Inhibitors
Authors : Wu, Z.; McKeever, B.M.
Deposited on : 2010-12-28
Resolution : 2.16 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : trunk28620
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	600	-	-	-	X
3	CL	A	336	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5478 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Renin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	337	Total	C	N	O	S	0	0	0
			2598	1656	421	507	14			
1	B	338	Total	C	N	O	S	0	0	0
			2606	1662	422	508	14			


- Molecule 2 is a polymer of unknown type called SUGAR (2-MER).

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	2	Total	Cl	0	0
			2	2		
3	A	4	Total	Cl	0	0
			4	4		

- Molecule 4 is METHYL (2-{(R)-(3-CHLOROPHENYL)[(3R)-1-({(2S)-1-(METHYLAMINO)-3-[(3R)-TETRAHYDRO-2H-PYRAN-3-YL]PROPAN-2-YL}CARBAMOYL)PIPERIDIN-3-YL]METHOXY}ETHYL)CARBAMATE (three-letter code: RX6) (formula: C₂₆H₄₁ClN₄O₅).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 36	C 26	Cl 1	N 4	O 5	0	0
4	B	1	Total 36	C 26	Cl 1	N 4	O 5	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	107	Total	O	0	0
			107	107		
5	B	61	Total	O	0	0
			61	61		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Renin



• Molecule 1: Renin



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	54.65Å 97.85Å 149.01Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	48.92 – 2.16 48.92 – 2.16	Depositor EDS
% Data completeness (in resolution range)	95.8 (48.92-2.16) 95.8 (48.92-2.16)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.83 (at 2.16Å)	Xtriage
Refinement program	REFMAC 5.5.0102	Depositor
R, R_{free}	0.224 , 0.268 0.221 , 0.258	Depositor DCC
R_{free} test set	2099 reflections (5.29%)	DCC
Wilson B-factor (Å ²)	43.6	Xtriage
Anisotropy	0.050	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 35.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5478	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, NAG, RX6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	1.08	0/2658	0.93	4/3604 (0.1%)
1	B	0.97	2/2666 (0.1%)	0.95	8/3615 (0.2%)
All	All	1.02	2/5324 (0.0%)	0.94	12/7219 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	150	VAL	CB-CG1	-5.94	1.40	1.52
1	B	148	GLU	CG-CD	5.09	1.59	1.51

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	161	LEU	CA-C-N	-9.47	97.27	116.20
1	B	316	ARG	NE-CZ-NH1	-8.67	115.96	120.30
1	B	316	ARG	NE-CZ-NH2	8.08	124.34	120.30
1	A	307	ARG	NE-CZ-NH1	-7.01	116.79	120.30
1	B	315	ARG	NE-CZ-NH2	-6.15	117.22	120.30
1	A	157	ARG	NE-CZ-NH1	-6.13	117.24	120.30
1	A	205	LEU	CA-CB-CG	6.09	129.31	115.30
1	B	161	LEU	O-C-N	-5.81	113.32	123.20
1	B	235	LEU	CB-CG-CD1	5.65	120.60	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	132	ARG	NE-CZ-NH2	5.54	123.07	120.30
1	B	307	ARG	NE-CZ-NH1	-5.52	117.54	120.30
1	B	143	GLN	C-N-CA	-5.13	111.53	122.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	144	GLY	Peptide
1	B	161	LEU	Mainchain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2598	0	2526	48	0
1	B	2606	0	2538	75	0
2	A	28	0	25	1	0
3	A	4	0	0	0	0
3	B	2	0	0	0	0
4	A	36	0	41	0	0
4	B	36	0	41	0	0
5	A	107	0	0	3	0
5	B	61	0	0	1	0
All	All	5478	0	5171	123	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (123) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:160(C):GLN:O	1:A:160(D):SER:HB3	1.51	1.08
1:B:160(A):ASN:HD22	1:B:160(D):SER:HB3	1.21	1.02
2:A:600:NAG:O7	5:A:1017:HOH:O	1.75	1.01

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:25:GLN:HE22	1:A:57:ASP:H	1.13	0.96
1:B:160(A):ASN:C	1:B:160(C):GLN:H	1.67	0.94
1:A:37:ASN:HD21	1:A:130:ILE:H	1.16	0.90
1:A:77:THR:HB	1:A:111:PRO:HG3	1.55	0.87
1:A:202:SER:HB2	1:A:204:LEU:HD12	1.56	0.86
1:B:252:GLY:HA3	1:B:277:GLN:HE22	1.43	0.83
1:A:261:HIS:CE1	1:A:266:GLU:HG3	2.15	0.82
1:B:160(A):ASN:C	1:B:160(C):GLN:N	2.31	0.81
1:B:261:HIS:CE1	1:B:266:GLU:HG2	2.16	0.81
1:B:63:SER:HB2	1:B:87:ASP:OD1	1.82	0.80
1:A:252:GLY:HA3	1:A:277:GLN:HE22	1.45	0.79
1:A:22:THR:HG23	1:A:63:SER:OG	1.83	0.79
1:B:160(A):ASN:ND2	1:B:160(D):SER:H	1.84	0.75
1:A:289:MET:HG3	1:B:241:LEU:HD23	1.68	0.75
1:A:2:SER:OG	1:A:92:GLY:HA3	1.90	0.72
1:B:160(A):ASN:ND2	1:B:160(D):SER:HB3	1.99	0.71
1:A:2:SER:OG	1:A:93:GLY:HA3	1.91	0.71
1:B:159:SER:C	1:B:160:GLU:OE2	2.30	0.70
1:B:150:VAL:HG22	1:B:314:ASP:HA	1.76	0.68
1:B:77:THR:HB	1:B:111:PRO:HG3	1.76	0.68
1:B:99:GLN:HG3	1:B:100:MET:N	2.07	0.68
1:B:5:ILE:HG23	1:B:161:LEU:HD12	1.75	0.67
1:B:37:ASN:HD21	1:B:130:ILE:H	1.42	0.67
1:B:86:GLN:O	1:B:87:ASP:HB2	1.95	0.65
1:B:160:GLU:OE2	1:B:160:GLU:N	2.30	0.65
1:A:202:SER:HB2	1:A:204:LEU:CD1	2.27	0.64
1:B:160(A):ASN:O	1:B:160(C):GLN:N	2.29	0.64
1:A:159:SER:OG	1:A:160(A):ASN:ND2	2.31	0.64
1:A:22:THR:HG22	1:A:88:ILE:HD11	1.80	0.63
1:A:11:ASP:O	1:A:307:ARG:NH1	2.33	0.62
1:B:160(A):ASN:ND2	1:B:160(D):SER:N	2.48	0.62
1:B:160(C):GLN:O	1:B:160(D):SER:C	2.38	0.62
1:B:239:LYS:HG3	1:B:240:ARG:N	2.14	0.61
1:A:252:GLY:HA3	1:A:277:GLN:NE2	2.16	0.60
1:A:37:ASN:HD21	1:A:130:ILE:N	1.96	0.59
1:B:291:ILE:O	1:B:296:GLY:HA3	2.02	0.59
1:A:252:GLY:HA2	1:A:255:LEU:HD22	1.84	0.58
1:A:25:GLN:NE2	1:A:57:ASP:H	1.92	0.58
1:A:253:PRO:HD3	1:A:277:GLN:NE2	2.18	0.57
1:B:99:GLN:NE2	1:B:134:THR:O	2.37	0.57
1:B:111:PRO:HD2	1:B:112:PHE:CD2	2.40	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:39:TRP:NE1	1:B:120:VAL:HG13	2.20	0.56
1:B:159:SER:OG	1:B:160(A):ASN:N	2.37	0.56
1:A:198:SER:HB3	1:A:203:THR:HA	1.88	0.55
1:A:259:SER:HB3	1:A:266:GLU:HG2	1.87	0.55
1:B:104:VAL:CG1	1:B:107:MET:HG3	2.37	0.55
1:B:159:SER:OG	1:B:160:GLU:N	2.39	0.54
1:A:160(A):ASN:HB2	1:A:160(D):SER:HB3	1.89	0.54
1:B:69:THR:HB	1:B:84:LEU:HD12	1.90	0.54
1:A:128:GLN:NE2	5:A:1162:HOH:O	2.41	0.53
1:B:104:VAL:HG11	1:B:107:MET:HG3	1.90	0.53
1:B:160(B):SER:O	1:B:160(C):GLN:HG2	2.08	0.52
1:B:47:ARG:C	1:B:47(B):TYR:H	2.13	0.51
1:B:87:ASP:OD1	1:B:88:ILE:N	2.36	0.51
1:B:73:LEU:HB2	1:B:80:VAL:HG12	1.93	0.51
1:B:53:HIS:HE1	1:B:112:PHE:O	1.94	0.51
1:A:160(C):GLN:O	1:A:160(D):SER:CB	2.31	0.51
1:B:157:ARG:HB2	1:B:157:ARG:CZ	2.40	0.51
1:B:160:GLU:N	1:B:160:GLU:CD	2.64	0.51
1:B:22:THR:HA	1:B:23:PRO:C	2.30	0.51
1:A:4:VAL:HG21	1:A:91:VAL:HG23	1.92	0.50
1:A:110:LEU:HD13	1:A:110:LEU:C	2.31	0.50
1:A:143:GLN:HB3	1:A:145:VAL:HG23	1.93	0.50
1:B:160(C):GLN:O	1:B:160(D):SER:O	2.29	0.49
1:B:160(D):SER:OG	1:B:160(D):SER:O	2.31	0.49
1:B:45:CYS:SG	1:B:105:THR:O	2.71	0.49
1:B:190:TRP:CZ2	1:B:315:ARG:HD3	2.48	0.49
1:B:261:HIS:CE1	1:B:266:GLU:CG	2.92	0.48
1:B:249:CYS:HB2	1:B:281:SER:O	2.14	0.47
1:A:160(A):ASN:HB2	1:A:160(C):GLN:O	2.14	0.47
1:B:22:THR:O	1:B:61:SER:HA	2.14	0.47
1:A:1:THR:O	1:A:1:THR:OG1	2.31	0.47
1:B:258:ILE:HG12	1:B:274:TYR:CE2	2.49	0.47
1:A:25:GLN:HE22	1:A:57:ASP:N	1.96	0.46
1:B:153:PHE:CZ	1:B:165:ILE:HD13	2.51	0.46
1:A:253:PRO:HD3	1:A:277:GLN:HE22	1.80	0.46
1:B:204:LEU:HG	1:B:205:LEU:HG	1.98	0.46
1:A:175:TYR:HA	1:A:324:LEU:O	2.16	0.46
1:A:8:ASN:OD1	1:A:8:ASN:C	2.54	0.45
1:A:15:TYR:CE1	1:A:28:LYS:HD2	2.51	0.45
1:B:96:VAL:HG22	1:B:97:THR:H	1.81	0.45
1:B:261:HIS:NE2	1:B:266:GLU:CG	2.80	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:96:VAL:HG22	1:B:97:THR:N	2.31	0.45
1:A:150:VAL:HG12	1:A:314:ASP:HA	1.99	0.45
1:B:10:MET:O	1:B:11:ASP:HB2	2.18	0.44
1:B:57:ASP:HB3	1:B:60:ASP:HB2	1.99	0.44
1:B:171:ASP:OD2	1:B:173:GLN:HB2	2.18	0.44
1:B:252:GLY:HA3	1:B:277:GLN:NE2	2.22	0.44
1:A:291:ILE:HD12	1:A:298:THR:HG23	1.99	0.44
1:A:180:HIS:HD2	1:A:267:TYR:OH	2.00	0.44
1:A:210:CYS:HB2	5:A:1167:HOH:O	2.17	0.44
1:B:67:ASN:OD1	1:B:69:THR:OG1	2.24	0.44
1:B:159:SER:C	1:B:160:GLU:CD	2.77	0.43
1:B:94:ILE:CG2	1:B:95:THR:N	2.81	0.43
1:B:239:LYS:CG	1:B:240:ARG:N	2.81	0.43
1:B:276:PHE:CE2	1:B:285:ALA:HB2	2.53	0.43
1:B:157:ARG:NH1	1:B:157:ARG:HB2	2.34	0.43
1:A:17:GLU:HA	1:A:27:PHE:O	2.19	0.43
1:A:110:LEU:HA	1:A:111:PRO:HA	1.70	0.42
1:B:239:LYS:HG3	1:B:240:ARG:H	1.84	0.42
1:B:111:PRO:O	1:B:114:LEU:HB2	2.18	0.42
1:A:244:ASP:HB2	1:A:283:THR:HG23	2.01	0.42
1:B:47:ARG:O	1:B:47(B):TYR:N	2.52	0.42
1:B:185:ILE:CD1	1:B:211:LEU:HD22	2.50	0.42
1:A:221:ILE:HD11	1:A:269:LEU:HD11	2.02	0.42
1:B:261:HIS:NE2	1:B:266:GLU:HG3	2.35	0.42
1:B:248:LYS:HG2	5:B:1027:HOH:O	2.20	0.41
1:A:18:ILE:HG22	1:A:91:VAL:HB	2.02	0.41
1:B:130:ILE:HD12	1:B:130:ILE:HG23	1.73	0.41
1:B:59:SER:O	1:B:60:ASP:OD2	2.39	0.41
1:B:157:ARG:O	1:B:157:ARG:HG3	2.14	0.41
1:B:160(B):SER:C	1:B:160(C):GLN:HG2	2.41	0.41
1:A:109:ALA:HA	1:A:113:MET:HG2	2.03	0.41
1:A:96:VAL:HG21	1:A:139:ASN:HB3	2.03	0.40
1:B:228:ILE:HG13	1:B:287:HIS:O	2.21	0.40
1:A:77:THR:HB	1:A:111:PRO:CG	2.38	0.40
1:B:37:ASN:HD21	1:B:130:ILE:N	2.15	0.40
1:B:99:GLN:OE1	1:B:136:ILE:HA	2.21	0.40
1:A:77:THR:O	1:A:111:PRO:HD3	2.21	0.40
1:B:99:GLN:CG	1:B:100:MET:N	2.83	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	335/340 (98%)	321 (96%)	13 (4%)	1 (0%)	44	41
1	B	336/340 (99%)	316 (94%)	17 (5%)	3 (1%)	20	12
All	All	671/680 (99%)	637 (95%)	30 (4%)	4 (1%)	28	20

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	160(D)	SER
1	B	47(A)	LEU
1	B	160(B)	SER
1	A	160(D)	SER

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	287/290 (99%)	264 (92%)	23 (8%)	14	8
1	B	288/290 (99%)	262 (91%)	26 (9%)	11	6
All	All	575/580 (99%)	526 (92%)	49 (8%)	12	7

All (49) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-1	ASN
1	A	3	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	10	MET
1	A	22	THR
1	A	54	LYS
1	A	63	SER
1	A	70	GLU
1	A	71	LEU
1	A	91	VAL
1	A	111	PRO
1	A	160	GLU
1	A	160(B)	SER
1	A	160(D)	SER
1	A	161	LEU
1	A	198	SER
1	A	202	SER
1	A	207	GLU
1	A	226	SER
1	A	238	LYS
1	A	241	LEU
1	A	255	LEU
1	A	287	HIS
1	A	295	THR
1	B	48	THR
1	B	63	SER
1	B	65	LYS
1	B	71	LEU
1	B	73	LEU
1	B	80	VAL
1	B	81	SER
1	B	90	THR
1	B	110	LEU
1	B	114	LEU
1	B	132	ARG
1	B	157	ARG
1	B	159	SER
1	B	160	GLU
1	B	160(B)	SER
1	B	161	LEU
1	B	193	GLN
1	B	195	LYS
1	B	207	GLU
1	B	213	LEU
1	B	230	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	235	LEU
1	B	241	LEU
1	B	248	LYS
1	B	287	HIS
1	B	316	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	GLN
1	A	37	ASN
1	A	160(A)	ASN
1	A	180	HIS
1	A	183	ASN
1	A	191	GLN
1	A	277	GLN
1	A	287	HIS
1	B	37	ASN
1	B	53	HIS
1	B	143	GLN
1	B	160(A)	ASN
1	B	277	GLN
1	B	318	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

2 carbohydrates are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length

(or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	600	1,2	14,14,15	0.52	0	15,19,21	1.05	1 (6%)
2	NAG	A	601	2	14,14,15	0.56	0	15,19,21	0.78	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	600	1,2	-	0/6/23/26	0/1/1/1
2	NAG	A	601	2	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	600	NAG	O5-C1-C2	-2.75	107.64	111.47

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	600	NAG	1	0

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 6 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is

the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	RX6	A	335	-	36,38,38	1.59	4 (11%)	41,49,49	2.00	10 (24%)
4	RX6	B	335	-	36,38,38	1.32	2 (5%)	41,49,49	1.88	9 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	RX6	A	335	-	-	0/32/50/50	0/3/3/3
4	RX6	B	335	-	-	0/32/50/50	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	335	RX6	C3-C1	-2.03	1.47	1.51
4	A	335	RX6	C49-C48	2.23	1.56	1.53
4	A	335	RX6	C6-CL28	2.56	1.80	1.74
4	B	335	RX6	C6-CL28	3.23	1.81	1.74
4	B	335	RX6	O2-C9	4.97	1.41	1.34
4	A	335	RX6	O2-C9	6.71	1.44	1.34

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	335	RX6	O3-C1-C3	-6.29	102.36	111.45
4	A	335	RX6	C48-C49-N45	-6.18	101.09	112.05
4	B	335	RX6	C48-C49-N45	-5.83	101.70	112.05
4	B	335	RX6	C46-C50-N45	-4.74	101.29	110.67
4	B	335	RX6	O2-C9-O35	-4.51	118.43	124.60
4	B	335	RX6	CT3-N1-C9	-3.10	116.75	121.88
4	A	335	RX6	O2-C9-O35	-2.98	120.51	124.60
4	B	335	RX6	O3-C1-C3	-2.84	107.34	111.45
4	A	335	RX6	CT3-N1-C9	-2.71	117.40	121.88
4	B	335	RX6	CT2-CT3-N1	-2.50	105.70	111.82
4	A	335	RX6	C46-C50-N45	-2.44	105.85	110.67
4	A	335	RX6	CT2-CT3-N1	-2.32	106.13	111.82
4	A	335	RX6	C34-C32-N42	-2.07	105.45	110.59
4	A	335	RX6	O3-CT2-CT3	-2.04	102.55	109.44
4	B	335	RX6	C5-C3-C4	2.33	121.50	118.79

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	335	RX6	C47-C46-C50	2.36	114.06	110.96
4	A	335	RX6	C39-O1-C40	2.60	114.08	109.90
4	A	335	RX6	C37-C38-C39	3.12	116.44	110.30
4	B	335	RX6	CT2-O3-C1	3.32	119.75	114.02

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	337/340 (99%)	0.04	5 (1%) 74 79	24, 36, 55, 81	0
1	B	338/340 (99%)	0.26	13 (3%) 41 48	26, 43, 72, 89	0
All	All	675/680 (99%)	0.15	18 (2%) 55 63	24, 39, 68, 89	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	-3	LEU	6.4
1	B	160(B)	SER	6.2
1	B	160(C)	GLN	4.2
1	B	47	ARG	4.1
1	B	46	SER	4.0
1	B	47(A)	LEU	3.6
1	A	202	SER	3.3
1	B	101	PHE	3.0
1	B	84	LEU	2.8
1	A	92	GLY	2.7
1	B	160(D)	SER	2.5
1	A	-1	ASN	2.4
1	B	132	ARG	2.3
1	B	83	PHE	2.2
1	B	21	GLY	2.1
1	B	88	ILE	2.0
1	A	3	SER	2.0
1	A	160(B)	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
2	NAG	A	600	14/15	0.59	0.21	2.55	61,69,81,89	0
2	NAG	A	601	14/15	0.73	0.26	-	81,83,86,86	0

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	CL	A	336	1/1	0.87	0.23	9.59	60,60,60,60	0
4	RX6	A	335	36/36	0.96	0.14	0.49	20,25,30,34	0
3	CL	B	336	1/1	0.98	0.10	-0.76	59,59,59,59	0
4	RX6	B	335	36/36	0.97	0.10	-0.80	24,32,34,39	0
3	CL	A	337	1/1	0.91	0.27	-	60,60,60,60	0
3	CL	B	500	1/1	0.91	0.27	-	63,63,63,63	0
3	CL	A	338	1/1	0.93	0.23	-	80,80,80,80	0
3	CL	A	500	1/1	0.94	0.31	-	60,60,60,60	0

6.5 Other polymers [i](#)

There are no such residues in this entry.