



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 3, 2017 – 03:06 AM EDT

PDB ID : 1Q7Z
Title : Cobalamin-dependent methionine synthase (1-566) from *Thermotoga maritima* (Cd²⁺ complex)
Authors : Evans, J.C.; Huddler, D.P.; Hilgers, M.T.; Romanchuk, G.; Matthews, R.G.; Ludwig, M.L.
Deposited on : unknown
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.9-1692
EDS	:	rb-20030345
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	3453 (1.70-1.70)
Clashscore	112137	3876 (1.70-1.70)
Ramachandran outliers	110173	3815 (1.70-1.70)
Sidechain outliers	110143	3815 (1.70-1.70)
RSRZ outliers	101464	3491 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	566	<div> <div>7%</div> <div>77%</div> <div>20%</div> <div>..</div> </div>
1	B	566	<div> <div>7%</div> <div>72%</div> <div>23%</div> <div>..</div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 9111 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5-methyltetrahydrofolate S-homocysteine methyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	559	Total	C	N	O	S	0	0	0
			4423	2839	738	833	13			
1	B	548	Total	C	N	O	S	0	0	0
			4334	2782	724	815	13			

- Molecule 2 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Cd	0	0
			1	1		
2	A	1	Total	Cd	0	0
			1	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	198	Total	O	0	0
			198	198		
3	B	154	Total	O	0	0
			154	154		


3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 5-methyltetrahydrofolate S-homocysteine methyltransferase



- Molecule 1: 5-methyltetrahydrofolate S-homocysteine methyltransferase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	59.54Å 85.13Å 125.61Å 90.00° 100.86° 90.00°	Depositor
Resolution (Å)	20.00 – 1.70 19.68 – 1.65	Depositor EDS
% Data completeness (in resolution range)	(Not available) (20.00-1.70) 95.9 (19.68-1.65)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.99 (at 1.65Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.216 , 0.237 0.212 , 0.234	Depositor DCC
R_{free} test set	6502 reflections (5.00%)	DCC
Wilson B-factor (Å ²)	22.0	Xtriage
Anisotropy	0.296	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 56.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.023 for h,-k,-h-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9111	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.13% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section:
CD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.32	0/4505	0.62	3/6083 (0.0%)
1	B	0.29	0/4411	0.58	0/5951
All	All	0.31	0/8916	0.60	3/12034 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	413	ALA	N-CA-C	-6.55	93.31	111.00
1	A	505	GLY	N-CA-C	-5.55	99.23	113.10
1	A	412	SER	N-CA-C	5.08	124.71	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4423	0	4510	91	0
1	B	4334	0	4421	88	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	198	0	0	2	0
3	B	154	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	9111	0	8931	177	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (177) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:361:PHE:HB3	1:B:367:ILE:HD12	1.40	1.03
1:A:296:LYS:HG2	1:A:297:LYS:H	1.33	0.94
1:A:144:ILE:HD11	1:A:173:HIS:CE1	2.13	0.84
1:B:239:ILE:HD13	1:B:240:VAL:N	1.96	0.81
1:B:47:LEU:O	1:B:51:ARG:HD3	1.83	0.77
1:A:412:SER:H	1:A:435:ILE:HB	1.54	0.73
1:B:395:ASP:O	1:B:399:ARG:HD3	1.88	0.72
1:A:1:MET:HG2	1:A:139:GLY:O	1.90	0.72
1:A:115:PRO:HG3	1:A:378:THR:HG23	1.73	0.71
1:B:11:LEU:O	1:B:292:PRO:HG2	1.92	0.69
1:B:179:LYS:HA	1:B:179:LYS:HE3	1.75	0.67
1:A:486:VAL:HG12	1:A:490:LYS:HE3	1.75	0.67
1:B:515:ASP:HB3	1:B:518:TYR:HD1	1.59	0.66
1:B:70:ARG:HD2	1:B:130:GLU:OE1	1.95	0.66
1:A:558:LYS:HD3	1:A:559:GLU:N	2.11	0.66
1:A:443:VAL:HG11	1:A:477:LEU:HD21	1.79	0.65
1:A:412:SER:HA	1:A:435:ILE:O	1.95	0.65
1:B:70:ARG:HG2	1:B:79:GLU:OE2	1.97	0.65
1:A:510:SER:HA	1:A:513:LEU:HD21	1.79	0.64
1:B:144:ILE:HD11	1:B:173:HIS:CE1	2.32	0.64
1:A:200:ILE:HD11	1:A:203:LEU:HD21	1.79	0.64
1:A:5:ARG:NH2	1:A:5:ARG:HB3	2.12	0.64
1:A:296:LYS:HG2	1:A:297:LYS:N	2.10	0.62
1:A:390:ASP:HA	1:A:411:ASN:HB3	1.82	0.62
1:B:361:PHE:HB3	1:B:367:ILE:CD1	2.23	0.62
1:B:324:PRO:HG3	1:B:334:MET:SD	2.39	0.61
1:B:59:ASP:HA	1:B:100:LYS:HE3	1.82	0.61
1:B:479:LEU:HD22	1:B:509:LEU:O	2.00	0.60
1:B:193:ILE:HD11	1:B:300:ILE:HD11	1.83	0.60
1:A:476:VAL:HG11	1:A:509:LEU:HB2	1.84	0.60
1:B:193:ILE:CD1	1:B:300:ILE:HD11	2.32	0.59
1:A:223:GLN:HB3	1:A:298:LYS:HZ3	1.66	0.59
1:B:413:ALA:HB2	1:B:434:LEU:HD11	1.85	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:HB2	1:A:141:ASP:OD1	2.03	0.59
1:B:479:LEU:HD23	1:B:480:GLY:H	1.68	0.58
1:B:31:TYR:CE2	1:B:45:VAL:HG21	2.38	0.58
1:B:296:LYS:O	1:B:297:LYS:HB3	2.02	0.58
1:A:241:GLU:O	1:A:244:LYS:HG2	2.04	0.58
1:A:3:ASN:OD1	1:A:5:ARG:HG2	2.04	0.57
1:B:347:LYS:O	1:B:351:GLU:HG3	2.04	0.57
1:B:484:LYS:N	1:B:485:PRO:HD3	2.19	0.57
1:B:188:PRO:HG3	1:B:217:ILE:HG23	1.87	0.57
1:B:200:ILE:CD1	1:B:203:LEU:HD21	2.35	0.57
1:B:188:PRO:CG	1:B:217:ILE:HG23	2.35	0.57
1:A:513:LEU:HD23	1:A:513:LEU:N	2.19	0.56
1:A:1:MET:HG3	1:A:94:ARG:NH2	2.20	0.56
1:B:510:SER:OG	1:B:516:ARG:HB2	2.05	0.56
1:B:536:ILE:HD12	1:B:536:ILE:N	2.21	0.56
1:A:393:ASN:OD1	1:A:395:ASP:HB3	2.06	0.56
1:A:510:SER:OG	1:A:516:ARG:HB2	2.05	0.56
1:A:463:ARG:HB3	1:A:463:ARG:HH21	1.71	0.55
1:B:358:ASP:HA	1:B:388:SER:HB3	1.89	0.55
1:B:332:ALA:O	1:B:336:LYS:HG3	2.07	0.55
1:B:458:LEU:O	1:B:462:GLU:HG3	2.07	0.55
1:A:37:GLU:OE1	1:A:41:LYS:HE2	2.06	0.54
1:A:308:LYS:HE3	1:A:310:VAL:HG22	1.89	0.54
1:B:446:SER:OG	1:B:449:GLU:HG3	2.07	0.54
1:B:516:ARG:HG3	1:B:517:SER:N	2.21	0.54
1:B:162:ARG:HD2	1:B:166:ARG:HA	1.90	0.54
1:A:463:ARG:CB	1:A:463:ARG:HH21	2.21	0.53
1:A:196:ASP:O	1:A:227:LYS:HE3	2.08	0.53
1:A:308:LYS:HE3	1:A:310:VAL:CG2	2.39	0.53
1:A:402:ARG:HG2	1:A:430:TYR:CE1	2.44	0.52
1:A:463:ARG:HD2	1:A:464:HIS:CE1	2.44	0.52
1:A:515:ASP:HB3	1:A:518:TYR:HD1	1.75	0.52
1:B:114:TYR:CD1	1:B:115:PRO:HA	2.45	0.52
1:A:463:ARG:HG3	1:A:464:HIS:ND1	2.25	0.51
1:B:192:ALA:HB2	1:B:221:LEU:HD12	1.92	0.51
1:B:47:LEU:HD12	1:B:96:ALA:HB2	1.93	0.51
1:A:444:PRO:HG3	1:A:453:TYR:CE1	2.45	0.51
1:B:200:ILE:HD11	1:B:203:LEU:HD21	1.92	0.51
1:B:188:PRO:HB2	1:B:220:GLU:HB3	1.93	0.51
1:A:321:ARG:HB2	1:A:349:GLN:NE2	2.25	0.51
1:A:188:PRO:CG	1:A:217:ILE:HG23	2.40	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:296:LYS:CG	1:A:297:LYS:H	2.15	0.51
1:A:219:GLN:O	1:A:223:GLN:HG3	2.10	0.51
1:A:333:GLU:HA	1:A:336:LYS:HG2	1.92	0.51
1:B:390:ASP:HA	1:B:411:ASN:HB3	1.91	0.51
1:A:115:PRO:HD3	1:A:378:THR:HA	1.92	0.50
1:B:262:TYR:CZ	1:B:293:LEU:HD13	2.46	0.50
1:A:301:PHE:CZ	1:A:471:ILE:HG13	2.47	0.50
1:B:321:ARG:HD2	1:B:540:LEU:HD13	1.94	0.50
1:A:299:ARG:HH11	1:A:299:ARG:HG3	1.77	0.50
1:A:395:ASP:O	1:A:399:ARG:HD3	2.11	0.50
1:B:536:ILE:HD12	1:B:536:ILE:H	1.77	0.50
1:A:200:ILE:CD1	1:A:203:LEU:HD21	2.39	0.49
1:B:321:ARG:NE	1:B:540:LEU:HD22	2.27	0.49
1:B:240:VAL:HA	1:B:244:LYS:O	2.12	0.49
1:A:437:LEU:HG	1:A:439:MET:HG2	1.93	0.49
1:B:125:TYR:CE1	1:B:160:ALA:HA	2.48	0.48
1:B:129:ARG:O	1:B:133:GLU:HG3	2.12	0.48
1:B:9:LYS:O	1:B:13:GLU:HG3	2.14	0.48
1:A:14:ARG:CZ	1:A:289:ASN:OD1	2.62	0.48
1:A:553:VAL:HG22	1:A:559:GLU:HA	1.96	0.48
1:A:5:ARG:HH21	1:A:5:ARG:HB3	1.76	0.47
1:B:47:LEU:HG	1:B:51:ARG:NE	2.29	0.47
1:A:486:VAL:CG1	1:A:490:LYS:HE3	2.43	0.47
1:A:358:ASP:HA	1:A:388:SER:HB3	1.97	0.47
1:A:383:SER:O	1:A:384:ASN:HB2	2.15	0.47
1:A:463:ARG:HB3	1:A:463:ARG:NH2	2.30	0.47
1:B:330:LEU:O	1:B:334:MET:HG3	2.14	0.47
1:A:252:HIS:O	1:A:256:VAL:HG13	2.15	0.47
1:A:9:LYS:O	1:A:13:GLU:HG3	2.15	0.47
1:A:192:ALA:HB2	1:A:221:LEU:HD12	1.95	0.47
1:A:193:ILE:CD1	1:A:300:ILE:HD11	2.45	0.46
1:A:209:LEU:HB3	1:A:213:GLU:HB2	1.96	0.46
1:B:259:ASP:O	1:B:263:GLU:HG2	2.16	0.46
1:A:209:LEU:HB2	1:A:214:ILE:HG13	1.97	0.46
1:A:509:LEU:O	1:A:509:LEU:HD13	2.15	0.46
1:B:209:LEU:HB2	1:B:214:ILE:HG13	1.97	0.46
1:B:412:SER:H	1:B:435:ILE:HB	1.81	0.46
1:B:162:ARG:HD3	1:B:162:ARG:HA	1.68	0.45
1:A:188:PRO:HG3	1:A:217:ILE:HG23	1.98	0.45
1:A:441:LYS:O	1:A:442:ASP:HB3	2.16	0.45
1:A:252:HIS:HB3	3:A:673:HOH:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:246:VAL:O	1:B:248:PRO:HD3	2.17	0.45
1:A:509:LEU:C	1:A:509:LEU:HD13	2.37	0.45
1:A:238:PRO:HB3	1:A:247:TYR:CE1	2.52	0.45
1:B:457:ALA:O	1:B:461:LEU:HG	2.17	0.45
1:A:347:LYS:O	1:A:351:GLU:HG3	2.17	0.45
1:B:35:PRO:HG2	1:B:36:GLU:OE2	2.17	0.45
1:A:129:ARG:NH1	1:A:133:GLU:OE2	2.50	0.45
1:A:330:LEU:O	1:A:334:MET:HG3	2.17	0.44
1:B:17:LEU:HD13	1:B:287:LEU:CD2	2.47	0.44
1:B:2:ARG:N	1:B:2:ARG:HD3	2.33	0.44
1:A:23:GLY:O	1:A:27:MET:HG3	2.18	0.44
1:B:238:PRO:HB2	1:B:245:THR:HG23	2.00	0.44
1:A:360:ASN:HB2	1:A:390:ASP:HB3	2.00	0.44
1:B:34:LEU:HB2	1:B:37:GLU:HG3	1.99	0.44
1:A:144:ILE:HD13	1:A:146:GLU:OE1	2.17	0.43
1:B:209:LEU:HB3	1:B:213:GLU:HB2	1.99	0.43
1:A:188:PRO:HG2	1:A:217:ILE:HG23	1.99	0.43
1:A:162:ARG:HD2	1:A:166:ARG:HG3	2.00	0.43
1:B:451:LYS:HE3	1:B:494:PHE:CZ	2.54	0.43
1:B:474:PRO:HD2	1:B:503:THR:O	2.18	0.43
1:A:67:GLY:HA2	1:A:72:LYS:HD3	1.99	0.43
1:B:364:GLU:HB3	1:B:396:LEU:HD12	2.00	0.43
1:B:152:LEU:CD2	1:B:377:GLN:HG3	2.49	0.43
1:B:398:GLU:HG3	1:B:430:TYR:CE2	2.53	0.43
1:B:44:ASP:HB2	3:B:682:HOH:O	2.19	0.43
1:A:129:ARG:O	1:A:133:GLU:HG3	2.18	0.43
1:B:383:SER:O	1:B:384:ASN:HB2	2.19	0.43
1:B:427:LEU:CD1	1:B:434:LEU:HB2	2.48	0.43
1:A:373:GLU:HB3	3:A:688:HOH:O	2.18	0.42
1:A:397:THR:HG23	1:A:410:PHE:CE1	2.53	0.42
1:B:24:THR:HA	1:B:27:MET:HE3	2.00	0.42
1:B:360:ASN:HB2	1:B:390:ASP:HB3	1.99	0.42
1:A:398:GLU:HG3	1:A:430:TYR:CE2	2.53	0.42
1:B:59:ASP:O	1:B:100:LYS:HG3	2.19	0.42
1:A:474:PRO:HD2	1:A:503:THR:O	2.20	0.42
1:B:14:ARG:HA	1:B:292:PRO:HD3	2.02	0.42
1:B:247:TYR:HA	1:B:248:PRO:HD2	1.88	0.42
1:A:129:ARG:HH11	1:A:129:ARG:HG2	1.84	0.42
1:A:249:LEU:HD11	1:A:253:ASP:HB3	2.02	0.41
1:B:479:LEU:HD22	1:B:510:SER:HA	2.02	0.41
1:A:446:SER:OG	1:A:449:GLU:HG3	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:232:GLU:HA	1:B:270:GLY:O	2.20	0.41
1:A:476:VAL:CG1	1:A:509:LEU:HB2	2.50	0.41
1:B:359:VAL:O	1:B:359:VAL:HG23	2.19	0.41
1:A:181:ARG:CZ	1:A:185:GLY:O	2.68	0.41
1:B:188:PRO:HG2	1:B:217:ILE:HG23	2.00	0.41
1:B:230:VAL:HG22	1:B:268:ILE:HB	2.02	0.41
1:A:554:ILE:HG23	1:B:485:PRO:HB2	2.02	0.41
1:A:162:ARG:HA	1:A:162:ARG:HD3	1.82	0.41
1:A:558:LYS:HB2	1:A:558:LYS:HE3	1.97	0.41
1:B:132:VAL:HG11	1:B:161:ALA:HA	2.01	0.41
1:B:323:ASN:HA	1:B:324:PRO:HD3	1.91	0.41
1:A:494:PHE:O	1:A:498:LYS:HG2	2.21	0.41
1:A:321:ARG:HB2	1:A:349:GLN:CD	2.41	0.41
1:B:247:TYR:HB2	1:B:274:GLY:HA3	2.02	0.41
1:B:200:ILE:HD12	1:B:203:LEU:CD2	2.52	0.40
1:A:546:LYS:HD3	1:B:518:TYR:CE1	2.55	0.40
1:B:152:LEU:HD22	1:B:377:GLN:HG3	2.03	0.40
1:A:14:ARG:NH1	1:A:289:ASN:OD1	2.54	0.40
1:A:223:GLN:HB3	1:A:298:LYS:NZ	2.35	0.40
1:B:277:PRO:O	1:B:281:LYS:HG3	2.21	0.40
1:B:145:PHE:CE2	1:B:157:ALA:HB1	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	557/566 (98%)	535 (96%)	21 (4%)	1 (0%)	51	31
1	B	540/566 (95%)	518 (96%)	19 (4%)	3 (1%)	28	12
All	All	1097/1132 (97%)	1053 (96%)	40 (4%)	4 (0%)	38	20

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	412	SER
1	B	412	SER
1	B	297	LYS
1	B	483	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	488/494 (99%)	479 (98%)	9 (2%)	64	47
1	B	478/494 (97%)	459 (96%)	19 (4%)	36	15
All	All	966/988 (98%)	938 (97%)	28 (3%)	48	26

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	5	ARG
1	A	147	THR
1	A	248	PRO
1	A	254	PHE
1	A	295	ARG
1	A	366	GLN
1	A	463	ARG
1	A	513	LEU
1	A	558	LYS
1	B	2	ARG
1	B	33	ASP
1	B	48	LYS
1	B	51	ARG
1	B	70	ARG
1	B	94	ARG
1	B	147	THR
1	B	159	LEU
1	B	163	GLU
1	B	179	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	198	LEU
1	B	220	GLU
1	B	223	GLN
1	B	239	ILE
1	B	254	PHE
1	B	293	LEU
1	B	396	LEU
1	B	463	ARG
1	B	555	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	294	GLN
1	B	349	GLN
1	B	501	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	559/566 (98%)	0.24	39 (6%)	17 20	13, 24, 44, 54	0
1	B	548/566 (96%)	0.44	40 (7%)	16 19	16, 29, 47, 58	0
All	All	1107/1132 (97%)	0.34	79 (7%)	17 20	13, 26, 46, 58	0

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	511	PHE	11.3
1	B	244	LYS	7.6
1	B	296	LYS	6.1
1	B	240	VAL	5.9
1	A	512	GLY	5.6
1	A	442	ASP	5.5
1	A	1	MET	5.3
1	B	482	GLU	5.1
1	A	296	LYS	5.0
1	B	328	LYS	4.9
1	B	479	LEU	4.8
1	A	441	LYS	4.8
1	B	243	GLY	4.7
1	A	295	ARG	4.6
1	B	245	THR	4.4
1	B	326	GLY	4.3
1	B	239	ILE	4.2
1	B	465	ASP	4.0
1	A	243	GLY	3.9
1	B	299	ARG	3.9
1	A	242	ASN	3.9
1	A	328	LYS	3.8
1	A	445	LYS	3.7
1	B	289	ASN	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	514	PRO	3.6
1	B	516	ARG	3.5
1	A	244	LYS	3.5
1	B	463	ARG	3.4
1	B	448	GLU	3.4
1	B	453	TYR	3.3
1	A	294	GLN	3.3
1	B	329	LYS	3.3
1	B	439	MET	3.2
1	B	295	ARG	3.1
1	A	480	GLY	3.1
1	B	480	GLY	3.1
1	B	294	GLN	3.0
1	A	99	GLU	3.0
1	A	463	ARG	2.9
1	A	166	ARG	2.9
1	A	363	ILE	2.9
1	B	32	ASP	2.8
1	A	179	LYS	2.8
1	B	412	SER	2.8
1	A	370	ARG	2.8
1	A	559	GLU	2.7
1	A	293	LEU	2.7
1	B	395	ASP	2.7
1	B	342	VAL	2.7
1	B	166	ARG	2.6
1	A	299	ARG	2.6
1	A	513	LEU	2.5
1	B	558	LYS	2.5
1	A	336	LYS	2.5
1	B	179	LYS	2.5
1	A	300	ILE	2.4
1	A	95	ARG	2.4
1	A	465	ASP	2.4
1	B	458	LEU	2.4
1	A	77	GLY	2.3
1	A	483	GLY	2.3
1	B	363	ILE	2.3
1	A	516	ARG	2.3
1	A	252	HIS	2.3
1	A	344	LYS	2.3
1	B	325	ALA	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	263	GLU	2.2
1	B	514	PRO	2.1
1	B	472	PHE	2.1
1	A	482	GLU	2.1
1	B	376	VAL	2.1
1	B	413	ALA	2.1
1	B	285	LYS	2.1
1	B	421	GLU	2.1
1	A	329	LYS	2.0
1	A	326	GLY	2.0
1	B	417	GLU	2.0
1	A	412	SER	2.0
1	B	99	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
2	CD	A	601	1/1	0.99	0.03	-	19,19,19,19	0
2	CD	B	602	1/1	1.00	0.02	-	25,25,25,25	0

6.5 Other polymers [i](#)

There are no such residues in this entry.