



# Full wwPDB X-ray Structure Validation Report ⓘ

Jul 19, 2017 – 07:25 PM EDT

PDB ID : 3QKU  
Title : Mre11 Rad50 binding domain in complex with Rad50 and AMP-PNP  
Authors : Williams, G.J.; Williams, R.S.; Arvai, A.; Moncalian, G.; Tainer, J.A.  
Deposited on : unknown  
Resolution : 3.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7.2 (RC1), CSD as538be (2017)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20029824  
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : rb-20029824


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	1034 (3.36-3.24)
Clashscore	112137	1100 (3.36-3.24)
Ramachandran outliers	110173	1081 (3.36-3.24)
Sidechain outliers	110143	1080 (3.36-3.24)
RSRZ outliers	101464	1039 (3.36-3.24)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	359	<div> <div>3%</div> <div>67%</div> <div>30%</div> <div>••</div> </div>
1	B	359	<div> <div>3%</div> <div>55%</div> <div>25%</div> <div>•</div> <div>16%</div> </div>
2	C	34	<div> <div>21%</div> <div>68%</div> <div>21%</div> <div>6%</div> <div>6%</div> </div>

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5626 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA double-strand break repair rad50 ATPase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	359	Total	C	N	O	S	0	0	0
			2892	1853	494	540	5			
1	B	301	Total	C	N	O	S	0	0	0
			2415	1549	414	447	5			

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	188	GLY	-	LINKER	UNP P58301
A	189	GLY	-	LINKER	UNP P58301
A	190	SER	-	LINKER	UNP P58301
A	191	GLY	-	LINKER	UNP P58301
A	192	GLY	-	LINKER	UNP P58301
B	711	GLY	-	LINKER	UNP P58301
B	712	GLY	-	LINKER	UNP P58301
B	713	SER	-	LINKER	UNP P58301
B	714	GLY	-	LINKER	UNP P58301
B	715	GLY	-	LINKER	UNP P58301

- Molecule 2 is a protein called DNA double-strand break repair protein mre11.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	C	32	Total	C	N	O	0	0	0
			255	172	34	49			

- Molecule 3 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>6</sub>O<sub>12</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
3	B	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Mg	0	0
			1	1		
4	A	1	Total	Mg	0	0
			1	1		

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Chain A:
- 

- Chain B:

- Chain C:  21% 68% 21% 6% 6%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 65 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	177.40 Å 177.40 Å 130.42 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 3.30 49.71 – 3.30	Depositor EDS
% Data completeness (in resolution range)	99.8 (50.00-3.30) 99.8 (49.71-3.30)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.37 (at 3.33 Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.258 , 0.308 0.236 , 0.304	Depositor DCC
$R_{free}$ test set	952 reflections (5.37%)	DCC
Wilson B-factor (Å <sup>2</sup> )	131.6	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 74.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	5626	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	134.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.29% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.38	0/2936	0.58	1/3938 (0.0%)
1	B	0.39	0/2453	0.58	0/3297
2	C	0.44	0/260	0.55	0/351
All	All	0.39	0/5649	0.58	1/7586 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	745	LEU	CA-CB-CG	5.26	127.41	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2892	0	3001	89	0
1	B	2415	0	2496	65	0
2	C	255	0	228	4	0
3	A	31	0	13	7	0
3	B	31	0	13	3	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	5626	0	5751	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:192:GLY:O	1:A:718:ASP:HB2	1.38	1.20
1:A:716:ILE:O	1:A:719:LEU:N	1.82	1.11
1:A:832:ARG:HD2	1:A:832:ARG:H	1.20	1.07
1:B:751:LEU:O	1:B:755:ILE:HD12	1.62	1.00
1:A:832:ARG:HD2	1:A:832:ARG:N	1.77	0.95
1:A:832:ARG:CD	1:A:832:ARG:H	1.82	0.93
1:B:84:ILE:HG12	1:B:100:MET:HG3	1.48	0.92
1:A:716:ILE:O	1:A:718:ASP:N	2.04	0.90
1:A:7:THR:HG23	1:A:18:VAL:HG22	1.53	0.86
1:B:821:LEU:HD21	1:B:824:PRO:HB3	1.58	0.84
1:A:716:ILE:C	1:A:718:ASP:N	2.26	0.84
1:A:12:ARG:HH21	3:A:1001:ANP:H5'1	1.43	0.83
1:A:40:LEU:HA	1:A:43:ILE:HD12	1.59	0.83
1:A:192:GLY:O	1:A:718:ASP:CB	2.26	0.83
1:B:40:LEU:HA	1:B:43:ILE:HD12	1.64	0.80
1:A:716:ILE:HG13	1:A:717:LYS:H	1.48	0.78
1:A:36:LYS:HB3	1:A:853:VAL:CG1	2.13	0.78
1:B:829:ASP:OD1	1:B:832:ARG:HB2	1.85	0.77
1:B:9:LYS:HB2	1:B:70:TYR:HB3	1.66	0.76
1:B:745:LEU:H	1:B:745:LEU:HD13	1.51	0.76
1:A:866:VAL:HG12	1:A:881:VAL:HG23	1.68	0.74
1:B:859:LEU:HD22	1:B:859:LEU:H	1.53	0.74
1:B:146:ILE:O	1:B:153:ARG:HD3	1.87	0.74
1:A:25:ILE:HD11	1:A:844:LEU:HB3	1.69	0.73
1:A:36:LYS:HB3	1:A:853:VAL:HG11	1.71	0.72
1:A:132:PHE:HA	1:A:136:ILE:HD12	1.72	0.72
1:A:84:ILE:HG12	1:A:100:MET:HG3	1.73	0.71
1:A:716:ILE:C	1:A:719:LEU:H	1.93	0.70
1:A:27:LEU:HD23	1:A:29:ILE:HG22	1.73	0.70
1:A:716:ILE:O	1:A:717:LYS:C	2.30	0.70
1:A:755:ILE:O	1:A:759:PHE:HB2	1.92	0.70
1:A:12:ARG:NH2	3:A:1001:ANP:H5'1	2.07	0.69
1:A:716:ILE:HA	1:A:719:LEU:HB2	1.73	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:716:ILE:C	1:A:718:ASP:H	1.95	0.68
1:B:835:LYS:O	1:B:839:ILE:HD12	1.94	0.68
1:A:741:ARG:HH21	1:A:771:ALA:HB1	1.58	0.67
1:B:7:THR:HG23	1:B:18:VAL:HG22	1.75	0.67
1:B:98:HIS:CD2	1:B:116:SER:HB2	2.31	0.65
1:A:716:ILE:HG13	1:A:717:LYS:N	2.11	0.64
1:A:821:LEU:HB3	1:A:852:LEU:HD12	1.79	0.63
1:A:819:LEU:HD12	1:A:820:ILE:N	2.13	0.63
1:A:785:LYS:HB2	1:A:787:ARG:NH2	2.14	0.62
1:A:835:LYS:O	1:A:839:ILE:HG12	2.00	0.62
1:A:785:LYS:HB2	1:A:787:ARG:HH21	1.64	0.61
1:A:837:ILE:HA	1:A:840:MET:HE2	1.82	0.61
1:B:27:LEU:HG	1:B:28:ILE:N	2.16	0.60
1:A:36:LYS:HB3	1:A:853:VAL:HG13	1.84	0.59
1:B:760:THR:HB	1:B:763:LYS:HB3	1.84	0.59
1:A:772:GLU:HB3	1:A:775:LYS:HB2	1.84	0.59
1:A:180:ILE:O	1:A:184:ILE:HG13	2.02	0.59
1:B:816:ILE:HG22	1:B:818:LEU:H	1.68	0.58
1:B:132:PHE:CE2	1:B:137:TYR:HB2	2.38	0.58
1:A:176:LEU:HA	1:A:179:THR:HG22	1.85	0.58
1:B:126:LEU:HG	1:B:127:ILE:HG13	1.86	0.58
1:A:149:SER:HB2	1:A:152:ALA:H	1.69	0.58
1:B:811:TYR:HD2	1:B:812:LEU:HD22	1.69	0.58
1:A:821:LEU:HB3	1:A:852:LEU:CD1	2.34	0.57
1:A:866:VAL:HB	1:A:882:SER:HB2	1.86	0.57
1:B:99:ALA:CB	2:C:349:ASP:HB2	2.35	0.57
1:B:811:TYR:CD2	1:B:812:LEU:HD22	2.39	0.56
1:B:778:LEU:HD22	1:B:789:LEU:HD21	1.87	0.56
1:B:856:ASP:HB3	1:B:859:LEU:HD11	1.86	0.56
1:A:142:GLN:O	1:A:805:ARG:NH2	2.38	0.56
1:A:136:ILE:HD11	1:A:816:ILE:HG21	1.88	0.55
1:B:823:GLU:HG3	1:B:855:HIS:CD2	2.42	0.55
1:B:824:PRO:C	1:B:826:PRO:HD3	2.28	0.54
1:A:88:PHE:HA	1:A:96:GLU:HG2	1.90	0.54
1:A:9:LYS:HA	1:A:15:SER:O	2.07	0.53
1:B:839:ILE:HA	1:B:843:TYR:HD1	1.73	0.53
1:B:836:LEU:HA	1:B:839:ILE:HD13	1.91	0.53
1:B:1:MET:SD	1:B:127:ILE:HD13	2.49	0.52
1:B:153:ARG:HD2	1:B:778:LEU:HD12	1.90	0.52
1:B:830:GLU:HA	1:B:833:ARG:HE	1.74	0.52
1:A:58:LYS:HA	1:A:61:PHE:CE2	2.44	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:58:LYS:HA	1:B:61:PHE:CE2	2.45	0.52
1:A:778:LEU:HB3	1:A:789:LEU:HD21	1.92	0.52
1:B:840:MET:HA	1:B:844:LEU:HB2	1.92	0.51
1:B:1:MET:HA	1:B:76:GLU:O	2.10	0.51
1:A:101:LYS:HD3	1:A:108:TRP:HB3	1.91	0.51
1:A:27:LEU:HD23	1:A:29:ILE:CG2	2.41	0.51
1:B:2:LYS:HA	1:B:849:GLN:OE1	2.11	0.51
2:C:349:ASP:N	2:C:349:ASP:OD1	2.39	0.50
1:A:792:LEU:HB3	1:A:796:GLU:HB2	1.93	0.50
1:B:780:VAL:HG21	1:B:792:LEU:HD21	1.93	0.50
1:B:49:TRP:HZ2	1:B:58:LYS:HD2	1.76	0.50
1:A:2:LYS:O	1:A:75:PHE:HB2	2.12	0.50
1:A:5:ARG:HB3	1:A:74:ILE:HD12	1.94	0.49
1:B:144:ASP:C	1:B:146:ILE:H	2.16	0.49
1:B:832:ARG:HA	1:B:835:LYS:HB2	1.92	0.49
1:A:184:ILE:HA	1:A:719:LEU:HD13	1.94	0.49
1:B:62:THR:HG21	1:B:90:LYS:HG3	1.95	0.48
1:B:3:LEU:O	1:B:21:PHE:HB2	2.12	0.48
1:A:9:LYS:HB2	1:A:70:TYR:HB3	1.95	0.48
1:A:829:ASP:CG	1:A:830:GLU:N	2.67	0.48
1:B:866:VAL:H	1:B:882:SER:HB3	1.78	0.48
1:A:188:GLY:HA2	1:A:716:ILE:HG23	1.95	0.48
1:B:745:LEU:H	1:B:745:LEU:CD1	2.25	0.47
1:A:58:LYS:HA	1:A:61:PHE:CZ	2.49	0.47
1:B:839:ILE:HA	1:B:843:TYR:CD1	2.50	0.47
1:A:40:LEU:HD22	1:A:820:ILE:HG21	1.96	0.47
1:A:780:VAL:HG11	1:A:792:LEU:HD21	1.95	0.47
1:B:52:ARG:HE	1:B:54:LYS:HZ1	1.61	0.47
1:B:818:LEU:HD11	1:B:851:ILE:HG12	1.97	0.47
1:A:136:ILE:HD11	1:A:816:ILE:CG2	2.46	0.46
1:A:716:ILE:O	1:A:718:ASP:C	2.50	0.46
1:B:768:VAL:HG12	1:B:769:VAL:N	2.31	0.46
1:A:801:GLY:O	1:A:805:ARG:HG2	2.16	0.46
1:B:769:VAL:O	1:B:770:ARG:HB2	2.16	0.46
1:A:83:ARG:O	1:A:100:MET:HA	2.16	0.45
1:A:825:THR:N	1:A:826:PRO:HD3	2.32	0.45
1:B:769:VAL:HG12	1:B:770:ARG:N	2.32	0.45
1:A:46:GLY:HA3	1:A:73:LEU:HD11	1.99	0.44
1:A:101:LYS:HE2	1:A:110:HIS:CD2	2.52	0.44
1:A:80:THR:HB	1:A:82:TYR:CE1	2.52	0.44
1:A:177:LYS:HD2	1:A:727:GLU:HG2	2.00	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:857:GLU:C	1:A:859:LEU:H	2.21	0.44
1:B:146:ILE:HD11	1:B:156:VAL:HG11	1.99	0.43
1:B:825:THR:N	1:B:826:PRO:HD3	2.32	0.43
1:A:753:SER:HB3	1:A:766:GLU:HA	1.99	0.43
1:A:36:LYS:HE3	3:A:1001:ANP:PB	2.59	0.43
1:B:100:MET:O	1:B:111:VAL:HG12	2.19	0.43
1:B:840:MET:HG2	1:B:844:LEU:HD22	2.01	0.43
1:A:155:LYS:O	1:A:159:GLU:HB2	2.19	0.42
1:A:25:ILE:HD12	1:A:845:LYS:HE2	2.01	0.42
1:B:760:THR:HG21	1:B:764:TYR:HD2	1.84	0.42
1:A:840:MET:HB3	1:A:844:LEU:HD22	2.02	0.42
1:B:32:ASN:HD22	1:B:32:ASN:HA	1.61	0.42
1:A:102:ARG:HG2	1:A:111:VAL:HG23	2.01	0.42
1:A:36:LYS:HE3	3:A:1001:ANP:N3B	2.35	0.42
1:B:36:LYS:HB2	3:B:1001:ANP:O1B	2.20	0.42
1:B:835:LYS:O	1:B:839:ILE:CD1	2.66	0.42
1:A:716:ILE:CA	1:A:719:LEU:H	2.32	0.42
1:B:29:ILE:HD13	1:B:856:ASP:O	2.19	0.42
2:C:371:ASP:O	2:C:375:LYS:HG2	2.19	0.42
1:B:780:VAL:HG21	1:B:792:LEU:CD2	2.50	0.42
1:A:130:ASN:HB3	1:A:159:GLU:HG2	2.02	0.41
1:A:64:VAL:HG23	3:A:1001:ANP:N1	2.34	0.41
1:A:716:ILE:CG1	1:A:717:LYS:N	2.82	0.41
1:B:36:LYS:HE3	3:B:1001:ANP:O1B	2.19	0.41
1:A:21:PHE:HB3	1:A:849:GLN:NE2	2.36	0.41
1:A:829:ASP:CG	1:A:830:GLU:H	2.24	0.41
1:A:840:MET:O	1:A:841:GLU:C	2.59	0.41
1:B:57:LYS:HB2	1:B:60:GLU:HB2	2.02	0.41
1:B:53:ILE:HG21	1:B:139:ARG:HH12	1.84	0.41
1:B:780:VAL:HG11	1:B:792:LEU:HD21	2.02	0.41
1:A:153:ARG:O	1:A:156:VAL:HG22	2.20	0.41
1:A:12:ARG:HA	3:A:1001:ANP:C6	2.51	0.40
1:A:134:ASN:ND2	1:A:159:GLU:OE2	2.54	0.40
1:A:36:LYS:CE	3:A:1001:ANP:N3B	2.84	0.40
1:B:771:ALA:O	1:B:772:GLU:HG3	2.21	0.40
1:B:36:LYS:HD2	1:B:853:VAL:HG13	2.01	0.40
2:C:354:PHE:CD1	2:C:358:ILE:HD11	2.56	0.40
1:A:745:LEU:HB2	1:A:769:VAL:HG11	2.02	0.40
1:B:13:SER:HB3	3:B:1001:ANP:O4'	2.20	0.40
1:B:133:LEU:HD21	1:B:139:ARG:HD2	2.04	0.40
1:A:832:ARG:HA	1:A:835:LYS:HB2	2.03	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:817:SER:HB3	1:A:848:PRO:HG2	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	357/359 (99%)	313 (88%)	38 (11%)	6 (2%)	11	42
1	B	297/359 (83%)	261 (88%)	31 (10%)	5 (2%)	11	42
2	C	30/34 (88%)	26 (87%)	4 (13%)	0	100	100
All	All	684/752 (91%)	600 (88%)	73 (11%)	11 (2%)	11	43

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	717	LYS
1	A	162	ASN
1	A	858	GLU
1	B	145	ALA
1	B	773	GLU
1	A	105	GLY
1	B	848	PRO
1	A	35	GLY
1	B	770	ARG
1	A	825	THR
1	B	823	GLU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	313/313 (100%)	286 (91%)	27 (9%)	12	42
1	B	262/313 (84%)	236 (90%)	26 (10%)	9	34
2	C	25/32 (78%)	19 (76%)	6 (24%)	1	3
All	All	600/658 (91%)	541 (90%)	59 (10%)	9	34

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	20	GLU
1	A	29	ILE
1	A	51	LEU
1	A	58	LYS
1	A	68	ASP
1	A	73	LEU
1	A	80	THR
1	A	97	ILE
1	A	133	LEU
1	A	150	ASP
1	A	162	ASN
1	A	176	LEU
1	A	178	LYS
1	A	717	LYS
1	A	737	LYS
1	A	745	LEU
1	A	751	LEU
1	A	759	PHE
1	A	774	ASN
1	A	790	THR
1	A	797	ARG
1	A	812	LEU
1	A	819	LEU
1	A	821	LEU
1	A	832	ARG
1	A	879	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	881	VAL
1	B	27	LEU
1	B	29	ILE
1	B	51	LEU
1	B	52	ARG
1	B	55	ASP
1	B	58	LYS
1	B	80	THR
1	B	81	LYS
1	B	90	LYS
1	B	102	ARG
1	B	133	LEU
1	B	153	ARG
1	B	745	LEU
1	B	747	LYS
1	B	759	PHE
1	B	774	ASN
1	B	809	SER
1	B	815	GLU
1	B	819	LEU
1	B	823	GLU
1	B	832	ARG
1	B	838	THR
1	B	847	ILE
1	B	852	LEU
1	B	859	LEU
1	B	860	LYS
2	C	349	ASP
2	C	353	GLU
2	C	354	PHE
2	C	359	ILE
2	C	376	LEU
2	C	378	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	32	ASN
1	A	110	HIS
1	A	142	GLN
1	B	32	ASN
1	B	110	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
3	ANP	A	1001	4	29,33,33	2.15	5 (17%)	28,52,52	2.25	7 (25%)
3	ANP	B	1001	4	29,33,33	2.10	6 (20%)	28,52,52	2.08	7 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ANP	A	1001	4	-	0/13/38/38	0/3/3/3
3	ANP	B	1001	4	-	0/13/38/38	0/3/3/3

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	1001	ANP	PB-O2B	-2.11	1.50	1.56

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1001	ANP	C5-C4	2.97	1.47	1.40
3	B	1001	ANP	C5-C4	3.26	1.47	1.40
3	A	1001	ANP	PG-N3B	4.33	1.74	1.63
3	B	1001	ANP	PB-N3B	4.37	1.74	1.63
3	B	1001	ANP	PG-N3B	4.39	1.75	1.63
3	A	1001	ANP	PB-N3B	4.50	1.75	1.63
3	B	1001	ANP	PB-O1B	4.80	1.51	1.46
3	A	1001	ANP	PB-O1B	5.13	1.51	1.46
3	B	1001	ANP	PG-O1G	5.43	1.52	1.46
3	A	1001	ANP	PG-O1G	5.90	1.52	1.46

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1001	ANP	N3-C2-N1	-6.41	123.28	128.86
3	A	1001	ANP	N3-C2-N1	-6.37	123.31	128.86
3	A	1001	ANP	O1G-PG-N3B	-4.27	105.41	111.79
3	A	1001	ANP	PA-O3A-PB	-4.03	118.14	132.38
3	B	1001	ANP	O1G-PG-N3B	-3.70	106.26	111.79
3	B	1001	ANP	PA-O3A-PB	-3.59	119.72	132.38
3	B	1001	ANP	C4-C5-N7	-2.88	106.63	109.41
3	A	1001	ANP	C4-C5-N7	-2.43	107.06	109.41
3	A	1001	ANP	O1B-PB-N3B	-2.13	108.60	111.79
3	B	1001	ANP	C4'-O4'-C1'	2.18	112.09	109.77
3	B	1001	ANP	O3G-PG-O2G	2.45	114.56	107.69
3	A	1001	ANP	O3G-PG-O2G	2.77	115.46	107.69
3	B	1001	ANP	O2B-PB-O1B	4.17	118.53	109.87
3	A	1001	ANP	O2B-PB-O1B	4.63	119.49	109.87

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1001	ANP	7	0
3	B	1001	ANP	3	0

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	359/359 (100%)	-0.12	10 (2%) 53 51	71, 118, 191, 223	0
1	B	301/359 (83%)	0.08	9 (2%) 51 49	86, 147, 179, 196	0
2	C	32/34 (94%)	1.05	7 (21%) 1 1	119, 165, 209, 215	0
All	All	692/752 (92%)	0.02	26 (3%) 41 37	71, 132, 189, 223	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	719	LEU	4.1
2	C	348	SER	4.1
1	B	21	PHE	3.8
1	A	187	TYR	3.8
1	B	1	MET	3.8
2	C	375	LYS	3.6
2	C	373	ILE	3.5
1	B	22	LYS	3.4
1	B	879	GLU	3.4
1	A	726	THR	3.3
2	C	362	LEU	3.2
2	C	377	ILE	2.9
1	A	720	GLU	2.7
1	A	721	LYS	2.6
1	B	844	LEU	2.6
2	C	376	LEU	2.6
1	A	179	THR	2.6
1	A	192	GLY	2.5
1	A	718	ASP	2.4
1	B	20	GLU	2.4
1	A	190	SER	2.4
1	B	851	ILE	2.4
1	B	131	ILE	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	C	359	ILE	2.3
1	A	186	GLU	2.3
1	B	868	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
4	MG	B	1002	1/1	0.94	0.22	0.67	101,101,101,101	0
4	MG	A	1002	1/1	0.98	0.21	-0.24	76,76,76,76	0
3	ANP	A	1001	31/31	0.97	0.17	-0.59	52,79,107,110	0
3	ANP	B	1001	31/31	0.95	0.17	-0.68	87,128,147,152	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.