



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 13, 2017 – 06:13 am GMT

PDB ID : 1QMQ
Title : Optical detection of cytochrome P450 by sensitizer-linked substrates
Authors : Crane, B.R.; Dmochowski, I.J.; Gray, H.B.
Deposited on : 1999-10-05
Resolution : 1.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	112137	1132 (1.56-1.56)
Ramachandran outliers	110173	1110 (1.56-1.56)
Sidechain outliers	110143	1108 (1.56-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	414	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	DRB	A	419[B]	-	-	X	-
5	ACT	A	423	-	-	X	-
5	ACT	A	424	-	-	X	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 4017 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CYTOCHROME P450.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	406	Total	C	N	O	S	0	23	0
			3411	2149	603	640	19			

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	334	ALA	CYS	ENGINEERED MUTATION	UNP P00183


- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	Ru	0	1
			59	50	7	1	1		

- Molecule 4 is DELTA-BIS(2,2'-BIPYRIDINE)-(5-METHYL-2'-BIPYRIDINE)-C9-ADA MANTANE RUTHENIUM (II) (three-letter code: DRB) (formula: $C_{50}H_{57}N_7ORu$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	Ru	0	1
			59	50	7	1	1		

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	425	Total	O	0	0
			425	425		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: CYTOCHROME P450

Chain A: 



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	65.39Å 74.47Å 91.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.55	Depositor
% Data completeness (in resolution range)	95.4 (30.00-1.55)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.05	Depositor
Refinement program	CNS 0.4	Depositor
R, R_{free}	0.216 , 0.226	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4017	wwPDB-VP
Average B, all atoms (Å ²)	22.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ACT, HEM, DRB, LRB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.30	0/3491	0.60	0/4739

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3411	0	3329	62	0
2	A	43	0	30	0	0
3	A	59	0	57	13	0
4	A	59	0	57	23	0
5	A	20	0	15	16	0
6	A	425	0	0	9	0
All	All	4017	0	3488	75	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (75) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:187:PRO:HD2	3:A:418[A]:LRB:H381	1.22	1.14
1:A:187:PRO:HG3	4:A:419[B]:DRB:H382	1.26	1.12
1:A:67:ARG:HH21	5:A:423:ACT:H2	1.10	1.12
1:A:187:PRO:CG	4:A:419[B]:DRB:H382	1.96	0.96
1:A:29:TYR:CG	3:A:418[A]:LRB:H4	2.01	0.96
1:A:67:ARG:NH2	5:A:423:ACT:H2	1.83	0.92
1:A:59:ASN:HD22	4:A:419[B]:DRB:H10	1.37	0.88
1:A:93:GLY:HA3	6:A:2128:HOH:O	1.76	0.85
1:A:187:PRO:HG3	4:A:419[B]:DRB:C38	2.08	0.83
4:A:419[B]:DRB:H18	5:A:424:ACT:O	1.82	0.80
3:A:418[A]:LRB:H412	5:A:424:ACT:C	2.16	0.75
1:A:185:THR:O	3:A:418[A]:LRB:H383	1.88	0.73
1:A:95:ALA:HB1	6:A:2137:HOH:O	1.88	0.72
1:A:85[B]:CYS:SG	6:A:2128:HOH:O	2.48	0.71
1:A:134[A]:LEU:HD21	1:A:161[A]:ARG:HB3	1.71	0.71
1:A:248:GLY:HA2	4:A:419[B]:DRB:H52	1.73	0.71
4:A:419[B]:DRB:H21	5:A:424:ACT:O	1.91	0.70
1:A:96:TYR:HE2	4:A:419[B]:DRB:H451	1.57	0.70
1:A:59:ASN:ND2	4:A:419[B]:DRB:H10	2.08	0.68
1:A:29:TYR:CD1	3:A:418[A]:LRB:H4	2.29	0.67
1:A:110:GLN:HG2	6:A:2159:HOH:O	1.94	0.67
1:A:187:PRO:CD	4:A:419[B]:DRB:H382	2.26	0.65
1:A:158:PHE:HB3	1:A:159:PRO:HD3	1.81	0.63
1:A:92:ALA:HB1	4:A:419[B]:DRB:H402	1.80	0.62
1:A:248:GLY:HA2	3:A:418[A]:LRB:H52	1.81	0.62
4:A:419[B]:DRB:H18	5:A:424:ACT:C	2.29	0.62
3:A:418[A]:LRB:H412	5:A:424:ACT:OXT	1.99	0.61
1:A:187:PRO:HD2	3:A:418[A]:LRB:C38	2.14	0.60
1:A:193:PHE:HB2	5:A:424:ACT:H2	1.83	0.60
1:A:156[B]:GLU:HB2	1:A:157:PRO:HD3	1.83	0.60
1:A:395:ILE:HD12	3:A:418[A]:LRB:H392	1.86	0.58
1:A:395:ILE:CD1	3:A:418[A]:LRB:H392	2.35	0.56
4:A:419[B]:DRB:C18	5:A:424:ACT:C	2.85	0.54
1:A:143:ARG:HB3	1:A:144:PRO:HD3	1.91	0.52
1:A:79:ARG:HG3	6:A:2119:HOH:O	2.10	0.51
1:A:134[A]:LEU:HD21	1:A:161[A]:ARG:CB	2.40	0.51
3:A:418[A]:LRB:H412	5:A:424:ACT:O	2.11	0.51
1:A:96:TYR:CE2	4:A:419[B]:DRB:H451	2.42	0.51
1:A:134[A]:LEU:HD12	1:A:134[A]:LEU:O	2.11	0.50
4:A:419[B]:DRB:H511	6:A:2285:HOH:O	2.12	0.48
4:A:419[B]:DRB:H412	5:A:424:ACT:C	2.42	0.48
1:A:96:TYR:CZ	1:A:98:PHE:HB2	2.48	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:297[B]:ASP:OD1	1:A:395:ILE:HG23	2.14	0.48
1:A:395:ILE:CD1	4:A:419[B]:DRB:H392	2.44	0.48
4:A:419[B]:DRB:H21	5:A:424:ACT:C	2.43	0.47
1:A:294:LEU:HD23	1:A:294:LEU:H	1.78	0.47
1:A:47:GLU:O	5:A:423:ACT:H1	2.14	0.47
4:A:419[B]:DRB:H422	4:A:419[B]:DRB:H391	1.65	0.46
1:A:117:GLN:NE2	6:A:2172:HOH:O	2.47	0.46
1:A:59:ASN:HD22	4:A:419[B]:DRB:C10	2.20	0.46
1:A:105:PRO:HG3	1:A:108:GLN:NE2	2.31	0.46
3:A:418[A]:LRB:H422	3:A:418[A]:LRB:H391	1.75	0.45
1:A:193:PHE:HB2	5:A:424:ACT:CH3	2.45	0.45
1:A:101[A]:THR:HG22	6:A:2420:HOH:O	2.17	0.45
4:A:419[B]:DRB:H412	5:A:424:ACT:OXT	2.16	0.45
1:A:294:LEU:HD23	1:A:294:LEU:N	2.32	0.45
1:A:151:THR:HA	1:A:155:ALA:HB3	1.99	0.44
1:A:193:PHE:CB	5:A:424:ACT:H2	2.46	0.44
1:A:246:LEU:O	1:A:250:LEU:HG	2.18	0.43
1:A:179:TYR:O	1:A:183:GLN:HG2	2.19	0.43
1:A:205:ILE:O	1:A:209:GLU:HG2	2.19	0.42
1:A:395:ILE:HD11	4:A:419[B]:DRB:H392	2.01	0.42
1:A:39:GLN:NE2	1:A:39:GLN:H	2.16	0.42
1:A:218:ASP:O	1:A:222:ILE:HG12	2.18	0.42
1:A:90[A]:ARG:HH12	1:A:300:ILE:CD1	2.32	0.42
1:A:101[A]:THR:HG21	3:A:418[A]:LRB:H581	2.02	0.42
1:A:126:LYS:HE2	1:A:126:LYS:HB2	1.71	0.41
1:A:132:GLN:NE2	1:A:136:CYS:SG	2.94	0.41
1:A:150:PHE:CZ	1:A:261:MET:HG3	2.55	0.41
1:A:128:GLU:HG3	1:A:365:ARG:HD2	2.03	0.41
1:A:160[B]:ILE:O	1:A:164:MET:HG2	2.20	0.40
1:A:186[A]:ARG:NH1	6:A:2238:HOH:O	2.54	0.40
1:A:59:ASN:ND2	4:A:419[B]:DRB:C10	2.82	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	427/414 (103%)	416 (97%)	10 (2%)	1 (0%)	51 23

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	92	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	372/357 (104%)	364 (98%)	8 (2%)	57 25

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	GLN
1	A	101[A]	THR
1	A	101[B]	THR
1	A	108	GLN
1	A	130	ARG
1	A	134[A]	LEU
1	A	134[B]	LEU
1	A	412	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	HIS
1	A	39	GLN
1	A	46	GLN
1	A	59	ASN
1	A	69	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	108	GLN
1	A	117	GLN
1	A	129	ASN
1	A	132	GLN
1	A	147	GLN
1	A	210	GLN
1	A	343	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HEM	A	417	1,6	28,50,50	1.41	4 (14%)	17,82,82	1.38	3 (17%)
3	LRB	A	418[A]	-	70,70,70	1.82	21 (30%)	61,111,111	2.11	10 (16%)
4	DRB	A	419[B]	-	70,70,70	1.91	24 (34%)	61,111,111	2.80	11 (18%)
5	ACT	A	421	-	1,3,3	2.68	1 (100%)	0,3,3	0.00	-
5	ACT	A	422	-	1,3,3	2.62	1 (100%)	0,3,3	0.00	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	ACT	A	423	-	1,3,3	2.34	1 (100%)	0,3,3	0.00	-
5	ACT	A	424	-	1,3,3	0.36	0	0,3,3	0.00	-
5	ACT	A	425	-	1,3,3	2.60	1 (100%)	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	417	1,6	-	0/6/54/54	0/0/8/8
3	LRB	A	418[A]	-	-	0/15/115/115	0/9/12/12
4	DRB	A	419[B]	-	-	0/15/115/115	0/9/12/12
5	ACT	A	421	-	-	0/0/0/0	0/0/0/0
5	ACT	A	422	-	-	0/0/0/0	0/0/0/0
5	ACT	A	423	-	-	0/0/0/0	0/0/0/0
5	ACT	A	424	-	-	0/0/0/0	0/0/0/0
5	ACT	A	425	-	-	0/0/0/0	0/0/0/0

All (53) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	417	HEM	C3B-CAB	-4.12	1.39	1.47
2	A	417	HEM	C3C-CAC	-3.90	1.40	1.47
4	A	419[B]	DRB	RU-N13	-2.95	2.02	2.07
4	A	419[B]	DRB	C21-C22	-2.93	1.34	1.39
2	A	417	HEM	C3C-C2C	-2.78	1.36	1.40
3	A	418[A]	LRB	RU-N14	-2.64	2.03	2.07
3	A	418[A]	LRB	C21-C22	-2.35	1.35	1.39
4	A	419[B]	DRB	RU-N37	-2.34	2.03	2.07
4	A	419[B]	DRB	C16-C17	-2.27	1.32	1.38
3	A	418[A]	LRB	RU-N2	-2.26	2.03	2.07
4	A	419[B]	DRB	RU-N14	-2.17	2.03	2.07
4	A	419[B]	DRB	C9-C8	-2.13	1.36	1.39
3	A	418[A]	LRB	RU-N26	-2.07	2.03	2.07
2	A	417	HEM	C3B-C2B	-2.02	1.37	1.40
3	A	418[A]	LRB	RU-N37	-2.01	2.04	2.07
3	A	418[A]	LRB	C46-C48	2.01	1.55	1.51
4	A	419[B]	DRB	C52-C53	2.03	1.56	1.53
3	A	418[A]	LRB	C52-C53	2.11	1.56	1.53
3	A	418[A]	LRB	C58-C54	2.17	1.58	1.53
4	A	419[B]	DRB	C58-C54	2.18	1.58	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	419[B]	DRB	C59-C56	2.20	1.58	1.52
3	A	418[A]	LRB	C59-C56	2.22	1.58	1.52
5	A	423	ACT	CH3-C	2.34	1.51	1.48
4	A	419[B]	DRB	C21-C20	2.42	1.43	1.39
4	A	419[B]	DRB	C24-C23	2.43	1.43	1.38
4	A	419[B]	DRB	C24-N25	2.54	1.37	1.33
3	A	418[A]	LRB	C24-C23	2.57	1.43	1.38
3	A	418[A]	LRB	C12-N13	2.58	1.37	1.33
3	A	418[A]	LRB	C36-N37	2.59	1.37	1.33
5	A	425	ACT	CH3-C	2.60	1.52	1.48
5	A	422	ACT	CH3-C	2.62	1.52	1.48
3	A	418[A]	LRB	C55-C54	2.62	1.59	1.53
4	A	419[B]	DRB	C55-C54	2.66	1.59	1.53
3	A	418[A]	LRB	C59-C52	2.67	1.59	1.53
5	A	421	ACT	CH3-C	2.68	1.52	1.48
4	A	419[B]	DRB	C59-C52	2.68	1.59	1.53
4	A	419[B]	DRB	C12-N13	2.72	1.37	1.33
3	A	418[A]	LRB	C51-C50	2.75	1.59	1.52
4	A	419[B]	DRB	C55-C56	2.75	1.59	1.52
3	A	418[A]	LRB	C55-C56	2.75	1.59	1.52
4	A	419[B]	DRB	C58-C50	2.76	1.59	1.52
4	A	419[B]	DRB	C51-C50	2.76	1.59	1.52
3	A	418[A]	LRB	C58-C50	2.81	1.59	1.52
4	A	419[B]	DRB	C36-N37	2.83	1.37	1.33
4	A	419[B]	DRB	C54-C53	2.87	1.57	1.53
3	A	418[A]	LRB	C54-C53	2.96	1.57	1.53
4	A	419[B]	DRB	C19-N14	3.20	1.41	1.37
4	A	419[B]	DRB	C57-C56	3.42	1.61	1.52
3	A	418[A]	LRB	C57-C56	3.45	1.61	1.52
3	A	418[A]	LRB	C53-N49	3.75	1.52	1.45
4	A	419[B]	DRB	C53-N49	3.78	1.52	1.45
3	A	418[A]	LRB	C48-N49	7.24	1.48	1.34
4	A	419[B]	DRB	C48-N49	7.25	1.49	1.34

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	419[B]	DRB	C18-C19-N14	-14.87	116.35	122.02
3	A	418[A]	LRB	C18-C19-N14	-10.61	117.98	122.02
4	A	419[B]	DRB	C21-C20-N25	-9.39	118.44	122.02
4	A	419[B]	DRB	C53-N49-C48	-7.77	111.65	122.98
3	A	418[A]	LRB	C53-N49-C48	-7.52	112.01	122.98

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	418[A]	LRB	C21-C20-N25	-5.03	120.11	122.02
4	A	419[B]	DRB	C23-C24-N25	-3.67	117.57	122.51
2	A	417	HEM	CMD-C2D-C1D	-2.58	124.49	128.46
4	A	419[B]	DRB	C6-C7-N2	-2.45	118.59	121.04
3	A	418[A]	LRB	C30-C31-N26	-2.34	118.70	121.04
4	A	419[B]	DRB	C30-C31-N26	-2.33	118.71	121.04
3	A	418[A]	LRB	C6-C7-N2	-2.16	118.88	121.04
3	A	418[A]	LRB	C23-C24-N25	-2.08	119.71	122.51
3	A	418[A]	LRB	C44-C43-C42	2.00	124.77	114.45
2	A	417	HEM	CBD-CAD-C3D	2.17	116.61	112.47
2	A	417	HEM	CMB-C2B-C3B	2.23	129.04	124.89
3	A	418[A]	LRB	C3-N2-C7	2.26	120.27	118.44
4	A	419[B]	DRB	C15-N14-C19	2.33	120.32	118.44
3	A	418[A]	LRB	C27-N26-C31	2.39	120.37	118.44
3	A	418[A]	LRB	C46-C48-N49	2.50	120.23	115.82
4	A	419[B]	DRB	C3-N2-C7	2.58	120.52	118.44
4	A	419[B]	DRB	C46-C48-N49	2.60	120.39	115.82
4	A	419[B]	DRB	C27-N26-C31	2.74	120.65	118.44
4	A	419[B]	DRB	C24-N25-C20	4.31	121.92	118.44

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 42 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	418[A]	LRB	13	0
4	A	419[B]	DRB	23	0
5	A	423	ACT	3	0
5	A	424	ACT	13	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.