



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2017 – 01:36 pm GMT

PDB ID : 4REW  
Title : Crystal structure of the non-phosphorylated human alpha1 beta2 gamma1  
          holo-AMPK complex  
Authors : Zhou, X.E.; Ke, J.; Li, X.; Wang, L.; Gu, X.; de Waal, P.W.; Tan, M.H.E.;  
          Wang, D.; Wu, D.; Xu, H.E.; Melcher, K.  
Deposited on : 2014-09-24  
Resolution : 4.58 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix)	:	1.9-1692
EDS	:	trunk28620
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac	:	5.8.0135
CCP4	:	6.5.0
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 4.58 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	100719	1004 (5.50-3.66)
Clashscore	112137	1031 (5.46-3.70)
Ramachandran outliers	110173	1040 (5.50-3.66)
Sidechain outliers	110143	1021 (5.50-3.66)
RSRZ outliers	101464	1013 (5.50-3.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	540	<div> <div></div> <div> <div></div> <div>44%</div> <div>27%</div> <div>5%</div> <div>24%</div> </div> </div>
2	B	197	<div> <div></div> <div> <div></div> <div>17%</div> <div>22%</div> <div>60%</div> </div> </div>
3	G	304	<div> <div></div> <div> <div></div> <div>66%</div> <div>29%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	AMP	G	402	-	-	-	X

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6499 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5'-AMP-activated protein kinase catalytic subunit alpha-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	411	Total	C	N	O	S	0	0	0
			3326	2128	588	591	19			

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	12	SER	ARG	CONFLICT	UNP Q13131
A	260	SER	THR	CONFLICT	UNP Q13131
A	471	GLY	GLU	ENGINEERED MUTATION	UNP Q13131
A	474	ALA	GLU	ENGINEERED MUTATION	UNP Q13131
A	476	ALA	LYS	ENGINEERED MUTATION	UNP Q13131


- Molecule 2 is a protein called 5'-AMP-activated protein kinase subunit beta-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	79	Total	C	N	O	S	0	0	0
			643	421	108	111	3			

- Molecule 3 is a protein called 5'-AMP-activated protein kinase subunit gamma-1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	G	301	Total	C	N	O	S	0	0	0
			2426	1575	404	440	7			

- Molecule 4 is STAUROSPORINE (three-letter code: STU) (formula: C<sub>28</sub>H<sub>26</sub>N<sub>4</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			35	28	4	3		

- Molecule 5 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: C<sub>10</sub>H<sub>14</sub>N<sub>5</sub>O<sub>7</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	G	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
5	G	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
5	G	1	Total	C	N	O	P	0	0
			23	10	5	7	1		




Chain G: 

66%

29%

••



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 32 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	126.90Å 126.90Å 188.79Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.01 – 4.58 29.01 – 4.58	Depositor EDS
% Data completeness (in resolution range)	99.7 (29.01-4.58) 93.5 (29.01-4.58)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.98 (at 4.60Å)	Xtriage
Refinement program	PHENIX (PHENIX.REFINE: 1.9_1692)	Depositor
R, $R_{free}$	0.232 , 0.259 0.243 , 0.250	Depositor DCC
$R_{free}$ test set	681 reflections (7.08%)	DCC
Wilson B-factor (Å <sup>2</sup> )	179.8	Xtriage
Anisotropy	0.104	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.27 , 163.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.044 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	6499	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	217.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.70% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: STU, AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.25	0/3402	0.46	1/4589 (0.0%)
2	B	0.31	0/661	0.59	0/900
3	G	0.25	0/2477	0.46	0/3363
All	All	0.26	0/6540	0.47	1/8852 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	358	LEU	CA-CB-CG	5.17	127.19	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3326	0	3357	144	0
2	B	643	0	671	44	0
3	G	2426	0	2490	72	0
4	A	35	0	26	2	0
5	G	69	0	36	4	0
All	All	6499	0	6580	229	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (229) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177:GLY:H	2:B:197:ARG:HG3	1.22	1.05
1:A:361:PRO:HB3	2:B:223:ILE:HG22	1.52	0.91
1:A:402:ILE:HB	1:A:462:LEU:HD23	1.63	0.80
1:A:177:GLY:N	2:B:197:ARG:HG3	1.97	0.80
3:G:27:VAL:HG11	3:G:183:PRO:HB2	1.62	0.79
3:G:69:ARG:HE	3:G:87:ILE:HD11	1.49	0.78
1:A:82:TYR:HB2	1:A:94:VAL:HG23	1.67	0.76
1:A:210:LEU:HD22	1:A:239:LEU:HD11	1.68	0.75
3:G:322:VAL:HG23	3:G:323:LEU:HG	1.67	0.75
1:A:50:ASN:HA	1:A:90:ASP:HB3	1.68	0.75
1:A:448:LYS:HB2	1:A:468:ILE:HG21	1.68	0.73
3:G:301:VAL:HG23	3:G:309:LYS:HB2	1.72	0.71
1:A:336:MET:O	1:A:340:LYS:N	2.24	0.70
1:A:400:LEU:HD13	1:A:464:ASP:HA	1.74	0.70
1:A:98:VAL:HB	1:A:150:ASP:HA	1.73	0.70
2:B:241:LEU:HD11	2:B:253:LEU:HD12	1.72	0.69
1:A:143:LYS:HG3	1:A:146:ASN:HB2	1.73	0.69
1:A:24:LEU:HB2	1:A:32:VAL:HG23	1.73	0.69
1:A:425:GLU:HB3	1:A:436:VAL:HG12	1.75	0.68
3:G:172:LEU:HD12	3:G:314:LEU:HD22	1.75	0.68
3:G:69:ARG:HB2	3:G:87:ILE:HD11	1.76	0.67
2:B:208:LEU:HD12	2:B:209:PRO:HD2	1.76	0.67
2:B:267:LEU:HB2	3:G:48:VAL:HG12	1.75	0.67
2:B:250:VAL:HA	2:B:271:PRO:HA	1.75	0.67
3:G:100:SER:HB3	3:G:103:VAL:HG22	1.76	0.67
1:A:46:VAL:HG12	1:A:94:VAL:HG12	1.76	0.66
3:G:83:GLY:HA2	3:G:128:LEU:HB2	1.78	0.66
3:G:105:ILE:HD13	3:G:105:ILE:H	1.60	0.65
1:A:37:HIS:HB3	1:A:41:GLY:H	1.62	0.64
1:A:188:SER:O	2:B:201:ARG:HD3	1.98	0.63
3:G:94:LEU:HG	3:G:257:LEU:HD11	1.82	0.62
1:A:77:HIS:CD2	1:A:124:GLN:HB3	2.35	0.61
1:A:254:ASP:HB3	1:A:257:LYS:HB2	1.81	0.61
3:G:97:TYR:HB3	3:G:107:GLU:HG3	1.82	0.61
3:G:92:ASN:HD22	3:G:220:VAL:HG12	1.65	0.61
3:G:91:ILE:HG23	3:G:216:LEU:HD22	1.83	0.61
1:A:368:PHE:CE2	3:G:67:GLY:HA2	2.36	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:432:TYR:HB3	1:A:453:LEU:HB3	1.84	0.59
1:A:397:LYS:HG2	2:B:244:LEU:HB2	1.84	0.59
1:A:59:VAL:HB	1:A:62:LYS:HB2	1.84	0.59
1:A:252:GLN:HG2	1:A:257:LYS:HB3	1.85	0.59
1:A:127:SER:HB3	1:A:278:LEU:HG	1.85	0.59
1:A:143:LYS:HB3	1:A:181:TYR:CE2	2.38	0.59
1:A:187:ILE:HD13	1:A:225:PHE:HB3	1.83	0.59
1:A:75:HIS:HB3	1:A:78:ILE:HB	1.83	0.58
3:G:105:ILE:HG12	3:G:105:ILE:O	2.03	0.58
2:B:217:LEU:HD21	2:B:265:THR:HG21	1.84	0.58
3:G:87:ILE:H	3:G:87:ILE:HD12	1.68	0.58
3:G:69:ARG:NH1	5:G:402:AMP:O1P	2.37	0.58
2:B:195:ALA:HB1	2:B:196:PHE:HA	1.87	0.57
1:A:365:ARG:HB2	2:B:227:PRO:HG3	1.86	0.57
1:A:398:TRP:CD1	2:B:245:SER:HB2	2.40	0.57
3:G:91:ILE:HG12	3:G:245:VAL:HG21	1.86	0.57
1:A:337:ASN:HA	1:A:340:LYS:HB2	1.87	0.56
1:A:160:PHE:O	1:A:163:SER:HB3	2.05	0.56
1:A:189:GLY:HA3	2:B:201:ARG:HB2	1.87	0.56
3:G:103:VAL:HG23	3:G:104:GLN:HG3	1.87	0.56
1:A:368:PHE:O	1:A:372:GLU:HG2	2.05	0.56
3:G:48:VAL:HG22	3:G:68:VAL:HG21	1.86	0.56
1:A:167:SER:HB2	1:A:170:GLU:HB2	1.87	0.56
4:A:601:STU:H261	4:A:601:STU:H16	1.89	0.55
1:A:340:LYS:HD2	1:A:341:ASP:H	1.71	0.55
2:B:207:ILE:HD12	2:B:207:ILE:H	1.72	0.55
3:G:87:ILE:HG23	3:G:246:ILE:HD13	1.88	0.55
1:A:400:LEU:HD22	1:A:465:PHE:H	1.71	0.55
1:A:220:HIS:O	1:A:223:THR:OG1	2.26	0.54
3:G:193:GLU:HB2	3:G:280:LEU:HB3	1.89	0.54
3:G:98:TYR:CZ	3:G:257:LEU:HB2	2.43	0.54
1:A:185:GLU:OE1	1:A:258:ARG:NH2	2.40	0.54
1:A:361:PRO:HA	2:B:224:SER:HA	1.89	0.54
1:A:429:VAL:HG23	1:A:430:ASN:H	1.72	0.54
1:A:367:PRO:HG3	3:G:243:PHE:CE2	2.42	0.54
1:A:144:PRO:HA	1:A:147:VAL:HG22	1.90	0.53
1:A:119:ARG:HD3	1:A:272:GLN:O	2.09	0.53
1:A:451:LEU:HA	1:A:464:ASP:O	2.08	0.53
3:G:180:THR:OG1	3:G:181:GLU:N	2.40	0.53
3:G:52:THR:HB	3:G:114:GLU:HB2	1.90	0.53
1:A:365:ARG:NH1	2:B:225:CYS:H	2.07	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:G:297:HIS:HB3	3:G:298:ARG:HH21	1.74	0.53
1:A:184:PRO:HD3	1:A:200:TRP:CE2	2.45	0.52
1:A:118:SER:OG	1:A:209:LEU:HB3	2.10	0.52
1:A:236:PRO:HB2	1:A:238:TYR:HB2	1.90	0.52
3:G:150:HIS:HE2	5:G:403:AMP:P	2.33	0.52
3:G:300:VAL:HG12	3:G:311:ILE:HD12	1.92	0.51
1:A:406:SER:O	1:A:410:ASP:HB2	2.09	0.51
1:A:465:PHE:HB2	2:B:241:LEU:HB3	1.92	0.51
1:A:166:MET:HG2	2:B:235:HIS:CE1	2.46	0.51
1:A:345:ALA:HB1	2:B:221:THR:HB	1.91	0.51
1:A:442:VAL:HG21	3:G:79:GLN:HB3	1.91	0.51
1:A:445:THR:HG21	1:A:529:ARG:HD2	1.92	0.51
1:A:177:GLY:O	2:B:197:ARG:HA	2.11	0.51
1:A:342:PHE:HD2	1:A:343:TYR:HD1	1.59	0.51
1:A:539:GLU:HG2	2:B:270:LYS:HE2	1.93	0.51
1:A:187:ILE:HD11	1:A:229:CYS:SG	2.52	0.50
1:A:361:PRO:HG2	1:A:366:VAL:HG12	1.92	0.50
1:A:51:ARG:HE	1:A:91:ILE:HD11	1.76	0.50
1:A:222:PRO:O	1:A:225:PHE:N	2.45	0.50
1:A:162:LEU:HD23	1:A:176:CYS:SG	2.52	0.50
1:A:365:ARG:NH2	2:B:221:THR:OG1	2.45	0.50
3:G:278:CYS:SG	3:G:301:VAL:HG12	2.52	0.50
1:A:336:MET:HG3	1:A:340:LYS:HG2	1.92	0.49
1:A:123:GLN:HG2	1:A:274:LEU:HD12	1.94	0.49
4:A:601:STU:C18	4:A:601:STU:HN4	2.24	0.49
1:A:400:LEU:HD22	1:A:465:PHE:N	2.27	0.49
1:A:365:ARG:NH1	2:B:222:ASN:O	2.45	0.49
1:A:113:LEU:HB2	1:A:209:LEU:O	2.12	0.49
3:G:64:VAL:HG21	3:G:250:ALA:HA	1.95	0.49
3:G:154:VAL:HG22	3:G:164:TYR:O	2.12	0.48
1:A:365:ARG:HH11	2:B:223:ILE:C	2.17	0.48
1:A:442:VAL:HG21	3:G:79:GLN:CB	2.44	0.48
1:A:141:ASP:HB2	1:A:162:LEU:HD22	1.95	0.48
1:A:84:VAL:HG12	1:A:93:MET:HG2	1.96	0.48
2:B:235:HIS:HA	2:B:238:LEU:CD1	2.44	0.48
3:G:27:VAL:HG23	3:G:28:TYR:H	1.79	0.48
1:A:535:ILE:HG21	3:G:74:TRP:CE2	2.48	0.48
1:A:417:ARG:N	1:A:417:ARG:HD2	2.28	0.48
2:B:233:PRO:HG2	2:B:238:LEU:HD21	1.96	0.48
1:A:362:HIS:CE1	1:A:364:GLU:HB2	2.49	0.47
1:A:448:LYS:H	1:A:468:ILE:CD1	2.27	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:275:PRO:HB2	1:A:277:TYR:CD1	2.50	0.47
1:A:139:HIS:CE1	1:A:141:ASP:O	2.68	0.47
3:G:102:LEU:H	3:G:102:LEU:HD23	1.79	0.47
1:A:342:PHE:CD2	1:A:343:TYR:HD1	2.33	0.47
1:A:80:LYS:H	1:A:96:GLU:HG2	1.81	0.46
1:A:32:VAL:HG12	1:A:47:LYS:HA	1.97	0.46
1:A:359:THR:O	1:A:361:PRO:HD3	2.15	0.46
3:G:285:GLU:O	3:G:289:ASN:ND2	2.41	0.46
1:A:143:LYS:HB3	1:A:181:TYR:HE2	1.81	0.46
1:A:400:LEU:CD2	1:A:465:PHE:H	2.29	0.46
1:A:437:ARG:HB2	1:A:448:LYS:HG2	1.98	0.46
3:G:297:HIS:O	3:G:314:LEU:HG	2.16	0.46
1:A:216:PHE:CD2	1:A:228:ILE:HA	2.51	0.46
3:G:206:VAL:O	3:G:229:VAL:HA	2.16	0.46
1:A:336:MET:HG3	1:A:340:LYS:CG	2.46	0.46
1:A:462:LEU:HD22	1:A:463:LEU:N	2.31	0.46
1:A:98:VAL:HG11	1:A:156:LYS:HE3	1.98	0.46
1:A:166:MET:HG2	2:B:235:HIS:HE1	1.79	0.46
2:B:252:VAL:HG12	2:B:269:TYR:HA	1.98	0.46
2:B:268:LEU:HD13	3:G:49:VAL:HG23	1.97	0.46
3:G:91:ILE:CG1	3:G:245:VAL:HG21	2.45	0.46
3:G:186:GLU:HG2	3:G:187:PHE:H	1.81	0.45
1:A:443:THR:HG22	1:A:444:SER:H	1.81	0.45
1:A:118:SER:OG	1:A:209:LEU:O	2.33	0.45
2:B:244:LEU:HD12	2:B:245:SER:N	2.31	0.45
3:G:173:LYS:O	3:G:177:LEU:HB2	2.16	0.45
1:A:139:HIS:NE2	1:A:159:ASP:O	2.48	0.45
1:A:340:LYS:CD	1:A:341:ASP:H	2.28	0.45
1:A:113:LEU:HD12	1:A:117:GLU:HG2	1.99	0.45
1:A:335:ILE:HD13	1:A:335:ILE:HA	1.86	0.45
1:A:126:LEU:HD23	1:A:270:PHE:CZ	2.52	0.45
3:G:200:TYR:HE2	3:G:301:VAL:HG21	1.82	0.45
1:A:141:ASP:OD2	1:A:143:LYS:HE2	2.17	0.44
1:A:30:GLY:HA3	1:A:48:ILE:O	2.17	0.44
1:A:261:ILE:HG13	1:A:261:ILE:H	1.62	0.44
1:A:466:ARG:HH11	2:B:240:HIS:CE1	2.35	0.44
1:A:169:GLY:HA2	2:B:236:VAL:O	2.18	0.44
2:B:261:LYS:HB2	3:G:38:TYR:OH	2.16	0.44
3:G:55:GLN:HA	3:G:112:LYS:HA	1.99	0.44
1:A:23:THR:HA	1:A:33:LYS:HG2	1.99	0.44
3:G:60:PHE:CE1	3:G:85:LEU:HD21	2.51	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:448:LYS:O	1:A:468:ILE:HG12	2.17	0.44
1:A:78:ILE:HD13	1:A:157:ILE:HB	2.00	0.44
2:B:200:GLU:OE2	2:B:200:GLU:N	2.46	0.44
3:G:47:LEU:HD11	3:G:72:PRO:HG2	2.00	0.44
3:G:90:PHE:O	3:G:94:LEU:HB2	2.18	0.44
1:A:275:PRO:HB2	1:A:277:TYR:HD1	1.82	0.44
1:A:427:LYS:H	1:A:427:LYS:HG3	1.56	0.44
1:A:178:SER:HA	2:B:196:PHE:O	2.18	0.44
3:G:191:SER:HA	3:G:283:THR:HA	2.00	0.44
1:A:210:LEU:HD13	1:A:239:LEU:HD12	2.00	0.43
2:B:254:SER:HB2	2:B:267:LEU:HA	2.00	0.43
1:A:363:PRO:O	1:A:366:VAL:HG22	2.19	0.43
3:G:315:SER:HB2	5:G:403:AMP:H5'1	1.99	0.43
2:B:222:ASN:OD1	2:B:223:ILE:N	2.47	0.43
1:A:139:HIS:CE1	1:A:159:ASP:O	2.72	0.43
1:A:462:LEU:HD22	1:A:463:LEU:H	1.84	0.43
1:A:147:VAL:HG12	1:A:157:ILE:HA	2.00	0.43
1:A:21:GLY:O	1:A:33:LYS:HD2	2.19	0.43
2:B:222:ASN:HB3	2:B:225:CYS:SG	2.59	0.43
3:G:242:LYS:O	3:G:245:VAL:HG22	2.19	0.43
1:A:103:LEU:HA	1:A:149:LEU:HD11	1.99	0.43
1:A:129:VAL:HG11	1:A:142:LEU:HD21	2.00	0.43
3:G:41:ILE:HD11	3:G:154:VAL:HG21	1.99	0.43
1:A:365:ARG:NH1	2:B:225:CYS:N	2.67	0.43
1:A:468:ILE:HB	1:A:469:ASP:H	1.54	0.43
3:G:200:TYR:CD2	3:G:310:GLY:HA3	2.54	0.43
3:G:40:LEU:HD21	3:G:137:LEU:HD13	2.00	0.43
1:A:437:ARG:HD2	1:A:448:LYS:HG2	2.01	0.43
3:G:56:VAL:HG22	3:G:111:HIS:O	2.19	0.42
3:G:27:VAL:HG23	3:G:28:TYR:N	2.33	0.42
3:G:205:MET:SD	3:G:308:VAL:HG21	2.58	0.42
1:A:114:ASP:O	1:A:118:SER:HB2	2.19	0.42
1:A:442:VAL:HG23	1:A:443:THR:OG1	2.18	0.42
1:A:364:GLU:HA	3:G:243:PHE:CZ	2.54	0.42
3:G:243:PHE:HB3	5:G:402:AMP:H5'1	2.01	0.42
1:A:340:LYS:O	1:A:342:PHE:N	2.52	0.42
2:B:248:ASP:OD1	2:B:249:SER:N	2.53	0.42
1:A:240:ASN:ND2	1:A:242:SER:HB3	2.35	0.42
1:A:428:VAL:HG22	1:A:433:TYR:CD1	2.55	0.42
1:A:17:HIS:O	1:A:38:GLU:HG3	2.20	0.41
1:A:399:HIS:O	1:A:400:LEU:HG	2.19	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:399:HIS:C	1:A:400:LEU:HG	2.40	0.41
1:A:420:LYS:HB2	1:A:420:LYS:HE3	1.88	0.41
2:B:246:ILE:CG2	2:B:251:MET:HA	2.50	0.41
1:A:46:VAL:HA	1:A:93:MET:O	2.19	0.41
1:A:15:ILE:HD13	1:A:92:PHE:CG	2.55	0.41
3:G:207:ARG:HB2	3:G:210:THR:HG23	2.03	0.41
3:G:105:ILE:HG22	3:G:255:ASN:OD1	2.20	0.41
1:A:143:LYS:HD2	1:A:145:GLU:HB2	2.03	0.41
1:A:429:VAL:HG23	1:A:430:ASN:N	2.36	0.41
3:G:211:PRO:O	3:G:214:VAL:HG22	2.20	0.41
1:A:120:ARG:O	1:A:124:GLN:HG3	2.20	0.41
1:A:123:GLN:C	1:A:278:LEU:HD21	2.41	0.41
1:A:240:ASN:HB2	1:A:241:PRO:HD2	2.01	0.41
3:G:291:LEU:HD13	3:G:299:LEU:HG	2.02	0.41
3:G:73:LEU:HD21	3:G:85:LEU:HD12	2.03	0.41
1:A:362:HIS:CG	1:A:363:PRO:HD2	2.56	0.41
1:A:423:ASP:OD1	1:A:423:ASP:N	2.48	0.41
2:B:213:LEU:HA	2:B:213:LEU:HD23	1.83	0.41
1:A:199:ILE:HG21	1:A:259:ALA:O	2.21	0.41
3:G:238:ASP:OD1	3:G:268:ARG:NH2	2.50	0.41
1:A:443:THR:HB	1:A:445:THR:HG23	2.03	0.40
3:G:214:VAL:O	3:G:218:ILE:HG13	2.22	0.40
1:A:403:ARG:O	1:A:460:THR:HG23	2.20	0.40
2:B:237:MET:HA	2:B:240:HIS:HD2	1.87	0.40
1:A:364:GLU:HA	3:G:243:PHE:CE2	2.56	0.40
3:G:297:HIS:HB3	3:G:298:ARG:NH2	2.37	0.40
3:G:177:LEU:HA	3:G:177:LEU:HD12	1.89	0.40
1:A:463:LEU:HD23	1:A:463:LEU:HA	1.92	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	401/540 (74%)	373 (93%)	27 (7%)	1 (0%)	51	85
2	B	77/197 (39%)	71 (92%)	6 (8%)	0	100	100
3	G	299/304 (98%)	284 (95%)	15 (5%)	0	100	100
All	All	777/1041 (75%)	728 (94%)	48 (6%)	1 (0%)	55	89

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	428	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	369/485 (76%)	330 (89%)	39 (11%)	8	34
2	B	75/182 (41%)	67 (89%)	8 (11%)	8	33
3	G	276/278 (99%)	256 (93%)	20 (7%)	17	51
All	All	720/945 (76%)	653 (91%)	67 (9%)	10	40

All (67) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	LYS
1	A	15	ILE
1	A	59	VAL
1	A	70	LEU
1	A	80	LYS
1	A	87	THR
1	A	90	ASP
1	A	108	CYS
1	A	112	ARG
1	A	116	LYS
1	A	118	SER
1	A	140	ARG

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	A	166	MET
1	A	168	ASP
1	A	185	GLU
1	A	220	HIS
1	A	235	THR
1	A	237	GLN
1	A	238	TYR
1	A	266	GLU
1	A	335	ILE
1	A	336	MET
1	A	340	LYS
1	A	347	SER
1	A	358	LEU
1	A	359	THR
1	A	368	PHE
1	A	395	LYS
1	A	400	LEU
1	A	403	ARG
1	A	407	ARG
1	A	423	ASP
1	A	425	GLU
1	A	427	LYS
1	A	443	THR
1	A	446	TYR
1	A	463	LEU
1	A	468	ILE
1	A	469	ASP
2	B	194	TYR
2	B	196	PHE
2	B	199	GLU
2	B	200	GLU
2	B	220	ASP
2	B	258	ARG
2	B	259	TYR
2	B	266	THR
3	G	36	ARG
3	G	47	LEU
3	G	87	ILE
3	G	102	LEU
3	G	105	ILE
3	G	106	TYR
3	G	111	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	G	125	PHE
3	G	166	LEU
3	G	172	LEU
3	G	175	LEU
3	G	177	LEU
3	G	180	THR
3	G	194	GLU
3	G	207	ARG
3	G	268	ARG
3	G	270	HIS
3	G	272	PHE
3	G	298	ARG
3	G	323	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	STU	A	601	-	29,42,42	0.87	0	27,68,68	1.99	7 (25%)
5	AMP	G	401	-	22,25,25	1.25	3 (13%)	24,38,38	1.58	2 (8%)
5	AMP	G	402	-	22,25,25	1.26	3 (13%)	24,38,38	1.56	3 (12%)
5	AMP	G	403	-	22,25,25	1.26	3 (13%)	24,38,38	1.56	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	STU	A	601	-	-	0/4/42/42	0/0/8/8
5	AMP	G	401	-	-	0/6/26/26	0/3/3/3
5	AMP	G	402	-	-	0/6/26/26	0/3/3/3
5	AMP	G	403	-	-	0/6/26/26	0/3/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	G	402	AMP	P-O3P	-2.79	1.43	1.54
5	G	401	AMP	P-O3P	-2.77	1.43	1.54
5	G	403	AMP	P-O3P	-2.77	1.43	1.54
5	G	402	AMP	P-O1P	2.74	1.60	1.50
5	G	403	AMP	P-O1P	2.78	1.60	1.50
5	G	401	AMP	P-O1P	2.80	1.60	1.50
5	G	401	AMP	C6-N6	3.66	1.49	1.34
5	G	403	AMP	C6-N6	3.72	1.49	1.34
5	G	402	AMP	C6-N6	3.74	1.49	1.34

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	G	401	AMP	N3-C2-N1	-6.44	123.25	128.86
5	G	403	AMP	N3-C2-N1	-6.42	123.27	128.86
5	G	402	AMP	N3-C2-N1	-6.39	123.29	128.86
4	A	601	STU	C9-N1-C8	-4.88	108.52	113.78
4	A	601	STU	C27-O6-C22	-4.24	106.46	114.29
4	A	601	STU	C9-C10-C7	-3.48	106.50	109.61
4	A	601	STU	C3-C4-C5	-2.24	117.02	120.81
5	G	402	AMP	C4-C5-N7	-2.06	107.42	109.41
4	A	601	STU	O4-C21-C26	-2.04	97.26	106.42

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	G	402	AMP	O2P-P-O1P	2.40	119.89	110.50
5	G	403	AMP	O2P-P-O1P	2.48	120.21	110.50
4	A	601	STU	C13-C12-C17	2.51	122.57	119.39
5	G	401	AMP	O2P-P-O1P	2.52	120.37	110.50
4	A	601	STU	C10-C9-N1	3.85	106.29	101.86

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	601	STU	2	0
5	G	402	AMP	2	0
5	G	403	AMP	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	411/540 (76%)	-0.23	7 (1%) 70 63	187, 216, 263, 289	0
2	B	79/197 (40%)	-0.21	0 100 100	193, 207, 251, 259	0
3	G	301/304 (99%)	-0.36	0 100 100	122, 211, 247, 293	0
All	All	791/1041 (75%)	-0.28	7 (0%) 84 78	122, 213, 256, 293	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	373	THR	3.0
1	A	332	ASN	2.7
1	A	12	SER	2.6
1	A	11	GLY	2.4
1	A	372	GLU	2.2
1	A	56	SER	2.2
1	A	357	HIS	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains.

The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
5	AMP	G	402	23/23	0.83	0.48	1.25	186,188,194,195	0
5	AMP	G	401	23/23	0.71	0.35	0.80	201,211,216,218	0
5	AMP	G	403	23/23	0.80	0.31	0.05	196,202,208,212	0
4	STU	A	601	35/35	0.92	0.27	-0.00	193,198,202,202	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.