



Full wwPDB NMR Structure Validation Report ⓘ

Feb 12, 2017 – 07:42 pm GMT

PDB ID : 1RGJ
Title : NMR STRUCTURE OF THE COMPLEX BETWEEN ALPHA-BUNGAROTOXIN AND MIMOTOPE OF THE NICOTINIC ACETYLCHOLINE RECEPTOR WITH ENHANCED ACTIVITY
Authors : Bernini, A.; Spiga, O.; Ciutti, A.; Scarselli, M.; Bracci, L.; Lozzi, L.; Lelli, B.; Neri, P.; Niccolai, N.
Deposited on : 2003-11-12

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange	:	Kirchner and Güntert (2011)
NmrClust	:	Kelley et al. (1996)
MolProbity	:	4.02b-467
Percentile statistics	:	20161228.v01 (using entries in the PDB archive December 28th 2016)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	trunk28760
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	recalc28949


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR



The overall completeness of chemical shifts assignment is 46%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	125131	11601
Ramachandran outliers	121729	10391
Sidechain outliers	121581	10367

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	74	
2	B	13	

2 Ensemble composition and analysis ⓘ

This entry contains 1 models. Identification of well-defined residues and clustering analysis are not possible.

3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 1312 atoms, of which 641 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called long neurotoxin 1.

Mol	Chain	Residues	Atoms						Trace
1	A	74	Total	C	H	N	O	S	0
			1089	338	539	97	104	11	


- Molecule 2 is a protein called MIMOTOPE OF THE NICOTINIC ACETYLCHOLINE RECEPTOR.

Mol	Chain	Residues	Atoms					Trace
2	B	13	Total	C	H	N	O	0
			223	79	102	17	25	


4 Residue-property plots

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: long neurotoxin 1



- Molecule 2: MIMOTOPE OF THE NICOTINIC ACETYLCHOLINE RECEPTOR



5 Refinement protocol and experimental data overview

The models were refined using the following method: *distance geometry*.

Of the 100 calculated structures, 1 were deposited, based on the following criterion: *structures with favorable non-bond energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
AMBER	refinement	4.1

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	BMRB entry 5988
Number of chemical shift lists	2
Total number of shifts	544
Number of shifts mapped to atoms	544
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	46%

No validations of the models with respect to experimental NMR restraints is performed at this time.

6 Model quality

6.1 Standard geometry

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	550	539	538	169
2	B	121	102	100	57
All	All	671	641	638	185

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 141.

All clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:23:CYS:SG	1:A:66:ASN:HB2	1.58	1.37
1:A:16:CYS:SG	1:A:44:CYS:CB	1.18	2.31
1:A:23:CYS:SG	1:A:66:ASN:CB	1.15	2.32
1:A:11:ILE:HG23	2:B:3:TYR:CZ	1.09	1.82
1:A:16:CYS:CB	1:A:44:CYS:SG	1.05	2.44
1:A:60:CYS:CB	1:A:65:CYS:SG	0.96	2.52
1:A:46:ALA:O	1:A:47:THR:HG23	0.90	1.64
1:A:2:VAL:CG2	1:A:15:THR:HG23	0.90	1.96
2:B:3:TYR:O	2:B:4:TYR:O	0.89	1.89
1:A:68:HIS:CE1	2:B:3:TYR:O	0.84	2.30
1:A:3:CYS:SG	1:A:43:GLY:O	0.83	2.37
1:A:3:CYS:SG	1:A:23:CYS:CB	0.82	2.68
1:A:42:LEU:HD11	1:A:66:ASN:O	0.76	1.80
2:B:4:TYR:CG	2:B:12:ASP:HA	0.76	2.15

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:58:THR:HB	1:A:66:ASN:HD21	0.75	1.41
1:A:68:HIS:CG	1:A:69:PRO:HD2	0.74	2.18
1:A:22:LEU:HD23	1:A:60:CYS:O	0.72	1.85
1:A:11:ILE:HG23	2:B:3:TYR:CE2	0.72	2.19
1:A:40:VAL:HG21	1:A:69:PRO:HD3	0.71	1.62
1:A:19:GLY:O	1:A:46:ALA:HB2	0.70	1.87
1:A:2:VAL:HG23	1:A:15:THR:HG23	0.70	1.61
1:A:30:ASP:OD1	1:A:37:GLY:C	0.70	2.30
1:A:68:HIS:ND1	1:A:69:PRO:HD2	0.70	2.02
1:A:58:THR:HB	1:A:66:ASN:ND2	0.69	2.01
1:A:33:CYS:HA	1:A:37:GLY:HA3	0.69	1.62
1:A:42:LEU:CD1	1:A:66:ASN:O	0.69	2.40
1:A:2:VAL:HG22	1:A:15:THR:HG23	0.69	1.63
1:A:22:LEU:HD23	1:A:60:CYS:C	0.68	2.09
2:B:3:TYR:O	2:B:4:TYR:C	0.66	2.33
1:A:50:SER:O	1:A:51:LYS:HB2	0.65	1.90
1:A:24:TYR:C	1:A:66:ASN:ND2	0.65	2.50
1:A:11:ILE:HG12	2:B:8:LEU:HD23	0.64	1.68
1:A:2:VAL:O	1:A:63:ASP:OD2	0.64	2.16
1:A:70:LYS:O	1:A:70:LYS:CD	0.63	2.46
1:A:50:SER:O	1:A:51:LYS:CB	0.63	2.45
1:A:70:LYS:O	1:A:71:GLN:C	0.62	2.38
2:B:4:TYR:O	2:B:6:SER:N	0.62	2.33
1:A:30:ASP:CG	1:A:39:VAL:HG22	0.61	2.15
1:A:2:VAL:O	1:A:63:ASP:HA	0.60	1.96
1:A:60:CYS:HB2	1:A:66:ASN:OD1	0.60	1.95
1:A:24:TYR:C	1:A:66:ASN:HD22	0.59	2.00
1:A:70:LYS:O	1:A:70:LYS:CG	0.59	2.50
1:A:40:VAL:HG21	1:A:69:PRO:CD	0.58	2.28
1:A:24:TYR:CE2	1:A:43:GLY:HA3	0.58	2.33
1:A:30:ASP:OD2	1:A:37:GLY:N	0.58	2.36
1:A:29:CYS:O	1:A:30:ASP:O	0.57	2.21
1:A:4:HIS:O	1:A:43:GLY:N	0.57	2.37
1:A:22:LEU:N	1:A:45:ALA:O	0.57	2.37
1:A:68:HIS:ND1	2:B:3:TYR:HB2	0.57	2.14
1:A:30:ASP:OD1	1:A:38:LYS:N	0.57	2.37
1:A:41:GLU:O	1:A:42:LEU:C	0.56	2.43
1:A:46:ALA:O	1:A:47:THR:CG2	0.56	2.47
1:A:63:ASP:CG	1:A:64:LYS:HG2	0.56	2.21
1:A:6:THR:CG2	2:B:2:ARG:HA	0.56	2.30
1:A:68:HIS:CE1	1:A:69:PRO:HD2	0.56	2.36
1:A:6:THR:HA	2:B:3:TYR:CZ	0.56	2.35

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:36:ARG:HD3	2:B:6:SER:CB	0.56	2.31
1:A:4:HIS:CD2	1:A:13:ALA:HB2	0.55	2.36
1:A:11:ILE:HG13	2:B:3:TYR:CE1	0.55	2.37
1:A:22:LEU:HD13	1:A:46:ALA:O	0.54	2.02
1:A:2:VAL:HG13	1:A:14:VAL:O	0.54	2.02
1:A:22:LEU:CD2	1:A:60:CYS:O	0.54	2.55
1:A:23:CYS:O	1:A:59:CYS:HA	0.54	2.02
1:A:30:ASP:OD1	1:A:39:VAL:CG2	0.54	2.55
1:A:23:CYS:O	1:A:60:CYS:N	0.54	2.40
1:A:2:VAL:HG13	1:A:14:VAL:C	0.54	2.23
1:A:5:THR:O	2:B:3:TYR:OH	0.54	2.25
1:A:68:HIS:NE2	2:B:3:TYR:O	0.54	2.41
1:A:9:SER:CB	1:A:10:PRO:HD3	0.53	2.34
2:B:4:TYR:C	2:B:6:SER:N	0.53	2.58
1:A:29:CYS:HA	1:A:38:LYS:H	0.53	1.64
2:B:4:TYR:CD1	2:B:12:ASP:HA	0.53	2.39
1:A:28:TRP:O	1:A:38:LYS:N	0.53	2.42
1:A:33:CYS:HA	1:A:37:GLY:CA	0.53	2.34
1:A:28:TRP:NE1	1:A:39:VAL:CG2	0.52	2.73
1:A:25:ARG:CG	1:A:40:VAL:HG22	0.52	2.35
1:A:4:HIS:CG	1:A:13:ALA:HB2	0.52	2.40
1:A:6:THR:CA	2:B:3:TYR:CZ	0.51	2.93
1:A:11:ILE:CG1	2:B:3:TYR:CE1	0.51	2.94
1:A:29:CYS:CB	1:A:54:TYR:OH	0.51	2.59
1:A:30:ASP:OD1	1:A:39:VAL:HG22	0.51	2.06
1:A:22:LEU:CG	1:A:60:CYS:O	0.50	2.59
1:A:28:TRP:CD1	1:A:39:VAL:HB	0.50	2.40
1:A:39:VAL:HG13	2:B:4:TYR:CG	0.50	2.41
2:B:3:TYR:O	2:B:7:SER:O	0.50	2.30
1:A:6:THR:OG1	2:B:2:ARG:HA	0.50	2.07
1:A:39:VAL:HG13	2:B:4:TYR:CD2	0.50	2.41
1:A:2:VAL:HG22	1:A:15:THR:CG2	0.50	2.34
1:A:68:HIS:CG	1:A:69:PRO:CD	0.50	2.93
1:A:58:THR:HG22	1:A:59:CYS:H	0.49	1.67
1:A:24:TYR:CE1	1:A:41:GLU:O	0.49	2.65
1:A:32:PHE:C	1:A:34:SER:N	0.49	2.62
1:A:70:LYS:O	1:A:71:GLN:O	0.49	2.30
1:A:41:GLU:O	1:A:42:LEU:O	0.49	2.31
1:A:22:LEU:CB	1:A:60:CYS:O	0.49	2.61
1:A:4:HIS:CE1	1:A:64:LYS:HD2	0.49	2.42
1:A:60:CYS:CB	1:A:65:CYS:HG	0.49	2.04
1:A:68:HIS:CE1	2:B:3:TYR:C	0.48	2.86

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:39:VAL:CG1	2:B:2:ARG:HG3	0.48	2.38
2:B:2:ARG:HG3	2:B:4:TYR:CE1	0.48	2.43
1:A:72:ARG:N	2:B:8:LEU:HD13	0.48	2.23
1:A:30:ASP:CG	1:A:37:GLY:CA	0.48	2.82
1:A:6:THR:HA	2:B:3:TYR:OH	0.48	2.09
1:A:48:CYS:CB	1:A:51:LYS:NZ	0.48	2.77
1:A:65:CYS:SG	1:A:65:CYS:O	0.48	2.71
1:A:5:THR:HG23	1:A:43:GLY:HA2	0.47	1.86
1:A:25:ARG:O	1:A:26:LYS:O	0.47	2.32
1:A:5:THR:HA	1:A:42:LEU:O	0.47	2.10
1:A:28:TRP:O	1:A:30:ASP:N	0.47	2.48
2:B:4:TYR:C	2:B:6:SER:H	0.47	2.13
1:A:32:PHE:CD2	1:A:36:ARG:HG3	0.47	2.44
1:A:6:THR:CB	2:B:3:TYR:CZ	0.47	2.97
1:A:71:GLN:O	1:A:72:ARG:HB2	0.47	2.10
1:A:11:ILE:CG2	2:B:3:TYR:CZ	0.47	2.77
1:A:30:ASP:N	1:A:37:GLY:HA2	0.47	2.24
2:B:9:GLU:HB2	2:B:13:ASP:C	0.46	2.30
1:A:11:ILE:HG23	2:B:3:TYR:CE1	0.46	2.39
1:A:70:LYS:O	1:A:70:LYS:HG3	0.46	2.09
1:A:14:VAL:HG13	1:A:15:THR:N	0.46	2.24
1:A:26:LYS:HA	1:A:57:VAL:HA	0.46	1.88
1:A:63:ASP:OD2	1:A:64:LYS:HG2	0.46	2.11
1:A:9:SER:C	2:B:10:PRO:HG3	0.46	2.31
1:A:68:HIS:CD2	1:A:70:LYS:H	0.46	2.28
1:A:48:CYS:HB2	1:A:51:LYS:NZ	0.45	2.27
1:A:22:LEU:CA	1:A:60:CYS:O	0.45	2.64
1:A:9:SER:O	2:B:10:PRO:HG3	0.45	2.12
1:A:40:VAL:CG1	1:A:42:LEU:HD13	0.45	2.42
1:A:24:TYR:HB2	1:A:58:THR:O	0.44	2.11
1:A:61:SER:C	1:A:62:THR:OG1	0.44	2.55
1:A:32:PHE:C	1:A:34:SER:H	0.44	2.16
1:A:9:SER:CB	1:A:10:PRO:CD	0.44	2.96
1:A:46:ALA:C	1:A:47:THR:OG1	0.44	2.55
1:A:42:LEU:HB2	2:B:3:TYR:CE2	0.44	2.46
1:A:26:LYS:O	1:A:27:MET:CG	0.44	2.66
1:A:72:ARG:N	2:B:8:LEU:CD1	0.44	2.81
1:A:4:HIS:HB3	1:A:42:LEU:HD23	0.43	1.89
2:B:10:PRO:O	2:B:11:TRP:CD1	0.43	2.71
1:A:32:PHE:O	1:A:34:SER:N	0.43	2.52
2:B:3:TYR:HA	2:B:8:LEU:HA	0.43	1.89
1:A:30:ASP:HB3	1:A:39:VAL:CG2	0.43	2.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:28:TRP:NE1	1:A:39:VAL:HB	0.43	2.29
1:A:17:PRO:HB2	1:A:18:PRO:HD2	0.43	1.90
1:A:24:TYR:O	1:A:66:ASN:HB3	0.43	2.14
1:A:30:ASP:CG	1:A:39:VAL:CG2	0.43	2.87
1:A:30:ASP:C	1:A:32:PHE:H	0.43	2.16
1:A:24:TYR:CA	1:A:66:ASN:ND2	0.43	2.82
1:A:66:ASN:N	1:A:67:PRO:HD3	0.43	2.29
1:A:68:HIS:CD2	1:A:70:LYS:N	0.43	2.87
1:A:36:ARG:CG	2:B:6:SER:HB3	0.43	2.43
1:A:30:ASP:O	1:A:32:PHE:N	0.42	2.49
1:A:39:VAL:HG12	2:B:2:ARG:CD	0.42	2.44
1:A:32:PHE:O	1:A:36:ARG:N	0.42	2.51
1:A:41:GLU:HG2	1:A:41:GLU:O	0.42	2.13
1:A:24:TYR:CZ	1:A:43:GLY:HA3	0.42	2.48
1:A:11:ILE:HG12	2:B:8:LEU:CD2	0.42	2.42
1:A:6:THR:HG21	2:B:2:ARG:HB3	0.42	1.91
1:A:51:LYS:HD3	1:A:57:VAL:O	0.42	2.14
1:A:23:CYS:O	1:A:59:CYS:CA	0.42	2.68
1:A:26:LYS:HB2	1:A:57:VAL:CG1	0.42	2.45
2:B:13:ASP:OD1	2:B:13:ASP:C	0.42	2.58
1:A:24:TYR:CD1	1:A:25:ARG:N	0.42	2.87
1:A:30:ASP:CB	1:A:39:VAL:CG2	0.42	2.98
1:A:6:THR:HB	2:B:3:TYR:CE2	0.42	2.49
1:A:36:ARG:NE	2:B:12:ASP:HB2	0.42	2.30
2:B:2:ARG:O	2:B:9:GLU:O	0.42	2.38
1:A:22:LEU:HA	1:A:60:CYS:O	0.42	2.14
1:A:29:CYS:C	1:A:30:ASP:O	0.41	2.56
1:A:26:LYS:HA	1:A:56:GLU:O	0.41	2.14
1:A:72:ARG:CG	1:A:73:PRO:HD2	0.41	2.45
1:A:39:VAL:HG12	2:B:2:ARG:CG	0.41	2.45
1:A:26:LYS:O	1:A:40:VAL:HA	0.41	2.16
1:A:11:ILE:CD1	2:B:8:LEU:HB3	0.41	2.45
1:A:70:LYS:HG3	2:B:8:LEU:CD1	0.41	2.46
1:A:15:THR:O	1:A:16:CYS:O	0.41	2.39
1:A:36:ARG:CD	2:B:6:SER:CB	0.41	2.98
1:A:6:THR:OG1	2:B:3:TYR:CE1	0.41	2.61
2:B:3:TYR:HB3	2:B:8:LEU:HG	0.41	1.91
1:A:17:PRO:C	1:A:19:GLY:H	0.41	2.19
1:A:68:HIS:CE1	2:B:3:TYR:HB2	0.41	2.51
1:A:25:ARG:HG2	1:A:40:VAL:HG22	0.41	1.92
1:A:6:THR:HG21	2:B:2:ARG:HA	0.41	1.92
1:A:2:VAL:HG22	1:A:15:THR:CB	0.40	2.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)
1:A:30:ASP:OD1	1:A:37:GLY:CA	0.40	2.68
1:A:70:LYS:HG3	2:B:8:LEU:HD12	0.40	1.94
2:B:10:PRO:O	2:B:11:TRP:CG	0.40	2.74

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	72/74 (97%)	45 (62%)	15 (21%)	12 (17%)	0	4
2	B	11/13 (85%)	5 (45%)	2 (18%)	4 (36%)	0	0
All	All	83/87 (95%)	50 (60%)	17 (20%)	16 (19%)	0	2

All 16 Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
1	A	30	ASP
2	B	4	TYR
1	A	26	LYS
2	B	7	SER
1	A	72	ARG
1	A	16	CYS
1	A	10	PRO
2	B	5	GLU
1	A	49	PRO
1	A	42	LEU
1	A	29	CYS
2	B	11	TRP
1	A	32	PHE
1	A	51	LYS
1	A	71	GLN
1	A	37	GLY

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	65/65 (100%)	40 (62%)	25 (38%)	1	6
2	B	13/13 (100%)	11 (85%)	2 (15%)	7	44
All	All	78/78 (100%)	51 (65%)	27 (35%)	1	10

All 27 residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type
1	A	26	LYS
1	A	56	GLU
1	A	48	CYS
1	A	30	ASP
1	A	60	CYS
1	A	9	SER
1	A	22	LEU
1	A	34	SER
1	A	27	MET
1	A	47	THR
1	A	15	THR
1	A	55	GLU
1	A	50	SER
1	A	35	SER
2	B	2	ARG
1	A	16	CYS
1	A	52	LYS
2	B	13	ASP
1	A	70	LYS
1	A	57	VAL
1	A	59	CYS
1	A	38	LYS
1	A	29	CYS
1	A	42	LEU
1	A	65	CYS
1	A	71	GLN
1	A	14	VAL

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 46% for the well-defined parts and 46% for the entire structure.

7.1 Chemical shift list 1

File name: BMRB entry 5988

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	474
Number of shifts mapped to atoms	474
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	3

7.1.2 Chemical shift referencing [i](#)

No chemical shift referencing corrections were calculated (not enough data).

7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 39%, i.e. 404 atoms were assigned a chemical shift out of a possible 1025. 0 out of 8 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	139/417 (33%)	139/165 (84%)	0/174 (0%)	0/78 (0%)
Sidechain	241/518 (47%)	241/312 (77%)	0/185 (0%)	0/21 (0%)
Aromatic	24/90 (27%)	24/46 (52%)	0/38 (0%)	0/6 (0%)
Overall	404/1025 (39%)	404/523 (77%)	0/397 (0%)	0/105 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 39%, i.e. 404 atoms were assigned a chemical shift out of a possible 1025. 0 out of 8 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	139/417 (33%)	139/165 (84%)	0/174 (0%)	0/78 (0%)
Sidechain	241/518 (47%)	241/312 (77%)	0/185 (0%)	0/21 (0%)
Aromatic	24/90 (27%)	24/46 (52%)	0/38 (0%)	0/6 (0%)
Overall	404/1025 (39%)	404/523 (77%)	0/397 (0%)	0/105 (0%)

7.1.4 Statistically unusual chemical shifts [i](#)


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	28	TRP	HH2	9.54	8.94 – 5.04	6.5
1	A	39	VAL	HB	0.14	3.59 – 0.39	-5.8
1	A	64	LYS	HB3	0.32	3.10 – 0.40	-5.3

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



7.2 Chemical shift list 2

File name: BMRB entry 5988

Chemical shift list name: *assigned_chem_shift_list_2*

7.2.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	70
Number of shifts mapped to atoms	70
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	2

7.2.2 Chemical shift referencing [i](#)

No chemical shift referencing corrections were calculated (not enough data).

7.2.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 7%, i.e. 70 atoms were assigned a chemical shift out of a possible 1025. 0 out of 8 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	24/417 (6%)	24/165 (15%)	0/174 (0%)	0/78 (0%)
Sidechain	40/518 (8%)	40/312 (13%)	0/185 (0%)	0/21 (0%)
Aromatic	6/90 (7%)	6/46 (13%)	0/38 (0%)	0/6 (0%)
Overall	70/1025 (7%)	70/523 (13%)	0/397 (0%)	0/105 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 7%, i.e. 70 atoms were assigned a chemical shift out of a possible 1025. 0 out of 8 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	24/417 (6%)	24/165 (15%)	0/174 (0%)	0/78 (0%)
Sidechain	40/518 (8%)	40/312 (13%)	0/185 (0%)	0/21 (0%)
Aromatic	6/90 (7%)	6/46 (13%)	0/38 (0%)	0/6 (0%)
Overall	70/1025 (7%)	70/523 (13%)	0/397 (0%)	0/105 (0%)

7.2.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules con-

taining paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, <i>ppm</i>	Expected range, <i>ppm</i>	Z-score
2	B	11	TRP	HH2	10.90	8.94 – 5.04	10.0
2	B	11	TRP	HE1	6.70	12.85 – 7.35	-6.2

7.2.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain B:

