



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 31, 2017 – 03:47 AM EDT

PDB ID : 3RRM
Title : S. cerevisiae dbp5 l327v bound to nup159, gle1 h337r, ip6 and adp
Authors : Montpetit, B.; Thomsen, N.D.; Helmke, K.J.; Seeliger, M.A.; Berger, J.M.; Weis, K.
Deposited on : unknown
Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<http://wwpdb.org/validation/2016/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7.2 (RC1), CSD as538be (2017)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20030345
Percentile statistics : 20161228.v01 (using entries in the PDB archive December 28th 2016)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : rb-20030345


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	100719	1586 (2.90-2.90)
Clashscore	112137	1807 (2.90-2.90)
Ramachandran outliers	110173	1768 (2.90-2.90)
Sidechain outliers	110143	1770 (2.90-2.90)
RSRZ outliers	101464	1596 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	395	<div> <div>2%</div> <div>70%</div> <div>25%</div> <div>5%</div> </div>
2	B	297	<div> <div>72%</div> <div>27%</div> <div>.</div> </div>
3	C	388	<div> <div>%</div> <div>68%</div> <div>28%</div> <div>5%</div> </div>

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8323 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP-dependent RNA helicase DBP5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	375	Total	C	N	O	S	0	0	0
			2948	1869	512	553	14			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	88	GLY	-	EXPRESSION TAG	UNP P20449
A	89	ALA	-	EXPRESSION TAG	UNP P20449
A	90	MET	-	EXPRESSION TAG	UNP P20449
A	327	VAL	LEU	ENGINEERED MUTATION	UNP P20449

- Molecule 2 is a protein called Nucleoporin GLE1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	295	Total	C	N	O	S	0	0	0
			2406	1551	418	427	10			

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	242	GLY	-	EXPRESSION TAG	UNP Q12315
B	243	ALA	-	EXPRESSION TAG	UNP Q12315
B	337	ARG	HIS	ENGINEERED MUTATION	UNP Q12315


- Molecule 3 is a protein called Nucleoporin NUP159.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	370	Total	C	N	O	S	0	0	0
			2905	1852	463	585	5			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	0	GLY	-	EXPRESSION TAG	UNP P40477
C	1	ALA	-	EXPRESSION TAG	UNP P40477

- Molecule 4 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C₁₀H₁₅N₅O₁₀P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total	C	O	P	0	0
			36	6	24	6		


- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	B	1	Total	Mg	0	0
			1	1		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: ATP-dependent RNA helicase DBP5



• Molecule 2: Nucleoporin GLE1



• Molecule 3: Nucleoporin NUP159





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	186.91Å 67.98Å 132.39Å 90.00° 127.52° 90.00°	Depositor
Resolution (Å)	48.27 – 2.90 48.27 – 2.88	Depositor EDS
% Data completeness (in resolution range)	98.8 (48.27-2.90) 98.6 (48.27-2.88)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.71 (at 2.86Å)	Xtriage
Refinement program	PHENIX 1.6.4_486, ELVES	Depositor
R, R_{free}	0.229 , 0.261 0.220 , 0.254	Depositor DCC
R_{free} test set	1495 reflections (5.08%)	DCC
Wilson B-factor (Å ²)	54.7	Xtriage
Anisotropy	0.463	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 22.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	8323	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.68% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: IHP, MG, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.21	0/2991	0.38	0/4034
2	B	0.21	0/2460	0.36	0/3328
3	C	0.22	0/2962	0.38	0/4026
All	All	0.21	0/8413	0.37	0/11388

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2948	0	3043	75	0
2	B	2406	0	2454	52	0
3	C	2905	0	2863	71	0
4	A	27	0	12	0	0
5	B	36	0	6	0	0
6	B	1	0	0	0	0
All	All	8323	0	8378	194	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (194) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:266:THR:HG21	3:C:298:SER:HB3	1.41	0.99
1:A:241:ALA:HB2	1:A:269:LEU:HD11	1.50	0.90
3:C:284:SER:HA	3:C:292:ASN:HB3	1.54	0.89
3:C:251:LYS:HE3	3:C:253:ILE:HD11	1.57	0.86
2:B:379:CYS:HA	2:B:418:MET:HE1	1.58	0.84
2:B:351:LEU:HB3	2:B:352:PRO:HD3	1.66	0.77
1:A:364:LEU:HD13	1:A:369:ARG:HB2	1.68	0.76
3:C:266:THR:CG2	3:C:298:SER:HB3	2.16	0.75
1:A:170:PRO:HD2	1:A:174:LEU:HD23	1.69	0.74
1:A:192:THR:H	1:A:210:GLN:HE21	1.36	0.73
3:C:169:VAL:HG22	3:C:174:LEU:HD23	1.69	0.73
3:C:177:LEU:HB2	3:C:218:VAL:HG21	1.71	0.72
1:A:453:GLN:HG3	1:A:459:ILE:HG23	1.72	0.72
3:C:284:SER:HA	3:C:292:ASN:CB	2.20	0.71
1:A:230:LEU:HD23	1:A:261:LEU:HD23	1.73	0.71
1:A:164:GLN:HA	1:A:233:ILE:HA	1.72	0.70
1:A:99:LEU:HD21	1:A:150:LEU:HD21	1.73	0.69
3:C:266:THR:HG21	3:C:298:SER:CB	2.20	0.68
2:B:336:VAL:HG11	2:B:378:LYS:HD3	1.78	0.65
3:C:181:ARG:HG2	3:C:215:PRO:HD3	1.78	0.65
1:A:110:MET:CE	1:A:185:MET:HG2	2.28	0.64
1:A:191:ILE:HA	1:A:210:GLN:NE2	2.12	0.64
3:C:144:VAL:O	3:C:145:ASN:HB2	1.98	0.63
1:A:359:ILE:HD13	1:A:385:ILE:HB	1.81	0.62
1:A:118:ILE:HA	1:A:294:LEU:HD13	1.82	0.62
3:C:15:ASP:O	3:C:381:HIS:HB2	2.00	0.62
2:B:488:TYR:HB2	2:B:492:ALA:HB2	1.83	0.61
1:A:285:ILE:HG22	1:A:286:VAL:HG23	1.84	0.60
3:C:318:ASP:O	3:C:321:ARG:HG2	2.01	0.60
2:B:502:GLU:O	2:B:506:ARG:HG2	2.02	0.59
3:C:177:LEU:HB2	3:C:218:VAL:CG2	2.31	0.59
2:B:472:ILE:HG13	2:B:473:LEU:N	2.17	0.58
1:A:191:ILE:HA	1:A:210:GLN:HE22	1.69	0.57
3:C:24:LYS:NZ	3:C:74:ASP:HA	2.19	0.57
1:A:255:ILE:HG12	1:A:285:ILE:HD11	1.84	0.57
1:A:238:LEU:HB3	1:A:269:LEU:HD13	1.85	0.57
2:B:260:ILE:HG21	2:B:377:LYS:HD2	1.87	0.56
2:B:305:LYS:O	2:B:309:GLU:HG2	2.06	0.56
2:B:462:LEU:H	2:B:462:LEU:HD12	1.71	0.56
3:C:95:HIS:O	3:C:98:GLN:HG3	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:25:GLN:HA	3:C:373:SER:HA	1.88	0.56
3:C:317:GLN:HB2	3:C:320:GLU:HG2	1.87	0.56
1:A:306:GLN:HE22	1:A:459:ILE:HD11	1.71	0.55
3:C:291:ALA:HB1	3:C:309:SER:HB3	1.87	0.55
1:A:145:THR:HA	1:A:148:PHE:CE2	2.41	0.55
3:C:18:PHE:HB3	3:C:377:VAL:CG1	2.36	0.55
2:B:414:TYR:O	2:B:418:MET:HG2	2.07	0.54
2:B:422:LEU:HG	2:B:472:ILE:HB	1.88	0.54
3:C:149:ALA:HB2	3:C:160:LEU:HD11	1.88	0.54
3:C:91:PHE:HB3	3:C:102:SER:HB3	1.89	0.54
1:A:207:ILE:HD11	1:A:222:LEU:HD13	1.90	0.54
1:A:307:LEU:HD12	1:A:307:LEU:N	2.23	0.54
2:B:468:THR:O	2:B:472:ILE:HG23	2.08	0.54
2:B:259:LYS:O	2:B:263:ILE:HG13	2.07	0.54
2:B:380:PRO:HG2	2:B:398:MET:HA	1.89	0.54
3:C:315:PRO:HB3	3:C:320:GLU:HB2	1.90	0.53
1:A:110:MET:HE3	1:A:185:MET:HG2	1.90	0.53
1:A:238:LEU:HD21	1:A:244:MET:HG3	1.90	0.53
1:A:230:LEU:HD22	1:A:260:PHE:HB3	1.92	0.52
1:A:306:GLN:NE2	1:A:459:ILE:HD11	2.24	0.52
1:A:152:MET:O	1:A:156:VAL:HG23	2.09	0.52
2:B:301:GLN:HG2	2:B:538:PRO:OXT	2.09	0.52
1:A:207:ILE:CD1	1:A:222:LEU:HD13	2.40	0.52
2:B:413:SER:O	2:B:417:ARG:HG3	2.10	0.51
3:C:287:ILE:HG13	3:C:288:GLU:H	1.75	0.51
3:C:26:ILE:HG13	3:C:27:LEU:HG	1.90	0.51
1:A:182:VAL:HG11	1:A:211:VAL:HG11	1.92	0.51
2:B:449:LEU:O	2:B:453:ILE:HG13	2.10	0.51
1:A:241:ALA:HB3	1:A:271:SER:HB2	1.91	0.51
3:C:229:VAL:HG22	3:C:247:MET:HG3	1.92	0.51
1:A:334:ILE:HG13	1:A:399:VAL:HG11	1.92	0.51
3:C:54:ALA:HB1	3:C:89:VAL:HG11	1.93	0.51
1:A:330:ILE:HG23	1:A:400:SER:HB2	1.93	0.51
1:A:286:VAL:HG12	1:A:289:ALA:HB2	1.92	0.50
1:A:476:VAL:O	1:A:480:LEU:HG	2.12	0.50
2:B:317:THR:HG21	2:B:327:ILE:HG13	1.93	0.50
3:C:248:TYR:CE1	3:C:261:GLU:HB2	2.46	0.50
1:A:110:MET:HE2	1:A:184:GLU:HG2	1.93	0.50
2:B:349:SER:O	2:B:352:PRO:HD2	2.11	0.50
3:C:202:PRO:HD2	3:C:205:LEU:HD12	1.94	0.50
1:A:167:CYS:HB3	1:A:213:VAL:HG22	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:270:PRO:HB2	2:B:322:LEU:HD21	1.92	0.50
1:A:328:MET:HB2	1:A:330:ILE:HD11	1.94	0.50
1:A:283:LYS:NZ	1:A:283:LYS:HB3	2.27	0.50
1:A:256:ARG:HD2	3:C:333:ASP:OD1	2.12	0.49
2:B:296:LEU:HD23	2:B:306:ILE:HD12	1.93	0.49
2:B:462:LEU:N	2:B:462:LEU:HD12	2.26	0.49
3:C:99:VAL:HG13	3:C:112:LEU:HD21	1.93	0.49
1:A:126:LEU:HB3	1:A:151:THR:HG21	1.95	0.49
3:C:27:LEU:HB3	3:C:28:PRO:HD2	1.93	0.49
3:C:52:VAL:HG23	3:C:94:PHE:CZ	2.47	0.49
1:A:248:GLN:HG2	3:C:319:SER:O	2.13	0.49
3:C:126:LYS:HB2	3:C:142:ASN:HD21	1.78	0.48
3:C:88:ASP:OD1	3:C:104:ARG:HG3	2.13	0.48
3:C:246:LYS:HD2	3:C:246:LYS:N	2.28	0.48
1:A:121:ARG:O	1:A:125:LEU:HD13	2.13	0.48
3:C:187:ALA:O	3:C:193:MET:HA	2.13	0.48
1:A:99:LEU:CD2	1:A:150:LEU:HD21	2.43	0.48
2:B:311:THR:HG21	2:B:359:TYR:OH	2.13	0.47
2:B:344:ARG:HG3	2:B:416:GLU:HB3	1.95	0.47
3:C:287:ILE:HG13	3:C:288:GLU:N	2.30	0.47
2:B:362:VAL:HG11	2:B:437:PHE:HB3	1.97	0.47
3:C:43:ASP:OD2	3:C:93:CYS:HA	2.13	0.47
1:A:347:TYR:HB2	1:A:359:ILE:HD11	1.97	0.47
1:A:361:HIS:CE1	1:A:363:ASP:HB2	2.49	0.47
3:C:48:LYS:NZ	3:C:97:ASP:HA	2.29	0.47
2:B:462:LEU:CD1	2:B:462:LEU:H	2.28	0.47
3:C:0:GLY:N	3:C:256:SER:HB2	2.30	0.47
3:C:302:SER:O	3:C:323:VAL:HG23	2.15	0.47
2:B:371:PHE:CE2	2:B:375:LEU:HD11	2.50	0.46
2:B:272:LYS:HA	2:B:279:ARG:HD3	1.96	0.46
3:C:221:LEU:HD13	3:C:307:TRP:NE1	2.30	0.46
1:A:321:LEU:CD1	1:A:350:LEU:HD21	2.45	0.46
2:B:310:LEU:HD12	2:B:356:LEU:HD11	1.97	0.46
1:A:271:SER:HB3	1:A:274:PHE:CZ	2.51	0.46
2:B:307:GLN:O	2:B:311:THR:HG23	2.16	0.46
2:B:286:LYS:HG3	2:B:330:PHE:CZ	2.51	0.46
3:C:52:VAL:HG23	3:C:94:PHE:CE1	2.50	0.46
1:A:129:ASN:OD1	1:A:130:PRO:HA	2.16	0.46
3:C:266:THR:HG23	3:C:301:SER:HB3	1.97	0.46
2:B:445:PHE:HB3	2:B:449:LEU:HD12	1.98	0.46
1:A:409:THR:HG22	1:A:448:ILE:HD13	1.97	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:269:LEU:O	2:B:273:LYS:HG2	2.17	0.45
1:A:471:GLU:O	1:A:475:ILE:HG13	2.16	0.45
1:A:181:VAL:O	1:A:185:MET:HG3	2.16	0.45
2:B:310:LEU:O	2:B:314:ILE:HG13	2.16	0.45
1:A:229:GLN:HA	1:A:229:GLN:HE21	1.82	0.45
1:A:110:MET:HE3	1:A:185:MET:HA	1.98	0.45
3:C:30:PHE:CG	3:C:34:LEU:HD13	2.52	0.45
3:C:324:LEU:HD12	3:C:369:ASN:ND2	2.31	0.45
1:A:223:MET:CE	1:A:230:LEU:HD21	2.46	0.45
3:C:288:GLU:HB2	3:C:289:PRO:HD2	1.97	0.45
2:B:448:ALA:O	2:B:451:TRP:HB3	2.17	0.44
1:A:172:ARG:H	3:C:317:GLN:HE22	1.65	0.44
2:B:268:VAL:O	2:B:272:LYS:HG3	2.18	0.44
3:C:347:GLY:O	3:C:348:THR:C	2.55	0.44
3:C:82:TRP:CZ2	3:C:84:LYS:HB2	2.52	0.44
2:B:478:ASP:OD2	2:B:517:ARG:NH1	2.50	0.44
1:A:304:ILE:HD13	1:A:424:ILE:O	2.17	0.44
3:C:245:GLN:HB2	3:C:268:PRO:HG3	1.98	0.44
1:A:475:ILE:HA	1:A:478:LYS:HE2	1.98	0.44
3:C:141:LEU:HB2	3:C:167:PHE:CE2	2.53	0.44
3:C:88:ASP:O	3:C:103:THR:HA	2.18	0.44
3:C:57:SER:HA	3:C:86:ILE:O	2.18	0.44
1:A:328:MET:HG2	1:A:476:VAL:HG11	2.00	0.44
3:C:308:ASP:C	3:C:308:ASP:OD1	2.57	0.43
1:A:187:LYS:HE3	1:A:188:PHE:CE2	2.53	0.43
2:B:275:ASP:OD2	2:B:278:VAL:HG23	2.19	0.43
3:C:302:SER:HB2	3:C:324:LEU:HB2	2.01	0.43
3:C:90:ILE:HD13	3:C:104:ARG:HG2	2.00	0.43
3:C:344:VAL:C	3:C:361:ARG:HH22	2.22	0.43
3:C:241:VAL:HB	3:C:273:VAL:HG22	2.00	0.43
3:C:144:VAL:O	3:C:144:VAL:HG12	2.17	0.43
2:B:466:THR:H	2:B:469:HIS:CE1	2.37	0.43
3:C:211:GLU:CD	3:C:211:GLU:H	2.23	0.43
2:B:410:ASP:OD2	2:B:410:ASP:N	2.51	0.42
1:A:292:LEU:HD23	1:A:293:GLU:N	2.34	0.42
3:C:266:THR:CG2	3:C:301:SER:HB3	2.49	0.42
1:A:223:MET:HE3	1:A:230:LEU:HD21	2.01	0.42
3:C:68:ARG:NH2	3:C:347:GLY:HA3	2.35	0.42
1:A:110:MET:HE1	1:A:185:MET:HG2	2.01	0.42
3:C:94:PHE:CD2	3:C:99:VAL:HG12	2.55	0.42
1:A:205:LYS:HG2	1:A:206:GLN:N	2.33	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:261:LEU:HA	1:A:262:PRO:HD3	1.86	0.42
1:A:349:LYS:HB3	1:A:349:LYS:HE2	1.85	0.42
3:C:23:GLN:OE1	3:C:325:PRO:HG3	2.20	0.42
2:B:362:VAL:HG21	2:B:433:LEU:HD22	2.02	0.42
3:C:164:VAL:HG13	3:C:176:VAL:HG13	2.02	0.42
3:C:41:ASN:O	3:C:53:ALA:HA	2.19	0.42
2:B:247:ASP:O	2:B:251:LYS:HD3	2.19	0.41
2:B:286:LYS:HG3	2:B:330:PHE:CE1	2.55	0.41
3:C:52:VAL:HB	3:C:92:VAL:CG1	2.50	0.41
2:B:392:GLU:O	2:B:396:GLN:HG3	2.21	0.41
2:B:290:ASN:HB3	2:B:291:PRO:HD3	2.01	0.41
2:B:355:LYS:HD2	2:B:536:MET:SD	2.61	0.41
1:A:429:ARG:O	1:A:430:PHE:HB2	2.21	0.41
1:A:148:PHE:C	1:A:148:PHE:CD1	2.94	0.41
1:A:336:PHE:HE1	1:A:402:VAL:HG13	1.86	0.41
2:B:265:GLN:O	2:B:270:PRO:HD3	2.21	0.41
3:C:274:ARG:NH2	3:C:336:PRO:O	2.54	0.41
1:A:357:VAL:HG12	1:A:358:SER:N	2.36	0.41
1:A:326:GLY:HA2	2:B:291:PRO:HG3	2.02	0.41
2:B:484:PHE:CD2	2:B:492:ALA:HB1	2.56	0.41
1:A:189:THR:CG2	1:A:191:ILE:HG13	2.51	0.40
1:A:275:ALA:O	1:A:279:ARG:HB2	2.21	0.40
2:B:288:LYS:O	2:B:291:PRO:HD2	2.21	0.40
3:C:18:PHE:HB3	3:C:377:VAL:HG11	2.02	0.40
1:A:223:MET:CE	1:A:260:PHE:HB2	2.51	0.40
1:A:238:LEU:HD22	1:A:269:LEU:CD1	2.51	0.40
1:A:285:ILE:HG22	1:A:286:VAL:CG2	2.50	0.40
1:A:238:LEU:HD22	1:A:269:LEU:HD13	2.03	0.40
1:A:368:GLU:O	1:A:371:ARG:HG2	2.21	0.40
2:B:427:ILE:O	2:B:430:ARG:HG2	2.21	0.40
2:B:498:LEU:HD12	2:B:498:LEU:HA	1.96	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	369/395 (93%)	360 (98%)	9 (2%)	0	100	100
2	B	293/297 (99%)	289 (99%)	4 (1%)	0	100	100
3	C	366/388 (94%)	345 (94%)	21 (6%)	0	100	100
All	All	1028/1080 (95%)	994 (97%)	34 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	328/343 (96%)	324 (99%)	4 (1%)	75	93
2	B	263/263 (100%)	261 (99%)	2 (1%)	85	96
3	C	339/354 (96%)	335 (99%)	4 (1%)	75	93
All	All	930/960 (97%)	920 (99%)	10 (1%)	78	94

All (10) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	242	ASP
1	A	278	VAL
1	A	307	LEU
1	A	364	LEU
2	B	412	THR
2	B	422	LEU
3	C	217	SER
3	C	240	GLU
3	C	335	ASN
3	C	369	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	210	GLN
1	A	229	GLN
1	A	231	GLN
1	A	355	HIS
3	C	142	ASN
3	C	375	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	ADP	A	1	-	25,29,29	0.99	1 (4%)	24,45,45	1.63	2 (8%)
5	IHP	B	1	6	36,36,36	1.24	4 (11%)	54,60,60	1.83	14 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ADP	A	1	-	-	0/12/32/32	0/3/3/3
5	IHP	B	1	6	-	0/30/54/54	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	1	IHP	C3-C2	2.12	1.56	1.52
5	B	1	IHP	C6-C5	2.33	1.57	1.52
5	B	1	IHP	C5-C4	2.47	1.57	1.52
5	B	1	IHP	C4-C3	2.49	1.57	1.52
4	A	1	ADP	C5-C4	3.14	1.47	1.40

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1	ADP	N3-C2-N1	-6.01	123.63	128.86
4	A	1	ADP	C4-C5-N7	-2.89	106.62	109.41
5	B	1	IHP	C5-C4-C3	2.44	115.86	110.46
5	B	1	IHP	O14-C4-C3	2.73	115.13	108.68
5	B	1	IHP	O11-C1-C6	2.88	115.49	108.68
5	B	1	IHP	O16-C6-C5	3.11	116.03	108.68
5	B	1	IHP	O11-C1-C2	3.19	116.22	108.68
5	B	1	IHP	C5-C6-C1	3.31	117.79	110.46
5	B	1	IHP	O13-C3-C4	3.34	116.57	108.68
5	B	1	IHP	O16-C6-C1	3.47	116.87	108.68
5	B	1	IHP	O13-C3-C2	3.47	116.89	108.68
5	B	1	IHP	O12-C2-C1	3.67	117.36	108.68
5	B	1	IHP	O15-C5-C4	3.83	117.73	108.68
5	B	1	IHP	C6-C5-C4	3.87	119.03	110.46
5	B	1	IHP	O12-C2-C3	4.14	118.47	108.68
5	B	1	IHP	O14-C4-C5	4.21	118.63	108.68

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	375/395 (94%)	-0.03	6 (1%) 72 70	40, 62, 92, 110	0
2	B	295/297 (99%)	-0.28	0 100 100	35, 56, 83, 108	0
3	C	370/388 (95%)	-0.25	2 (0%) 90 90	35, 55, 83, 102	0
All	All	1040/1080 (96%)	-0.18	8 (0%) 86 85	35, 58, 88, 110	0

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	388	ASN	2.6
1	A	294	LEU	2.5
3	C	189	ARG	2.4
1	A	162	SER	2.3
3	C	290	ASP	2.3
1	A	414	GLN	2.2
1	A	263	LYS	2.2
1	A	396	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron

density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
4	ADP	A	1	27/27	0.90	0.17	-0.77	111,114,123,126	0
5	IHP	B	1	36/36	0.97	0.13	-0.92	53,57,77,119	0
6	MG	B	2	1/1	0.95	0.31	-	51,51,51,51	0

6.5 Other polymers [i](#)

There are no such residues in this entry.